



2023 WINTER SUPPLEMENT

LETCAT2301
\$5.00



A MAXIM GROUP COMPANY

#ET2lighting

253 North Vineland Avenue
City of Industry, California
91746
USA

General Info: 626.956.4200
Customer Service: 800.486.2946
General Fax: 626.956.4226

Dallas Trade Mart: 214.748.8455
Showroom: 3901
Email: info@et2online.com
Web: www.et2online.com



ET2 Contemporary Lighting and all designs,
logos and images © 2023 ET2 Contemporary
Lighting. All Rights Reserved.

 Contemporary Lighting™

COLLECTIONS

Alcove		97	Pearl		1
Axle		51	Penrose		27
Berliner		43	Phoenix		45
Blok		109	Pierce		47
Brik		107	Pipette		63
Burst		5	Pitch		41
Carmen		25	Pleat		67
Continuum		71	Rampart		85
Cortex		31	Reeds		21
Cubed		105	Rinkle		15
Diaphane		33	Rune		93
Dorian		57	Sonata		11
Dram		83	Souffle		69
Echo		75	Stillo		37
Embosse		81	Tectonic		91
Gravity		89	Totem		95
Latitude		79	Tower		99
Modular		101	Unity		9
Mona		61			
Nodes		53			
Finishes		114	Lamping		113
Glass		114	Warranty		115
Index		111			

LEGEND



ADA
Compliant



Adjustable



Energy
Efficient



Energy Star
Certified



Slope



Installs
Up or Down



LED



California
Title 24



For Wet Location



For Damp Location



Dimmable using standard dimmer.
Lutron® CL dimmers are recommended.

HCO | Height from Center of Outlet
OAH | Overall Height



PEARL

An artistic and flexible design concept, crystal orbs are illuminated behind curved Naturally Aged Brass shades. The oversized panes are mounted to LED light housings that can rotate to provide either ambient indirect lighting that is directed upwards at the crystal for a glowing effect, or these LEDs can be rotated to shine downward for ample lighting. The two-arm wall sconce has a longer extension in the arm with individual light switches on the backplate to be used for directed task lighting great for bedside applications or creating a space within a room that will serve as task lighting.






PEARL

- Two tone Naturally Aged Brass and matte Black finish
- Oversized swing arm sconces with individual switches at mounting
- K9 clear crystal orb accents
- Individually rotatable shades easily directs light where desired
- LED Integrated, 3000K Color Temperature
- Dimmable with most Triac and ELV dimmers



E24075-BKNAB
Chandelier

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24075	BKNAB	6 x 6W LED 3000K (Inte.)	47.25"L x 47.25"W x 22"H, 65.25"OAH	90+	3600	1850	

Finish: Black (BK) Natural Aged Brass (NAB)





Individually Direct Lightsource




E24072-BKNAB
Wall Mount

B



E24073-BKNAB
Chandelier

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
B	E24072	BKNAB	2 x 5W LED 3000K (Inte.)	11.75"W x 11.75"H x 26.5 "Ext.	6"	90+	1000	650	
C	E24073	BKNAB	3 x 6W LED 3000K (Inte.)	39.25"L x 39.25"W x 15.75"H, 59"OAH		90+	1800	1000	

Finish: Black (BK) Natural Aged Brass (NAB)





BURST

Clusters of glass globes in various sizes and color are suspended from a central point and burst outward. Configurations include a 4-Light, 9-Light, and 12-Light cluster and can be mounted close to the ceiling or included down rods to extend the height. Choose from options of Clear or Frosted glass globe clusters paired with Satin Nickel frames for an airy transitional design or be bold with Mirror Smoked glass or a varied combination of the glass including amber tinted suspended on a matte Black frame with thin black cables. Small-scaled LED G4 lamps are included with the fixtures and centered in the glass accentuating the scale of the glass.






BURST

- Clusters of threaded glass spheres in multiple sizes and finishes
- Clear, Frosted, Smoked, and Amber tinted glass options
- Low-voltage LED G4 lamp in 3000K Color Temperature included
- Additional down rods can be eliminated for closer to ceiling installations
- Dimmable with ELV dimmers

Mount Without Stems For Shorter Height



E25089-18SN, -54SN, -142BK, -148BK
Pendant

A

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E25089	18SN, 54SN, 142BK, 148BK	12 x 1.8W G4 LED 3000K (Incl.)	27"L x 27"W x 47.25"H, 91.25"OAH	80+	2160	1750	


Finish Options: Clear glass (18) Translucent Frost glass (54) Graduating Smoke glass (142) Multi-Color glass (148) Satin Nickel (SN) Black (BK)






E25087-18SN, -54SN, -142BK, -148BK
Pendant

B



E25084-18SN, -54SN, -142BK, -148BK
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
					CRI	INIT. DEL.	
B	E25087	18SN, 54SN, 142BK, 148BK	9 x 1.8W G4 LED 3000K (Incl.)	19.75"L x 19.75"W x 43.25"H, 87.25"OAH	80+	1620 1300	
C	E25084	18SN, 54SN, 142BK, 148BK	4 x 1.8W G4 LED 3000K (Incl.)	17"L x 17"W x 39.5"H, 83.25"OAH	80+	720 580	

Finish Options: Clear glass (18) Translucent Frost glass (54) Graduating Smoke glass (142) Multi-Color glass (148)
Satin Nickel (SN) Black (BK)





UNITY

Abstract shapes of stainless steel are finished in Brushed Champagne or Black Chrome and intersect to create an intriguing sculpture of light. Unity provides both art and illumination for those searching for a unique lighting piece.




- Available in Brushed Champagne and Black Chrome
- Stainless Steel construction
- 3000K Color Temperature
- CRI 90+
- Dimmable with ELV/Triac dimmers



E24616-BC, -BCN
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24616	BC, BCN	50W PCB LED 3000K (Integrated)	55"L x 16.5"W x 12"H, 131.75"OAH	90+	4800	2500	

Finish Options: Black Chrome (BC) Brushed Champagne (BCN)



SONATA

Composed of gently curving aluminum channels in Matte Black that support a patterned translucent acrylic arranged in groups of vertical stripes, this series of pendants and coordinating ADA sconce express a musical quality in brilliant LED light. The wall sconce visibly suggests the shape of a piano, while the pendants return inward where they bend at the ends in an instrumental, elegant shape. A story told in simple forms, the collection is illuminated by dedicated LED light sources concealed within the frames enhancing the translucent undulating slabs of patterned acrylic. Their sculptural form is sure to add wonder to both classical and modern settings.




SONATA

- Vertically striped translucent acrylic panes are bent by hand
- Stark contrasting Matte Black aluminum frame
- Integrated LED in a Neutral White 3000K color temperature
- ADA compliant wall sconce
- Dimmable with Electronic Low Voltage Dimmer switches



E24773-133BK
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24773	133BK	30W PCB LED 3000K (Inte.)	35.5"L x 7.75"W x 7"H, 128.5"OAH	80+	1500	780	

Finish: Patterned Acrylic (133) Black (BK)


SONATA

- Vertically striped translucent acrylic panes are bent by hand
- Stark contrasting Matte Black aluminum frame
- Integrated LED in a Neutral White 3000K color temperature
- ADA compliant wall sconce
- Dimmable with Electronic Low Voltage Dimmer switches



E24774-133BK
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24774	133BK	54W PCB LED 3000K (Inte.)	47.25"L x 10"W x 7"H, 128.5"OAH	80+	2700	1250	


Finish: Patterned Acrylic (133) Black (BK)






E24771-133BK
Pendant








B



E24770-133BK
ADA Compliant Wall Mount

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					HCO	CRI	INIT. DEL.	
B	E24771	133BK	24W PCB LED 3000K (Inte.)	14"L x 12.75"W x 6.75"H, 128.5"OAH	80+	1200	760	  
C	E24770	133BK	10W PCB LED 3000K (Inte.)	11.75"W x 15"H x 4"Ext.	4.75"	80+	500 310	   

Finish: Patterned Acrylic (133) Black (BK)



RINKLE

An airy arrangement of abstract forms, the Rinkle pendants feature sheets of transparent acrylic shaped by hand. The light guided acrylic captures the glow of energy efficient LEDs recessed within strips of shining stainless steel, obscuring the source of illumination. Delicately suspended by a series of thin wires, the pendants appear to be floating in an adjustable configuration of weightless light sculpture. Available in Polished Chrome, French Gold, and Brushed Gunmetal, its unique design adds a showstopping element to interior spaces.


RINKLE

- Hand formed acrylic panes
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner
- Available in Polished Chrome, Brushed Gunmetal or French Gold




E24875-133BGM, -133FG, -133PC
Pendant

A



E24874-133BGM, -133FG, -133PC
Pendant

B



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
A	E24875 133BGM, 133FG, 133PC	15W PCB LED 3000K (Inte.)	21.5"L x 21.5"W x 15.75"H, 135.25"OAH	90+	1200 900	
B	E24874 133BGM, 133FG, 133PC	10W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 15.75"H, 135.25"OAH	90+	800 600	

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)




RINKLE

- Hand formed acrylic panes
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner
- Available in Polished Chrome, Brushed Gunmetal or French Gold



E24873-133BGM, -133FG, -133PC
Pendant


A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24873	133BGM, 133FG, 133PC	36W PCB LED 3000K (Inte.)	50.5"L x 15"W x 15.75"H, 135.5"OAH	90+	2760	1750	

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)





E24878-133BGM, -133FG, -133PC
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
B E24878	133BGM, 133FG, 133PC	33W PCB LED 3000K (Inte.)	35.5"L x 23.5"W x 15.75"H, 35.5"OAH	90+	2600	1850	

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)



RINKLE

- Hand formed acrylic panes
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner
- Available in Polished Chrome, Brushed Gunmetal or French Gold



E24880-133BGM, -133FG, -133PC

Pendant

A


ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
A E24880	133BGM, 133FG, 133PC	66W PCB LED 3000K (Inte.)	36.25"L x 36.25"W x 15.75"H, 197.25"OAH	90+	5280 3500	

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)




E24871-133BGM, -133FG, -133PC
ADA Compliant Wall Mount

C



E24877-133BGM, -133FG, -133PC
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					HCO	CRI	INIT. DEL.	
B	E24877	133BGM, 133FG, 133PC	35W PCB LED 3000K (Inte.)	27.5"L x 27.5"W x 15.75"H, 135.5"OAH	90+	2800	2000	
C	E24871	133BGM, 133FG, 133PC	4.5W PCB LED 3000K (Inte.)	9.25"W x 16.5"H x 6.25"Ext.	7.75"	90+	350 210	

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)





REEDS


Reeded glass tubes are paired with ribbed aluminum LED housings in your choice of Gold or matte Black finishes. The interior frosted glass diffusers soften the high-powered LED boards concealed within. The low-voltage light sources are driven by a commercially rated range voltage LED drivers with universal dimming, allowing them to be used in both residential and decorative commercial or hospitality applications. ADA compliant sconces are a welcome companion to the series as well as the fully metal stem hung pendant option designed without glass and uses a JA8 Listed LED GU10 lamp instead of dedicated LED.



- Available in Gold or matte Black finishes
- Stem hung single pendants feature elongated housings, no glass, and LED GU10 lamping that is included
- Coordinating wall sconces are ADA compliant
- LED Integrated, 3000K Color Temperature
- Refer to SKU for dimmer compatibility
- Range voltage input 120-277V options with universal 3-in-1 dimming



E11019-144BK, -144GLD
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E11019	144BK, 144GLD	12 x 5W PCB LED 3000K (Inte.)	20.75"L x 20.75"W x 17"H, 137"OAH	90+	4800	2880	120-277V input

Finish Options: Clear Ribbed glass (144) Black (BK) Gold (GLD)


REEDS

- Available in Gold or matte Black finishes
- Stem hung single pendants feature elongated housings, no glass, and LED GU10 lamping that is included
- Coordinating wall sconces are ADA compliant
- LED Integrated, 3000K Color Temperature
- Refer to SKU for dimmer compatibility
- Range voltage input 120-277V options with universal 3-in-1 dimming




E11013-144BK, -144GLD
Pendant

A



E11015-144BK, -144GLD
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS	CRI	INIT.	DEL.	Additional Information
A	E11013	144BK, 144GLD	3 x 5W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 17"H, 137"OAH	90+	1200	720		120-277V input
B	E11015	144BK, 144GLD	5 x 5W PCB LED 3000K (Inte.)	13.75"L x 13.75"W x 17"H, 137"OAH	90+	2000	1800		120-277V input

Finish Options: Clear Ribbed glass (144) Black (BK) Gold (GLD)



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				HCO	CRI	INIT. DEL.	
C E11011	144BK, 144GLD	1 x 5W PCB LED 3000K (Inte.)	2.25"L x 2.25"W x 17"H, 137"OAH	90+	400	240	120-277V input
D E11012	BK, GLD	1 x 7W GU10 LED 3000K (Incl.)	2.25"L x 2.25"W x 17.75"H, 62.5"OAH	90+	450	360	120V input
E E11010	144BK, 144GLD	1 x 5W PCB LED 3000K (Inte.)	5"W x 16"H x 3.75"Ext.	2.75"	90+	400	120-277V input

Finish Options: Clear Ribbed glass (144) Black (BK) Gold (GLD)




CARMEN


Poetic and organic in design, the undulating form of the metal shade appears to float effortlessly on a slender frame. Abstract discs of LED lighting are encased in round, adjustable heads so that the light can be directed upwards for indirect lighting reflected on the internal white painted face of the shade or the light sources can be rotated downward to provide bright illumination exactly where needed. The simple, sculptural form adds dimension in its scale evocative of a manta ray or the seductive quality of a woman wearing a large floppy hat.

CARMEN

- Abstract undulating metal shades partly conceal light source while reflecting light downward
- Rotatable LED discs direct light where desired
- Available in 3 sizes and 2 finish combinations: White shades with black hardware or Black exterior/White interior shade with Satin Brass hardware



E24964-WTBK, -WTBKGLD
Pendant
A












Rotatable Panel
Directs Lighting

E24966-WTBK, -WTBKGLD
Pendant
B



E24968-WTBK, -WTBKGLD
Pendant
C

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS	CRI	INIT.	DEL.	Additional Information
A	E24964 WTBK, WTBKGLD	7W PCB LED 3000K (Inte.)	16.5"L x 16.5"W x 6"H, 51.75"OAH	90+	560	420	  	
B	E24966 WTBK, WTBKGLD	14W PCB LED 3000K (Inte.)	24"L x 24"W x 8"H, 53.75"OAH	90+	1120	720	  	
C	E24968 WTBK, WTBKGLD	21W PCB LED 3000K (Inte.)	32"L x 32"W x 10.75"H, 54.5"OAH	90+	1680	960	  	

Finish Options: White (WT) Black (BK) Gold (GLD)



PENROSE

A cubist work of art, the Penrose collection carefully calculates the structural form of a cube space when corners do not meet. This tracery of this shape is emphasized by its dedicated LED light source housed within aluminum channels and then cast in various directions. Available in Matte Black or Gold, this series is a feat of human engineering in design. Translating a mathematical challenge into a sculptural work of art with the function of delivering light to interior spaces.




PENROSE

- Sculptural engineering where joints do not meet along the outline
- Dimmable LED integration casts light in all directions along the frame
- Cube and rectilinear pendants with coordinating ADA compliant sconce and 24" vanity lighting
- Available in Black or painted Gold



E21266-BK, -GLD
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21266	BK, GLD	108W PCB LED 3000K (Inte.)	38"L x 16"W x 16"H, 138"OAH	90+	5400	3420	

Finish Options: Black (BK) Gold (GLD)




PENROSE

- Sculptural engineering where joints do not meet along the outline
- Dimmable LED integration casts light in all directions along the frame
- Cube and rectilinear pendants with coordinating ADA compliant sconce and 24" vanity lighting
- Available in Black or painted Gold




E21261-BK, -GLD
Pendant

A



E21262-BK, -GLD
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21261	BK, GLD	23W PCB LED 3000K (Inte.)	7"L x 7"W x 18"H, 140"OAH	90+	1840	810	
B	E21262	BK, GLD	54W PCB LED 3000K (Inte.)	16"L x 16"W x 16"H, 138"OAH	90+	2700	1700	

Finish Options: Black (BK) Gold (GLD)




E21260-BK, -GLD
ADA Compliant Wall Mount

C




E21263-BK, -GLD
Wall Mount

D



E21269-BK, -GLD
Wall Mount

E




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS		Additional Information
						CRI	INIT. DEL.	
C	E21260	BK, GLD	14W PCB LED 3000K (Inte.)	7"W x 17.75"H x 2.25"Ext.	9"	90+	700 470	
D	E21263	BK, GLD	30W PCB LED 3000K (Inte.)	8.5"W x 24"H x 7"Ext.	12"	90+	1500 950	
E	E21269	BK, GLD	23W PCB LED 3000K (Inte.)	12"W x 18"H x 4.5"Ext.	9"	90+	1840 650	

Finish Options: Black (BK) Gold (GLD)



E11060-144BK, -144NAB
Wall Mount



CORTEX

A central, cylinder diffuser of opal white acrylic diffuses LED lighting within a cavity of thin ribbed glass of various lengths. Both imaginative and functional, the bright pendants encase an additional down light recessed within a Naturally Aged Brass or Matte Black housing casting light downward.



CORTEX

- External ribbed glass with internal white acrylic diffuser
- Additional down light at bottom
- Available in Gold or matte Black finishes
- Coordinating wall sconces are ADA compliant
- LED Integrated, 3000K Color Temperature
- Range voltage 120-277V input with universal 3-in-1 dimming power sources



E11061-144BK, -144NAB
Pendant

B



E11062-144BK, -144NAB
Pendant

C



E11063-144BK, -144NAB
Pendant

D

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information		
				HCO	CRI	INIT. DEL.			
A	E11060	144BK, 144NAB	10W PCB LED 3000K (Inte.)	4.75"W x 14.5"H x 2.5"Ext.	13"	90+	800	600	
B	E11061	144BK, 144NAB	7.5W PCB LED 3000K (Inte.)	1.5"L x 1.5"W x 11"H, 133.25"OAH		90+	600	450	
C	E11062	144BK, 144NAB	10W PCB LED 3000K (Inte.)	1.5"L x 1.5"W x 15"H, 137.25"OAH		90+	880	600	
D	E11063	144BK, 144NAB	12.5W PCB LED 3000K (Inte.)	1.5"L x 1.5"W x 19"H, 141"OAH		90+	1000	800	

Finish Options: Clear Ribbed glass (144) Black (BK) Natural Aged Brass (NAB)





DIAPHANE

Hexagonal tubes of various lengths support blocks of naturally translucent rock crystal. Each stone varies in diaphaneity making a unique display of refracted light. Available in a plated soft Gold or Matte Black, this luxurious LED pendant light cluster and coordinating wall sconce accentuates the beauty of the natural quartz material.




DIAPHANE

- Available in Gold or matte Black finishes
- Natural rock crystal diffusers vary in pattern
- Coordinating wall sconces are ADA compliant
- LED Integrated, 3000K Color Temperature




E11032-95BK, -95GLD
Pendant

A



E11030-95BK, -95GLD
Wall Mount

B



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A E11032	95BK, 95GLD	12 x 5W PCB LED 3000K (Inte.)	27.5"L x 27.5"W x 23.75"H, 147"OAH	90+	5200	4200		
B E11030	95BK, 95GLD	1 x 5W PCB LED 3000K (Inte.)	4.75"W x 15.75"H x 4.5"Ext.	3.5"	90+	400	240	

Finish Options: Rock crystal (95) Black (BK) Gold (GLD)

DIAPHANE

- Available in Gold or matte Black finishes
- Natural rock crystal diffusers vary in pattern
- Coordinating wall sconces are ADA compliant
- LED Integrated, 3000K Color Temperature



E11023-95BK, -95GLD
Pendant

A

E11029-95BK, -95GLD
Pendant

B


ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E11023	95BK, 95GLD	3 x 5W PCB LED 3000K (Inte.)	9.75"L x 9.75"W x 23.75"H, 147"OAH	90+	1200	540	
B E11029	95BK, 95GLD	9 x 5W PCB LED 3000K (Inte.)	15"L x 15"W x 32.5"H, 147"OAH	90+	4000	3860	

Finish Options: Rock crystal (95) Black (BK) Gold (GLD)




E11020-95BK, -95GLD
Pendant

C




E11021-95BK, -95GLD
Pendant

D



E11022-95BK, -95GLD
Pendant

E



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
C	E11020 95BK, 95GLD	5W PCB LED 3000K (Inte.)	1.5"W x 15.75"H, 133.75"OAH	90+	450	300	
D	E11021 95BK, 95GLD	5W PCB LED 3000K (Inte.)	1.5"W x 19.75"H, 137.75"OAH	90+	450	300	
E	E11022 95BK, 95GLD	5W PCB LED 3000K (Inte.)	1.5"W x 23.75"H, 141.75"OAH	90+	450	300	

Finish Options: Rock crystal (95) Black (BK) Gold (GLD)



STILLO

The classic teardrop glass shade is elevated in a luxurious collection of pendant configurations using substantially dense glass that are hand blown in elongated forms and curated into various color combinations. Suspended within the long, slender glass is a similarly long and slender socket to illuminate an energy efficient LED G4 lamp at the base of the glass. The slender tube running within the glass also supports the glass with elegantly flat thumb screws in coordinating finishes. Choose from Matte Black metal with Mirror Smoked glass for a moodier ambience, crystal Clear glass that accentuates the thickness of the glass walls paired with transitional Satin Nickel metalwork, or celebrate the design with effervescent Bubble glass and plated Gold metalwork.




STILLO



- Thick glass shades are Hand Blown in organic teardrop shapes
- Available in a variety of coordinating finish combinations: Satin Nickel with Crystal Clear glass, Matte Black with Mirror Smoked glass, or plated Gold with fizzy Bubble glass
- Dimmable low-voltage LED G4 lamps provided
- Neutral White 3000K Color Temperature

E24219-138BK, -118GLD, -122SN
Pendant




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24219	138BK, 118GLD, 122SN	18 x 1.5W G4 LED 3000K (Incl.)	25.5"L x 25.5"W x 18"H, 137.5"OAH	80+	3600	2700	

Finish Options: Champagne Bubble glass (118) Clear Crystal (122) Smoke glass (138) Black (BK) Gold (GLD) Satin Nickle (SN)



STILLO

- Thick glass shades are Hand Blown in organic teardrop shapes
- Available in a variety of coordinating finish combinations: Satin Nickel with Crystal Clear glass, Matte Black with Mirror Smoked glass, or plated Gold with fizzy Bubble glass
- Dimmable low-voltage LED G4 lamps provided
- Neutral White 3000K Color Temperature



E24217-138BK, -118GLD, -122SN
Pendant

A


ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24217	138BK, 118GLD, 122SN	9 x 1.5W G4 LED 3000K (Incl.)	16.25"L x 16.25"W x 18"H, 137.5"OAH	80+	1800	1350	

Finish Options: Champagne Bubble glass (118) Clear Crystal (122) Smoke glass (138) Black (BK) Gold (GLD) Satin Nickel (SN)




E24213-138BK, -118GLD, -122SN
Pendant

B



E24211-138BK, -118GLD, -122SN
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E24213	138BK, 118GLD, 122SN	3 x 1.5W G4 LED 3000K (Incl.)	10"L x 10"W x 18"H, 137.5"OAH	80+	600	450	
C	E24211	138BK, 118GLD, 122SN	1 x 1.5W G4 LED 3000K (Incl.)	5.25"L x 5.25"W x 18"H, 137.5"OAH	80+	200	150	

Finish Options: Champagne Bubble glass (118) Clear Crystal (122) Smoke glass (138) Black (BK) Gold (GLD) Satin Nickle (SN)



PITCH

Sleek and simply, the effortlessly chic oversized cone pendants add a modern touch to elevate your space. A surprisingly bright single light source is recessed within a secondary smaller aperture cone shade painted white on its interior to reflect more and beam additional lighting downward without glare. This distinctive cut off accentuates the black finish on the surfaces between two cones. Available in Black and Antique Brass, this pendant series exemplifies the enduring elegance of the cone form in design.





PITCH

- Available in matte Black and Antique Brass options
- Dual shades in cone shape with secondary smaller shade painted white on its interior for amplified light source
- Dimmable JA8 Listed LED lamps included





E34501-AB, -BK
Pendant

A




E34502-AB, -BK
Pendant

B



E34503-AB, -BK
Pendant

C



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A	E34501 AB, BK	9W MB LED 3000K (Incl.)	13.75"L x 13.75"W x 16.5"H, 139.25"OAH	90+	900	650	JA8 bulb (Incl.)
B	E34502 AB, BK	9W MB LED 3000K (Incl.)	21.5"L x 21.5"W x 13.25"H, 136"OAH	90+	900	650	JA8 bulb (Incl.)
C	E34503 AB, BK	9W MB LED 3000K (Incl.)	29.5"L x 29.5"W x 9"H, 131.75"OAH	90+	900	650	JA8 bulb (Incl.)

Finish Options: Antique Brass (AB) Black (BK)



BERLINER

Wide flat discs house LED engines that disappear when viewed at the pendants edge. Supported at their center by thin tubes and black cable, machined aluminum housings feature laterally cut concentric circles drawing inspiration from the grooves in a vinyl record. Finished in your choice of matte Black, Antique Brass, or Antique Copper, the modern design feels vintage and retro widening the range of compatibility within architectural aesthetics.





BERLINER

- Available in matte Black, Antique Copper, and Antique Brass options
- Ultra-thin profile supported at center with machined aluminum LED housing
- AC 120V input dedicated LED light source at 3000K Color Temperature
- Dimmable with Triac and ELV dimmers




E34001-AB, -ACP, -BK
Pendant



E34002-AB, -ACP, -BK
Pendant

B



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E34001	AB, ACP, BK	8W PCB LED 3000K (Inte.)	13.75"L x 13.75"W x 6.75"H, 129.5"OAH	90+	720	580	
B E34002	AB, ACP, BK	12W PCB LED 3000K (Inte.)	19.75"L x 19.75"W x 9"H, 132"OAH	90+	1080	860	

Finish Options: Antique Brass (AB) Antique Copper (ACP) Black (BK)

PHOENIX

Both modern and industrial, the angular lines of these aluminum spun shades refresh a classic concept in a clean, contemporary execution. The shades - available in Brick, Black, and a pale Gray powder coated finish, feature multiple joints and peaks in their form and at their bottom intentionally return inward. The shape at the bottom is not only attractive, but a cleverly conceived method to support a wire network of Black steel that forms a cage without visible hardware. Illuminated from within the spun metal shades in 3 varying sizes and shapes, the LED lamp provided shines light below and disperses through the wireway creating a beautiful radiating light pattern.



PHOENIX

- Available in matte Black with gold interior, Brick with black interior, and light Gray with white interior finish options
- Matte Black cage assemblies on bottom
- Dimmable JA8 Listed LED lamps included




E11394-BKGLD, -BRKBK, -GYBK
Pendant

A



E11392-BKGLD, -BRKBK, -GYBK
Pendant

B



E11390-BKGLD, -BRKBK, -GYBK
Pendant

C

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A	E11394 BKGLD, BRKBK, GYBK	9W MB LED 3000K (Incl.)	18.5"L x 18.5"W x 17"H, 140.25"OAH	90+	900	650	JA8 bulb (Incl.)
B	E11392 BKGLD, BRKBK, GYBK	9W MB LED 3000K (Incl.)	15.75"L x 15.75"W x 19"H, 142.25"OAH	90+	900	650	JA8 bulb (Incl.)
C	E11390 BKGLD, BRKBK, GYBK	9W MB LED 3000K (Incl.)	9"L x 9"W x 11.25"H, 134.5"OAH	90+	900	650	JA8 bulb (Incl.)

Finish Options: Black/Gold (BKGLD) Brick/Black (BRKBK) Grey/Black (GYBK)



PIERCE

An elongated profile with piercing statement, this series of pendants feature thin black wires that support a tapered metal pendant. Recessed in this form is a high powered LED that illuminates a brilliantly faceted crystal element with etched details inside its form to capture light and enhance its beauty. Available in Gold or Matte Black, the design complements both modern and many transitional interiors. A coordinating ADA compliant wall sconce was designed with a rigid stem for public spaces and has been sealed for use in damp locations.




PIERCE

- Unique faceted crystal points with interior etching to capture light
- Tapered metal tubes available in Black or plated Gold
- LED integrated 3000K dimmable
- ADA compliant sconce with elongated profile, perfect for luxurious corridor lighting



E24229-122BK, -122GLD
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24229	122BK, 122GLD	12 x 3W PCB LED 3000K (Inte.)	24.75"L x 24.75"W x 19"H, 141"OAH	90+	2200	1060	

Finish Options: Clear Crystal (122) Black (BK) Gold (GLD)


PIERCE

- Unique faceted crystal points with interior etching to capture light
- Tapered metal tubes available in Black or plated Gold
- LED integrated 3000K dimmable
- ADA compliant scone with elongated profile, perfect for luxurious corridor lighting




E24221-122BK, -122GLD
Pendant

A



E24227-122BK, -122GLD
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24221	122BK, 122GLD	1 x 3W PCB LED 3000K (Inte.)	2.25"L x 2.25"W x 19"H, 141"OAH	90+	350	220	①
B	E24227	122BK, 122GLD	9 x 3W PCB LED 3000K (Inte.)	19"L x 19"W x 19"H, 141"OAH	90+	1500	800	①

Finish Options: Clear Crystal (122) Black (BK) Gold (GLD)




E24225-122BK, -122GLD
Pendant








C



E24220-122BK, -122GLD
ADA Compliant Wall Mount

D



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
					HCO	CRI	INIT. DEL.		
C	E24225	122BK, 122GLD	5 x 3W PCB LED 3000K (Inte.)	13"L x 13"W x 19"H, 141"OAH		80+	1050	560	  
D	E24220	122BK, 122GLD	1 x 3W PCB LED 3000K (Inte.)	2.25"W x 20.75"H x 4"Ext.	2.25"	80+	350	220	   

Finish Options: Clear Crystal (122) Black (BK) Gold (GLD)



AXLE

Suspended by an axle of Gold pins, a Clear glass orb is illuminated with a sleek continuing line of evenly diffused LED in a white acrylic cylinder. The elongated nature of the Gold metalwork is elegantly vertical in size with a pop of playful interest and light. Available as a hanging pendant or oversized wall sconce, the dramatic two-tone design provides interest and functional light.




- Plated Gold finish
- Clear glass
- Innovative LED tube encased in white glass
- CRI 90+, 3000K
- Dimmable with both Triac and Electric Low Voltage Dimmers
- Available as a hanging pendant and large sized wall sconce




E11040-24GLD
Pendant







A



E11041-24GLD
Wall Mount

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					HCO	CRI	INIT. DEL.	
A	E11040	24GLD	11.2W PCB LED 3000K (Inte.)	8"L x 8"W x 22"H, 144"OAH	90+	1050	950	  
B	E11041	24GLD	10W PCB LED 3000K (Inte.)	8"W x 15.75"H x 9"Ext.	8"	90+	900	720   

Finish: Clear glass (24) Glod (GLD)



NODES


Introducing a new take on the now classically modern LED ring, large illuminated spheres act as "nodes" to support the tapered aluminum channel while also providing additional down light. Featuring a CCT selectable switch, the collection conveniently allows end users to select from warmer white light to energizing bright white lighting in 5 color temperature options. The convenient functionality is matched with its performance, meeting California's JA8 Title 24 requirements. Rated to deliver higher lumens per watt and power sources that supports range voltage input and 3 in 1 dimming, this product is designed to meet the requirements of both home and commercial projects.



- CCT Selectable LED integrated rings
- Choose from warm to cool color temperatures that include: 2700-3000-3500-4000-5000K
- Available in Satin Nickel, Matte Black, and plated Gold finishes
- California Title 24 JA8 listed LED products
- 120-277V input
- Dimmable with Electronic Low Voltage (ELV) dimmers



E23514-AL, -BK, -GLD
Pendant
A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E23514	AL, BK, GLD	50W PCB LED 2700-5000K (Inte.)	40"L x 40"W x 2.75"H, 104"OAH	90+	4000	3500	JA8 Bulb Incl.

Finish Options: Aluminum (AL) Black (BK) Gold (GLD)

NODES


- CCT Selectable LED integrated rings
- Choose from warm to cool color temperatures that include: 2700-3000-3500-4000-5000K
- Available in Satin Nickel, Matte Black, and plated Gold finishes
- California Title 24 JA8 listed LED products
- 120-277V input
- Dimmable with Electronic Low Voltage (ELV) dimmers




Wall Mounted

E23510-AL, -BK, -GLD
Flush/Wall Mount

B



Rotate to direct light



E23513-AL, -BK, -GLD
Pendant

A

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI INIT. DEL.	Additional Information
A	E23513	AL, BK, GLD	40W PCB LED 2700-5000K (Inte.)	32"L x 32"W x 2.75"H, 108"OAH	90+ 3200 2800	JA8 Bulb Incl.
B	E23510	AL, BK, GLD	10W PCB LED 2700-5000K (Inte.)	4.75"L x 4.75"W x 5.5"H	90+ 800 700	


Finish Options: Aluminum (AL) Black (BK) Gold (GLD)






E23512-AL, -BK, -GLD
Pendant

C



E23511-AL, -BK, -GLD
Pendant

D




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
C	E23512	AL, BK, GLD	35W PCB LED 2700-5000K (Inte.)	24"L x 24"W x 2.75"H, 110"OAH	90+	2800	2450	JA8 Bulb Incl.
D	E23511	AL, BK, GLD	24W PCB LED 2700-5000K (Inte.)	18"L x 18"W x 2.75"H, 120"OAH	90+	1920	1680	JA8 Bulb Incl.

Finish Options: Aluminum (AL) Black (BK) Gold (GLD)




DORIAN

Sleek cube supports extend outward with slender cylindrical tubes that house dedicated LED light sources. The tubes are individually rotatable, allowing you to direct the light where desired. The collection includes linear and vertical pendant configurations of various length providing a lighting solution that does not obstruct views and brightens surroundings. The elongated vertical pendants are ideal for illuminating lofty spaces. Their rotatable features allow you to direct the light along areas such as stairwells and can even be used to highlight artwork and collectibles displayed at taller heights. The timeless design of the wall mounted sconces function as both vanity lights and portrait lights with the added dual mounting back plate that can install either to a single gang junction box or to more standard 3-0 or 4-0 boxes using the cover plate provided. Dimensionally compliant with ADA regulations, the sconces provide function for hospitality applications as well. Available in Matte Black, Polished Chrome, and plated Gold, this collection is an unobtrusive, handsome design with timeless appeal.




- Slender round profile with rotatable light source
- Available in Gold, Polished Chrome, or Matte Black
- ADA compliant sconces
- Dual mounting sconce applications for single gang or 3-0/4-0 junction boxes
- LED integrated 3000K color temperature



E21357-BK, -GLD, -PC
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E21357	BK, GLD, PC	3 x 6W PCB LED 3000K (Inte.)	47.5"L x 4.75"W x 1"H, 44.5"OAH	90+	1260	1080	


Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC)

DORIAN


- Slender round profile with rotatable light source
- Available in Gold, Polished Chrome, or Matte Black
- ADA compliant sconces
- Dual mounting sconce applications for single gang or 3-0/4-0 junction boxes
- LED integrated 3000K color temperature









E21355-BK, -GLD, -PC
Pendant




E21358-BK, -GLD, -PC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS	CRI	INIT.	DEL.	Additional Information
A	E21355	BK, GLD, PC	2 x 7.2W PCB LED 3000K (Inte.)	34.75"L x 4.75"W x 1"H, 46"OAH	90+	1000	860	  	
B	E21358	BK, GLD, PC	3 x 6W PCB LED 3000K (Inte.)	4.75"L x 4.75"W x 47.25"H, 94.5"OAH	90+	1260	1080	  	


Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC)






E21352-BK, -GLD, -PC
Bath Vanity

C



E21354-BK, -GLD, -PC
Bath Vanity

D



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						INIT.	DEL.	
C	E21352 BK, GLD, PC	15W PCB LED 3000K (Inte.)	22.5"W x 3"H x 3.5"Ext.	1.5"	90+	1050	750	
D	E21354 BK, GLD, PC	18W PCB LED 3000K (Inte.)	30.5"W x 3"H x 3.5"Ext.	2.5"	90+	1260	900	

Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC)



MONA

Whether used as vanity lighting or above portraits and bookcases, the Mona LED integrated wall sconces are sure to illuminate a masterpiece. The tubular LED frame rotates along the center to position the lighting wherever it is directed unlocking more potential uses for the hard-wired light source. A slim single gang box back plate or an additional cover plate can be used to mount the fixture more conveniently. Available in a rich Gold plated finish or Matte Black powder coat, these sconces pair well in both modern and traditional settings.




- Dual junction box mounting configuration with additional cover plate for standard junction boxes
- Available in a plated Gold finish or Matte Black powder coat
- Dimmable LED light source, 3000K Color Temperature
- Rotatable light source for portrait or above vanity lighting

Removable backplate




E21340-BK, -GLD
Bath Vanity

A



E21344-BK, -GLD
Bath Vanity

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E21340	BK, GLD	14W PCB LED 3000K (Inte.)	18.5"W x 4.25"H x 3"Ext.	2"	90+	980	680	
B	E21344	BK, GLD	18W PCB LED 3000K (Inte.)	30.5"W x 4.25"H x 3"Ext.	2"	90+	1260	900	

Finish Options: Black (BK) Gold (GLD)



PIPETTE

Slender Clear glass tubes sheath a Polished Chrome rod that supports a small and bright LED lamp. The glass is etched at a bisecting line where the lamp illuminates to softly diffuse the light. This reduces any glare while brightly and provides even illumination both outward and below. Available in two tube lengths, the pendants are also available in multiples to create a modern candle-like cluster. An additional surface mounted option supports the glass on a structure that allows it to hang freely for use as a ceiling flush mounted fixture or sharp 90 degree suspension of the glass when mounted to a wall. JA8 Listed LED G9 lamps in 3000K are provided for convenience and energy efficiency.




PIPETTE





- Available in 12" and 18" glass tube lengths
- Clear glass with etched bottom half to reduce glare
- Dimmable LED G9 lamps provided, JA8 Listed
- Single and Multi-light pendants configurations



E31099-93PC
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E31099	93PC	17 X 4W G9 LED 3000K (Incl.)	47.25"L x 23.5"W x 18"H, 138"OAH	90+	7650	5000:	    JA8 bulb (Incl.)

Finish: Clear/Frosted glass (93) Polished Chrome (PC)


PIPETTE

- Available in 12" and 18" glass tube lengths
- Clear glass with etched bottom half to reduce glare
- Dimmable LED G9 lamps provided, JA8 Listed
- Single and Multi-light pendants configurations



E31093-93PC
Pendant

A



E31095-93PC
Pendant

B




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
A	E31093	93PC	3 X 4W G9 LED 3000K (Incl.)	11.75"L x 11.75"W x 12"H, 138"OAH	90+	1350	950	JA8 bulb (Incl.)
B	E31095	93PC	3 X 4W G9 LED 3000K (Incl.)	11.75"L x 11.75"W x 18"H, 138"OAH	90+	1350	950	JA8 bulb (Incl.)

Finish: Clear/Frosted glass (93) Polished Chrome (PC)




E31091-93PC
Pendant

C




E31092-93PC
Pendant

D



E31090-93PC
Ceiling/Wall Mount

E



• Ceiling Mount Option




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information		
				HCO	CRI	INIT. DEL.			
C	E31091	93PC	1 X 4W G9 LED 3000K (Incl.)	1.25"L x 1.25"W x 12"H, 138"OAH	90+	450	350	JA8 bulb (Incl.)	
D	E31092	93PC	1 X 4W G9 LED 3000K (Incl.)	1.25"L x 1.25"W x 18"H, 138"OAH	90+	450	350	JA8 bulb (Incl.)	
E	E31090	93PC	1 X 4W G9 LED 3000K (Incl.)	4.75"W x 13.25"H x 4"Ext.	2.25"	90+	450	350	JA8 bulb (Incl.)

Finish: Clear/Frosted glass (93) Polished Chrome (PC)




PLEAT

Pleated cylinder shades formed by White plaster cast molds are contrasted with matte Black hardware to provide a crisp, contemporary design. JA8 Listed LED GU10 lamps included that brightly illuminate spaces below with excellent color rendering. A surface mount option features a joint that can be positioned to direct the light. The joint is made so that it can function on both wall and ceiling applications, with the added feature of directing the shades to exact positions required.




PLEAT




• Wall Mount Option

E25039-WTBK
Wall/Flush Mount



E25038-WTBK
Pendant



- Cast White Plaster shades with pleated texture
- Dimmable LED GU10 lamps provided, JA8 Listed
- Adjustable joint on surface mount configuration directs light
- Two tone White plaster with Black accents



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25039	WTBK	1 x 7W GU10 LED 3000K (Incl.)	3.25"W x 6"H	90+	810	700	JA8 bulb (Incl.)
B	E25038	WTBK	1 x 7W GU10 LED 3000K (Incl.)	3.25"L x 3.25"W x 12.5"H, 131.75"OAH	90+	490	450	JA8 bulb (Incl.)

Finish: White/Black (WTBK)



SOUFFLE

Deep pans of cast concrete in a traditional scalloped edge house LED integrated light sources behind curved opal white acrylic diffusers. Reminisce in the classical forms that benefits from the organic texture of cast concrete to add character to the design. Inspired by ramekins, these delectable LED treats are available in Chalky White, Terra Cotta, and Gray Aggregate.



SOUFFLE

- Cast concrete lamp bodies
- White acrylic diffusers evenly and softly diffuse lighting
- Available in Chalky White, Terra Cotta, and Gray Aggregate
- Damp location rated
- AC 120V LED Integrated
- Dimmable with Triac and ELV dimmers




E25050-CHK, -GY, -TRC
Flush Mount

A




E25051-CHK, -GY, -TRC
Flush Mount

B



E25058-CHK, -GY, -TRC
Flush Mount

C



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
A	E25050	CHK, GY, TRC	15W PCB LED 3000K (Inte.)	10.5"L x 10.5"W x 3.25"H	90+	840	680	
B	E25051	CHK, GY, TRC	25W PCB LED 3000K (Inte.)	13.25"L x 13.25"W x 3.75"H	90+	1320	1120	
C	E25058	CHK, GY, TRC	30W PCB LED 3000K (Inte.)	18"L x 18"W x 4.5"H	90+	1700	1350	


Finish Options: Chalky White (CHK) Gray (GY) Terra Cotta (TRC)



CONTINUUM

Elongated tubes of LED light are housed in incredibly small 1" diameter aluminum and suspended by nearly invisible support cables. Engineered to connect the various lengths end-to-end or with use of the rigid, angled adapters, adds endless applications for creativity and function. Each length includes a power feed within a surface mounted canopy and non-electrical support cables that standoff using ceiling anchors. With no additional power source components required, the continuous run pendants in this series are a welcome convenience for commercial applications. Lengths range from 36" to impressive 96" long. Individually, the fixtures provide ample lighting downward with minimal disruption to the architectural sight lines of a space. Available in Black, White, and brushed Aluminum finishes these are exemplary streamlined forms with functional purpose.





CONTINUUM

- 1 inch diameter tubes of aluminum available in Black White and Brushed Aluminum
- White acrylic diffuser evenly distributes light source
- Pendant lengths range from 3ft – 8ft
- Each pendant comes with mounting canopy and power source with cable standoffs
- Continuous-run design allows for connections end to end or with use of angled connectors (sold separately)
- LED Integrated, 3000K Color Temperature
- Range voltage 120-277V input with universal 3-in-1 dimming power sources




EMSC2600-BK, -SA, -WT
Connector Joint



Linkable end to end



E26008-90BK, -90SA, -90WT
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E26008	90BK, 90SA, 90WT	68W PCB LED 3000K-4000K (Inte.)	93.75"L x 1.5"W x 1.25"H, 121"OAH	90+	5250	4200	

Finish Options: Frosted glass (90) Black (BK) Satin Aluminum (SA) White (WT)






E26003-90BK, -90SA, -90WT
Pendant

B



E26004-90BK, -90SA, -90WT
Pendant

C



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
B	E26003 90BK, 90SA, 90WT	28W PCB LED 3000K-4000K (Inte.)	38.5"L x 1.5"W x 1.25"H, 121"OAH	90+	2250	1800	
C	E26004 90BK, 90SA, 90WT	34W PCB LED 3000K-4000K (Inte.)	47"L x 1.5"W x 1.25"H, 121"OAH	90+	2650	2100	

Finish Options: Frosted glass (90) Black (BK) Satin Aluminum (SA) White (WT)



ECHO


Surrounded by a metal drum shade in a variety of sizes and finishes, an internal shade constructed of acrylic evenly diffuses bright LED illumination. Designed for simpler installation and in an aesthetically pleasing silhouette, these practical metal drum shades are offered in Matte White both inside and out, or enhanced by gold or black interiors for reduced glare and stylish design. The series also features a chic Black with Gold interior color combination shade. To round out the collection, all these color options are also made compatible with a pendant accessory that quickly converts the lush mount fixtures into drum shade pendants.

- Chic metal shades with internal white acrylic drums available as flush mounted or suspended ceiling light fixtures
- Choose from warm to cool color temperatures that include: 2700-3000-3500-4000-5000K
- Available in 4 color options: All Matte White, White with Gold interior, White with Black interior, or Black with Gold interior
- 3 sizes available: 13" – 16" – 24"
- LED integrated light sources with both high voltage and range voltage universally dimmable options



E51015-BKGLD, -WT, -WTBK, -WTGLD
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI INIT. DEL.	Additional Information
A E51015	BKGLD, WT, WTBK, WTGLD	40W PCB LED 2700-5000K (Inte.)	24"L x 24"W x 5"H, 37"OAH	90+ 3200 2400	

Finish Options: Black (BK) Gold (GLD) White (WT)


ECHO

- Chic metal shades with internal white acrylic drums available as flush mounted or suspended ceiling light fixtures
- Choose from warm to cool color temperatures that include: 2700-3000-3500-4000-5000K
- Available in 4 color options: All Matte White, White with Gold interior, White with Black interior, or Black with Gold interior
- 3 sizes available: 13" – 16" – 24"
- LED integrated light sources with both high voltage and range voltage universally dimmable options




E51013-BKGLD, -WT, -WTBK, -WTGLD
Pendant

A



E51011-BKGLD, -WT, -WTBK, -WTGLD
Pendant

B




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A	E51013 BKGLD, WT, WTBK, WTGLD	25W PCB LED 2700-5000K (Inte.)	16"L x 16"W x 10.75"H, 122"OAH	90+	2100	1500	
B	E51011 BKGLD, WT, WTBK, WTGLD	20W PCB LED 2700-5000K (Inte.)	13"L x 13"W x 10"H, 121"OAH	90+	1600	1200	

Finish Options: Black (BK) Gold (GLD) White (WT)







E51010-BKGLD, -WT, -WTBK, -WTGLD
Flush Mount



E51012-BKGLD, -WT, -WTBK, -WTGLD
Flush Mount



E51014-BKGLD, -WT, -WTBK, -WTGLD
Flush Mount



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
C	E51010 BKGLD, WT, WTBK, WTGLD	20W PCB LED 2700-5000K (Inte.)	13"L x 13"W x 3.5"H	90+	1600	1200	
D	E51012 BKGLD, WT, WTBK, WTGLD	25W PCB LED 2700-5000K (Inte.)	16"L x 16"W x 4.25"H	90+	2000	1500	
E	E51014 BKGLD, WT, WTBK, WTGLD	40W PCB LED 2700-5000K (Inte.)	24"L x 24"W x 4.25"H	90+	3200	2400	

Finish Options: Black (BK) Gold (GLD) White (WT)



LATITUDE

Soft oval forms offer a modern and playful touch to this LED wall mounted sconce. The face of the fixture is a light guided White acrylic diffuser that even illuminates the edge lit LED light source. The sleek shape is made even more attractive by the bright illumination provided by the fixture itself. Great for use in bathrooms or corridors, the fixture is ADA compliant and available in 4 lengths. A recessed housing behind the fixture not only mounts the fixture with an attractive extension that makes it appear to be floating off the wall, but it also features a 5-step color temperature select switch allowing you to discreetly adjust the LED lighting to 5 settings ranging from a warmer 2700K to 3000-3500-4000 and daylight white 5000K. These additional product features thereby give more latitude to the design applications without special requests.




LATITUDE

- Available in Black, Satin Nickel, Polished Chrome, or Gold finishes
- Accessible and inconspicuous dip-switch sets CCT at 5 options: 2700-3000-3500-4000-5000K
- Damp location rated and ADA compliant
- AC 120V LED Integrated
- Dimmable with Triac and ELV dimmers




E23421-BK, -GLD, -PC, -SN
Bath Vanity

A




E23422-BK, -GLD, -PC, -SN
Bath Vanity

B




E23423-BK, -GLD, -PC, -SN
Bath Vanity

C



E23424-BK, -GLD, -PC, -SN
Bath Vanity

D



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E23421 BK, GLD, PC, SN	15W PCB LED 2700-5000K (Inte.)	18"W x 5"H x 2.5"Ext.	9"	90+	1500	1050	
B	E23422 BK, GLD, PC, SN	20W PCB LED 2700-5000K (Inte.)	24"W x 5"H x 2.5"Ext.	12"	90+	2000	1350	
C	E23423 BK, GLD, PC, SN	25W PCB LED 2700-5000K (Inte.)	30"W x 5"H x 2.5"Ext.	15"	90+	3000	1700	
D	E23424 BK, GLD, PC, SN	30W PCB LED 2700-5000K (Inte.)	36"W x 5"H x 2.5"Ext.	18"	90+	3500	2150	

Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC) Satin Nickel (SN)





EMBOSSE

Simple and elegant LED surface mounts in archetypal shapes can be used on walls as lighted mirrors or blend seamlessly as a coordinating detail of a bathroom mirror providing enough light output to effectively illuminate a vanity space. Considering a different approach to this concept, these LED surface mounts are also produced with a warmer, Bronze tinted mirror adding an element of moodiness and drama to the reflective surface. The result is a transformation of the overall ambience that opens the design up to additional install applications.




EMBOSSÉ

- Highly reflective mirror available in classic or Bronze tint
- Simple installation with access to driver from behind face plate
- Damp location rated and ADA compliant
- LED Integrated, 3000K Color Temperature
- Range voltage 120-277V input with universal 3-in-1 dimming power sources




E22791-PBZ, -PC
Wall Mount

A



E22794-PBZ, -PC
Bath Vanity

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E22791	PBZ, PC	9W PCB LED 3000K (Inte.)	8"W x 8"H x 1.75"Ext.	4"	90+	900	200	
B	E22794	PBZ, PC	18W PCB LED 3000K (Inte.)	24"W x 7"H x 1.75"Ext.	12"	90+	1800	470	

Finish Options: Polished Bronze (PBZ) Polished Chrome (PC)





DRAM

Dual Cylinder glass shades diffuse LED light bulbs concealed within rounded caps in Black powder coat. The single sconce is wet located with intention to be used outdoors, while the complementary 3-Light wall sconce is perfect for use in transitional to more modern bathrooms. The LED lamp provided is T24 JA8 compliant and Energy Star listed.




- Dual glass shades thread onto frame
- Matte Black frames in outdoor rated powder coat
- Wet Location rated sconces
- Dimmable JA8 Listed LED GU10 lamps included




E30191-93BK
Outdoor Wall

A




E30194-93BK
Outdoor Wall

C




E30192-93BK
Outdoor Wall

B



E30193-93BK
Bath Vanity

D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	Additional Information
A	E30191	93BK	1 x 7W GU10 LED 3000K (Incl.)	4.75"W x 11.75"H x 4.75"Ext.	2.5"	JA8 bulb (Incl.)
B	E30192	93BK	1 x 7W GU10 LED 3000K (Incl.)	4.75"W x 14.75"H x 4.75"Ext.	2.5"	JA8 bulb (Incl.)
C	E30194	93BK	2 x 7W GU10 LED 3000K (Incl.)	4.75"W x 23"H x 4.75"Ext.	2.5"	JA8 bulb (Incl.)
D	E30193	93BK	3 x 7W GU10 LED 3000K (Incl.)	22"W x 8.75"H x 6"Ext.	2.5"	JA8 bulb (Incl.)

Finish: Frost/Clear Acrylic (93) Black (BK)



RAMPART

Sharp rectilinear metal lines surround a squared LED housing that shines both upwards and downwards, creating an intriguing pattern of light. This collection offers a full range of products that suits exterior and interiors without bounds. Available in a variety of sconce sizes, as well as an additional pendant and post mount option, the design is completed in a matte Black finish that complements most settings.




RAMPART

- Corrosive-resistant Aluminum construction
- Squared rods surround LED housing
- Up/Down Lighting
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated
- Available as a pendant, post mount, and 3 sizes of wall sconce in Matte Black




E30114-BK
Outdoor Wall

A




E30116-BK
Outdoor Wall

B



E30117-BK
Outdoor Wall

C




ITEM #	FINISH	LAMPING	DIMENSION	BP	LUMENS			Additional Information	
					HCO	CRI	INIT.	DEL.	
A E30114	BK	2 x 6W PCB LED 3000K (Inte.)	5.5"W x 11.75"H x 2.5"Ext.	4.5"W x 4.5"H	6"	90+	840	600	
B E30116	BK	2 x 6W PCB LED 3000K (Inte.)	6.25"W x 14"H x 2.5"Ext.	4.25"W x 3"H	7"	90+	840	600	
C E30117	BK	2 x 15W PCB LED 3000K (Inte.)	8"W x 22"H x 3.5"Ext.	5.25"W x 5.25"H	11"	90+	1500	1060	

Finish: Black (BK)




E30112-BK
Outdoor Wall

D




E30110-BK
Outdoor Post

F



E30119-BK
Outdoor Pendant

E



ITEM #	FINISH	LAMPING	DIMENSION	BP	HCO	LUMENS		Additional Information
						CRI	INIT. DEL.	
D E30112	BK	2 x 4W PCB LED 3000K (Inte.)	5.5"W x 5.5"H x 2.5"Ext.	4.5"W x 4.5"H	4"	90+	540 300	
E E30119	BK	2 x 6W PCB LED 3000K (Inte.)	5.5"W x 11.75"H, 60"OAH			90+	540 300	
F E30110	BK	2 x 6W PCB LED 3000K (Inte.)	5.5"W x 15"H			90+	540 300	

Finish: Black (BK)




GRAVITY

An elliptical shape in Gold finish is illuminated by dedicated LED lighting and secured to a disc in contrasting black finish making a modern silhouette rated for outdoor applications. Suitable for wet locations, the fixture is constructed of corrosive resistant aluminum channel finished in UV-rated outdoor powder coats and sealed within the frame to prevent water intrusion. With an extension less than 4 inches, this attractive sconce series is also inherently ADA compliant for indoor public spaces where needed.



GRAVITY

- Two tone Matte Black and Gold finish
- Constructed of anti-corrosive aluminum channel and sealed for wet locations
- LED integrated, 3000K
- ADA Compliant extension



E42102-BKGLD
Outdoor Wall
A 13"
6" 1.75"

E42104-BKGLD
Outdoor Wall
B 15.5"
6" 1.75"

E42106-BKGLD
Outdoor Wall
C 18"
6" 1.75"

ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E42102 BKGLD	11W PCB LED 3000K (Inte.)	6"W x 13"H x 1.75"Ext.	10.5"	90+	500	250	
B	E42104 BKGLD	13W PCB LED 3000K (Inte.)	6"W x 15.5"H x 1.75"Ext.	13"	90+	580	350	
C	E42106 BKGLD	15W PCB LED 3000K (Inte.)	6"W x 18"H x 1.75"Ext.	15.5"	90+	670	450	

Finish: Black/Gold (BKGLD)



TECTONIC

An enigmatic light source projects from the wall, obscured by two panels with an organic textural relief and split down the center to cast soft ambient light. Open at the top and bottom as well, the light shines both upwards and downwards and signals the source of its illumination through the crevice that it creeps out from. Finished in Matte Black externally, the interior of the sconces are powder coated antique brass to add warmth to the rustic glow. Available in 3 sizes, this ADA compliant sconce series adds mystique to the spaces it's installed.




TECTONIC

- Unique cast aluminum with elevated relief patterns
- Exterior in Black finish, interior in Antique Brass for warm ambient light
- LED integrated, 3000K
- Available in 3 sizes, all ADA compliant extensions




E30142-BKAB
Outdoor Wall

A




E30144-BKAB
Outdoor Wall

B



E30146-BKAB
Outdoor Wall

C



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	E30142 BKAB	2 x 8W PCB LED 3000K (Inte.)	4.75"W x 14"H x 3.75"Ext.	2.25"	90+	1280	480	
B	E30144 BKAB	2 x 10W PCB LED 3000K (Inte.)	4.75"W x 18"H x 3.75"Ext.	2.75"	90+	1600	520	
C	E30146 BKAB	2 x 12W PCB LED 3000K (Inte.)	4.75"W x 22"H x 3.75"Ext.	3.5"	90+	1920	560	

Finish: Black/Antique Brass (BKAB)



RUNE

Artisanal cast glass slabs are supported by a central Die Cast Aluminum housing that is finished in an outdoor rated Black powder coat. Emphasizing the natural beauty of the glass' imperfect contours, the sconces humbly illuminate these casually luxurious materials. Available in 3 configurations that represent 3 sizes of the collection, the sconces provide sufficient light as they showcase artistic glass craftsmanship.




- Cast glass blocks supported by corrosive-resistant Aluminum brackets
- Dimmable LED light source, 3000K Color Temperature
- Available in 3 size configurations




E30132-24BK
Outdoor Wall

A




E30134-24BK
Outdoor Wall

B



E30136-24BK
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30132	24BK	2 x 8W PCB LED 3000K (Inte.)	5.25"W x 12"H x 2"Ext.	6"	90+	1280	650	
B	E30134	24BK	2 x 8W PCB LED 3000K (Inte.)	5.25"W x 15.5"H x 2"Ext.	6"	90+	1280	690	
C	E30136	24BK	2 x 8W PCB LED 3000K (Inte.)	5.25"W x 19"H x 2"Ext.	9.5"	90+	1280	690	

Finish: Clear glass (24) Black (BK)



TOTEM

Zigzag towers of ribbed glass and a textured black frame. The ribbed glass texture is back lit by integrated LED strips housed within that shine bright illumination against a white reflective backdrop. With a 3" extension, these wall sconces add visual interest to your interior or exterior space, and meet ADA requirements for use down corridors and other public spaces.




TOTEM

- Sculptural frames in a textured Black finish
- Clear Ribbed glass is backlit
- 4 sizes of pocket sconces ranging from 5" heights to 24"
- LED integrated 3000K
- ADA Compliant




E30122-144BK
Outdoor Wall

A




E30123-144BK
Outdoor Wall

B




E30124-144BK
Outdoor Wall

C



E30126-144BK
Outdoor Wall

D



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information	
A	E30122	144BK	2 x 6W PCB LED 3000K (Inte.)	5"W x 5"H x 4"Ext.	2.25"	90+	960	570	
B	E30123	144BK	2 x 8W PCB LED 3000K (Inte.)	6"W x 16"H x 3"Ext.	8"	90+	1280	560	
C	E30124	144BK	2 x 10W PCB LED 3000K (Inte.)	6"W x 20"H x 3"Ext.	10"	90+	1600	700	
D	E30126	144BK	2 x 12W PCB LED 3000K (Inte.)	6"W x 24"H x 3"Ext.	12"	90+	1920	850	

Finish: Clear Ribbed glass (144) Black (BK)





ALCOVE

Die cast aluminum frames accommodate a niche that features a decorative panel of stainless steel in a Gold finish. Two strips of dedicated LED lighting illuminate the washboard form that in its contrasting Gold hue creates a warmer ambient light source for your exterior.



ALCOVE

- Stainless steel corrugated panels in Gold finish
- Two tone Black with Gold outdoor rated powder coat
- Corrosive-resistant Aluminum with Stainless Steel
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated



E30102-BKGLD
Outdoor Wall
A



E30104-BKGLD
Outdoor Wall
B



E30106-BKGLD
Outdoor Wall
C

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30102	BKGLD	2 x 9W PCB LED 3000K (Inte.)	6.5"W x 10"H x 2.5"Ext.	5"	90+	1440	300	
B	E30104	BKGLD	2 x 12W PCB LED 3000K (Inte.)	6.5"W x 14"H x 2.5"Ext.	7"	90+	1920	470	
C	E30106	BKGLD	2 x 18W PCB LED 3000K (Inte.)	6.5"W x 20"H x 2.5"Ext.	10"	90+	2880	600	

Finish: Black/Gold (BKGLD)



TOWER

A box of UV-rated acrylic is constructed of precise miter cut corners and silk screened white on its interior to form a tower of evenly distributed LED illumination. For wet locations, the LED light source is completely sealed and provides softer omnidirectional illumination to add security and sufficiently brighten spaces. The die cast aluminum frame is finished in a black outdoor rated powder coat for longer lasting color in outdoor settings.

TOWER – A box of UV-rated acrylic is constructed of precise miter cut corners and silk screened white on its interior to form a tower of evenly distributed LED illumination. For wet locations, the LED light source is completely sealed and provides softer omnidirectional illumination to add security and sufficiently brighten spaces. The die cast aluminum frame is finished in a black outdoor rated powder coat for longer lasting color in outdoor settings.




TOWER

- Clear acrylic boxes are miter cut and silk screened white on their interior
- Evenly distributed lighting with high lumen output
- Constructed of corrosive-resistant Aluminum
- Sandy Black outdoor rated powder coat
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated



E30182-01BK
Outdoor Wall

A




Mounts up/down




E30184-01BK
Outdoor Wall

B



E30186-01BK
Outdoor Wall

C



ITEM #	FINISH	LAMPING	DIMENSION	HCO CRI		LUMENS		Additional Information	
				INIT.	DEL.	INIT.	DEL.		
A	E30182	01BK	15W PCB LED 3000K (Inte.)	8"W x 15"H x 4"Ext.	7.5"	90+	1200	1170	
B	E30184	01BK	18W PCB LED 3000K (Inte.)	8"W x 18"H x 4"Ext.	9"	90+	1440	1270	
C	E30186	01BK	22W PCB LED 3000K (Inte.)	8"W x 22"H x 4"Ext.	11"	90+	1760	1760	

Finish: White Acrylic (01) Black (BK)



MODULAR

A series of shade options provide a variety of lighting designs suited to your application. The cast aluminum disc has a slight curve softening its form and designed to complement shade options available. Choose from Dark Sky compliant down-lights using flat lenses and directional light or from several UV-rated acrylic lens options that create domes, spheres, or cylinders. The integrated LED lights provide ample functional lighting, while the minimal forms translate the sconce's usage between indoor and outdoor applications.


MODULAR

- Modular sconce design constructed of corrosive-resistant Aluminum
- Select from cylindrical and dome glass shades or minimal flat lenses
- Range voltage 120-277V drivers included
- Dimmable LED light source, 3000K Color Temperature
- Energy Star and JA8 Listed
- Available in Black finish
- Wet Location Rated





E30160-BK
Interior/Exterior Wall Sconce

A



E30161-10BK
Wall Mount


B



Up and Down light


E30170-BK
Interior/Exterior Wall Sconce

C



E30171-10BK
Wall Mount

D



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	INIT.	DEL.	Additional Information	
A	E30160	BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	640	450	
B	E30161	10BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	640	450	
C	E30170	BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	1280	900	
D	E30171	10BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	1280	840	

Finish: Clear/White (10) Black (BK)




MODULAR

- Modular sconce design constructed of corrosive-resistant Aluminum
- Select from cylindrical and dome glass shades or minimal flat lenses
- Range voltage 120-277V drivers included
- Dimmable LED light source, 3000K Color Temperature
- Energy Star and JA8 Listed
- Available in Black finish
- Wet Location Rated





E30164-BK
Wall Mount

A




E30165-10BK
Wall Mount

B



E30175-10BK
Wall Mount

C



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30164; BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	640	475	
B	E30165; 10BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	640	450	
C	E30175; 10BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	1280	800	

Finish: Clear/White (10) Black (BK)







CUBED

A staple in modern design, the square block form is the perfect minimalist accent to your home's interior or exterior elevations. The third iteration in this concept, the cubes are enabled with updated features that include range voltage input for both residential and commercial applications, an adjustable beam angle structure within the die cast housing allows the end user to set the light spread from either the top or bottom individually, and the sconces meet the dimensional extension compliant for ADA applications. Available in Black or Satin Aluminum finishes rated for outdoor, this modern design just got better.




CUBED

- Available in Satin Aluminum and matte Black finishes
- Die Cast Aluminum construction
- Adjustable beam angle spread set within housing
- Wet Location rated and ADA compliant
- LED Integrated, 3000K Color Temperature
- Range voltage 120-277V input with universal 3-in-1 dimming power sources




E23222-BK, -SA
Outdoor Wall



Adjustable beam angle spread



E23224-BK, -SA
Outdoor Wall



ITEM #	FINISH	LAMPING	DIMENSION	HCO		LUMENS		Additional Information
				CRI	INIT.	DEL.	INIT.	
A E23222	BK, SA	1 x 10W PCB LED 3000K (Inte.)	5.5"W x 5.5"H x 2.5"Ext.	2.25"	90+	900	650	
B E23224	BK, SA	2 x 10W PCB LED 3000K (Inte.)	5.5"W x 5.5"H x 2.5"Ext.	3.25"	90+	1800	1150	

Finish Options: Black (BK) Satin Aluminum (SA)




BRİK

Low profile LED up and down wall sconce which can be used interior or exterior are available in both Black and White. The flat face provides a place for numbers which makes these great for multi-family installations.



E23212-BK, -WT
Interior/Exterior Wall Sconce

A




- Machined Aluminum construction
- ADA compliant
- Available in White and Black
- Wet location rated
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac or ELV dimmers



E23214-BK, -WT
Interior/Exterior Wall Sconce

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23212	BK, WT	8W PCB LED 3000K (Integrated)	4.75"W x 4.75"H x 1.5"Ext.	2.25"	80+	640	440	
B	E23214	BK, WT	10W PCB LED 2700K (Integrated)	6.25"W x 6.25"H x 1.5"Ext.	3.25"	80+	800	650	

Finish options: Black (BK) White (WT)



BLOK


The classic cube form has become a staple in modern lighting design. This option has been specified to minimal extension for ADA compliance. The smaller downlight size takes into consideration Night Sky requirements in some locations while it and the larger 2-Light option can be used in corridor spaces for both commercial and hospitality requirements. This product offering is not only commercially rated, but economically priced with IP ratings that allow installations either indoors or in the great outdoors. The high powered LED light engine is low voltage and includes a range voltage driver to conveniently meet various site requirements.




- Cubes constructed of corrosive-resistant Aluminum
- ADA Compliant
- Down-light and Up/Down Light Configurations
- Range voltage 120-277V drivers included
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated



E23216-BK, -WT
Outdoor Wall



E23218-BK, -WT
Outdoor Wall



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E23216	BK, WT	1 x 8W PCB LED 3000K (Inte.)	4.75"W x 4.75"H x 4"Ext.	2.25"	80+	630	440	
B	E23218	BK, WT	2 x 8W PCB LED 3000K (Inte.)	6.25"W x 6.25"H x 4"Ext.	3.25"	80+	1080	820	












Finish options: Black (BK) White (WT)

INDEX

E11010.....	24	E21340.....	62	E24213.....	40
E11011.....	24	E21344.....	62	E24217.....	39
E11012.....	24	E21352.....	60	E24219.....	38
E11013.....	23	E21354.....	60	E24220.....	50
E11015.....	23	E21355.....	59	E24221.....	49
E11019.....	22	E21357.....	58	E24225.....	50
E11020.....	36	E21358.....	59	E24227.....	49
E11021.....	36	E22791.....	82	E24229.....	48
E11022.....	36	E22794.....	82	E24616.....	10
E11023.....	35	E23212.....	108	E24770.....	14
E11029.....	35	E23214.....	108	E24771.....	14
E11030.....	34	E23216.....	110	E24773.....	12
E11032.....	34	E23218.....	110	E24774.....	13
E11040.....	52	E23222.....	106	E24871.....	20
E11041.....	52	E23224.....	106	E24873.....	17
E11060.....	31	E23421.....	80	E24874.....	16
E11061.....	32	E23422.....	80	E24875.....	16
E11062.....	32	E23423.....	80	E24877.....	20
E11063.....	32	E23424.....	80	E24878.....	18
E11390.....	46	E23510.....	55	E24880.....	19
E11392.....	46	E23511.....	56	E24964.....	26
E11394.....	46	E23512.....	56	E24966.....	26
E21260.....	30	E23513.....	55	E24968.....	26
E21261.....	29	E23514.....	54	E25038.....	68
E21262.....	29	E24072.....	4	E25039.....	68
E21263.....	30	E24073.....	4	E25050.....	70
E21266.....	28	E24075.....	3	E25051.....	70
E21269.....	30	E24211.....	40	E25058.....	70

E25084.....	8	E30165.....	103	E51013.....	77
E25087.....	8	E30170.....	102	E51014.....	78
E25089.....	7	E30171.....	102	E51015.....	76
E26003.....	74	E30175.....	103	EMSC2600.....	73
E26004.....	74	E30182.....	100		
E26008.....	73	E30184.....	100		
E30102.....	98	E30186.....	100		
E30104.....	98	E30191.....	84		
E30106.....	98	E30192.....	84		
E30110.....	88	E30193.....	84		
E30112.....	88	E30194.....	84		
E30114.....	87	E31090.....	66		
E30116.....	87	E31091.....	66		
E30117.....	87	E31092.....	66		
E30119.....	88	E31093.....	65		
E30122.....	96	E31095.....	65		
E30123.....	96	E31099.....	64		
E30124.....	96	E34001.....	44		
E30126.....	96	E34002.....	44		
E30132.....	94	E34501.....	42		
E30134.....	94	E34502.....	42		
E30136.....	94	E34503.....	42		
E30142.....	92	E42102.....	90		
E30144.....	92	E42104.....	90		
E30146.....	92	E42106.....	90		
E30160.....	102	E51010.....	78		
E30161.....	102	E51011.....	77		
E30164.....	103	E51012.....	78		

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BI40T8E12CL120V	I	E12	40	40W Incandescent E12 T8 120V Bulb Clear
	BI40T10E26IF120V	I	E26	40	40W Incandescent MB T10 120V Bulb Inside Frost
	BI60T10E26IF120V	I	E26	60	60W Incandescent MB T10 120V Bulb Inside Frost
	BI40ST58E26CL120V	I	E26	40	40W Incandescent MB ST58 120V Bulb Clear
	BI60ST64E26CL120V	I	E26	60	60W Incandescent MB ST64 120V Bulb Clear
	BL9E26FT120V30	L	E26	9	9W LED E26 3000K 120V Bulb Frost
	BL12E26FT120V30	L	E26	12	12W LED E26 3000K 120V Bulb Frost
	BL16E26FT120V30	L	E26	16	16W LED E26 3000K 120V Bulb Frost
	BL5GU10FT120V30	L	GU10	5	5W Dimmable LED GU10 3000K 120V Bulb Clear, T24 JA8 Compliant
	BL7GU10FT120V30	L	GU10	7	7W Dimmable LED GU10 3000K 120V Bulb Clear
	BL1-2G4FT12V30	L	G4	1.2	1.2W LED DC AC 12V 3000K CRI80
	BL2G4CL12V	L	G4	2	2W LED G4 12V 3000K Bulb Clear (See Supp Descr)
	BL2G9CL120V30	L	G9	2	2W LED G9 3000K CRI80 Clear
	BL3G9CL120V30	L	G9	3	3W LED G9 3000K CRI80 Clear
	BL2-2G9FT120V30	L	G9	2.2	2.2W LED G9 3000K CRI80 Frost
	BL2-3G9CL120V35	L	G9	2.3	2.3W LED G9 3500K CRI80 Clear
	BL2-9G9CL120V27	L	G9	2.9	2.9W LED G9 2700K CRI80 Clear
	BL2-9G9CL120V35	L	G9	2.9	2.9W LED G9 3500K CRI80 Clear
	BL4G9CL120V830	L	G9	4	4W LED G9 3000K CRI90 Clear
	BX10G4CL12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Clear
	BX10G4FT12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Frosted
	BX20G4CL12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Clear
	BX20G4FT12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Frosted
	BX25G9CL12V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear
	BX25G9FT120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
	BX40G9CL120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear
	BX40G9FT120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BX50G9CL120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear
	BX50G9FT120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BH35GU10CL120V	H	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BH50GU10CL120V	H	GU10	50	50W Halogen GU10 110-130V Bulb Clear

CF - Compact Fluorescent F - Fluorescent H - Halogen I - Incandescent L - LED X - Xenon



FINISHES, GLASS

Code	Finish
AB	Antique Brass
ACP	Antique Copper
AL	Aluminum
BC	Black Chrome
BCN	Brushed Champagne
BGM	Brushed Gunmetal
BK	Black
BRK	Brick
CHK	Chalky White
FG	French Gold
GLD	Gold
GY	Grey
NAB	Natural Aged Brass
PBZ	Polished Bronze
PC	Polished Chrome
SA	Satin Aluminum
SN	Satin Nickel
TRC	Terra Cotta
WT	White

Code	Glass
01	White
10	Clear/White
18	Clear
24	Clear
54	Translucent Frost
90	Frosted
93	Clear/Frosted
95	Rock Crystal
118	Champagne Bubble
122	Clear Crystal
133	Patterned Acrylic
138	Smoke
142	Graduating Smoke
144	Clear Ribbed
148	Multi-Color

Warranty and Other Information

- For specific and detailed warranty information, ask your ET2 Contemporary Lighting sales representative or visit www.et2online.com/warranty.
- ET2 Contemporary Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Lamps are not included unless otherwise noted.
- Printed in China



ET2 Contemporary Lighting is a trademark of Maxim Lighting International, Inc.

StarStrand and CounterMax are registered trademarks of Maxim Lighting International, Inc.

All designs, logos, products and images © Copyright 2023 ET2 Contemporary Lighting.

All Rights Reserved.

#ET2lighting



 Contemporary Lighting™