

KUZCO



FULL LINE CATALOG

KUZCO

[www.kuzcolighting.com](http://www.kuzcolighting.com)

# TABLE OF CONTENTS

KUZCO INTRODUCTION	4-7
VISUAL INDEX	8
<b>INDOOR LIGHTING</b>	
CHANDELIERS	27
MARQUEE SYSTEM	92
PENDANTS	100
WALL / VANITY	238
CEILING	344
PORTABLE	406
FANS	422
STEP LIGHTING	438
OUTDOOR LIGHTING	452
INDEX	550

# About Kuzco



Since the inception of Kuzco Group in 2006, our mission in lighting has been to create cutting-edge design using the latest well-priced LED technology. Our designs begin in our New York City studio with innovation in mind. We work closely with a group of manufacturers and vendors to create the highest quality pieces possible. We pride

ourselves on being a family-owned company that puts care into everything we do. From our first office in Surrey, British Columbia to our current locations spanning from Los Angeles, Las Vegas, Dallas, and New York, we have a dedicated team committed to providing the best products and customer service possible.





Our flagship Dallas showroom is over 20,000 square feet and can be viewed online.

*Our team has been working hard on developing more innovative products and designer collaborations that we are excited to share!*

*—Paul Sidhu, Marketing Director*



---

# *NYC Studio Style + Design*

In 2019, we opened the doors to Kuzco's very own New York City design studio to further innovate and excite the world of modern lighting. Our team, spearheaded by lead designer Ryan Pauly, hit the ground running, winning the 2020 Red Dot Design Award for Product of the Year with their innovative Magellan design. A team comprising esteemed industrial designers, they continue their prize-winning design this year with a collection of designs for Kuzco's January 2023 release, including Red Dot Award-winning Serif.







# Magellan



reddot winner 2020  
best of the best lighting design



lightfair  
innovation  
awards  
2020



2020  
WINNER  
LIGHTING  
DESIGN  
AWARDS



Spark Design Awards 2020  
**SILVER WINNER**



CH51232-BK/WH

The design aesthetic of Magellan takes its cues from geometric patterns and sun formations. The intent was to create the potential for large volumes that could both appear to float and allow for sight straight through it to reveal its construction, enhancing the feeling of expansion. The even aura of light holds the different sources together as one single entity. With sustainability in

mind, Magellan's systemic construction allows for easy parts replacement, rather than replacing the entire fixture. The Magellan is Kuzco's most awarded design, winning a Red Dot 2020 Best of the Best Award, LIT Design Chandelier Award, LightFair's Most Innovative Product of the Year Award, The Art of Lighting Award, SPARK Silver Award, and Core77's Honorable Mention.

# CHANDELIERS



Akari  
p. 51




Akari  
p. 51




NEW

Akira  
p. 42-43



NEW

Amara  
p. 30-31




NEW

Amara  
p. 31




NEW

Aries  
p. 36-37



Arkell  
p. 89



NEW

Blade  
p. 38-39



NEW

Blade  
p. 39



Bolla  
p. 88



NEW

Bruni  
p. 40-41



Cerchio  
p. 62-63




Cerchio  
p. 62-63




Chute  
p. 80



Chute  
p. 81



Chute Calypso  
p. 84



Chute Motion  
p. 85



NEW


Collide  
p. 28-29



Dune  
p. 57



Geode  
p. 58



Geode  
p. 58



NEW

Jayden  
p. 34-35



Maestro  
p. 50




Magellan  
p. 69



Magellan  
p. 68



Magellan  
p. 66-67



Marquee  
p. 92-93



Marquee Linear  
p. 94-95



Mobil  
p. 32-33



Monza  
p. 82-83



Motif  
p. 70



Motif  
p. 71



Moto  
p. 52



Mulberry  
p. 54-55




Mulberry  
p. 55



Novel  
p. 56



Oros  
p. 59



Piazza  
p. 79



Piazza  
p. 78-79



Poplar  
p. 53



Rezz  
p. 60-61



Rotaire  
p. 72



Rotaire  
p. 72-73



Samar  
p. 44-45



Serif  
p. 86-87



Sirius  
p. 90



Sirius Minor  
p. 91



Synergy  
p. 64



Synergy  
p. 65



Talis  
p. 46-47



Talis  
p. 48-49



Vega  
p. 76



Vega  
p. 77



Vega Minor  
p. 74-75




Victoria  
p. 237

# PENDANTS



NEW

Airen  
p. 109



NEW

Airen  
p. 108–109



Akari  
p. 147



Akari  
p. 147



NEW

Akira  
p. 120–121



NEW

Akira  
p. 121



Ampersand  
p. 196–197



Anello Minor  
p. 151



NEW

Arcadia  
p. 136–137



NEW

Aries  
p. 132–133



Bach  
p. 235



Beacon  
p. 222



NEW

Blade  
p. 116–117



Bolla  
p. 235



NEW

Bruni  
p. 122–123



Cameo  
p. 231




Cerchio  
p. 202–203



Champagne  
p. 234



Chroma  
p. 229



Chute  
p. 187



Chute  
p. 186



Cirque  
p. 204–205



NEW

Collide  
p. 124–125



NEW

Collide  
p. 125



Cortana  
p. 192–193



Cruz  
p. 181



Cruz  
p. 180-181



Cumulus  
p. 198



Cumulus Minor  
p. 199



Cursive  
p. 152-153



Dalton  
p. 220-221



Deco  
p. 218



Disc  
p. 217



Dune  
p. 154



Eerie  
p. 191



Elixir  
p. 184



Elixir  
p. 184



Elixir  
p. 184



Elixir  
p. 184-185



Enkel  
p. 219

NEW



Enzo  
p. 112-113



Europa  
p. 174



Europa  
p. 174



Exo  
p. 217



Flux  
p. 175




Flux  
p. 175



Geode  
p. 172-173



Geode  
p. 173



Gramercy  
p. 182



Gramercy  
p. 183

NEW




Halo  
p. 194-195



Helena  
p. 208



Helena  
p. 208-209



Hilo  
p. 110-111

NEW



Hilo  
p. 110



Huron  
p. 211




Huron  
p. 211



Jayden  
p. 118-119



Lena  
p. 224



Maestro  
p. 155



Magellan  
p. 188-189



Malabar  
p. 215




Martelo  
p. 228



Martelo  
p. 228



Mina  
p. 226-227



Misaki  
p. 164-165



Mobil  
p. 129



Monae  
p. 142-143



Mondrian  
p. 171



Mondrian  
p. 170



Morina  
p. 114



Morina  
p. 114



Morina  
p. 114-115



Motif  
p. 163



Motif  
p. 160-161




Motif  
p. 162



Mulberry  
p. 176



Mulberry  
p. 176-177



Novel  
p. 168



Novel  
p. 168-169



Oxford  
p. 230




Pendula  
p. 232-233



Phoenix  
p. 102-103



Piazza  
p. 206



Piazza  
p. 207



NEW



Plaza  
p. 146



Pluto  
p. 234



Poplar  
p. 150



Rezz  
p. 144-145



Rise  
p. 134-135

NEW



Rise  
p. 134

NEW



Rise  
p. 134



Robson  
p. 213



Rotaire  
p. 178

NEW



Samar  
p. 138-139



Sampson  
p. 223



Samson  
p. 225

NEW



Script  
p. 126-127



Serif  
p. 156-157



Serif  
p. 158

NEW



Serif  
p. 159



Serif  
p. 158



Shift  
p. 106-107




Sonder  
p. 200-201



Stylo  
p. 224

NEW



Synergy  
p. 190



Talis  
p. 148-149



Taper  
p. 212



Taro  
p. 152



Tavira  
p. 140-141



Trinity  
p. 179



Trinity  
p. 179



Trinity  
p. 179




Twist  
p. 210



Ultra  
p. 214-215



Vanier  
p. 225



Vega  
p. 166



Vega Minor  
p. 167



Verona  
p. 216



Vesper  
p. 104-105



Victoria  
p. 236



Victoria  
p. 236



Victoria  
p. 236



Virgo  
p. 130-131

# WALL / VANITY



Airen  
p. 246-247



Akari  
p. 270



Alberni  
p. 310



Anello Minor  
p. 271




Bengal  
p. 329



Bhutan  
p. 302



Birch  
p. 252-253



Birch  
p. 252



Blade  
p. 244-245



Brazen  
p. 318



Brazen  
p. 318-319



Brio  
p. 274



Bute  
p. 316



Camden  
p. 307



Cedar  
p. 251

NEW



Cedar  
p. 251

NEW



Cedar  
p. 250–251



Charleston  
p. 299



Charlotte  
p. 311



Chute  
p. 300–301

NEW



Cruz  
p. 266



Cruz  
p. 266



Cubix  
p. 240



Cubix  
p. 240–241

NEW



Dela  
p. 330



Dorchester  
p. 339



Dorchester  
p. 339



Draven  
p. 332



Dresden  
p. 337



Dresden  
p. 336–337



Dune  
p. 277



Dune  
p. 276–277



Edna  
p. 279



Elizabeth  
p. 334



Eton  
p. 338



Ferguson  
p. 320



Flux  
p. 267



Fresno  
p. 299



Gable  
p. 333



Galleria  
p. 340–341

NEW



Gramercy  
p. 288–289



Guide  
p. 328



Harrow  
p. 324–325



Holt  
p. 254–255



Hounslow  
p. 325



Hudson  
p. 335



Jane  
p. 322



Jane-Slim  
p. 323



Latitude  
p. 314



Latitude-Slim  
p. 315



Laurel  
p. 275



Lever  
p. 268-269



Lighthouse  
p. 312-313



Lochwood  
p. 286



Longitude  
p. 321



Magellan  
p. 264-265



Marlon  
p. 278



Martelo  
p. 332



Martelo  
p. 332



Melville  
p. 317



Mendocino  
p. 307



Milano  
p. 327



Milano  
p. 327



Mondrian  
p. 296-297



Motif  
p. 272



Motif  
p. 272-273



Mulberry  
p. 260-261



Mulberry  
p. 261



Nepal  
p. 302



Norfolk  
p. 326



Novel  
p. 284-285



Pandora  
p. 282



Pandora  
p. 283



Peggy  
p. 311



Pluto  
p. 298



Pluto  
p. 298



Plymouth  
p. 292–293



Pondi  
p. 335



Poplar  
p. 280–281



Preston  
p. 330–331



Rezz  
p. 263



Rezz  
p. 262



Rona  
p. 309



Rona  
p. 308–309



Rotaire  
p. 259

NEW


NEW



Rotaire  
p. 258



Rotaire  
p. 258



Rotaire  
p. 259



Samar  
p. 242–243



Saphir  
p. 248–249



Soho  
p. 306



Sonder  
p. 256–257




Stratford  
p. 334



Swivel  
p. 303



Synergy  
p. 287



Taro  
p. 267



Vega  
p. 294



Vega  
p. 295



Vega Minor  
p. 290



Vega Minor  
p. 291



Vega Minor Picture  
p. 342–343



Warwick  
p. 333



Watford  
p. 304–305

# CEILING



Anello Minor  
p. 379



Arcadia  
p. 364–365



Aston  
p. 396–397



Beacon  
p. 398



Bedford  
p. 399



Birch  
p. 356–357



Blade  
p. 352–353



Brook  
p. 386



Brunswick  
p. 381



Calix  
p. 346–347



Cayne  
p. 370–371



Cedar  
p. 354–355



Charlie  
p. 391



Clover  
p. 358–359



Croft  
p. 370



Cruz  
p. 392–393



Cruz  
p. 392



Cubix  
p. 348–349



Dalton  
p. 384–385




Downey  
p. 403



Downey  
p. 403



Essex  
p. 376–377



Falco  
p. 395



Falco  
p. 395



Floyd  
p. 390

NEW



Hampton  
p. 380-381



Holt  
p. 366-367



Jasper  
p. 374



Lomita  
p. 391



Lucci  
p. 395

NEW



Lyra  
p. 404



Lyra  
p. 405



Malta  
p. 378



Mel  
p. 360-361



Monae  
p. 368-369

NEW



Mondrian  
p. 388-389



Mousinni  
p. 400-401



Novel  
p. 394



Novel  
p. 394



Parker  
p. 387

NEW



Regalo  
p. 362-363



Rezz  
p. 372-373

NEW



Samar  
p. 350-351



Solo  
p. 402



Solo  
p. 402



Stockton  
p. 398



Synergy  
p. 382



Trafalgar  
p. 399



Trinity  
p. 375



Vega Minor  
p. 383

# FANS

NEW



Archer  
p. 428–429

NEW



Cyrus  
p. 424–425

NEW



Emiko  
p. 430–431

NEW



Fremont  
p. 434–435

NEW



Horizon  
p. 436–437

NEW



Owens  
p. 432–433

NEW



Rubio  
p. 426–427

# PORTABLE



Cursive  
p. 414



Flux  
p. 418



Flux  
p. 418



Gramercy  
p. 415



Gramercy  
p. 415

NEW



Hilo  
p. 408

NEW



Hilo  
p. 408–409



Huron  
p. 420–421



Huron  
p. 420–421



Miter  
p. 419





Miter  
p. 419



Novel  
p. 413



Novel  
p. 413



Reeds  
p. 416–417



Rotaire  
p. 412



Rotaire  
p. 412



Sonder  
p. 410–411

## STEP LIGHTING



Bristol  
p. 448–449




Casa  
p. 446



Jackson  
p. 440–441



Lio  
p. 442



Mesa  
p. 444



Newport  
p. 450–451



Roto  
p. 443



Sonic  
p. 447

# OUTDOOR

NEW



Alden  
p. 471



Arctic  
p. 532

NEW



Aspen  
p. 456

NEW



Aspen  
p. 456-457



Astoria  
p. 524

NEW



Bailey  
p. 549



Blaine  
p. 473

NEW



Bravo  
p. 464-465



Brixton  
p. 502-503



Byron  
p. 538



Byron  
p. 538



Cabo  
p. 536



Carson  
p. 524



Casa  
p. 523



Caspian  
p. 544

NEW



Chadworth  
p. 472



Copenhagen  
p. 533



Copenhagen  
p. 534



Copenhagen  
p. 535



Davy  
p. 490-491



Davy  
p. 493



Davy  
p. 493



Davy  
p. 492



Dawn  
p. 537



Dorian  
p. 500-501

NEW



Dover  
p. 474



Drotto  
p. 512-513



Element  
p. 528

NEW



Enzo  
p. 454-455

NEW



Estes  
p. 458-459

NEW



Glen  
p. 476



Griffith  
p. 510


NEW



Hanover  
p. 475



Indio  
p. 529



Etna  
p. 527

NEW



Kingsbury  
p. 470

NEW



Knox  
p. 480-481

NEW



Kona  
p. 466-467



Kattari  
p. 530




Kattari  
p. 530-531



Lamar  
p. 515



Lamar  
p. 515



Lamar  
p. 514



Lenox  
p. 526



Lorna  
p. 511



Lund  
p. 509




Maro  
p. 504-505



Maro  
p. 506-507



Mavis  
p. 539



Mesa  
p. 522



Mica  
p. 520



Moondew  
p. 545



Naga  
p. 542



Napa  
p. 482-483



Nevis  
p. 543



Nordic  
p. 508



NEW

Novato  
p. 478-479



Olympus  
p. 539



Parc  
p. 486-487



Parc  
p. 488-489



Parc  
p. 488



Pasadena  
p. 525



Plateau  
p. 518-519



Rene  
p. 463



Rene  
p. 462-463

NEW

NEW




Ridge  
p. 548



Slate  
p. 521



Sonoma  
p. 477



Stato  
p. 516-517



Suara  
p. 484-485



Tac  
p. 527



Traverse  
p. 496-497



Traverse  
p. 498-499



Trek  
p. 494



Trek  
p. 494

NEW

NEW



Trek  
p. 494-495



Trenton  
p. 546-547



Twilight  
p. 537



Vail  
p. 460



Vail  
p. 460-461



Vesta  
p. 540-541



Vista  
p. 536



NEW

Windermere  
p. 468-469



Zodiac  
p. 526

# ICONS + SYMBOLS



UP AND DOWN LIGHT CHANDELIER OR PENDANTS



DOWN LIGHT CHANDELIER OR LINEAR PENDANTS



DOWN LIGHT PENDANTS



AMBIENT SUSPENSION LIGHT



AMBIENT FLOOR OR TABLE LIGHT



DOWN LIGHT CEILING



UP AND DOWN LIGHT WALL SCONCES



WALL LIGHT



INDIRECT WALL LIGHT



USB CHARGING



PATENTED LED FILAMENT TECHNOLOGY



TRACK LIGHT



MONOPOINT



DOWN LIGHT WALL SCONCES



LIGHT DIRECTED TOWARD WALL & PLATE



WET LOCATION



READING LIGHT



PORTABLE



SOFT DIRECTIONAL LIGHT



ADJUSTABLE / ROTATIONAL LIGHT



WIRELESS CHARGING



CHANDELIERS.



CHANDELIER.




CH96442-BK

SEE FULL COLLECTION



PENDANT PAGE 124-125



# COLLIDE - CH96442

FINISH BK - Black

Forged aluminum and steel frame  
Modern powder-coated finish  
Frosted silicone diffusers  
Uniquely crafted organic shapes  
Up and down light  
Max. cable length 120"

WATTAGE: 100W  
VOLTAGE: 120V  
DELIVERED LUMENS: 4850\*


COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER ELV OR TRIAC (not included)  
RATED LIFE 50,000 HOURS

*Custom options available*










CH89854-BK/GO



CH89832-BG/GO



## AMARA - CH89854 / CH89832

**FINISH** BK - Black | BG - Brushed Gold

**GLASS** GO - Glossy Opal

Forged steel body  
 Glossy opal glass accents  
 Stunning organic configurations  
 Modern brushed or powder-coated finish options  
 Max. cable length of 120"

	CH89854	CH89832
<b>WATTAGE:</b>	33W	21W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1750*	1150*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



\*Preliminary figures

**NEW**


CHANDELIER.



CH81527-BK



PD81511-BK



## MOBIL - CH81527 / PD81511

**FINISH** BK - Black

Forged aluminum and steel body  
 Modern powder-coated finish  
 Frosted polycarbonate diffuser  
 Unique wishbone-silhouette pendant design  
 Down light  
 Max. cable length of 120" (CH81527)  
 Max. rod length of 46" (PD81511)

	CH81527	PD81511
<b>WATTAGE:</b>	25W	11W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	850*	370*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>CEILING ADAPTOR</b>	YES, UP TO 45° (PD81511)
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	










CH96840-BK/BG



CH96840-BK/BG




CH96840-BK

SEE FULL COLLECTION



PENDANT PAGE 118-119



## JAYDEN - CH96840

**FINISH** BK - Black | BK/BG - Black/Brushed Gold

- Forged aluminum and steel body
- Modern painted or powder-coated finish options
- Frosted acrylic diffusers
- Adjustable arms for varied styling
- Down light
- Max. rod length of 46"

**WATTAGE:** 57W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1450\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%-10%  
**TYPE OF DIMMER:** ELV OR TRIAC (*not included*)  
**CEILING ADAPTOR:** YES, UP TO 45°  
**RATED LIFE:** 50,000 HOURS


*Custom options available*

\*Preliminary figures

CHANDELIER.

**NEW**

ADJUSTABLE  
**WIRES**



CH76728-BK



CH76718-CH




CH76718-BG

SEE FULL COLLECTION



PENDANT PAGE 132-133



## ARIES - CH76728 / CH76718

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Forged aluminum and steel body  
Clear external glass  
Frosted glass internal accents  
Wires adjustable for varied styling  
Modern brushed or powder-coated finish options  
Single-canopy powered  
Max. cable length of 120"

	CH76728	CH76718
WATTAGE:	37W	29W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1400*	1050*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	









CH76728-BK






**Design Detail**

The glow of the ribbed diffusers create added depth and warmth to the Blade Collection.



CH23534-BK



CH23532-BG

SEE FULL COLLECTION




PENDANT PAGE 116-117




WALL / VANITY PAGE 244-245



CEILING PAGE 352-353



CH23534



CH23532

**BLADE - CH23534 / CH23532**

**FINISH** BK - Black | BG - Brushed Gold

Forged aluminum and steel accents  
 Modern brushed or powder-coated finish options  
 Unique ribbed acrylic diffuser  
 Up and down light  
 Max. cable length of 120" (CH23534)  
 Max. rod length of 46" (CH23532)

	CH23534	CH23532
<b>WATTAGE:</b>	29W	20W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1260*	880*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC (not included)
<b>CEILING ADAPTOR</b>	YES, UP TO 45° (CH23532)
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures

**NEW**

ADJUSTABLE  
**RINGS**


CHANDELIER.



CH24755-BG



CH24755-BK



SEE FULL COLLECTION



PENDANT PAGE 122-123

**BRUNI - CH24755**

**FINISH** BK - Black | BG - Brushed Gold

- Forged aluminum and steel accents
- Modern brushed or powder-coated finish options
- Unique ribbed acrylic diffuser
- Circular silhouette with rectangular profile
- Easily powered from central hub
- Adjustable rings for varied styling
- Up and down light
- Max. cable length of 120"

**WATTAGE:** 115W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 4650\*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%-10%  
**TYPE OF DIMMER** ELV OR TRIAC *(not included)*  
**RATED LIFE** 50,000 HOURS  
*Custom options available*










CH58040-BK/GD





CH58030-BK/GD



CH58040-BK/GD


SEE FULL COLLECTION



PENDANT PAGE 121



PENDANT PAGE 120-121



# AKIRA - CH58040 / CH58030

**FINISH** BK/GD - Black/Gold

Uniquely textured steel body  
 Modern duo-toned finish  
 Up and down light  
 Max. cable length of 120"

	<b>CH58040</b>	<b>CH58030</b>
<b>LAMPING:</b>	12 x 60W, E26	7 x 60W, E26
<b>VOLTAGE:</b>	120V	120V

*Custom options available*



\*Preliminary figures

CHANDELIER.

**NEW**

ADJUSTABLE WIRES



CH57514-BG/CP



CH57514-BK/SM



CH57514-CH/OP

SEE FULL COLLECTION




PENDANT PAGE 138-139



WALL/VANITY PAGE 242-243



CEILING PAGE 350-351



## SAMAR - CH57514

**FINISH** BK - Black | BG - Brushed Gold | CH - Chrome  
**GLASS** CP - Copper | SM - Smoked | OP - Opal Matte

Forged steel accents  
 Plated, brushed, and powder-coated finish options  
 Ombre smoked, ombre copper, and opal glass options  
 Adjustable wires for varied styling  
 Central-canopy powered  
 Down light  
 Max. cable length of 120"

**LAMPING:** 3 x 60W, E26  
**VOLTAGE:** 120V

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%-10%  
**TYPE OF DIMMER** ELV OR TRIAC (not included)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*



CH57514-BK/SM





CHANDELIER.

**Style Tip**

Configure the Talis in any way you like, using its adjustable mounting cables.



MP89570-BN




MP89590-BG

SEE FULL COLLECTION



PENDANT PAGE 148-149



MP89590

MP89570

**TALIS - MP89590 / MP89570**

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel

Forged aluminum body  
 Modern powder-coated and anodized finishes  
 Easily powered from central hub  
 Silicone diffuser  
 Down light  
 Max. cable length of 120"

	MP89590	MP89570
<b>WATTAGE:</b>	118W	80W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	6250*	5000*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC (not included)
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures

CHANDELIER.

**Style Tip**

Configure the Talis in any way you like, using its adjustable mounting cables.




MP89370-BN

MP89390-BG

SEE FULL COLLECTION



PENDANT PAGE 148-149



MP89390

MP89370

**TALIS - MP89390 / MP89370**

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel

Forged aluminum body  
 Modern powder-coated and anodized finishes  
 Easily powered from central hub  
 Silicone diffuser  
 Down light  
 Max. cable length of 120"

	MP89390	MP89370
<b>WATTAGE:</b>	70W	56W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	3750*	3000*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*







CHANDELIER.



CH90833-BK/GD




CH90826-BK

SEE FULL COLLECTION



PENDANT PAGE 155



CH90833

CH90826

## MAESTRO - CH90833 / CH90826

FINISH BK - Black | BK/GD - Black/Gold


Cast-aluminum and steel rings  
 Modern powder-coated finish  
 Duo-tone options  
 Frosted polycarbonate diffuser  
 Down light  
 Max. rod length of 46"

	CH90833	CH90826
WATTAGE:	86W	58W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	3485*	2100*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS

Custom options available





CH18537-BK




CH18548-BN

SEE FULL COLLECTION



PENDANT PAGE 147

WALL / VANITY PAGE 270



## AKARI - CH18548 / CH18537

FINISH BK - Black | BN - Brushed Nickel

Anodized extruded-aluminum frame  
Sleek, modern powder-coated finish  
Frosted acrylic diffuser  
Up and down light  
Max. cable length of 120"

	CH18548	CH18537
WATTAGE:	65W	48W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	3600*	2700*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS

Custom options available




\*Preliminary figures

CHANDELIER.



CH97358-BK

CH97139-BK



**MOTO - CH97358 / CH97139**

**FINISH** BK - Black

Multiple aluminum cross-shape arms spread outward by steel tubing  
Etched opal glass globes  
Modern powder-coated finish  
Cylindrical central enclosure with stem suspension  
Max. rod length of 46"

	CH97358	CH97139
<b>WATTAGE:</b>	70W	52W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	3720*	2790*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



# CHANDELIER.




CH90734-BK

SEE FULL COLLECTION



PENDANT PAGE 150

WALL / VANITY  
PAGE 280-281



## POPLAR - CH90734

FINISH BK - Black

Organically shaped die-cast aluminum and steel base  
Modern powder-coated finish  
Frosted polycarbonate diffuser  
Down light  
Max. cable length of 120"

WATTAGE: 124W  
VOLTAGE: 120V  
DELIVERED LUMENS: 7360\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER ELV OR TRIAC (not included)  
RATED LIFE 50,000 HOURS  
*Custom options available*

\*Preliminary figures





CH62628-BK/LG




CHANDELIER.

ADJUSTABLE  
**ARMS**  
CH62737

**Design Detail**

The Mulberry lightguide creates a unique glow, using edge-lit technology throughout each shade.



CH62628-BG/LG



CH62737-BK/LG


SEE FULL COLLECTION



PENDANT PAGE 176-177



WALL / VANITY PAGE 261



CH62737

CH62628

**MULBERRY - CH62737 / CH62628**

**FINISH** BK/LG - Black/Lightguide | BG/LG - Brushed Gold/Lightguide


Forged iron body  
Modern powder-coated and anodized finishes  
Innovative clear acrylic lightguide technology  
Omni-directional light  
Max. rod length of 46"

	CH62737	CH62628
<b>WATTAGE:</b>	67W	67W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1150*	1150*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC (not included)
<b>CEILING ADAPTOR</b>	YES, UP TO 45°
<b>RATED LIFE</b>	50,000 HOURS

Custom options available

\*Preliminary figures



CHANDELIER.



CH72225-BK

SEE FULL COLLECTION



PENDANT PAGE 150




WALL/VANITY  
PAGE 284-285



CEILING PAGE 394



PORTABLE PAGE 413



NOVEL - CH72225

FINISH BK - Black

Modern powder-coated finish with cast-aluminum frame  
 Frosted acrylic cover and light guide  
 Rotational up and down light  
 Adjustable 350° disks for a variety of styles and  
 directional illumination  
 Max. cable length of 120"

WATTAGE: 82W  
 VOLTAGE: 120V  
 DELIVERED LUMENS: 5500\*

COLOR TEMP 3000K  
 CRI (RA) >90  
 DIMMING 100%-10%  
 TYPE OF DIMMER ELV OR TRIAC (not included)  
 RATED LIFE 50,000 HOURS

Custom options available



CHANDELIER.




CH19933-BN



CH19933-BK


SEE FULL COLLECTION



PENDANT PAGE 154



WALL / VANITY  
PAGE 276-277



## DUNE - CH19933

**FINISH** BK - Black | BN - Brushed Nickel

Spun-aluminum crafted frame  
 Modern powder-coated or anodized finish  
 Spun-aluminum shades and metalized  
 Polished chrome interior reflectors  
 Down light  
 Max. cable length of 120"

**WATTAGE:** 41W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 3650\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%-10%  
**TYPE OF DIMMER:** ELV OR TRIAC (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*



\*Preliminary figures

CHANDELIER.



CH50848-BK




CH50825-BG

SEE FULL COLLECTION



PENDANT PAGE 172-173



CH50848

CH50825

## GEODE - CH50848 / CH50825

FINISH BK - Black | BG - Brushed Gold

Extruded-aluminum frame and base  
 Modern powder-coated or anodized finish  
 Sandblasted acrylic interior  
 Omni-directional gems of light  
 Max. rod length of 46"


	CH50848	CH50825
WATTAGE:	124W	62W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	8175*	4670*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

*Custom options available*



CHANDELIERS.




CH94829-BK



CH94824-AN



CH94829-AS



CH94829

CH94824

## OROS - CH94829 / CH94824

**FINISH** AN - Antique Brass | AS - Antique Silver | BK - Black

Die-cast aluminum rings  
 Translucent acrylic diffusers  
 Metallic brushed or matte modern  
 powder-coated finish  
 Outward emitting light  
 Max. cable length of 120"

	CH94829	CH94824
<b>WATTAGE:</b>	100W	78W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	5288*	3902*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



\*Preliminary figures

CHANDELIER.



CH63436-BN



PD63428-BK

SEE FULL COLLECTION



PENDANT PAGE 144-145




WALL / VANITY PAGE 262




WALL / VANITY PAGE 263



CEILING PAGE 372-373



CH63436



PD63428

## REZZ - CH63436 / PD63428

FINISH BK - Black | BN - Brushed Nickel

Forged iron and aluminum circular body  
 Frosted opal glass diffusers  
 Modern powder-coated and anodized finishes  
 Direct light  
 Max. cable length of 72"

	CH63436	PD63428
WATTAGE:	90W	41W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2000*	1000*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
CEILING ADAPTOR	YES, UP TO 45°
RATED LIFE	50,000 HOURS

Custom options available







CH63436-BK

CHANDELIER.



CH87232-WH  
Down light



CH87332-BK  
Down light




CH87224-BG  
Down light

SEE FULL COLLECTION



PENDANT PAGE 202-203



**CERCHIO - CH87332 / CH87232 / CH87224**



**FINISH** BK - Black | BG - Brushed Gold | WH - White

Extruded-aluminum frame  
Rectangular profile forged into circular silhouette  
Dual flush polymeric diffuser sets per tier  
Modern powder-coated finish  
Down light  
Max. cable length of 120"

	CH87332	CH87232	CH87224
<b>WATTAGE:</b>	150W	113W	87W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	4700*	3420*	2775*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

CHANDELIER.



CH87832-BG  
Up and down light



CH87932-WH  
Up and down light




CH87824-BK  
Up and down light

SEE FULL COLLECTION



PENDANT PAGE 202-203



CH87932

CH87832

CH87824

**CERCHIO - CH87932 / CH87832 / CH87824**

**FINISH** BK - Black | BG - Brushed Gold | WH - White

Extruded-aluminum frame  
Rectangular profile forged into circular silhouette  
Dual flush polymeric diffuser sets per tier  
Modern powder-coated finish  
Up and down light  
Max. cable length of 120"

	CH87932	CH87832	CH87824
<b>WATTAGE:</b>	188W	138W	113W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	5170*	4600*	3450*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures

CHANDELIER.



CH93941-BK



CH93934-AN



CH93934-AS

SEE FULL COLLECTION




PENDANT PAGE 190




WALL / VANITY PAGE 287



CEILING PAGE 382



CH93941



CH93934

**SYNERGY - CH93941 / CH93934**

**FINISH** AN - Antique Brass | AS - Antique Silver | BK - Black

Intersecting rolled rectangular aluminum helixes  
Flexible silicone-rubber diffuser  
Metallic brushed or modern powder-coated finish  
Up and down light  
Max. rod length of 46"

	CH93941	CH93934
<b>WATTAGE:</b>	200W	107W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	7514*	3955*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*





CHANDELIER.



CH93824-BK



CH93834-AS



CH93824-AN

SEE FULL COLLECTION



PENDANT PAGE 190




WALL / VANITY PAGE 287



CEILING PAGE 382



CH93834



CH93824

9-3/4" 120" Max.  
34-1/4"

8-1/4" 120" Max.  
23-3/4"

## SYNERGY - CH93834 / CH93824

FINISH AN - Antique Brass | AS - Antique Silver | BK - Black

Extruded and rolled rectangular aluminum helix ring  
Flexible silicone-rubber diffuser  
Metallic brushed finish or matte powder-coated  
Up and down light  
Max. cable length of 120"

	CH93834	CH93824
WATTAGE:	100W	78W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	3758*	2570*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures





CH51232-BK/GD



# CHANDELIER.

reddot winner 2020  
best of the best lighting design

Most Innovative Product  
of the Year



CH51232-BK/GD



CH51224-BK/WH


SEE FULL COLLECTION



PENDANT PAGE 188-189



WALL / VANITY  
PAGE 264-265



CH51232

CH51224



## MAGELLAN - CH51232 / CH51224

FINISH BK/WH - Black/White | BK/GD - Black/Gold

Large-scale statement piece  
Multiple spun-aluminum shades clad a hollow core  
Fine textured black exterior and white or gold interior finish  
Indirect reflected ambient glow  
Max. rod length of 46"  
Patent pending\*

	CH51232	CH51224
WATTAGE:	136W	95W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	4890*	2124*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
Custom options available	


\*Preliminary figures

CHANDELIER.



CH51818-BK

CH51825-BK



CH51825

CH51818

# MAGELLAN - CH51825 / CH51818

**FINISH** BK - Black

- Aluminum body
- Modern powder-coated finish
- Frosted acrylic diffuser
- Omni-directional light
- Max. rod length of 46"
- Patent pending\*

	CH51825	CH51818
<b>WATTAGE:</b>	145W	100W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	6750*	5400*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>CEILING ADAPTOR</b>	YES, UP TO 45°
<b>RATED LIFE</b>	50,000 HOURS


*Custom options available*



CHANDELIER.

**Design Detail**

The Magellan Lightguide creates a unique glow using edge lit technology throughout each shade.




CH51624-BK/LG

CH51632-BK/LG

SEE FULL COLLECTION



PENDANT PAGE 188-189



CH51632

CH51624

**MAGELLAN - CH51632 / CH51624**

**FINISH** BK/LG - Black/Lightguide

- Large-scale statement piece
- Aluminum body
- Modern powder-coated finish
- Innovative clear acrylic light guide technology
- Omni-directional light
- Max. rod length of 46"
- Patent pending\*

	CH51632	CH51624
<b>WATTAGE:</b>	140W	92W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	2625*	2100*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC (not included)
<b>CEILING ADAPTOR</b>	YES, UP TO 45°
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures

CHANDELIER.

ADJUSTABLE  
**WIRES**

PATENTED  
**LED**  
TECHNOLOGY



MP75127-CH



MP75121-BG



MP75113-BK


SEE FULL COLLECTION



PENDANT PAGE 160-161



WALL / VANITY PAGE 272



**MOTIF - MP75127 / MP75121 / MP75113**

**FINISH** BK - Black | BG - Brushed Gold | CH - Chrome

Patented LED filament technology  
Extruded-aluminum frame and clear glass tubing  
Adjustable wires for a range of design styles  
Modern powder-coated and anodized finish  
Omni-directional light  
Max. cable length of 120"

	MP75127	MP75121	MP75113
<b>WATTAGE:</b>	115W	80W	53W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	11710	9165	6115

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC (not included)
<b>RATED LIFE</b>	50,000 HOURS

Custom options available





CHANDELIER.

ADJUSTABLE  
**WIRES**

PATENTED  
**LED**  
TECHNOLOGY



MP75227-BK



MP75221-CH



MP75213-BG


SEE FULL COLLECTION



PENDANT PAGE 160-161



WALL / VANITY PAGE 272



**MOTIF - MP75227 / MP75221 / MP75213**

**FINISH** BK - Black | BG - Brushed Gold | CH - Chrome

- Patented LED filament technology
- Extruded-aluminum accompaniments
- Adjustable wires for a range of design styles
- Modern powder-coated and anodized finish
- Clear glass tubing
- Omni-directional light
- Max. cable length of 120"



	MP75227	MP75221	MP75213
<b>WATTAGE:</b>	26W	21W	14W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	2700	2115	1410

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

\*Preliminary figures

CHANDELIER.



CH90136-BK



CH90132-BK

SEE FULL COLLECTION



PENDANT PAGE 178




WALL / VANITY PAGE 258




WALL / VANITY PAGE 259



PORTABLE PAGE 412



CH90136



CH90132

## ROTAIRE - CH90136 / CH90132

FINISH BK - Black

Cast-aluminum body  
 Modern powder-coated finish  
 Frosted acrylic diffuser  
 Directional light and up or down light  
 Adjustable 350° heads for directional illumination  
 Max. cable length of 120" (CH90136)  
 Max. rod length of 46" (CH90132)


	CH90136	CH90132
WATTAGE:	40W	21W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1875*	935*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS


*Custom options available*







CHANDELIER.




MP18205-BN



MP18205-BK




MP18205-BG



MP18205-WH

SEE FULL COLLECTION



PENDANT PAGE 167




WALL / VANITY PAGE 291




WALL / VANITY PAGE 342-343



CEILING PAGE 383



120" Max.



47-1/4"

## VEGA MINOR - MP18205

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile linear aluminum with thin cables  
 Inset opal polymeric diffuser  
 Finely textured plate or modern powder-coated finish  
 Down light  
 Max. cable length of 120"


WATTAGE: 115W  
 VOLTAGE: 120V  
 DELIVERED LUMENS: 5795\*

COLOR TEMP 3000K  
 CRI (RA) >90  
 DIMMING 100%-10%  
 TYPE OF DIMMER ELV OR TRIAC (not included)  
 RATED LIFE 50,000 HOURS

Custom options available



CHANDELIER.



MP18203-BG



MP18203-WH




MP18203-BK



MP18203-BN

SEE FULL COLLECTION



PENDANT PAGE 167




WALL / VANITY PAGE 291



WALL / VANITY  
342-343



CEILING PAGE 383



## VEGA MINOR - MP18203

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile linear aluminum with thin cables  
Inset opal polymeric diffuser  
Finely textured plate or modern powder-coated finish  
Down light  
Max. cable length of 120"

**WATTAGE:** 69W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 3477\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%-10%  
**TYPE OF DIMMER:** ELV OR TRIAC (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*



\*Preliminary figures

CHANDELIER.



CH10356-BG



CH10356-BN




CH10345-WH




CH10345-BK


SEE FULL COLLECTION




CH10356



CH10345



CH10356



CH10345



PENDANT PAGE 166



WALL / VANITY PAGE 295

## VEGA - CH10356 / CH10345

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Machined aluminum body  
Modern powder-coated or electroplated finish options  
Trio of linear lights, suspended from a central spindle  
Down light

	CH10356	CH10345
<b>WATTAGE:</b>	75W	56W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	5333*	3345*


<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>CEILING ADAPTOR</b>	YES, UP TO 45°
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	






CHANDELIER.

ADJUSTABLE  
WIRES



MP10305-WH



MP10305-BK



MP10303-BN



MP10303-BG


SEE FULL COLLECTION




PENDANT PAGE 166




WALL / VANITY PAGE 295



120" Max.




120" Max.



45"

1-3/4"

MP10305



45"

1-3/4"

MP10303

## VEGA - MP10305 / MP10303

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Machined aluminum body  
Modern powder-coated or electroplated finish options  
Adjustable wires for varied styling  
Central canopy powering  
Down light

	MP10305	MP10303
WATTAGE:	158W	95W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	7755*	4653*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
CEILING ADAPTOR	YES, UP TO 45°
RATED LIFE	50,000 HOURS

Custom options available



\*Preliminary figures



CHANDELIER.



CH88332-BG



CH88232-BK




CH88224-WH

SEE FULL COLLECTION




PENDANT PAGE 206




120" Max.

1"




31-1/2"

CH88332




120" Max.

1"




31-1/2"

CH88232



120" Max.

1"



23-5/8"

CH88224

**PIAZZA - CH88332 / CH88232 / CH88224**

**FINISH** BK - Black | BG - Brushed Gold | WH - White


Extruded-aluminum rectangle profiles form perfect squares  
 Dual polymeric diffusers (per tier)  
 Three tiers (CH88332)  
 Two tiers (CH88232 / CH88224)  
 Modern powder-coated finish  
 Up and down light  
 Max. cable length of 120"

	CH88332	CH88232	CH88224
<b>WATTAGE:</b>	149W	112W	87W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	4700*	3420*	2775*


<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC (not included)
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures






MP14850-BK



MP14850-WH


SEE FULL COLLECTION



PENDANT PAGE 187



WALL / VANITY  
PAGE 300-301



## CHUTE - MP14850

FINISH BK - Black | WH - White

Extruded circular aluminum diagonal lamp rods  
Flexible silicone-rubber diffusers  
Finely textured powder-coated colors  
Max. cable length of 120"


WATTAGE: 260W  
VOLTAGE: 120V  
DELIVERED LUMENS: 10575\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER ELV OR TRIAC (not included)  
RATED LIFE 50,000 HOURS

Custom options available







MP14932-WH




MP14924-BK



MP14919-WH


SEE FULL COLLECTION




PENDANT PAGE 187




WALL / VANITY  
PAGE 300-301



MP14932



MP14924



MP14919

## CHUTE - MP14932 / MP14924 / MP14919

FINISH BK - Black | WH - White

Extruded circular aluminum vertical lamp rods  
Flexible silicone-rubber diffusers  
Lightly textured powder-coated colors  
Outward emitting light  
Max. cable length of 120"

	MP14932	MP14924	MP14919	COLOR TEMP	3000K
WATTAGE:	195W	135W	72W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	8145*	5220*	3060*	TYPE OF DIMMER	ELV OR TRIAC (not included)
				RATED LIFE	50,000 HOURS

Custom options available

\*Preliminary figures

CHANDELIER.




CH19234-BK/AN



CH19220-BK/AN



CH19226-BK/AN



## MONZA - CH19234 / CH19226 / CH19220

**FINISH** BK/AN - Black/Antique Brass

Interconnected aluminum globe  
 Steel-framed cube  
 Finely textured metallic  
 Modern powder-coated finishes  
 Opal silicone circular diffusers  
 Up and down light  
 Max. rod length of 46"

	CH19234	CH19226	CH19220
<b>WATTAGE:</b>	111W	84W	59W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	4700*	3720*	2860*


<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	







CHANDELIER.




MP14956-BK



MP14956-WH


SEE FULL COLLECTION



PENDANT PAGE 187



WALL / VANITY  
PAGE 300-301



## CHUTE CALYPSO - MP14956

FINISH BK - Black | WH - White


Extruded-aluminum cylinders and rings  
 Finely textured modern powder-coated finish  
 Rounded opal silicone diffusers  
 Up and down lights  
 Max. cable length of 120"

WATTAGE: 72W  
 VOLTAGE: 120V  
 DELIVERED LUMENS: 3428\*

COLOR TEMP 3000K  
 CRI (RA) >90  
 DIMMING 100%-10%  
 TYPE OF DIMMER ELV OR TRIAC (not included)  
 RATED LIFE 50,000 HOURS

*Custom options available*






MP14960-BK



MP14970-WH


SEE FULL COLLECTION



PENDANT PAGE 187



WALL / VANITY  
PAGE 300-301



MP14970

MP14960

## CHUTE MOTION - MP14970 / MP14960

FINISH BK - Black | WH - White

Extruded circular aluminum horizontal lamp rods  
Flexible silicone-rubber diffusers  
Lightly textured powder-coated colors  
Outward emitting light  
Max. cable length of 120"

	MP14970	MP14960
WATTAGE:	95W	70W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	4095*	2925*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures



# CHANDELIER.




MP84483-BK

SEE FULL COLLECTION



PENDANT PAGE 158



## SERIF - MP84483

FINISH BK - Black

Aluminum extrusion interconnected circular frame  
Modern powder-coated finish  
Easily powered from central hub  
Frosted silicone diffuser  
Up and down light  
Max. cable length of 120"  
Patent pending\*

WATTAGE: 90W  
VOLTAGE: 120V  
DELIVERED LUMENS: 4625\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER ELV OR TRIAC (not included)  
RATED LIFE 50,000 HOURS  
*Custom options available*



\*Preliminary figures



CHANDELIER.



CH3128




CH3117

SEE FULL COLLECTION



PENDANT PAGE 235



**BOLLA - CH3128 / CH3117**

FINISH CH - Chrome

Special opal glass with clear outer glass  
Down light  
Max. cable length of 72"



	CH3128	CH3117
WATTAGE:	55W	20W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	3325*	1225*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available



CHANDELIER.



## ARKELL - MP28356

**FINISH** BK - Black | BN - Brushed Nickel

Square profile linear aluminum frames with thin cables  
 Inset opal polymeric diffuser  
 Finely textured plate or modern powder-coated finish  
 Down light  
 Max. cable length of 120"

**WATTAGE:** 90W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 2351\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%-10%  
**TYPE OF DIMMER:** ELV OR TRIAC (*not included*)  
**RATED LIFE:** 50,000 HOURS

*Custom options available*



\*Preliminary figures


CHANDELIER.



CH14356-BG




CH14356-BK



CH14348-BN



CH14348-WH



**SIRIUS - CH14356 / CH14348**

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Machined aluminum body  
 Powder-coated or electroplated finish  
 Array of elements emanate from a single point in a starburst of light  
 Up and down light

	CH14356	CH14348
<b>WATTAGE:</b>	67W	50W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	4091*	3794*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*




CHANDELIER.




CH14232-BG




CH14232-BK



CH14220-BN



CH14220-WH



**SIRIUS MINOR - CH14232 / CH14220**

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Machined aluminum body  
 Powder-coated or electroplated finish  
 Multiple miniature illuminated arms attached to central core  
 Up and down light  
 Max. stem length 46"

	CH14232	CH14220
<b>WATTAGE:</b>	65W	48W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1834*	1670*



<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures

# CHANDELIER.

CHOOSE YOUR  
**PENDANT**  
ON PAGE 96-99

UP TO  
**13**  
HEADS



## MARQUEE - CNM13AC

**FINISH** BK - Black | GH - Graphite | WH - White

The Marquee transforms single pendants into a choreographed statement piece  
Simple forms combine to make complex and unique multi-pendant arrangements

Up to 13 pendants

Black, graphite or matte white powder-coated finish

Available to use with Marquee Multi-Pendant Selection; see page 44–45

Dimming options depends on choice of pendant

Custom options available








CNM13AC-BK & DOROTHY PENDANTS




CNL3AC-WH & HELENA PENDANTS



CHOOSE YOUR  
**PENDANT**  
ON PAGE 96-99



CNL3AC-BK



CNL5AC-BK



## MARQUEE LINEAR - CNL5AC / CNL3AC

**FINISH** BK - Black | GH - Graphite | WH - White

The Marquee transforms single pendants into a choreographed statement piece  
Compatible with a range of fixtures, a customized piece can be created by combining three or five pendants and installing them in a linear arrangement  
Black, graphite or matte white powder-coated finish  
Available to use with Marquee Multi-Pendant Selection; see page 96-99  
Dimming options depends on choice of pendant  
Custom options available



# SUGGESTED PENDANTS TO WORK WITH MARQUEE CANOPY SYSTEM

Canopy system allows the combination of selected line voltage pendants on one canopy.

Accommodates the following types of wire:

- SVT 120V Wire for incandescent and some LED fixtures
- SSL 120V Kuzco LED wire



492316-BK/GD  
BK/GD - BLACK/GOLD DETAIL



492316-BN/BK  
BN/BK - BRUSHED NICKEL/  
BLACK DETAIL



492316-WH/GD  
WH/GD - WHITE/GOLD DETAIL



492324-BK/GD  
BK/GD - BLACK/GOLD DETAIL



492324-BN/BK  
BN/BK - BRUSHED NICKEL/  
BLACK DETAIL



492324-WH/GD  
WH/GD - WHITE/GOLD DETAIL



492332-BK/GD  
BK/GD - BLACK/GOLD DETAIL



492332-BN/BK  
BN/BK - BRUSHED NICKEL/  
BLACK DETAIL



492332-WH/GD  
WH/GD - WHITE/GOLD DETAIL



PD1706-BK  
BK - BLACK



PD1706-BN  
BN - BRUSHED NICKEL



PD1706-CH  
CH - CHROME



PD1706-WH  
WH - WHITE



PD1709-BK  
BK - BLACK



PD1709-BN  
BN - BRUSHED NICKEL



PD1709-CH  
CH - CHROME



PD1709-WH  
WH - WHITE



PD1712-BK  
BK - BLACK



PD1712-BN  
BN - BRUSHED NICKEL



PD1712-CH  
CH - CHROME



PD1712-WH  
WH - WHITE



494213-BK  
BK - BLACK



494213-GY  
GY - GRAY



494213-WH  
WH - WHITE



494216-BK  
BK - BLACK



494216-GY  
GY - GRAY



494216-WH  
WH - WHITE



494224-BK  
BK - BLACK



494224-GY  
GY - GRAY



494224-WH  
WH - WHITE



493513-BK  
BK - BLACK



493513-IB  
IB - INDIGO BLUE



493513-WH  
WH - WHITE



493516-BK  
BK - BLACK



493516-IB  
IB - INDIGO BLUE



493516-WH  
WH - WHITE



493522-BK  
BK - BLACK



493522-IB  
IB - INDIGO BLUE



493522-WH  
WH - WHITE



492116-BK  
BK - BLACK



492122-BK  
BK - BLACK



493210-BK/GD  
BK/GD - BLACK/GOLD DETAIL



493210-WH/GD  
WH/GD - WHITE/GOLD DETAIL



493216-BK/GD  
BK/GD - BLACK/GOLD DETAIL



493216-WH/GD  
WH/GD - WHITE/GOLD DETAIL





494412-BK  
BK - BLACK



494412-BK/GD  
BK/GD - BLACK/GOLD



494418-BK  
BK - BLACK



494418-BK/GD  
BK/GD - BLACK/GOLD



492208-BK  
BK - BLACK



492208-BN  
BN - BRUSHED NICKEL



492208-GD  
GD - GOLD



492208-GY  
GY - GRAY



492208-IB  
IB - INDIGO BLUE



492208-WH  
WH - WHITE



494016-BK  
BK - BLACK



494016-GY  
GY - GRAY



494016-WH  
WH - WHITE



494024-BK  
BK - BLACK



494024-GY  
GY - GRAY



494024-WH  
WH - WHITE



PD9108-BK/BK  
49108-BK/BK  
BK/BK - BLACK/BLACK



PD9108-BK/GD  
49108-BK/GD  
BK/GD - BLACK/GOLD



PD9108-WH/GD  
49108-WH/GD  
WH/GD - WHITE/GOLD



PD9108-WH/SV  
49108-WH/SV  
WH/SV - WHITE/SILVER



PD9117-BK/BK  
49117-BK/BK  
BK/BU - BLACK/BLACK



PD9117-BK/GD  
49117-BK/GD  
BK/GD - BLACK/GOLD



PD9117-WH/GD  
49117-WH/GD  
WH/GD - WHITE/GOLD



PD9117-WH/SV  
49117-WH/SV  
WH/SV - WHITE/SILVER



492710-BK/GD  
BK/GD - BLACK/GOLD



492710-BN/BK  
BN/BK - BRUSHED NICKEL/BLACK



492710-WH/GD  
WH/GD - WHITE/GOLD



492716-BK/GD  
BK/GD - BLACK/GOLD



492716-BN/BK  
BN/BK - BRUSHED NICKEL/BLACK



492716-WH/GD  
WH/GD - WHITE/GOLD



492722-BK/GD  
BK/GD - BLACK/GOLD



492722-BN/BK  
BN/BK - BRUSHED NICKEL/BLACK



492722-WH/GD  
WH/GD - WHITE/GOLD



492814-BK/GD  
BK/GD - BLACK/GOLD



492814-BN/BK  
BN/BK - BRUSHED NICKEL/BLACK



492814-WH/GD  
WH/GD - WHITE/GOLD



492824-BK/GD  
BK/GD - BLACK/GOLD



492824-BN/BK  
BN/BK - BRUSHED NICKEL/BLACK



492824-WH/GD  
WH/GD - WHITE/GOLD



493118-BK/GD  
BK/GD - BLACK/GOLD



493118-BN/BK  
BN/BK - BRUSHED NICKEL/BLACK



493118-WH/GD  
WH/GD - WHITE/GOLD



493126-BK/GD  
BK/GD - BLACK/GOLD



493126-BN/BK  
BN/BK - BRUSHED NICKEL/BLACK



493126-WH/GD  
WH/GD - WHITE/GOLD




PENDANTS.


**NEW**

ADJUSTABLE  
**SHADES**


PENDANT.



LP73510-BK/WH



LP73536-BK/WH



## PHOENIX - LP73536 / LP73510

**FINISH** BK/WH - Black/White

Forged aluminum and steel body  
Modern duo-tone finish  
Frosted acrylic diffuser  
Adjustable shades for directional illumination  
Up and down light  
Max. cable length of 120"

	LP73536	LP73510
<b>WATTAGE:</b>	25W	13W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1000*	520*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*





LP73536-BK/WH







PENDANT.




LP73048-BK



LP73073-BG



LP73073



LP73048

## VESPER - LP73073 / LP73048

FINISH BK - Black | BG - Brushed Gold

Forged aluminum and steel body  
Modern brushed or powder-coated finish options  
Frosted polycarbonate diffuser  
Unique U-shaped frame  
Max. cable length of 120"

\*Patent pending

	LP73073	LP73048
WATTAGE:	42W	32W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2730*	1740*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS

Custom options available




\*Preliminary figures

**NEW**

ADJUSTABLE  
**BARS**


PENDANT.



LP28748-BG



LP28760-BK



## SHIFT - LP28760 / LP28748

**FINISH** BG - Brushed Gold | BK/BG - Black/Brushed Gold | BK - Black

Forged aluminum and steel frame  
Modern brushed or powder-coated finish options  
Frosted acrylic diffusers  
Adjustable bars of illumination for varied directional light  
Down light  
Max. rod length of 46"

	LP28760	LP28748
<b>WATTAGE:</b>	48W	36W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1475*	1120*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>CEILING ADAPTOR</b>	YES, UP TO 45°
<b>RATED LIFE</b>	50,000 HOURS
	<i>Custom options available</i>





LP28760-BK/BG



LP92636-BK

PENDANT.



PD92615-BK




LP92636-BK

SEE FULL COLLECTION



WALL/VANITY  
PAGE 246-247



LP92636

PD92615

## AIREN - LP92636 / PD92615

FINISH BK - Black

Forged aluminum and steel body  
Frosted silicone diffusers  
Modern powder-coated finish  
Up and down light  
Max. cable length of 120"

	LP92636	PD92615
WATTAGE:	41W	20W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1500*	800*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS

Custom options available

\*Preliminary figures



**NEW**

PENDANT.



PD28515-BK




LP28543-BG

SEE FULL COLLECTION



PORTABLE PAGE 408-409



LP28543

PD28515

## HILO - LP28543 / PD28515

FINISH BK - Black | BG - Brushed Gold

Forged aluminum and steel frame  
 Modern brushed or powder-coated finish options  
 Light guide technology  
 Clear glass shades  
 Omni-directional light  
 Max. cable length of 120"

	LP28543	PD28515
WATTAGE:	29W	11W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1050*	350*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

*Custom options available*







LP29560-BK

PENDANT.

NEW




LP29548-BK

LP29560-BK

SEE FULL COLLECTION



OUTDOOR PAGE 454-455



## ENZO - LP29560 / LP29548

FINISH BK - Black

Forged aluminum and steel body  
 Frosted acrylic diffusers  
 Modern duo-toned finish  
 Up and down light  
 Max. rod length of 46"

	LP29560	LP29548
WATTAGE:	62W	40W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2280*	1520*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
CEILING ADAPTOR	YES, UP TO 45°
RATED LIFE	50,000 HOURS

Custom options available



\*Preliminary figures



PENDANT.




PD32901-WT



PD32912-WK



LP32942-WT



## MORINA - LP32942 / PD32912 / PD32901

FINISH WK - White Oak | WT - Walnut

Forged steel body  
 Unique wood veneer finish options  
 Frosted silicone diffuser  
 Up and down light  
 Max. cable length of 120"

	LP32942	PD32912	PD32901
WATTAGE:	57W	20W	20W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1990*	700*	700*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS

Custom options available











LP23532-BK

PENDANT.



LP23532-BK



LP23532-BG

SEE FULL COLLECTION




CHANDELIER PAGE 38-39



WALL/VANITY PAGE 244-245



CEILING PAGE 352-353



# BLADE - LP23532

FINISH BK - Black | BG - Brushed Gold

Forged aluminum and steel accents  
Modern brushed or powder-coated finish options  
Unique ribbed acrylic diffuser  
Up and down light  
Max. rod length of 46"

WATTAGE: 11W  
VOLTAGE: 120V  
DELIVERED LUMENS: 480\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER ELV OR TRIAC (not included)  
CEILING ADAPTOR YES, UP TO 45°  
RATED LIFE 50,000 HOURS  
*Custom options available*



\*Preliminary figures



PENDANT.



LP96840-BK




LP96840-BK/BG

SEE FULL COLLECTION



CHANDELIER PAGE 34-35



# JAYDEN - LP96840

FINISH BK - Black | BK/BG - Black/Brushed Gold

Forged aluminum and steel body  
Modern painted or powder-coated finish options  
Frosted acrylic diffusers  
Down light  
Max. rod length of 46"

WATTAGE: 28W  
VOLTAGE: 120V  
DELIVERED LUMENS: 710\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER ELV OR TRIAC (not included)  
CEILING ADAPTOR YES, UP TO 45°  
RATED LIFE 50,000 HOURS  
*Custom options available*












PENDANT.



PD58014-BK/GD




LP58042-BK/GD

SEE FULL COLLECTION



CHANDELIER PAGE 42-43



## AKIRA - LP58042 / PD58014

FINISH BK/GD - Black/Gold

Uniquely textured steel body  
 Modern duo-toned finish  
 Up and down light  
 Max. rod length of 46" (LP58042)  
 Max. cable length of 120" (PD58014)

	LP58042	PD58014
LAMPING:	6 x 60W, E26	2 x 60W, E26
VOLTAGE:	120V	120V

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
CEILING ADAPTOR	YES, UP TO 18" (LP58042)
RATED LIFE	50,000 HOURS

Custom options available



\*Preliminary figures



PENDANT.



PD24724-BK



PD24716-BG



PD24748-BK




PD24732-BG

SEE FULL COLLECTION



CHANDELIER PAGE 40-41



PD24748

PD24732

PD24724

PD24716

## BRUNI - PD24748 / PD24732 / PD24724 / PD24716

FINISH BK - Black | BG - Brushed Gold



Forged aluminum and steel accents  
 Modern brushed or powder-coated finish options  
 Unique ribbed acrylic diffuser  
 Circular silhouette with rectangular profile  
 Up and down light  
 Max. cable length of 120"

	PD24748	PD24732	PD24724	PD24716
WATTAGE:	45W	36W	26W	18W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	1950*	1580*	1140*	780*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	





PD96416-BK

PENDANT.



PD96416-BK




PD96424-BK

SEE FULL COLLECTION



CHANDELIER PAGE 28-29



## COLLIDE - PD96424 / PD96416

FINISH BK - Black

Forged aluminum and steel frame  
 Modern powder-coated finish  
 Frosted silicone diffusers  
 Uniquely crafted organic shapes  
 Up and down light  
 Max. rod length of 46" (PD96424)  
 Max. cable length of 120" (PD96416)

	PD96424	PD96416
WATTAGE:	50W	41W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	3480*	2250*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
CEILING ADAPTOR	YES, UP TO 45° (PD96424)
RATED LIFE	50,000 HOURS
Custom options available	



\*Preliminary figures






PENDANT.



PD29226-BK



# SCRIPT - PD29226

**FINISH** BK - Black

Forged aluminum and steel frame  
Sculptural curved frosted acrylic diffuser  
Metal tubes forged into cubic frame  
Up and down light  
Max. rod length of 46"

**WATTAGE:** 27W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1980\*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV OR TRIAC *(not included)*  
**CEILING ADAPTOR** YES, UP TO 45°  
**RATED LIFE** 50,000 HOURS

*Custom options available*







PENDANT.


**NEW**



CH81527-BK



PD81511-BK



## MOBIL - CH81527 / PD81511

**FINISH** BK - Black

Forged aluminum and steel body  
 Modern powder-coated finish  
 Frosted polycarbonate diffuser  
 Unique wishbone silhouette pendant design  
 Down light  
 Max. cable length of 120" (CH81527)  
 Max. rod length of 46" (PD81511)

	CH81527	PD81511
<b>WATTAGE:</b>	25W	11W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	850*	370*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>CEILING ADAPTOR</b>	YES, UP TO 45° <i>(PD81511)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures




PENDANT.



PD76316-BK/OP



PD76312-BG/OP



## VIRGO - PD76316 / PD76312

**FINISH** BK - Black | BG - Brushed Gold

**GLASS** OP - Opal Matte

Forged aluminum and steel frame  
 Modern brushed or powder-coated finish options  
 Clear glass external shade  
 Frosted internal diffuser  
 Up and down light  
 Max. cable length of 120"

	PD76316	PD76312
<b>WATTAGE:</b>	37W	29W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1400*	1150*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*











PENDANT.

**NEW**

**2**  
MOUNTING  
OPTIONS



PD76712-BK  
Dual wire mounting



PD76716-CH  
Singular wire mounting




PD76708-BG  
Dual wire mounting

SEE FULL COLLECTION



CHANDELIER PAGE 36-37



## ARIES - PD76716 / PD76712 / PD76708

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Forged aluminum and steel body  
Clear external glass  
Frosted glass internal accents  
Modern brushed or powder-coated finish options  
Omni-directional light  
Mounting options: dual or singular wire  
Max. cable length of 120"

	PD76716	PD76712	PD76708
WATTAGE:	21W	15W	10W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	800*	550*	380*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures



PENDANT.



PD30501-BG/CL

PD30502-BG/CL


PD30505-BG/CL



PD30501-BK/CL

PD30502-BK/CL

PD30505-BK/CL



## RISE - PD30505 / PD30502 / PD30501

**FINISH** BK - Black | BG - Brushed Gold

**GLASS** CL - Clear

Forged aluminum and steel body  
 Modern brushed or powder-coated finish options  
 Opal orb-shaped diffusers  
 Clear glass shade  
 Up and down light  
 Max. cable length of 120"

	PD30505	PD30502	PD30501
<b>WATTAGE:</b>	14W	14W	14W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	480*	480*	480*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*











PD59708-BK/OP

PENDANT.



PD59708-BG/OP



PD59708-BK/OP




PD59708-BK/SM

SEE FULL COLLECTION



CEILING PAGE 364-365



## ARCADIA - PD59708

**FINISH** BK - Black | BG - Brushed Gold

**GLASS** SM - Smoked | OP - Opal Matte

- Forged steel accompaniments
- Opal or smoked glass options
- Modern brushed or powder-coated finish options
- Hourglass-inspired shape
- Max. rod length of 46"

**LAMPING:** 1 x 60W, E26  
**VOLTAGE:** 120V

**CEILING ADAPTOR** YES, UP TO 45°  
*Custom options available*

\*Preliminary figures

**NEW**

PENDANT.



PD57508-BG/CP



PD57508-BK/SM



PD57508-CH/OP

SEE FULL COLLECTION




CHANDELIER PAGE 44-45



WALL / VANITY  
PAGE 242-243



CEILING PAGE 350-351



## SAMAR - PD57508

**FINISH** BK - Black | BG - Brushed Gold | CH - Chrome  
**GLASS** CP - Copper | SM - Smoked | OP - Opal Matte

Forged steel accents  
Plated, brushed, and powder-coated finish options  
Ombre smoked, ombre copper, and opal glass options  
Down light  
Max. cable length of 120"

**LAMPING:** 1 x 60W, E26  
**VOLTAGE:** 120V

*Custom options available*












PENDANT.

NEW



PD29806-BG

PD29806-BK



## TAVIRA - PD29806

**FINISH** BK - Black | BG - Brushed Gold

Forged aluminum and steel body  
Modern brushed or powder-coated finish options  
Organically shaped opal glass diffuser  
Up and down light  
Max. cable length of 120"

**WATTAGE:** 11W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 450\*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV OR TRIAC (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*



\*Preliminary figures

PENDANT.



PD11710-BK



PD11708-BK




PD11706-BK

SEE FULL COLLECTION



CEILING PAGE 368-369



PD11710

PD11708

PD11706

## MONAE - PD11710 / PD11708 / PD11706

FINISH BK - Black

Spherical design  
 White opal glass hemispheres  
 Modern brushed or powder-coated finish options  
 Max. cable length of 120"  
 Down light

	PD11710	PD11708	PD11706	COLOR TEMP	3000K
WATTAGE:	25W	15W	10W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	1139*	643*	453*	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
				RATED LIFE	50,000 HOURS
				<i>Custom options available</i>	



PENDANT.



PD11710-BG



PD11708-BG




PD11706-BG

SEE FULL COLLECTION



CEILING PAGE 368-369



## MONAE - PD11710 / PD11708 / PD11706

FINISH BG - Brushed Gold

Spherical design  
 White opal glass hemispheres  
 Modern brushed or powder-coated finish options  
 Max. cable length of 120"  
 Down light

	PD11710	PD11708	PD11706	COLOR TEMP	3000K
WATTAGE:	26W	17W	13W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	1135*	640*	450*	TYPE OF DIMMER	ELV OR TRIAC (not included)
				RATED LIFE	50,000 HOURS
				Custom options available	

\*Preliminary figures

PENDANT.



LP63436-BK



LP63436-BN

SEE FULL COLLECTION



CHANDELIER PAGE 60-61




WALL / VANITY PAGE 262



WALL / VANITY PAGE 262



CEILING PAGE 372-373



## REZZ - LP63436

**FINISH** BK - Black | BN - Brushed Nickel

Forged iron and aluminum body  
 Frosted opal glass diffusers  
 Modern powder-coated and anodized finishes  
 Direct light  
 Max. cable length of 120"

**WATTAGE:** 41W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1000\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%-10%  
**TYPE OF DIMMER:** ELV OR TRIAC *(not included)*  
**RATED LIFE:** 50,000 HOURS


*Custom options available*









PENDANT.




LP45548-BG




LP45548-BK



LP45560-BN



LP45560-WH



## PLAZA - LP45560 / LP45548

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile aluminum frame  
Inset opal polymeric diffusers  
Finely textured plate or powder-coated finish  
Up and down light

	LP45560	LP45548
<b>WATTAGE:</b>	80W	65W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	2800*	2275*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



PENDANT.



LP18648-BN




LP18537-BK

SEE FULL COLLECTION



CHANDELIER PAGE 51

WALL / VANITY PAGE 270



LP18648

LP18537

## AKARI - LP18648 / LP18537

**FINISH** BK - Black | BN - Brushed Nickel

Anodized extruded-aluminum frame  
 Sleek powder-coated finish  
 Frosted acrylic diffuser  
 Down light  
 Max. cable length of 120" (LP18648)  
 Max. rod length of 46" (LP18537)

	LP18648	LP18537
<b>WATTAGE:</b>	40W	25W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	2160*	1500*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>CEILING ADAPTOR</b>	YES, UP TO 45° <i>(LP18537)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

\*Preliminary figures



LP89048-BK

PENDANT.

**2**  
MOUNTING  
OPTIONS



LP89036-BG  
Center canopy mounting



LP89048-BN  
Offset canopy mounting


**Style Tip**

Easily fit the Talis into your space by mounting with an offset canopy or center canopy.

SEE FULL COLLECTION



CHANDELIER PAGE 48-49



**TALIS - LP89048 / LP89036**

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel

Forged aluminum body  
Modern powder-coated and anodized finishes  
Silicone diffuser  
Down light  
Mounting options: center or offset canopy  
Max. cable length of 120"

	LP89048	LP89036
<b>WATTAGE:</b>	24W	20W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1250*	1000*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures

PENDANT.



LP90727-BK


LP90748-BK

SEE FULL COLLECTION



CHANDELIER PAGE 53

WALL / VANITY  
PAGE 280-281



LP90748

LP90727

## POPLAR - LP90748 / LP90727

FINISH BK - Black

Organically shaped die cast aluminum and steel base  
Modern powder-coated finish  
Frosted polycarbonate diffuser  
Down light  
Max cable length of 120"

	LP90748	LP90727
WATTAGE:	62W	33 W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	4140*	2300*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

*Custom options available*





PENDANT.



PD52732-BK



PD52719-WT



PD52724-BN


SEE FULL COLLECTION



WALL / VANITY PAGE 271



CEILING PAGE 379



PD52732

PD52724

PD52719

## ANELLO MINOR - PD52732 / PD52724 / PD52719



FINISH BK - Black | BN - Brushed Nickel | WT - Walnut

Cylindrical segments with polymeric diffuser  
Up and down light  
Max. cable length of 120"

	PD52732	PD52724	PD52719
WATTAGE:	80W	58W	50W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2775*	2049*	1835*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	TRIAC (not included)
RATED LIFE	50,000 HOURS

Custom options available


\*Preliminary figures

PENDANT.


SEE FULL COLLECTION



PORTABLE PAGE 414



LP95354-BK



## CURSIVE - LP95354

FINISH BK - Black

Organic acrylic form suspended with aluminum rod  
 Modern powder-coated finish  
 Frosted acrylic diffuser  
 Handcrafted to make a unique shape  
 Max. cable length of 120"  
 Off-center junction box required

WATTAGE: 27W  
 VOLTAGE: 120V  
 DELIVERED LUMENS: 2358\*

COLOR TEMP 3000K  
 CRI (RA) >90  
 DIMMING 100%–10%  
 TYPE OF DIMMER ELV OR TRIAC (not included)  
 RATED LIFE 50,000 HOURS  
 Custom options available




SEE FULL COLLECTION



WALL / VANITY PAGE 267



LP70548-BK/WH



## TARO - LP70548

FINISH BK/WH - Black/White

Extruded-aluminum body and aluminum reflector  
 Modern duo-toned powder-coated finish  
 Concealed LED without diffusion  
 Down light  
 Concealed linear LED off-sloped reflector  
 Max. cable length of 120"

WATTAGE: 41W  
 VOLTAGE: 120V  
 DELIVERED LUMENS: 1136\*

COLOR TEMP 3000K  
 CRI (RA) >90  
 DIMMING 100%–10%  
 TYPE OF DIMMER ELV OR TRIAC (not included)  
 RATED LIFE 50,000 HOURS  
 Custom options available





PENDANT.



LP19947-BK




LP19937-BN

SEE FULL COLLECTION



CHANDELIER PAGE 57

WALL / VANITY  
PAGE 276-277



LP19947

LP19937

## DUNE - LP19947 / LP19937

FINISH BK - Black | BN - Brushed Nickel

Extruded rectangular profile with conical shades  
Spot optical acrylic lenses  
Brushed plated finishes or satin coating  
Down lights  
Max. cable length of 120"


	LP19947	LP19937
WATTAGE:	30W	21W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2087*	1000*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

*Custom options available*



PENDANT.



LP90838-BK




LP90838-BK/GD

SEE FULL COLLECTION



CHANDELIER PAGE 50



## MAESTRO - LP90838

**FINISH** BK - Black | BK/GD - Black/Gold

Cast-aluminum and steel rings  
Modern powder-coated finish featuring duo-tone options  
Frosted polycarbonate diffuser  
Down light  
Max. cable length of 120"

**WATTAGE:** 35W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 965\*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%-10%  
**TYPE OF DIMMER** ELV OR TRIAC (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*



\*Preliminary figures





LP84457-BK

PENDANT.

ADJUSTABLE  
RINGS

2  
MOUNTING  
OPTIONS

**Style Tip**



Easily fit the Serif into your space by mounting with an offset canopy or center canopy.




LP84434-BK  
Offset canopy mounting



LP84457-BK  
Center canopy mounting



SEE FULL COLLECTION



CHANDELIER PAGE 86-87

**SERIF - LP84457 / LP84434**

**FINISH** BK - Black

Interconnected extruded-aluminum circular frame  
 Modern powder-coated finish  
 Frosted silicone diffuser  
 Up and down light  
 Adjustable 350° rings for directional illumination  
 Mounting options: center or offset canopy  
 Max. cable length of 120"  
 Patent pending\*

	LP84457	LP84434
<b>WATTAGE:</b>	37W	22W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	2035*	1190*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC (not included)
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	


\*Preliminary figures

ADJUSTABLE  
RINGS

PENDANT.



PD84353-BK




PD84336-BK




PD84324-BK

SEE FULL COLLECTION



CHANDELIER PAGE 86-87



## SERIF - PD84353 / PD84336 / PD84324

FINISH BK - Black

Interconnected extruded-aluminum circular frame  
Modern powder-coated finish  
Frosted silicone diffuser  
Up and down light  
Adjustable 350° rings for directional illumination  
Max. cable length of 120"  
Patent pending\*

	PD84353	PD84336	PD84324	COLOR TEMP	3000K
WATTAGE:	36W	62W	40W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	DIMMING	100%–10%
DELIVERED LUMENS:	2000*	4150*	2405*	TYPE OF DIMMER	ELV OR TRIAC (not included)
				RATED LIFE	50,000 HOURS
				Custom options available	




PENDANT.




PD84436-BK

SEE FULL COLLECTION



CHANDELIER PAGE 86-87



## SERIF - PD84436

FINISH BK - Black


Interconnected extruded-aluminum circular frame  
Modern powder-coated finish  
Frosted silicone diffuser  
Up and down light  
Max. cable length of 120"  
Patent pending\*

WATTAGE: 22W  
VOLTAGE: 120V  
DELIVERED LUMENS: 1361\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER ELV OR TRIAC (*not included*)  
RATED LIFE 50,000 HOURS  
*Custom options available*



\*Preliminary figures



PENDANT.



LP74626-BK


SEE FULL COLLECTION



CHANDELIER PAGE 70



WALL / VANITY PAGE 272



# MOTIF - LP74626

FINISH BK - Black

- Patented LED filament technology
- Extruded-aluminum accompaniments
- Modern powder-coated and anodized finish
- Clear glass tubing
- Omni-directional light
- Max. rod length of 46"

WATTAGE: 55W  
 VOLTAGE: 120V  
 DELIVERED LUMENS: 5645

COLOR TEMP 3000K  
 CRI (RA) >90  
 DIMMING 100%–10%  
 TYPE OF DIMMER ELV OR TRIAC *(not included)*  
 CEILING ADAPTOR YES, UP TO 45°  
 RATED LIFE 50,000 HOURS


*Custom options available*







LP74626-BK



PENDANT.



PD74738-BK



PD74746-BK


SEE FULL COLLECTION



CHANDELIER PAGE 70



WALL / VANITY PAGE 272



PD74746

PD74738

## MOTIF - PD74746 / PD74738

FINISH BK - Black

Patented LED filament technology  
 Extruded-aluminum accompaniments  
 Modern powder-coated and anodized finish  
 Clear glass tubing  
 Omni-directional light  
 Max. wire length of 120"


	PD74746	PD74738
WATTAGE:	26W	17W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2820	1880

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

*Custom options available*



PENDANT.



PD75027-BK



PD75027-BG



PD75021-CH


SEE FULL COLLECTION



CHANDELIER PAGE 70



WALL / VANITY PAGE 272



## MOTIF - PD75027 / PD75021

**FINISH** BK - Black | BG - Brushed Gold | CH - Chrome

Patented LED filament technology  
 Extruded-aluminum accompaniments  
 Modern powder-coated and anodized finish  
 Clear glass tubing  
 Omni-directional light  
 Max. wire length of 120"

	PD75027	PD75021
<b>WATTAGE:</b>	9W	8W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	900	705

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*






PD14740-BK


PENDANT.

**2**  
MOUNTING  
OPTIONS


**Style Tip**  
Easily fit the Misaki into your space by mounting with an offset canopy or side canopy.



PD14740-BK  
Offset canopy mounting



PD14760-BK  
Offset canopy mounting



PD14760

PD14740

**MISAKI - PD14760 / PD14740**

**FINISH** BK - Black

- Extruded-aluminum frame
- Modern powder-coated finish
- Frosted acrylic diffuser
- Omni-directional light
- Max. cable length of 120"
- Optional side canopy install

	PD14760	PD14740
<b>WATTAGE:</b>	35W	25W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1645*	1100*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures




PENDANT.




LP10356-BG



LP10356-BK



LP10345-WH



LP10345-BN


SEE FULL COLLECTION




CHANDELIER PAGE 76



WALL / VANITY PAGE 295



LP10356



LP10345

## VEGA - LP10356 / LP10345

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Machined aluminum with powder-coated or electroplated finish  
Frosted acrylic diffuser  
Max. cable length 120"




	LP10356	LP10345
WATTAGE:	38W	32W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1313	1013*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available



PENDANT.



SEE FULL COLLECTION



CHANDELIER PAGE 74-75




WALL / VANITY PAGE 291



WALL / VANITY  
PAGE 342-343



CEILING PAGE 383



## VEGA MINOR - LP18260 / LP18248

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile linear aluminum with thin cables  
Inset opal polymeric diffuser  
Finely textured plate or powder-coated finish  
Down light  
Max. cable length of 120"

	LP18260	LP18248
<b>WATTAGE:</b>	42W	35W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1625*	1561*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC (not included)
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures

PENDANT.


ADJUSTABLE  
**DISKS**

**2**  
MOUNTING  
OPTIONS  
LP72237



LP72237-BK  
Center canopy mounting

**Style Tip**  
Easily fit the Novel (LP72237) into your space by mounting with an offset canopy or center canopy.



PD72208-BK

SEE FULL COLLECTION



CHANDELIER PAGE 56




WALL/VANITY  
PAGE 284-285




CEILING PAGE 394



PORTABLE PAGE 413



LP72237



PD72208

**NOVEL - LP72237 / PD72208**

FINISH BK - Black

Modern powder-coated finish with cast-aluminum frame  
Frosted acrylic cover and light guide  
Rotational up and down light  
Mounting options: center or offset canopy (LP72237)  
Adjustable 350° disks for directional illumination  
Max. cable length of 120" (LP72237)  
Max. rod length of 46" (PD72208)


	LP72237	PD72208
WATTAGE:	42W	15W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2859*	1040*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS


Custom options available







PENDANT.



LP16236-BK



LP16248-BN


SEE FULL COLLECTION



WALL / VANITY  
PAGE 296-297



CEILING PAGE 388-389



## MONDRIAN - LP16248 / LP16236

FINISH BK - Black | BN - Brushed Nickel

Extruded-aluminum with brushed surfaces or powder-coated finish  
Adjustable frames for a range of design styles  
Frosted acrylic diffuser  
Adjustable multi-directional light  
Max. cable length 120"

	LP16248	LP16236
WATTAGE:	100W	60W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	3290*	2000*



COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS

Custom options available





PENDANT.



PD16328-BK



PD16320-BN


SEE FULL COLLECTION



WALL / VANITY  
PAGE 296-297



CEILING PAGE 388-389



## MONDRIAN - PD16328 / PD16320

FINISH BK - Black | BN - Brushed Nickel

Extruded-aluminum with brushed surfaces or powder-coated finish  
Adjustable frames for a range of design styles  
Frosted acrylic diffuser  
Adjustable multi-directional light  
Max. cable length 120"

	PD16328	PD16320
WATTAGE:	120W	84W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	4550*	2940*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures



PENDANTS.



LP50851-BG




LP50851-BK




PD50852-BG

PD50852-BK

SEE FULL COLLECTION



CHANDELIER PAGE 58



## GEODE - LP50851 / PD50852

FINISH BK - Black | BG - Brushed Gold


Extruded-aluminum frame and base  
 Modern powder-coated or anodized finish  
 Sandblasted acrylic interior  
 Omni-directional gems of light  
 Max. rod length of 46" (LP50851)  
 Max. cable length of 120" (PD50852)

	LP50851	PD50852
WATTAGE:	41W	26W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2920*	1750*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
CEILING ADAPTOR	YES, UP TO 45°
RATED LIFE	50,000 HOURS

Custom options available

\*Preliminary figures




PENDANT.



MP47613-WH



PD47603-BK



## EUROPA - MP47613 / PD47603

FINISH BK - Black | WH - White

- Die-cast aluminum rounded linear ceiling mount (MP47613)
- Die-cast aluminum cylindrical ceiling mount (PD47603)
- Etched opal glass globes with tubular steel stems
- Powder-coated finish
- 36" or 45" rod available
- Adjustable canopy socket for 360° rod rotation/placement
- Adjustable 360° directional spot and ambient light
- Motion sensor: On/Off/Dimming

	MP47613	PD47603	COLOR TEMP	3000K
WATTAGE:	30W	10W	CRI (RA)	>90
VOLTAGE:	120V	120V	DIMMING	100%–10%
DELIVERED LUMENS:	1200*	400*	TYPE OF DIMMER	TOUCH DIMMING
			RATED LIFE	50,000 HOURS

*Custom options available*



PENDANT.

ADJUSTABLE  
HEADS



MP46608-GWH



PD46604-GBK



PD46604-GWH



SEE FULL COLLECTION




MP46608-GBK

WALL / VANITY PAGE 267

PORTABLE PAGE 418



MP46608



PD46604

## FLUX - MP46608 / PD46604

**FINISH** GBK - Gloss Black | GWH - Gloss White

Die-cast aluminum body with extruded arm  
Frosted lens with clear perimeter to eliminate glare  
Cap ring diffuser  
Adjustable 360° directional spot and ambient light  
Max. stem length of 46"

	MP46608	PD46604
<b>WATTAGE:</b>	20W	10W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	420*	210*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	TOUCH DIMMING
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



\*Preliminary figures



PENDANT.

**Design Detail**

The Mulberry lightguide creates a unique glow, using edge-lit technology throughout each shade.



PD62622-BK/LG



PD62511-BG/LG


SEE FULL COLLECTION



CHANDELIER PAGE 55



WALL / VANITY PAGE 261



PD62622

PD62511

**MULBERRY - PD62622 / PD62511**

**FINISH** BK/LG - Black/Lightguide | BG/LG - Brushed Gold/Lightguide

Forged iron body  
 Modern powder-coated and anodized finishes  
 Innovative clear acrylic light guide technology  
 Omni-directional light  
 Max. rod length of 46"

	PD62622	PD62511
<b>WATTAGE:</b>	44W	44W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	690*	690*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>CEILING ADAPTOR</b>	YES, UP TO 45°
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	








PENDANT.



PD90115-BK

SEE FULL COLLECTION



CHANDELIER PAGE 72




Wall / Vanity PAGE 258



WALL / VANITY PAGE 259



PORTABLE PAGE 412



## ROTAIRE - PD90115

**FINISH** BK - Black

Cast-aluminum body  
Modern powder-coated finish  
Frosted acrylic diffuser  
Directional light and up or down light  
Adjustable 350° heads for a variety of styles and directional illumination  
Max. cable length of 120"

**WATTAGE:** 21W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 937\*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%-10%  
**TYPE OF DIMMER** ELV OR TRIAC *(not included)*  
**RATED LIFE** 50,000 HOURS

*Custom options available*



PENDANT.



PD62013-BK/CH



PD62014-BK/SM




PD62012-BK/CP

SEE FULL COLLECTION



CEILING PAGE 375



## TRINITY - PD62014 / PD62013 / PD62012

**FINISH** BK - Black

**GLASS** CH - Chrome | CP - Copper | SM - Smoked

Cast-aluminum accompaniments  
 Clear glass with painted gradient detailing  
 Modern powder-coated finish  
 Frosted acrylic diffuser  
 Down light  
 Max. rod length of 46"

	PD62014	PD62013	PD62012
<b>WATTAGE:</b>	21W	21W	21W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	1000*	1186*	1000*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures





PENDANT.



PD22907-BK/WH



PD22907-GY



PD22824-GY




PD22824-BK/WH

SEE FULL COLLECTION



CEILING PAGE 392-393



PD22907

PD22824

## CRUZ - PD22907 / PD22824

FINISH BK/WH - Black/White | GY - Gray

Cast and spun aluminum or felt textile body  
 Powder-coated finish  
 Spun-aluminum (BK/WH) or gray felt textile (GY)  
 reflector with frosted acrylic cover or opal glass  
 Down light or down and omni-directional light  
 Max. cable length of 120"

	PD22907	PD22824
WATTAGE:	34W	13W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	605*	781*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures

**2**  
MOUNTING  
OPTIONS

PENDANT.



LP70130-BK  
Center Canopy mounting

**Style Tip**  
Easily fit the Gramercy into your space by mounting with an offset canopy or center canopy.



LP70148-BK  
Offset Canopy mounting


SEE FULL COLLECTION



WALL / VANITY  
PAGE 288-289



PORTABLE PAGE 415



**GRAMERCY - LP70148 / LP70130**

**FINISH** BK - Black

Glass cylinder with frosted white interior coating and aluminum die-cast body  
Matte powder-coated finish  
Max. cable length of 120"  
Mounting options: center or offset canopy

	LP70148	LP70130
WATTAGE:	40W	24W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	3384*	1800*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS


*Custom options available*



PENDANT.



MP70308-BK



SEE FULL COLLECTION



WALL / VANITY  
PAGE 288-289



PORTABLE PAGE 415

## GRAMERCY - MP70308

FINISH BK - Black

An elegant cascade of glass cylinders with frosted white interior coating and aluminum die-cast body  
Matte powder-coated finish  
Max. rod length of 46"

WATTAGE: 60W  
VOLTAGE: 120V  
DELIVERED LUMENS: 3600\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER ELV OR TRIAC (not included)  
RATED LIFE 50,000 HOURS

*Custom options available*



\*Preliminary figures

PENDANT.




PD15518-BK

PD15519-BG

PD15415-BK

PD15416-BG



**ELIXIR - PD15519 / PD15518 / PD15416 / PD15415**

**FINISH** BG - Brushed Gold | BK - Black

Extruded-aluminum structure  
 Modern powder-coated or anodized finish  
 Opal glass globes (PD15518 and PD15519)  
 Sandblasted acrylic interior (PD15415 and PD15416)

Select variations include polished reflector  
 Down light or omni-directional light  
 Max. cable length of 120"

	PD15519	PD15518	PD15416	PD15415	COLOR TEMP	3000K
<b>WATTAGE:</b>	8W	8W	6W	6W	CRI (RA)	>90
<b>VOLTAGE:</b>	120V	120V	120V	120V	DIMMING	100%–10%
<b>DELIVERED LUMENS:</b>	442*	474*	313*	348*	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
					RATED LIFE	50,000 HOURS

*Custom options available*







PENDANT.



LP14840-BK



LP14840-WH


SEE FULL COLLECTION



CHANDELIER PAGE 80



WALL / VANITY  
PAGE 300-301



## CHUTE - LP14840

FINISH BK - Black | WH - White

Extruded circular aluminum diagonal lamp rods  
Flexible silicone-rubber diffusers  
Finely textured powder-coated colors  
Max. cable length of 120"


WATTAGE: 96W  
VOLTAGE: 120V  
DELIVERED LUMENS: 4140\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER ELV OR TRIAC (not included)  
RATED LIFE 50,000 HOURS


Custom options available



PENDANT.



LP14947-WH



LP14935-BK


SEE FULL COLLECTION




CHANDELIER PAGE 80



WALL / VANITY  
PAGE 300-301



LP14947



LP14935

## CHUTE - LP14947 / LP14935

FINISH BK - Black | WH - White

Extruded-aluminum cylinder with welded capped ends  
 Finely textured powder-coated finish  
 Rounded opal silicone diffuser  
 Down light  
 Max. cable length of 120"


	<b>LP14947</b>	<b>LP14935</b>	<b>COLOR TEMP</b>	3000K
<b>WATTAGE:</b>	23W	21W	<b>CRI (RA)</b>	>90
<b>VOLTAGE:</b>	120V	120V	<b>DIMMING</b>	100%-10%
<b>DELIVERED LUMENS:</b>	1070*	784*	<b>TYPE OF DIMMER</b>	ELV OR TRIAC (not included)
			<b>RATED LIFE</b>	50,000 HOURS
			<i>Custom options available</i>	



\*Preliminary figures




PENDANT.



PD51212-BK/GD



PD51212-BK/WH



PD51612-BK/LG


SEE FULL COLLECTION



CHANDELIER PAGE 66-67



WALL / VANITY  
PAGE 264-265



PD51612

PD51212

## MAGELLAN - PD51612 / PD51212

**FINISH** BK/GD - Black/Gold | BK/WH - Black/White | BK/LG - Black/Lightguide (PD51612 only)

Solid machined-aluminum base  
 Modern powder-coated finish with duo-toned options  
 Frosted acrylic diffuser (PD51212)  
 Spun-aluminum reflector (PD51212)  
 Innovative clear acrylic light guide technology (PD51612)  
 Down light  
 Max. cable length of 120"  
 Patent pending\*

	PD51612	PD51212
<b>WATTAGE:</b>	13W	17W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	692*	350*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC (not included)
<b>RATED LIFE</b>	50,000 HOURS

Custom options available

\*Preliminary figures

PENDANT.



LP93742-AS



LP93742-BK



LP93742-AN

SEE FULL COLLECTION




CHANDELIER PAGE 65



WALL / VANITY PAGE 287



CEILING PAGE 382



## SYNERGY - LP93742

**FINISH** AN - Antique Brass | AS - Antique Silver | BK - Black

Extruded and rolled rectangular aluminum helix  
Flexible silicone-rubber diffuser  
Metallic brushed finish or matte powder-coated  
Up and down light  
Max. cable length of 120"

**WATTAGE:** 56W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 2057\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%–10%  
**TYPE OF DIMMER:** ELV OR TRIAC (*not included*)  
**RATED LIFE:** 50,000 HOURS

*Custom options available*






PENDANT.



PD19359-AN



PD19347-BK



PD19359

PD19347

## EERIE - PD19359 / PD19347

**FINISH** AN - Antique Brass | BK - Black

Extruded rectangular aluminum rolled into stadium shape  
 Matte powder-coated or plated brushed finish  
 Flexible silicone opal diffuser  
 Up and down light  
 Max. cable length of 120"

	PD19359	PD19347	COLOR TEMP	3000K
<b>WATTAGE:</b>	88W	58W	CRI (RA)	>90
<b>VOLTAGE:</b>	120V	120V	DIMMING	100%-10%
<b>DELIVERED LUMENS:</b>	3733*	2581*	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
			RATED LIFE	50,000 HOURS
			<i>Custom options available</i>	



\*Preliminary figures


PENDANT.



PD82724-WH



PD82732-BK



## CORTANA - PD82732 / PD82724

FINISH BK - Black | WH - White

Curved aluminum profile rolled into complete ring  
 Inner perimeter opal diffuser  
 Powder-coated finish  
 Up and down light  
 Max. cable length of 120"

	PD82732	PD82724
WATTAGE:	60W	42W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2280*	1520*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

*Custom options available*





PENDANT.




PD22772-BK



PD22772-BS



PD22753-WH



## HALO - PD22772 / PD22753

FINISH BK - Black | BS - Brushed Silver | WH - White

Rolled aluminum ring with inner diffuser  
 Three aircraft cables  
 Up and down light  
 Max. cable length of 120"

	PD22772	PD22753
WATTAGE:	185W	118W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	4056	2433

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC (PD22753 – not included) ELV (PD22772 – not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



PENDANT.




PD22735-BK



PD22723-BS



PD22723-WH



## HALO - PD22735 / PD22723

**FINISH** BK - Black | BS - Brushed Silver | WH - White

Rolled aluminum ring with inner diffuser  
 Three aircraft cables  
 Up and down light  
 Max. cable length of 120"

	PD22735	PD22723
<b>WATTAGE:</b>	83W	62W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1652	1221

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC (PD22735 – not included) ELV (PD22723 – not included)
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

\*Preliminary figures






PENDANT.



PD22339-BG




PD22339-WH



PD22332-BK



PD22332-BN



## AMPERSAND - PD22339 / PD22332

**FINISH** BG - Brushed Gold | BK - Black | BN - Brushed Nickel | WH - White


Extruded-aluminum body  
 Rolled diamond-shaped profile  
 Flexible silicone diffuser  
 Modern brushed or powder-coated finish options  
 Up and down light  
 Max. cable length of 120"

	PD22339	PD22332
<b>WATTAGE:</b>	94W	66W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	4763*	3344*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures

PENDANT.



## CUMULUS - PD80736 / PD80730 / PD80724 / PD80718 / PD80712



**FINISH** WH - White

Extruded-aluminum fixture  
 Molded polymeric diffuser  
 Powder-coated formed steel canopy  
 Braided coaxial cable suspension – 120" max.  
 Up and down light

	PD80736	PD80730	PD80724	PD80718	PD80712	COLOR TEMP	3000K
<b>WATTAGE:</b>	95W	78W	41W	24W	21W	CRI (RA)	>90
<b>VOLTAGE:</b>	120V	120V	120V	120V	120V	DIMMING	100%–10%
<b>DELIVERED LUMENS:</b>	6900	4800	2700	1800	1200	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
						RATED LIFE	50,000 HOURS
						<i>Custom options available</i>	

PENDANT.



# CUMULUS MINOR - PD80340 / PD80332 / PD80324

**FINISH** WH - White

Circular translucent polymeric diffuser ring  
 Powder-coated white heatsink cap and canopy  
 Down light  
 Max. cable length of 120"

	PD80340	PD80332	PD80324
<b>WATTAGE:</b>	82W	65W	42W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	3420*	2930*	1884*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures

PENDANT.



PD83708-BK/WH

SEE FULL COLLECTION



WALL / VANITY  
PAGE 256-257



PORTABLE PAGE 410-411


## SONDER - PD83708

FINISH BK/WH - Black/White

Forged iron body  
Modern powder-coated finish  
Trendy duo-tone design  
Glass diffuser  
Down light  
Max. cable length of 120"

WATTAGE: 8W  
VOLTAGE: 120V  
DELIVERED LUMENS: 420\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER ELV (*not included*)  
RATED LIFE 50,000 HOURS  
*Custom options available*







PENDANT.



PD87172-BK



PD87160-WH



PD87148-BG



PD87136-BK



PD87124-BG



PD87132-WH




PD87118-BK


SEE FULL COLLECTION




CHANDELIER PAGE 62-63




PD87172




PD87160




PD87148




PD87136



PD87132



PD87124



PD87118

**CERCHIO** - PD87172 / PD87160 / PD87148 / PD87136  
PD87132 / PD87124 / PD87118



**FINISH** BK - Black | BG - Brushed Gold | WH - White

Extruded and rolled loops with rectangular profile  
Dual flush polymeric diffuser sets per tier  
Matte powder-coated finish  
Down light  
Max. cable length of 120"

	PD87172	PD87160	PD87148	PD87136
<b>WATTAGE:</b>	160W	126W	100W	78W
<b>VOLTAGE:</b>	120V	120V	120V	120V
<b>DELIVERED LUMENS:</b>	4405*	3995*	3150*	2270*

	PD87132	PD87124	PD87118
<b>WATTAGE:</b>	64W	51W	37W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	1920*	1500*	1280*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

PENDANT.



PD87772-BG



PD87760-BK



PD87748-WH



PD87736-WH



PD87724-WH



PD87732-BK




PD87718-BG

SEE FULL COLLECTION



CHANDELIER PAGE 62-63



**CERCHIO** - PD87772 / PD87760 / PD87748 / PD87736  
PD87732 / PD87724 / PD87718

**FINISH** BK - Black | BG - Brushed Gold | WH - White

Extruded and rolled loops with rectangular profile  
Dual flush polymeric diffuser sets per tier  
Matte powder-coated finish  
Up and down light  
Max. cable length of 120"

	PD87772	PD87760	PD87748	PD87736
<b>WATTAGE:</b>	185W	150W	125W	84W
<b>VOLTAGE:</b>	120V	120V	120V	120V
<b>DELIVERED LUMENS:</b>	5150*	4700*	4350*	2750*
	PD87732	PD87724	PD87718	
<b>WATTAGE:</b>	78W	63W	51W	
<b>VOLTAGE:</b>	120V	120V	120V	
<b>DELIVERED LUMENS:</b>	2270*	1920*	1500*	

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC (not included)
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	


\*Preliminary figures



PENDANT.




PD82560-BN



PD82572-WH




PD82548-BK




PD82536-BK




PD82524-BN




PD82572




PD82560



PD82548



PD82536



PD82524

**CIRQUE** - PD82572 / PD82560 / PD82548 / PD82536 / PD82524

FINISH BK - Black | BN - Brushed Nickel | WH - White

Aluminum ring with circular ceiling mount  
Circular profile  
Flexible silicone-rubber diffuser  
Metallic & matte powder-coated finishes  
Up and down light  
Max. rod length of 46"

	PD82572	PD82560	PD82548	PD82536	PD82524	COLOR TEMP	3000K
WATTAGE:	93W	72W	56W	47W	33W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	4185*	3240*	2520*	2115*	1490*	TYPE OF DIMMER	ELV OR TRIAC (not included)
						RATED LIFE	50,000 HOURS
						Custom options available	

\*Preliminary figures



PENDANT.



PD88172-BK



PD88160-BG



PD88148-WH



PD88136-BK



PD88132-BG



PD88124-BK




PD88118-WH


SEE FULL COLLECTION




CHANDELIER PAGE 78-79




PD88172




PD88160




PD88148




PD88136



PD88132



PD88124



PD88118

**PIAZZA** - PD88172 / PD88160 / PD88148 / PD88136  
PD88132 / PD88124 / PD88118



**FINISH** BK - Black | BG - Brushed Gold | WH - White

Extruded and rolled loops with rectangular profile  
Dual flush polymeric diffuser sets per tier  
Matte powder-coated finish  
Down light  
Max. cable length of 120"

	PD88172	PD88160	PD88148	PD88136
WATTAGE:	161W	126W	100W	78W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	4405*	3955*	3150*	2270*
	PD88132	PD88124	PD88118	
WATTAGE:	62W	50W	37W	
VOLTAGE:	120V	120V	120V	
DELIVERED LUMENS:	1920*	1500*	1280*	

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

PENDANT.



PD88530-WH



PD88548-BK




PD88530-BG

SEE FULL COLLECTION



CHANDELIER PAGE 78-79



# PIAZZA - PD88548 / PD88530

**FINISH** BK - Black | BG - Brushed Gold | WH - White

Extruded-aluminum body  
 Rectangular profile metal formed into square silhouettes  
 Dual polymer diffusers  
 Matte powder-coated finish  
 Up and down light  
 Max. cable length of 120"

	PD88548	PD88530
<b>WATTAGE:</b>	63W	36W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	2585*	1280*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures

PENDANT.



PD9117-WH/GD  
with Gold interior




PD9117-BK/BK  
with Black interior



PD9108-WH/SV  
with Silver interior



PD9108-BK/GD  
with Gold interior



## HELENA - PD9117 / PD9108

**FINISH** BK - Black | WH - White

**INTERIOR** BK - Black | GD - Gold | SV - Silver

Spun metal shade

Interior finishes: Silver, Copper, Gold or Blue

Exterior finishes: Black, Graphite and White

Powder-coated interior and exterior

Down light

	PD9117	PD9108
<b>WATTAGE:</b>	38W	13W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1169*	250*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*





PENDANT.




PD11119-AS



PD11119-AN



PD11132-BK



## TWIST - PD11132 / PD11119

**FINISH** AN - Antique Brass | AS - Antique Silver | BK - Black

Extruded and rolled rectangular aluminum loop  
 Flexible silicone-rubber diffuser  
 Metallic brushed or matte powder-coated finish  
 Up and down light  
 Max. cable length of 120"

	PD11132	PD11119
<b>WATTAGE:</b>	59W	28W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	2168*	1084*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	





PENDANT.



MP95105-BK



MP95103-CH




PD95108-BG

SEE FULL COLLECTION



PORTABLE PAGE 420-421



## HURON - MP95105 / MP95103 / PD95108

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Extruded-aluminum body  
Acrylic frosted tube  
Matte powder-coated or plated finish  
Max. cable length 120"


	MP95105	MP95103	PD95108
WATTAGE:	50W	30W	12W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2585*	1650*	710*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS


Custom options available



PENDANT.




PD15832-BK PD15832-WH PD15832-CH



PD15816-BK PD15816-WH PD15816-CH



PD15824-BK PD15824-WH PD15824-CH



## TAPER - PD15832 / PD15824 / PD15816

**FINISH** BK - Black | CH - Chrome | WH - White

Die-cast conical aluminum lamp head with continuous long stem  
 Powder-coated or plated finish  
 Inset optical spot reflector  
 Down light  
 Max. cable length of 120"

	PD15832	PD15824	PD15816
<b>WATTAGE:</b>	7W	7W	7W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	417*	417*	417*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



PENDANT.



PD42502-WH




PD42502-BK



PD42502-BN



PD42502-CH



## ROBSON - PD42502

**FINISH** BK - Black | BN - Brushed Nickel | CH - Chrome | WH - White

Formed aluminum hourglass shade  
Dual translucent acrylic diffusers  
Matte powder-coated or plated finish  
Up and down light  
Max. cable length of 120"

**WATTAGE:** 14W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 924\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%–10%  
**TYPE OF DIMMER:** ELV (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*





402501BK-LED

PENDANT.




402501CH-LED



402501BG-LED



402501BK-LED



## ULTRA - 402501-LED

**FINISH** BK - Black | BG - Brushed Gold | CH - Chrome

Slender cone-shaped electroplated or powder-coated formed steel with acrylic details and diffuser  
Max. cable length of 72"  
Top and bottom acrylic diffuser

**WATTAGE:** 6W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 265


**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV *(not included)*  
**RATED LIFE** 50,000 HOURS  
*Custom options available*



402401BG-LED



402401CH-LED



## MALABAR - 402401-LED

**FINISH** BG - Brushed Gold | CH - Chrome

Encased bubble crystal in a clear glass shade with electroplated steel accents  
Down light  
Max. cable length of 72"

**WATTAGE:** 6W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 200


**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV *(not included)*  
**RATED LIFE** 50,000 HOURS  
*Custom options available*

PENDANT.



PD41305-BN

PD41304-BN



PD41305

PD41304

## VERONA - PD41305 / PD41304

**FINISH** BN - Brushed Nickel

Clear outer glass with diffused inner glass shades  
 SVT power cable, machined steel housing  
 Shade support pins  
 Formed steel anodic-coated canopy  
 Max. length of 120"  
 Down light

	PD41305	PD41304
<b>WATTAGE:</b>	16W	11W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	850	523

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*





PENDANT.




PD15302-BK



PD15302-CH



PD15302-WH



**EXO - PD15302**

**FINISH** BK - Black | CH - Chrome | WH - White

Die-cast spherical aluminum lamp head  
 Powder-coated or plated finish  
 Inset optical spot reflector  
 Down light  
 Max. cable length of 120"

**WATTAGE:** 7W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 417\*



**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%–10%  
**TYPE OF DIMMER:** ELV OR TRIAC (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*



PD46216-WH



PD46216-BK



**DISC - PD46216**

**FINISH** BK - Black | WH - White

Formed revolved-steel lamp head  
 Powder-coated or plated finish  
 Flat circular opal acrylic diffuser  
 Down light  
 Max. cable length of 120"

**WATTAGE:** 33W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 2422\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%–10%  
**TYPE OF DIMMER:** ELV OR TRIAC (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*



\*Preliminary figures


PENDANT.



PD61418-CL/BG



PD61412-CL/BK



## DECO - PD61418 / PD61412

**FINISH** CL/BG - Clear/Brushed Gold | CL/BK - Clear/Black

Geometric glass forms captured by an electroplated steel mechanism  
Down light  
Max. rod length of 46"

	PD61418	PD61412
<b>WATTAGE:</b>	32W	16W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1618	817

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV (not included)
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*




PENDANT.



PD70615-SM/BN



PD70610-CL/BG



## ENKEL - PD70615 / PD70610

**FINISH** SM/BN - Smoked/Brushed Nickel | CL/BG - Clear/Brushed Gold

Electroplated steel and aluminum body  
Smoked or clear glass shades  
Interior opal glass diffuser  
Down light  
Max. rod length of 46"

	PD70615	PD70610
<b>WATTAGE:</b>	39W	29W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	2736*	1848*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



\*Preliminary figures

**2**  
MOUNTING  
OPTIONS

PENDANT.



PD7920-WH  
As Semi-Flush



PD7920-GY



PD7920-BOR



PD7916-BE



PD7916-BK




PD7916-WOR

SEE FULL COLLECTION



CEILING PAGE 384-385



## DALTON - PD7920 / PD7916

FINISH BE - Beige | BK - Black | BOR - Black Organza | GY - Gray | WH - White | WOR - White Organza

Textured black, gray or white fabric shade  
White acrylic diffuser. Brushed nickel rod and canopy  
Max. rod length of 46"  
Mounting options: pendant or semi-flush

	PD7920	PD7916
WATTAGE:	32W	26W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1310*	1050*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available





PENDANT.



PD13124-BK




PD13120-WH

SEE FULL COLLECTION



CEILING PAGE 398



## BEACON - PD13124 / PD13120

FINISH BK - Black | WH - White

Formed aluminum and steel  
 Max. stem length of 52"  
 SVT power cord, matching color braid  
 Down light

	PD13124	PD13120
WATTAGE:	60W	26W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2672*	966*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available







PENDANT.



401207WH-LED



401207BK-LED



## SAMPSON - 401207-LED

**FINISH** BK - Black | WH - White

Truncated-conical cylinder powder-coated and brushed nickel details with acrylic diffuser  
Max. cable length of 72"

**WATTAGE:** 26W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 957\*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%-10%  
**TYPE OF DIMMER** ELV *(not included)*  
**RATED LIFE** 50,000 HOURS  
*Custom options available*



\*Preliminary figures

PENDANT.




PD21703-BK



PD21703-BN



PD21703-CH



**LENA - PD21703**

**FINISH** BK - Black | BN - Brushed Nickel | CH - Chrome

Clear glass cylindrical shade envelops tubular aluminum core  
 Brushed plated finishes or satin coating  
 Down light  
 Max. cable length of 120"

**WATTAGE:** 9W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 211\*  
 \*All data based on Black finish.  
 See spec sheet for detail.

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*




PD19804-BK



PD19804-BN



PD19804-CH



**STYLO - PD19804**

**FINISH** BK - Black | BN - Brushed Nickel | CH - Chrome

Clear glass cylindrical shade rests on opal acrylic diffuser globe  
 Brushed plated finishes or satin coating  
 Down light  
 Max. cable length of 120"

**WATTAGE:** 8W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 521\*


**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV OR TRIAC (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*



PENDANT.



PD11612-BN



## VANIER - PD11612

**FINISH** BN - Brushed Nickel

Conical clear glass with electroplated steel details  
Down light  
Max. cable length of 120"

**WATTAGE:** 9W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 440


**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*



PD12506-CL



PD12506-SM



## SAMSON - PD12506

**FINISH** CL - Clear | SM - Smoke

Clear glass with white powder-coated steel housing  
or smoked glass with concrete finish metal housing  
Down light  
Max. cable length of 72"

**WATTAGE:** 9W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 297\*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*

\*Preliminary figures



PENDANT.



401216BK-LED




401215BN-LED



401214BG-LED



401215WH-LED



## MINA - 401216-LED / 401215-LED / 401214-LED

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Conical shape formed steel with clear acrylic diffuser  
 Canopy finish paired with lamp body  
 Max. cable length of 120"  
 Down light

	401216-LED	401215-LED	401214-LED
<b>WATTAGE:</b>	9W	9W	9W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	390*	368*	339*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures

PENDANT.



PD5330-CH




PD53305-CH

SEE FULL COLLECTION



WALL / VANITY PAGE 332



## MARTELO - PD53330 / PD53305

FINISH CH - Chrome

Electroplated aluminum  
 Clear acrylic with frosted interior  
 Down light  
 Max. cable length of 120" (PD53305)  
 Max. rod length of 52" (PD53330)

	PD53330	PD53305
WATTAGE:	55W	6W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1770*	177

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available





PENDANT.



PD1712-BK




PD1712-WH



PD1709-BN



PD1706-CH



## CHROMA - PD1712 / PD1709 / PD1706

**FINISH** BK - Black | BN - Brushed Nickel | CH - Chrome | WH - White

Formed steel shade with electroplated or powder-coated finishes  
 Max. cable length of 72"  
 Down light

	PD1712	PD1709	PD1706
<b>WATTAGE:</b>	13W	11W	9W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	635*	549	338*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures

PENDANT.




PD6705-WH



PD6705-BK



PD6705-BN



## OXFORD - PD6705

**FINISH** BK - Black | BN - Brushed Nickel | WH - White

Cylindrical aluminum pendant with electroplated or powder-coated finish  
Down light  
Max. cable length of 120"

**WATTAGE:** 19W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1197\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%–10%  
**TYPE OF DIMMER:** ELV OR TRIAC (*not included*)  
**RATED LIFE:** 50,000 HOURS

*Custom options available*



PENDANT.



401432WH-LED



401432BK-LED



401432BN-LED




401431WH-LED



401431BK-LED



401431BN-LED



## CAMEO - 401432-LED / 401431-LED

**FINISH** BK - Black | BN - Brushed Nickel | WH - White

Formed cylindrical steel with electroplated or powder-coated finish  
 Canopy finish paired with lamp body  
 Machined acrylic diffuser  
 Down light  
 Max. cable length of 72"

	401432	401431
<b>WATTAGE:</b>	12W	9W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	520*	388*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures

PENDANT.



PD7721-CH




PD7721-BN




PD7716-CH



PD7716-BN



PD7721



PD7716

## PENDULA - PD7721 / PD7716

**FINISH** BN - Brushed Nickel | CH - Chrome

Electroplated formed steel and clear encased bubble crystals  
Max. cable length of 72"  
Down light

	PD7721	PD7716
<b>WATTAGE:</b>	6W	6W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	127*	154*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV (not included)
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*






PENDANT.



PD4401-CH



**CHAMPAGNE - PD4401**

FINISH CH - Chrome

Encased bubble crystal in a clear glass shade with chrome accents  
Down light  
Max. cable length of 72"

WATTAGE: 9W  
VOLTAGE: 120V  
DELIVERED LUMENS: 431\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%–10%  
TYPE OF DIMMER ELV (not included)  
RATED LIFE 50,000 HOURS  
*Custom options available*

SEE FULL COLLECTION



WALL / VANITY PAGE 299




402801BG-LED



402801CH-LED



402801BC-LED



**PLUTO - 402801-LED**

FINISH BC - Black Chrome | BG - Brushed Gold | CH - Chrome

Spherical design with hemispherical frosted acrylic diffuser  
Down light  
Max. cable length of 72"

WATTAGE: 6W  
VOLTAGE: 120V  
DELIVERED LUMENS: 410\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%–10%  
TYPE OF DIMMER ELV (not included)  
RATED LIFE 50,000 HOURS  
*Custom options available*




PENDANT.



402601BG-LED



402601CH-LED



# BACH - 402601-LED

FINISH BG - Brushed Gold | CH - Chrome

Slender trumpet-shaped electroplated formed steel with frosted diffuser  
Down light  
Max. cable length of 72"

WATTAGE: 9W  
VOLTAGE: 120V  
DELIVERED LUMENS: 446\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER ELV (not included)  
RATED LIFE 50,000 HOURS  
*Custom options available*


SEE FULL COLLECTION



CHANDELIER PAGE 88



PD3106



# BOLLA - PD3106

FINISH CH - Chrome

Special opal glass with clear outer glass  
Max. cable length of 120"

WATTAGE: 3W  
VOLTAGE: 120V  
DELIVERED LUMENS: 175

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER ELV (not included)  
RATED LIFE 50,000 HOURS  
*Custom options available*

\*Preliminary figures

PENDANT.




PD3004



PD3007



PD3005



**VICTORIA** - PD3004 / PD3005 / PD3007

**FINISH** CH - Chrome

Clear round drop, slender drop or pear-shaped outer glass with frosted inner glass  
Max. cable length of 120"  
Down light

	PD3004	PD3005	PD3007
<b>WATTAGE:</b>	3W	3W	3W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	181	193	171*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS



*Custom options available*







MP3012



PENDANT.





MP3003



MP3006



MP3009



MP3012

Round Multi-Pendant Models



MP3003  
3 Light



MP3006  
6 Light



MP3009  
9 Light



MP3012  
12 Light

**VICTORIA** - MP3003 / MP3006 / MP3009 / MP3012

FINISH CH - Chrome

Clear round drop, slender drop or pear-shaped outer glass with frosted inner glass

Max. cable length of 120"

Down light

	MP3003	MP3006	MP3009	MP3012
WATTAGE:	8W	17W	25W	34W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	545*	1090*	1635*	2180*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available

\*Preliminary figures




WALL / VANITY.




WALL / VANITY.



WS31205-BK/WH



VL31218-BK/WH




VL31224-BK/WH

SEE FULL COLLECTION



CEILING PAGE 348-349



## CUBIX - VL31224 / VL31218 / WS31205

FINISH BK/WH - Black/White

Forged aluminum and steel frame  
 Modern duo-toned finish  
 Frosted acrylic diffuser  
 Up and down light  
 Mounting options: up or down (WS31205)  
 Mounting options: horizontally or vertically (VL31218 & VL31224)  
 Damp rated for varied usage

	VL31224	VL31218	WS31205
WATTAGE:	42W	32W	11W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1950*	1470*	490*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available








VL31224-BK/WH



VL57532-BK/SM



VL57532-BG/CP



VL57532-BK/SM



VL57532-CH/OP

SEE FULL COLLECTION




CHANDELIER PAGE 44-45



PENDANT PAGE 138-139



CEILING PAGE 350-351



32-3/8"

## SAMAR - VL57532

**FINISH** BK - Black | BG - Brushed Gold | CH - Chrome

**GLASS** CP - Copper | SM - Smoked | OP - Opal Matte

Forged steel accents

Plated, brushed, and powder-coated finish options

Ombre smoked, ombre copper, and opal glass options

Forward-facing light

Mounting options: horizontally or vertically

Damp rated for varied usage

**LAMPING:** 3 x 60W, E26

**VOLTAGE:** 120V

*Custom options available*






WALL / VANITY.

### Design Detail

The glow of the ribbed diffusers create added depth and warmth to the Blade Collection.



VL23524-BK



VL23532-BG

SEE FULL COLLECTION




CHANDELIER PAGE 38-39



PENDANT PAGE 116-117



CEILING PAGE 352-353



## BLADE - VL23532 / VL23524

FINISH BK - Black | BG - Brushed Gold

Forged aluminum and steel accents  
Modern brushed or powder-coated finish options  
Unique ribbed acrylic diffuser  
Up and down light  
Damp rated for varied usage  
Mounting options: horizontally or vertically

	VL23532	VL23524
WATTAGE:	15W	11W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	660*	480*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	









WS92617-BK






WS92617-BK

SEE FULL COLLECTION



PENDANT PAGE 108-109



## AIREN - WS92617

FINISH BK - Black

Forged aluminum and steel body  
Frosted silicone diffusers  
Modern powder-coated finish  
Up and down light  
Down configuration only

WATTAGE: 20W  
VOLTAGE: 120V  
DELIVERED LUMENS: 800\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER ELV OR TRIAC (not included)  
RATED LIFE 50,000 HOURS

*Custom options available*



\*Preliminary figures



WALL / VANITY.




VL27523-CH



VL27523-BG



VL27534-BK



## SAPHIR - VL27534 / VL27523

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Forged aluminum and steel body  
 Modern brushed or powder-coated finish options  
 Unique ribbed diffuser provides warmth and depth  
 Forward-facing light  
 Mounting options: horizontally or vertically  
 Damp rated for varied usage

	VL27534	VL27523
WATTAGE:	30W	22W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1450*	1050*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	







VL52520-BK/CL



VL52520-BK/CL



VL52512-BG/CL



WS52505-BK/CL




WS52511-BG/CL

SEE FULL COLLECTION



CEILING PAGE 354-353



## CEDAR - VL52520 / VL52512 / WS52511 / WS52505

**FINISH** BK - Black | BG - Brushed Gold

**GLASS** CL - Clear

Forged aluminum and steel body  
 Modern brushed or powder-coated finish  
 Clear glass shades  
 Frosted glass diffusers  
 Up and down light  
 Damp rated for varied usage  
 Mounting options: up or down (VL52512 & VL52520)  
 Mounting options: horizontally or vertically (WS52511)

	VL52520	VL52512	WS52511	WS52505	COLOR TEMP	3000K
<b>WATTAGE:</b>	16W	11W	11W	6W	CRI (RA)	>90
<b>VOLTAGE:</b>	120V	120V	120V	120V	DIMMING	100%-10%
<b>DELIVERED LUMENS:</b>	740*	490*	490*	240*	TYPE OF DIMMER	ELV (not included)
					RATED LIFE	50,000 HOURS
					<i>Custom options available</i>	

\*Preliminary figures



WALL / VANITY.



VL53511-BK/CL



WS53505-BG/CL




VL53519-BG/CL

SEE FULL COLLECTION



CEILING PAGE 356-357



## BIRCH - VL53519 / VL53511 / WS53505

**FINISH** BK - Black | BG - Brushed Gold

**GLASS** CL - Clear

Forged aluminum and steel body  
 Modern brushed or powder-coated finish  
 Clear glass shades  
 Frosted glass diffusers  
 Up and down light  
 Damp rated for varied usage  
 Mounting options: up or down

	VL53519	VL53511	WS53505
<b>WATTAGE:</b>	16W	11W	6W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	690*	460*	230*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV (not included)
<b>RATED LIFE</b>	50,000 HOURS

Custom options available










VL45730-BK/OP



VL45721-BG/GO



VL45721-BK/GO



VL45730-BG/GO




VL45730-BK/GO

SEE FULL COLLECTION



CEILING PAGE 366-367



## HOLT - VL45730 / VL45721

**FINISH** BK - Black | BG - Brushed Gold

**GLASS** GO - Glossy Opal

Plated Steel Accents  
 Modern plated finishes  
 Glossy opal glass diffusers  
 Up and down light  
 Mounting options: horizontally or vertically  
 Damp rated for varied usage

	VL45730	VL45721
<b>WATTAGE:</b>	34W	26W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	900*	670*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures

WALL / VANITY.



WS83706-BK/WH


SEE FULL COLLECTION



PENDANT PAGE 200-201



PORTABLE PAGE 410-411



## SONDER - WS83706

FINISH BK/WH - Black/White

Forged iron body  
Modern powder-coated finish  
Trendy duo-tone design  
Glass diffuser  
Down light  
Mounting options: up or down

WATTAGE: 8W  
VOLTAGE: 120V  
DELIVERED LUMENS: 420\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER ELV (*not included*)  
RATED LIFE 50,000 HOURS

*Custom options available*








WALL / VANITY.

ROTATIONAL  
**HEADS**

ADJUSTABLE  
**ARMS**



WS90101-BK



WS90102-BK

SEE FULL COLLECTION




CHANDELIER PAGE 72-73




PENDANT PAGE 178



PORTABLE PAGE 412



WS90102



WS90101

## ROTAIRE - WS90102 / WS90101

FINISH BK - Black

Cast-aluminum body  
Modern powder-coated finish  
Frosted acrylic diffuser  
Directional light and up or down light  
Adjustable 350° heads for a variety of styles and directional illumination

	WS90102	WS90101
WATTAGE:	13W	9W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	625*	350*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC ( <i>not included</i> )
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	





WALL / VANITY.

ROTATIONAL  
**HEADS**

ADJUSTABLE  
**ARMS**




VL90133-BK



WS90120-BK



WS90116-BK



VL90133

SEE FULL COLLECTION




CHANDELIER PAGE 72-73



PENDANT PAGE 178



PORTABLE PAGE 412



WS90120

WS90116

## ROTAIRE - VL90133 / WS90120 / WS90116



**FINISH** BK - Black

Cast-aluminum body  
Modern powder-coated finish  
Frosted acrylic diffuser

Direct light (WS90120 & WS90116)

Directional light and up or down light (VL90133)

Adjustable 350° heads for directional illumination (WS90120 & WS90116)

Adjustable 290° heads for directional illumination (VL90133)

	VL90133	WS90120	WS90116
<b>WATTAGE:</b>	13W	21W	13W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	626*	948*	696*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC (not included)
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

\*Preliminary figures





WS62524-BK/LG



WS62629-BG/LG

### Design Detail

The Mulberry Lightguide creates a unique glow using edge lit technology throughout each shade.




SEE FULL COLLECTION



CHANDELIER PAGE 54-55



PENDANT PAGE 176-177



WS62629

WS62524

## MULBERRY - WS62629 / WS62524

FINISH BK/LG - Black/Lightguide | BG/LG - Brushed Gold/Lightguide

Forged iron body  
 Modern powder-coated and anodized finishes  
 Innovative clear acrylic light guide technology  
 Omni-directional light  
 Mounting options: horizontally or vertically

	WS62629	WS62524
WATTAGE:	27W	17W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	460*	230*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS

Custom options available

\*Preliminary figures



WS63424-BN



WS63424-BK

SEE FULL COLLECTION




CHANDELIER PAGE 60-61



PENDANT PAGE 144-145



CEILING PAGE 372-373



## REZZ - WS63424

**FINISH** BK - Black | BN - Brushed Nickel

Forged iron and aluminum frame  
 Frosted opal glass diffusers  
 Modern powder-coated and anodized finishes  
 Direct light  
 Mounting options: horizontally or vertically

**WATTAGE:** 21W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 400\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%-10%  
**TYPE OF DIMMER:** ELV OR TRIAC *(not included)*  
**RATED LIFE:** 50,000 HOURS

*Custom options available*

WALL / VANITY.




VL63436-BK




VL63425-BN




VL63416-CH



VL63416



VL63425



VL63436

SEE FULL COLLECTION



CHANDELIER PAGE 60-61



PENDANT PAGE 144-145



CEILING PAGE 372-373

## REZZ - VL63436 / VL63425 / VL63416

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Steel and aluminum frame  
 Sandblasted glass diffuser  
 Modern powder-coated or anodized finish  
 Direct light  
 Mounting options: horizontally or vertically

	VL63436	VL63425	VL63416
WATTAGE:	23W	17W	11W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	735*	610*	490*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available

\*Preliminary figures



SEE FULL COLLECTION




CHANDELIER PAGE 66-67



PENDANT PAGE 188-189

WS51202-BK/WH



## MAGELLAN - WS51202

FINISH BK/WH - Black/White

Solid machined-aluminum base  
 Modern powder-coated finish  
 Frosted acrylic diffuser and spun-aluminum reflector  
 Down light  
 Patent pending\*

WATTAGE: 37W  
 VOLTAGE: 120V  
 DELIVERED LUMENS: 550\*

COLOR TEMP 3000K  
 CRI (RA) >90  
 DIMMING 100%-10%  
 TYPE OF DIMMER ELV OR TRIAC (not included)  
 RATED LIFE 50,000 HOURS

Custom options available







**2**  
MOUNTING  
OPTIONS

WALL / VANITY.



WS22915-GY  
As wall light



WS22915-BK/WH  
As Semi-Flush



FM22815-GY  
As wall light




FM22815-BK/WH  
As Semi-Flush

SEE FULL COLLECTION



PENDANT PAGE 180-181



## CRUZ - WS22915 / FM22815

FINISH BK/WH - Black/White | GY - Gray

Cast- and spun-aluminum or felt textile body  
Modern powder-coated finish  
Spun aluminum (BK/WH) or gray felt textile (GY)  
reflector with frosted acrylic cover (WS22915)  
Spun aluminum (BK/WH) or gray felt textile (GY)  
reflector with opal glass (FM22815)  
Down light (WS22915)  
Direct omni-directional light (FM22815)  
Mounting options: wall or ceiling  
266 CRUZ

	WS22915	FM22815
WATTAGE:	13W	13W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	237*	781*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available




\*Preliminary figures

WALL / VANITY.

SEE FULL COLLECTION




CEILING PAGE 152



WS70410-BK



WS70410-WH



## TARO - WS70410

FINISH BK - Black | WH - White

Cast-aluminum construction  
Modern powder-coated finish  
Concealed LED without diffusion  
Wall light

WATTAGE: 8W  
VOLTAGE: 120V  
DELIVERED LUMENS: 94

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%–10%  
TYPE OF DIMMER ELV OR TRIAC (not included)  
RATED LIFE 50,000 HOURS  
*Custom options available*

SEE FULL COLLECTION



PENDANT PAGE 175


PORTABLE PAGE 418



WS46604-GWH



WS46604-GBK



## FLUX - WS46604

FINISH GBK - Gloss Black | GWH - Gloss White


Aluminum body with circular wall plate  
Frosted lens with clear perimeter to eliminate glare  
Cap ring diffuser  
Adjustable directional spot and ambient light

WATTAGE: 10W  
VOLTAGE: 120V  
DELIVERED LUMENS: 210\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%–10%  
TYPE OF DIMMER TOUCH DIMMING  
RATED LIFE 50,000 HOURS  
*Custom options available*



WALL / VANITY.



WS13760-BG




WS13760-BK



WS13748-BN



WS13748-WH



## LEVER - WS13760 / WS13748

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile linear aluminum with rectangular wall mount  
Inset opal polymeric diffuser  
Finely textured plate or powder-coated finish  
Wall emitting light with 15° tilt adjustment


	WS13760	WS13748
<b>WATTAGE:</b>	22W	15W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	906*	878*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

\*Preliminary figures

WALL / VANITY.




VL18524-BN




VL18532-BK




VL18536-BN



VL18524




VL18532



VL18536

SEE FULL COLLECTION



CHANDELIER PAGE 51

PENDANT PAGE 147

## AKARI - VL18536 / VL18532 / VL18524

FINISH BK - Black | BN - Brushed Nickel

Anodized extruded-aluminum frame  
Sleek powder-coated finish  
Frosted acrylic diffuser  
Direct light  
Mounting options: horizontally or vertically

	VL18536	VL18532	VL18524
WATTAGE:	24W	23W	12W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1365*	1160*	735*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS

Custom options available





WALL / VANITY.




VL52738-BN




VL52727-BK




VL52718-WT



VL52718



VL52727



VL52738

SEE FULL COLLECTION



PENDANT PAGE 151



CEILING PAGE 379

## ANELLO MINOR - VL52738 / VL52727 / VL52718


FINISH BK - Black | BN - Brushed Nickel | WT - Walnut

Linear segments with polymeric diffuser  
Up and down light  
Mounting options: horizontally or vertically

	VL52738	VL52727	VL52718
WATTAGE:	31W	21W	14W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1056*	740*	515*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	TRIAC (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures



WALL / VANITY.



WS74226-CH



WS74122-BK



WS74114-BG


SEE FULL COLLECTION



CHANDELIER PAGE 80



PENDANT PAGE 160-161



## MOTIF - WS74226 / WS74122 / WS74114

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Patented LED filament technology  
 Extruded-aluminum accompaniments  
 Modern powder-coated and anodized finish  
 Clear glass tubing  
 Omni-directional light  
 Mounting options: horizontally or vertically (WS74226)

	WS74226	WS74122	WS74114
WATTAGE:	9W	8W	5W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	940*	705	402

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	





WS74226-BK

WALL / VANITY.




VL63636-BN  
Shown with backplate accessory




VL63624-CH



VL63624-BK  
Shown with backplate accessory



VL63624



VL63636

## BRIO - VL63636 / VL63624

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Extruded-aluminum frame  
Powder-coated or anodized finish  
Innovative acrylic light guide technology  
Up and down light


	VL63636	VL63624
WATTAGE:	33W	22W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1630*	923*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

*Custom options available*




WALL / VANITY.




VL60536-BK



VL60536-BN



VL60536-CH



## LAUREL - VL60536

**FINISH** BK - Black | BN - Brushed Nickel | CH - Chrome

Aluminum rectangular frame  
Modern powder-coated and anodized finish  
Frosted polycarbonate diffuser  
Direct and down light  
Mounting options: horizontally or vertically

**WATTAGE:** 46W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 710\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%–10%  
**TYPE OF DIMMER:** ELV (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*

\*Preliminary figures






WALL / VANITY.



WS19914-BK



WS19914-BN



VL19931-BK




VL19941-BN

SEE FULL COLLECTION




CHANDELIER PAGE 57


PENDANT PAGE 154



VL19941



VL19931



WS19914

## DUNE - VL19941 / VL19931 / WS19914

FINISH BK - Black | BN Brushed Nickel


Spun-aluminum arm and base  
 Modern powder-coated or anodized finish  
 Spun-aluminum shade and metalized polished chrome interior reflector  
 Down light  
 Adjustable 90° head for directional illumination (WS19914)

	VL19941	VL19931	WS19914
WATTAGE:	21W	16W	5W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1834*	1375*	438


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures

WALL / VANITY.



VL63736-BK



VL63736-BN




VL63736-CH




VL63724-BK




VL63724-CH



VL63724-BN



VL63724



VL63736

## MARLON - VL63736 / VL63724

**FINISH** BK - Black | BN - Brushed Nickel | CH - Chrome


Extruded-aluminum base and frame  
 Modern powder-coated or anodized finish  
 Innovative clear acrylic light guide technology  
 Up and down light

	VL63736	VL63724
<b>WATTAGE:</b>	30W	22W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	924*	835*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



WALL / VANITY.






VL63336-CH



VL63325-BK



VL63316-BN



## EDNA - VL63336 / VL63325 / VL63316


**FINISH** BK - Black | BN - Brushed Nickel | CH - Chrome

Solid machined aluminum and steel frame  
Modern powder-coated or anodized finish  
Frosted polycarbonate diffusers  
Wall light  
Mounting options: horizontally or vertically

	VL63336	VL63325	VL63316
<b>WATTAGE:</b>	23W	17W	11W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	550*	460*	360*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	


\*Preliminary figures



WS90717-BK


WS90727-BK

SEE FULL COLLECTION



CHANDELIER PAGE 53

PENDANT PAGE 150



## POPLAR - WS90727 / WS90717

FINISH BK - Black


Organically shaped die-cast aluminum and steel base  
 Modern powder-coated finish  
 Frosted polycarbonate diffuser  
 Direct light  
 Mounting options: horizontally or vertically

	WS90727	WS90717
WATTAGE:	33W	18W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2300*	1380*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	







WALL / VANITY.



WS25350-BN  
Face down  
Shown with backplate accessory





WS25350-BG  
Face Down



WS25336-BK  
Face out



WS25336-WH  
Face Down



## PANDORA - WS25350 / WS25336

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile aluminum body  
Rectangular wall mount canopy  
Inset opal polymeric diffusers  
Finely textured plate or powder-coated finish  
Wall emitting lights with 360° rotational adjustment


	WS25350	WS25336
WATTAGE:	45W	31W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1585*	650*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

*Custom options available*







WS25125-WH  
Face out




WS25125-BN  
Face in  
Shown with backplate accessory



WS25118-BK  
Face out



WS25118-BG  
Face out



## PANDORA - WS25125 / WS25118

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White



Square profile aluminum body  
Rectangular wall mount canopy  
Inset opal polymeric diffuser  
Finely textured plate or powder-coated finish  
Wall emitting light with 360° rotational adjustment

	WS25125	WS25118
<b>WATTAGE:</b>	20W	18W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	867*	710*


<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

\*Preliminary figures



VL72237-BK




VL72237-BK




VL72221-BK




VL72213-BK



13-1/4"  
VL72213



21-1/4"  
VL72221



37"  
VL72237

SEE FULL COLLECTION



CHANDELIER PAGE 56



PENDANT PAGE 168



CEILING PAGE 394



PORTABLE PAGE 413

## NOVEL - VL72237 / VL72221 / VL72213

FINISH BK - Black

Cast-aluminum frame and base  
 Modern powder-coated finish  
 Frosted acrylic cover and light guide  
 Up and down direct light and rotational light  
 Adjustable 350° disks for a variety of styles and directional illumination  
 Mounting options: horizontally or vertically

	VL72237	VL72221	VL72213
WATTAGE:	42W	25W	14W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2859*	1715*	1040*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures

WALL / VANITY.



WS83427-BK




WS83427-BK



WS83421-GD



WS83421-GD



## LOCHWOOD - WS83427 / WS83421

**FINISH** BK - Black | GD - Gold

Square powder-coated steel frame  
 Extruded-aluminum heatsink mounted to square wall plate  
 Cylindrical opal glass diffuser  
 Outward emitting wall light  
 Mounting options: horizontally or vertically

	WS83427	WS83421
<b>WATTAGE:</b>	31W	22W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1499*	1180*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	





WS93736-AN



WS93730-BK



WS93724-AS

SEE FULL COLLECTION




CHANDELIER PAGE 64




PENDANT PAGE 190




CEILING PAGE 382



WS93724



WS93730



WS93736

## SYNERGY - WS93736 / WS93730 / WS93724

FINISH AN - Antique Brass | AS - Antique Silver | BK - Black

Extruded and rolled rectangular aluminum helix  
Flexible silicone-rubber diffuser  
Metallic brushed finish or matte powder-coated  
Multi-directional lighting from wall  
Mounting options: horizontally or vertically

	WS93736	WS93730	WS93724
WATTAGE:	47W	36W	28W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2430	1878	1224

\*All data based on Antique Silver finish.  
See spec sheet for detail.

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS

Custom options available



WS70136-BK



WS70130-BK



WS70124-BK

SEE FULL COLLECTION




PENDANT PAGE 182



PENDANT PAGE 183



PORTABLE PAGE 415



## GRAMERCY - WS70136 / WS70130 / WS70124

FINISH BK - Black

Glass cylinder with frosted white interior coating and aluminum die-cast body  
 Matte powder-coated finish  
 Wall light  
 Mounting options: horizontally or vertically

	WS70136	WS70130	WS70124
WATTAGE:	33W	29W	20W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2266	1800	1692

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS

Custom options available





WS70136-BK

WALL / VANITY.



WS18248-BG  
Shown with backplate accessory






WS18236-BN



WS18224-WH



WS18224-BK



SEE FULL COLLECTION



CHANDELIER PAGE 74-75



PENDANT PAGE 167



WALL / VANITY  
PAGE 342-343



CEILING PAGE 383

## VEGA MINOR - WS18248 / WS18236 / WS18224

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile linear aluminum body  
Rectangular wall mount canopy  
Optional adapter plate for larger junction box  
Inset opal polymeric diffuser  
Finely textured plate or powder-coated finish  
Outward emitting light  
Mounting options: horizontally or vertically

	WS18248	WS18236	WS18224
WATTAGE:	47W	33W	18W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2132*	1561*	838*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

WALL / VANITY.




VL18248-BN  
Shown with backplate accessory






VL18236-BG



VL18224-WH



VL18224-BK



SEE FULL COLLECTION



CHANDELIER PAGE 74-75



PENDANT PAGE 167



WALL / VANITY  
PAGE 342-343



CEILING PAGE 383

## VEGA MINOR - VL18248 / VL18236 / VL18224

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

- Square profile linear aluminum body
- Rectangular wall mount canopy
- Optional adapter plate for larger junction box
- Inset opal polymeric diffuser
- Finely textured plate or powder-coated finish
- Down light

	VL18248	VL18236	VL18224
WATTAGE:	47W	33W	18W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2132*	1561*	838*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
Custom options available	

\*Preliminary figures



VL60637-CH



WALL / VANITY.



VL60624-BK



VL60637-CH  
Shown with backplate accessory



## PLYMOUTH - VL60637 / VL60624

**FINISH** BK - Black | CH - Chrome

Aluminum base and frame  
Powder-coated and anodized finish  
Frosted polycarbonate diffuser  
Direct light  
Mounting options: horizontally or vertically

	VL60637	VL60624
<b>WATTAGE:</b>	29W	26W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1278*	1173*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

\*Preliminary figures

WALL / VANITY.



WS10336-BG



WS10336-BK



WS10324-WH




WS10324-BN


SEE FULL COLLECTION



CHANDELIER PAGE 76



PENDANT PAGE 166



WS10336

WS10324

## VEGA - WS10336 / WS10324

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Machined aluminum with powder-coated or electroplated finish  
Die-cast aluminum backplate with concealed fasteners  
Mounting options: horizontally or vertically

	WS10336	WS10324
<b>WATTAGE:</b>	26W	16W*
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1405*	832

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*





WALL / VANITY.



VL10323-BN




VL10323-BG




VL10337-BK



VL10337-WH



VL10323




VL10337

SEE FULL COLLECTION



CHANDELIER PAGE 76



PENDANT PAGE 166

## VEGA - VL10337 / VL10323

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Machined aluminum with powder-coated or electroplated finish

Machined die-cast aluminum backplate with concealed fasteners

Mounting options: horizontally or vertically

	VL10337	VL10323
<b>WATTAGE:</b>	26W	16W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1405*	832*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

\*Preliminary figures


ADJUSTABLE  
**FRAME**

WALL / VANITY.

**Style Tip**  
This configuration easily mounts to wall or ceiling to create a custom look.



SF16230-BN



SF16240-BK


SEE FULL COLLECTION



PENDANT PAGE 170




CEILING PAGE 388-389



29-5/8"

SF16230



39-3/4"

SF16240

## MONDRIAN - SF16240 / SF16230

**FINISH** BK - Black | BN - Brushed Nickel

Machined aluminum with electroplated brushed finish  
Adjustable frames for a range of design styles  
Frosted acrylic diffuser  
Light directed toward wall and finish plate  
Mounting options: wall or ceiling

	SF16240	SF16230
<b>WATTAGE:</b>	60W	46W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	2220*	1540*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*





WALL / VANITY.



VL47337-CH



VL47337-BG



VL47321-CH




WS47305-CH



WS47305-BG





VL47321-BG



SEE FULL COLLECTION



PENDANT PAGE 234



**PLUTO - VL47337 / VL47321 / WS47305**

FINISH BG - Brushed Gold | CH - Chrome

Die-cast aluminum dome and formed steel mount with plated finish  
Clear polymeric diffuser with offset etched interior surface  
Up or down light

	VL47337	VL47321	WS47305
WATTAGE:	27W	17W	6W
VOLTAGE:	120V	120V	120V
TOTAL LUMENS:	2000	1200	400
DELIVERED LUMENS:	1350*	810*	270*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS


Custom options available



WALL / VANITY.



VL17224-CH



## FRESNO - VL17224

**FINISH** CH - Chrome


Electroplated steel body and extruded-aluminum housing  
Extruded opal glass diffuser of 24" length  
May be mounted horizontally or vertically  
Up and down light

**WATTAGE:** 31W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1690

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%–10%  
**TYPE OF DIMMER:** ELV (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*



VL7524-CH



## CHARLESTON - VL7524

**FINISH** CH - Chrome

Cylindrical white frosted glass with  
electroplated, formed steel detail  
Up and down light

**WATTAGE:** 24W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1367

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%–10%  
**TYPE OF DIMMER:** ELV (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*



WS14935-BK





WS14947-WH



WS14935-BK



WS14923-WH


SEE FULL COLLECTION



CHANDELIER PAGE 85



PENDANT PAGE 187



WS14947

WS14935

WS14923

## CHUTE - WS14947 / WS14935 / WS14923

FINISH BK - Black | WH - White

Extruded-aluminum body  
 Cylindrical shape with welded capped ends  
 Circular wall mount  
 Finely textured powder-coated finish  
 Rounded opal silicone diffuser  
 Outward emitting light  
 Mounting options: horizontally or vertically

	WS14947	WS14935	WS14923
WATTAGE:	21W	14W	13W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	975*	784*	642*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures




WS83218-CH  
BHUTAN



WS84218-BK  
NEPAL



WS84218-BG  
NEPAL



WS84218

WS83218

## NEPAL / BHUTAN - WS84218 / WS83218

**FINISH** BK - Black | BG - Brushed Gold | CH - Chrome

Round or square plated or painted steel frame and wall plate  
Rectilinear opal glass diffuser  
Outward emitting wall light  
Mounting options: horizontally or vertically


	WS84218	WS83218
<b>WATTAGE:</b>	18W	18W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	885*	1126*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



WALL / VANITY.




WS24324-BK



WS24332-BN



WS24348-WH



## SWIVEL - WS24348 / WS24332 / WS24324

**FINISH** BK - Black | BN - Brushed Nickel | WH - White

Rectangular machined aluminum heatsink  
 Lightly textured powder-coated finish  
 Inset opal polymeric diffuser  
 Adjustable directional light with 350° rotational arm  
 Mounting options: horizontally or vertically

	WS24348	WS24332	WS24324
<b>WATTAGE:</b>	52W	38W	26W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	2741	2207	1623*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures

WALL / VANITY.




701314BK-LED




701313CH-LED




WS2413-CH



WS2413



701314-LED



701313-LED

**WATFORD - 701314-LED / 701313-LED / WS2413**

**FINISH** BK - Black (701314-LED & 701313-LED only) | CH - Chrome

Rectangular frosted glass diffuser  
 Orthogonal formed steel details and backplate  
 Matte painted or plated finish  
 Up and down wall light

	701314-LED	701313-LED	WS2413
<b>WATTAGE:</b>	41W	31W	16W
<b>VOLTAGE:</b>	120V	120	120V
<b>DELIVERED LUMENS:</b>	2094	1604	875

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*





701314BK-LED

WALL / VANITY.




VL13424-BK



VL13424-BN



VL13424-CH



## SOHO - VL13424

**FINISH** BK - Black | BN - Brushed Nickel | CH - Chrome

Square polymeric diffuser with  
electroplated formed steel details  
Up and down light

**WATTAGE:** 31W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1923

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS


*Custom options available*







VL17124-CH



## MENDOCINO - VL17124

**FINISH** CH - Chrome


Cylindrical white opal glass with  
electroplated formed steel detail  
Up and down light  
Mounting options: horizontally or vertically

**WATTAGE:** 31W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1633\*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*



VL17324-CH



## CAMDEN - VL17324

**FINISH** CH - Chrome

Cylindrical white opal glass with square-section  
single formed steel detail  
Up and down light  
Mounting options: horizontally or vertically

**WATTAGE:** 31W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1800

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*



WALL / VANITY.



WS17014-BK



WS17014-BG



WS17014-BN



WS17014-CH



VL17024-BK




VL17024-BG




VL17024-BN



VL17024-CH



WS17014



VL17024

## RONA - VL17024 / WS17014

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | CH - Chrome

Electroplated steel backplate and turned aluminum body  
 Extruded opal glass diffuser  
 Up and down light (VL17024)  
 Up light (WS17014)  
 Mounting options: horizontally or vertically (VL17024)


	VL17024	WS17014
<b>WATTAGE:</b>	31W	15W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1672	850

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	




\*Preliminary figures

WALL / VANITY.



VL61650-CH




VL61638-CH




VL61626-CH




VL61620-CH




VL61620



VL61626



VL61638



VL61650

## ALBERNI - VL61650 / VL61638 / VL61626 / VL61620

FINISH CH - Chrome

Electroplated orthogonal steel structure

and details

Rectangular opal acrylic diffuser

Wall light

Mounting options: horizontally or vertically

	VL61650	VL61638	VL61626	VL61620
WATTAGE:	62W	45W	31W	22W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	3210*	2477*	1541*	1104*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available


WALL / VANITY.




601465CH-LED



601464CH-LED



601464-LED



601465-LED

## CHARLOTTE - 601465-LED / 601464-LED

FINISH CH - Chrome

Semi-cylindrical opal diffuser with electroplated formed steel detail  
Metal side covers  
Up and down light  
Mounting options: horizontally or vertically

	601465CH-LED	601464CH-LED
WATTAGE:	41W	31W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1548	1526


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS
Custom options available	




601004CH-LED



601003CH-LED



601003LED



601004-LED

## PEGGY - 601004-LED / 601003-LED

FINISH CH - Chrome

Semi-cylindrical white opal glass with electroplated, formed steel detail  
Frosted side diffusers  
Up and down light  
Mounting options: horizontally or vertically

	601004CH-LED	601003CH-LED
WATTAGE:	46W	31W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2459	1259

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS
Custom options available	




WALL / VANITY.




601002BK-LED




601001BN-LED




VL0118-CH



VL0118



601001-LED



601002-LED

## LIGHTHOUSE - 601002-LED / 601001-LED / VL0118

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Extruded opal glass arc diffuser  
 Frosted glass end caps  
 Steel backplate with optional square junction  
 box cover plate included  
 Matte painted, brushed or plated finish  
 Wall light  
 Mounting options: horizontally or vertically

	601002-LED	601001-LED	VL0118
WATTAGE:	45W	31W	21W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2610	1740	1101

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	







601002BK-LED

WALL / VANITY.




VL47237-CH



VL47225-BK




VL47221-CH



VL47221



VL47225



VL47237

## LATITUDE - VL47237 / VL47225 / VL47221

FINISH BK - Black | CH - Chrome

Rectangular white acrylic with electroplated formed steel detail

Up and down light

Mounting options: horizontally or vertically

	VL47237	VL47225	VL47221
WATTAGE:	45W	31W	22W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	3041*	2021*	1256*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available



WALL / VANITY.



VL4737-CH




VL4725-CH




VL4721-CH



VL4721



VL4725



VL4737

## LATITUDE-SLIM - VL4737 / VL4725 / VL4721

**FINISH** CH - Chrome

Rectangular white acrylic with  
electroplated formed steel detail

Up and down light

Mounting options: horizontally or vertically

	VL4737	VL4725	VL4721
<b>WATTAGE:</b>	49W	31W	21W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	2331	1502	1195

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*






WS8332-BN

WS8324-CH

WS8318-BK



## BUTE - WS8332 / WS8324 / WS8318

**FINISH** BK - Black | BN - Brushed Nickel | CH - Chrome

Cylindrical white opal glass with electroplated steel details  
Up and down light  
Mounting options: horizontally or vertically

	WS8332	WS8324	WS8318
<b>WATTAGE:</b>	41W	31W	22W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	2404	1857	1302

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



WALL / VANITY.




WS8432-BN



WS8424-CH



WS8418-BK



## MELVILLE - WS8432 / WS8424 / WS8418

**FINISH** BK - Black | BN - Brushed Nickel | CH - Chrome

Rectangular white opal glass with electroplated steel details  
Up and down light  
Mounting options: horizontally or vertically

	WS8432	WS8424	WS8418
<b>WATTAGE:</b>	41W	31W	21W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	2614	1811	1215

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



WALL / VANITY.



VL16727-BK




VL16720-CH





WS16705-CH





WS16705-BK



WS16705



19-1/2"  
VL16720



26-1/2"  
VL16727

## BRAZEN - VL16727 / VL16720 / WS16705

FINISH BK - Black | CH - Chrome

Extruded-aluminum quatrefoil lamps on rectangular wall mount  
 Finely textured powder-coated or plated finish  
 Opal diffuser caps  
 Up and down light

	VL16727	VL16720	WS16705
WATTAGE:	44W	33W	11W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	824*	527*	206*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available







13

WALL / VANITY.




VL60236-CH




VL60224-BK




VL60220-CH



VL60220



VL60224



VL60236

**FERGUSON** - VL60236 / VL60224 / VL60220

FINISH BK - Black | CH - Chrome

Rounded - rectangular acrylic diffuser with electroplated formed steel detail  
Up and down light  
Mounting options: horizontally or vertically

	VL60236	VL60224	VL60220
WATTAGE:	46W	31W	22W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2493	1553	1226

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	






VL61236-CH




VL61224-BK



VL61220-CH



VL61220



VL61224



VL61236

## LONGITUDE - VL61236 / VL61224 / VL61220

FINISH BK - Black | CH - Chrome

Obround white acrylic diffuser with electroplated formed steel detail  
Up and down light  
Mounting options: horizontally or vertically

	VL61236	VL61224	VL61220
WATTAGE:	45W	31W	21W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2918*	1884*	1275*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

*Custom options available*



WALL / VANITY.



VL62236-CH



VL62236-BK



VL62224-CH




VL62224-BK




VL62220-CH



VL62220-BK



VL62220



VL62224



VL62236

## JANE - VL62236 / VL62224 / VL62220

FINISH BK - Black | CH - Chrome

Rectangular white acrylic diffuser with electroplated formed steel detail  
Up and down light  
Mounting options: horizontally or vertically

	VL62236	VL62224	VL62220
WATTAGE:	45W	31W	22W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2958*	1918*	1189*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available



WALL / VANITY.



VL6236-CH




VL6224-CH




VL6220-CH



VL6220



VL6224



VL6236

## JANE-SLIM - VL6236 / VL6224 / VL6220

FINISH CH - Chrome

Rectangular white acrylic diffuser with  
electroplated formed steel detail  
Up and down light  
Mounting options: horizontally or vertically

	VL6236	VL6224	VL6220
WATTAGE:	49W	31W	21W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2179	1457	1066

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

*Custom options available*







WALL / VANITY.




WS3413-CH



WS3413-BK



WS3413-BG



## HARROW - WS3413

**FINISH** BK - Black | BG - Brushed Gold | CH - Chrome

Semi-cylindrical white opal glass  
with electroplated steel details  
Up and down light  
Mounting options: horizontally or vertically

**WATTAGE:** 16W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 866


**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%–10%  
**TYPE OF DIMMER:** ELV (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*



WS3909-BN



WS3909-CH



## HOUNSLOW - WS3909

**FINISH** BN - Brushed Nickel | CH - Chrome

Rectangular white opal glass  
with electroplated steel details  
Up and down light

**WATTAGE:** 13W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 665

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%–10%  
**TYPE OF DIMMER:** ELV (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*



WALL / VANITY.



601432BN-LED



601432CH-LED



601432BK-LED




601431BN-LED




601431CH-LED



601431BK-LED



601432-LED



601431-LED

## NORFOLK - 601432-LED / 601431-LED

**FINISH** BK - Black | BN - Brushed Nickel | CH - Chrome

Formed steel with electroplated or powder-coated finish  
 Machined acrylic lens  
 Up and down light  
 Mounting options: horizontally or vertically

	601432	601431	COLOR TEMP	3000K
<b>WATTAGE:</b>	17W	17W	CRI (RA)	>90
<b>VOLTAGE:</b>	120V	120V	DIMMING	100%–10%
<b>DELIVERED LUMENS:</b>	705*	705*	TYPE OF DIMMER	ELV (not included)
			RATED LIFE	50,000 HOURS

*Custom options available*



WALL / VANITY.



WS9809-BN



WS9809-CH



WS9809-BG




WS9815-BN



WS9815-CH



WS9815-BG



## MILANO - WS9815 / WS9809

**FINISH** BN - Brushed Nickel | BG - Brushed Gold | CH - Chrome

White opal glass cylinder with electroplated steel details  
Available in two sizes and three finishes

	WS9815	WS9809	COLOR TEMP	3000K
<b>WATTAGE:</b>	17W	9W	CRI (RA)	>90
<b>VOLTAGE:</b>	120V	120V	DIMMING	100%-10%
<b>DELIVERED LUMENS:</b>	837*	390*	TYPE OF DIMMER	ELV (not included)
			RATED LIFE	50,000 HOURS
			<i>Custom options available</i>	

\*Preliminary figures

WALL / VANITY.



WS33407-BN




WS33407-BK



WS33407-BG



WS33407-WH



## GUIDE - WS33407

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Solid machined aluminum body  
Rectangular wall mount canopy  
Edge-lit translucent panel  
Finely brushed finish  
Ambient wall light  
Mounting options: up or down

**WATTAGE:** 7W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 275\*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%-10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*



WALL / VANITY.




WS39210-CH



WS39210-BG



WS39210-BK



## BENGAL - WS39210

**FINISH** BK - Black | BG - Brushed Gold | CH - Chrome

Vertical plated or painted steel accent and wall plate  
Extruded rectangular opal glass diffuser  
Outward emitting wall light  
Mounting options: horizontally or vertically

**WATTAGE:** 13W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 694\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%-10%  
**TYPE OF DIMMER:** ELV *(not included)*  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*



\*Preliminary figures


WALL / VANITY.



WS41216-WH/SV



WS41216-BK/GL



## DELA - WS41216

**FINISH** BK/GL - Black/Gold Leaf | WH/SV - White/Silver

Bi-color powder-coated formed steel  
 Black with Gold interior or White with Silver interior  
 Up and down light  
 Mounting options: horizontally or vertically

	BK	WH
<b>WATTAGE:</b>	18W	18W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	370	481

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV (not included)
<b>RATED LIFE</b>	50,000 HOURS


*Custom options available*



601471BK-LED



601471WH-LED



## PRESTON - 601471-LED

**FINISH** BK - Black | WH - White

Bi-color powder-coated formed steel  
 Black with Gold interior or White with Silver interior  
 Up and down light  
 Mounting options: horizontally or vertically

	BK	WH
<b>WATTAGE:</b>	9W	9W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	103	153

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV (not included)
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*







WALL / VANITY.

SEE FULL COLLECTION




PENDANT PAGE 228




WS53322-CH



WS53318-CH



WS53318



WS53322

## MARTELO - WS53322 / WS53318

FINISH CH - Chrome

Electroplated steel

Mounting options: horizontally or vertically

	WS53322	WS53318
WATTAGE:	22W	12W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	660	358

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS


Custom options available




WS19707-BK



WS19705-BK



WS19705



WS19707

## DRAVEN - WS19707 / WS19705

FINISH BK - Black

Cylindrical aluminum body

Square wall mount canopy

Finely textured powder-coated finish

Tapered round translucent diffusers

Plated brushed gold accent rings

Up and down light

Mounting options: horizontally or vertically

	WS19707	WS19705
WATTAGE:	21W	14W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	901*	853


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available






WS2812-BN



WS2812-BK



WS2812-CH



## GABLE - WS2812

**FINISH** BK - Black | BN - Brushed Nickel | CH - Chrome

Rectangular clear crystal with bubbles  
Electroplated steel details  
Up light  
Mounting options: up or down

**WATTAGE:** 6W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 252\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%–10%  
**TYPE OF DIMMER:** ELV (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*



WS54615-CH




WS54615-BN



WS54615-BZ



WS54615-BK



## WARWICK - WS54615

**FINISH** BK - Black | BN - Brushed Nickel | BZ - Bronze | CH - Chrome

Slender hexagonal crystal column encased bubbles  
with electroplated formed steel detail  
Up and down light  
Mounting options: up or down

**WATTAGE:** 11W  
**VOLTAGE:** 120V  
**TOTAL LUMENS:** 800  
**DELIVERED LUMENS:** 354\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%–10%  
**TYPE OF DIMMER:** ELV (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*



WALL / VANITY.




601484BK-LED



601484BN-LED



601484CH-LED



## ELIZABETH - 601484-LED

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Opal glass with electroplated steel details  
Up light  
Mounting options: up or down

WATTAGE: 11W  
VOLTAGE: 120V  
DELIVERED LUMENS: 616\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%–10%  
TYPE OF DIMMER ELV (not included)  
RATED LIFE 50,000 HOURS  
*Custom options available*




601485BK-LED



601485BN-LED



601485CH-LED



## STRATFORD - 601485

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Opal glass with electroplated steel details  
Up light

WATTAGE: 11W  
VOLTAGE: 120V  
DELIVERED LUMENS: 597\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%–10%  
TYPE OF DIMMER ELV (not included)  
RATED LIFE 50,000 HOURS  
*Custom options available*




WALL / VANITY.




WS3313



WS3309



WS3309



WS3313



## HUDSON - WS3313 / WS3309

**FINISH** BN - Brushed Nickel | CH - Chrome

Semi-cylindrical white opal glass  
Includes both brushed nickel  
and chrome decorative nuts  
Up and down light

	WS3313	WS3309
<b>WATTAGE:</b>	16W	11W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	691	575*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*




WS63209-BG



WS63209-BK



WS63209-CH



## PONDI - WS63209

**FINISH** BK - Black | BG - Brushed Gold | CH - Chrome

Horizontal plated or painted steel accent and wall plate  
Extruded semi-circular opal glass diffuser  
Outward emitting wall light  
Mounting options: horizontally or vertically

<b>WATTAGE:</b>	13W
<b>VOLTAGE:</b>	120V
<b>DELIVERED LUMENS:</b>	679*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*










WALL / VANITY.




WS16907-BK  
USB charging capability



WS16912-WH  
USB charging capability



WS16907



WS16912

## DRESDEN - WS16912 / WS16907

**FINISH** BK - Black | WH - White


- Steel and cast-aluminum
- Modern powder-coated finish
- Frosted acrylic diffuser
- Direct light or rotational down light
- Backplate features USB charging capability

	WS16912	WS16907
<b>WATTAGE:</b>	7W	7W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	408	329

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures




WALL / VANITY.



WS18901-BK

WS18901-WH



## ETON - WS18901

**FINISH** BK - Black | WH - White

- Die-cast aluminum lamp head with flexible rubberized stem
- Circular wall mount attachment
- Finely textured powder-coated finish
- Adjustable direction spot light
- Rocker on/off switch


**WATTAGE:** 3W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 190

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**RATED LIFE:** 50,000 HOURS

*Custom options available*



WALL / VANITY.



WS16811L-BK  
USB charging port




WS16806-WH



WS16811R-WH  
USB charging port



WS16806-BK



## DORCHESTER - WS16811L / WS16811R / WS16806

**FINISH** BK - Black | WH - White

Adjustable cylindrical aluminum spot light attached to rectangular wall mount  
 Finely textured achromatic powder-coated finish  
 Frosted acrylic ambient light  
 On/off switches control two light sources  
 USB charging port (WS16811)

	WS16811L/R	WS16806	COLOR TEMP	3000K
<b>WATTAGE:</b>	16W	12W	CRI (RA)	>90
<b>VOLTAGE:</b>	120V	120V	RATED LIFE	50,000 HOURS
<b>DELIVERED LUMENS:</b>	811*	550*	<i>Custom options available</i>	

\*Preliminary figures

WALL / VANITY.



WS10437-BK



WS10437-WH



WS10423-BK




WS10423-WH




WS10415-BK




WS10415-WH



WS10415



WS10423



WS10437

## GALLERIA - WS10437 / WS10423 / WS10415

FINISH BK - Black | WH - White

Extruded aluminum with powder-coated finish  
Die-cast aluminum wall plate with concealed fasteners  
Down light

	WS10437	WS10423	WS10415
WATTAGE:	25W	16W	11W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	712*	432*	279*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available










WALL / VANITY.




PL18217-BK



PL18234-BN




PL18217




PL18234

SEE FULL COLLECTION



CHANDELIER PAGE 74-75



PENDANT PAGE 167



CEILING PAGE 383

## VEGA MINOR PICTURE - PL18234 / PL18217



**FINISH** BK - Black | BN - Brushed Nickel

Solid machined- and extruded-aluminum frame  
 Modern powder-coated or anodized finish  
 Frosted acrylic diffuser  
 Rotational down light  
 Adjustable 90° head for directional illumination

	PL18234	PL18217
<b>WATTAGE:</b>	31W	16W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	900*	450*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

\*Preliminary figures



CEILING.



CEILING.

**Style Tip**


Set the mood by adjusting the Calix Collection's color temperature with an easy-slider switch.



FM45316-BK



FM45316-BG



**CALIX - FM45316**

**FINISH** BK - Black | BG - Brushed Gold


Forged aluminum and steel body  
Modern brushed or powder-coated finish options  
Unique ribbed polycarbonate diffuser  
Down light  
Built in adjustable color temperature (3000K/3500K/4000K)

**WATTAGE:** 28W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1720\*

**COLOR TEMP** 3000K/3500K/4000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV OR TRIAC (*not included*)  
**RATED LIFE** 50,000 HOURS

*Custom options available*





FM45316-BK








FM31205-BK/WH

SEE FULL COLLECTION



WALL / VANITY  
PAGE 240-241


## CUBIX - FM31205

FINISH BK/WH - Black/White

Forged steel frame  
Modern duo-toned finish  
Frosted acrylic diffuser  
Down light

WATTAGE: 9W  
VOLTAGE: 120V  
DELIVERED LUMENS: 440\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER ELV *(not included)*  
RATED LIFE 50,000 HOURS  
*Custom options available*



\*Preliminary figures



CEILING.



FM57508-BG/CP



FM57508-CH/OP



FM57508-BK/SM

SEE FULL COLLECTION




CHANDELIER PAGE 44-45



PENDANT PAGE 138-139



WALL / VANITY PAGE 242-243



## SAMAR - FM57508

**FINISH** BK - Black | BG - Brushed Gold | CH - Chrome  
**GLASS** CP - Copper | SM - Smoked | OP - Opal Matte


Forged steel accents  
Plated, brushed, and powder-coated finish options  
Ombre smoked, ombre copper, and opal glass options  
Down light

**LAMPING:** 1 x 60W, E26  
**VOLTAGE:** 120V


*Custom options available*







FM23534-BK



FM23534-BG

SEE FULL COLLECTION




CHANDELIER PAGE 38-39



PENDANT PAGE 116-117



WALL / VANITY PAGE 244-245



## BLADE - FM23534

**FINISH** BK - Black | BG - Brushed Gold

Forged aluminum and steel accents  
 Modern brushed or powder-coated finish options  
 Unique ribbed acrylic diffuser  
 Down light

**WATTAGE:** 29W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1260\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%-10%  
**TYPE OF DIMMER:** ELV OR TRIAC (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*

\*Preliminary figures



CEILING.



FM52508-BK/CL



FM52508-BG/CL



FM52512-BK/CL



FM52512-BG/CL

SEE FULL COLLECTION



WALL / VANITY  
PAGE 251

## CEDAR - FM52512 / FM52508

**FINISH** BK - Black | BG - Brushed Gold


**GLASS** CL - Clear

Forged aluminum and steel body  
Modern brushed or powder-coated finish options  
Clear glass shades  
Frosted glass diffusers  
Down light  
Damp rated for varied usage

	FM52512	FM52508
<b>WATTAGE:</b>	13W	13W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	710*	690*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*









FM53509-BK/CL

CEILING.

**NEW**



FM53509-BG/CL



FM53512-BG/CL



FM53509-BK/CL




FM53512-BK/CL

SEE FULL COLLECTION



WALL / VANITY  
PAGE 252-253



## BIRCH - FM53512 / FM53509

**FINISH** BK - Black | BG - Brushed Gold

**GLASS** CL - Clear

Forged aluminum and steel body  
Modern brushed or powder-coated finish  
Clear glass shades  
Frosted glass diffusers  
Down light

	FM52512	FM52509
<b>WATTAGE:</b>	13W	13W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	625*	600*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures




CEILING.



FM54809-BK/OP



FM54809-BG/OP



## CLOVER - FM54809

**FINISH** BK - Black | BG - Brushed Gold

**GLASS** OP - Opal Matte

Cast aluminum accompaniments  
Modern brushed or powder-coated finish options  
Unique clover-shaped glass  
Opal glass shade  
Down light  
Damp rated for varied usage

**WATTAGE:** 13W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 450\*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%-10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS

*Custom options available*



FM54809-BK/OP








CEILING.



FM53005-BG/OP



FM53005-BK/OP



## MEL - FM53005

**FINISH** BK - Black | BG - Brushed Gold

**GLASS** OP - Opal Matte

- Cast aluminum body
- Modern brushed or powder-coated finish options
- Opal glass shade
- Frosted acrylic diffuser
- Down light
- Damp rated for varied usage

**WATTAGE:** 13W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 420\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%-10%  
**TYPE OF DIMMER:** ELV *(not included)*  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*

\*Preliminary figures

**NEW**

CEILING.



FM45907-BK/OP




FM45910-BK/OP



FM45907-BG/OP



FM45910-BG/OP



## REGALO - FM45910 / FM45907

**FINISH** BK - Black | BG - Brushed Gold

**GLASS** OP - Opal Matte

Forged aluminum and steel frame  
 Modern brushed or powder-coated finish options  
 Opal glass shade  
 Down light

	FM45910	FM45907
<b>WATTAGE:</b>	16W	13W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	600*	480*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*









SF59706-BK/OP



SF59706-BK/SM



SF59706-BG/OP



SF59708-BK/OP



SF59708-BK/SM




SF59708-BG/OP

SEE FULL COLLECTION



PENDANT PAGE 136-137



## ARCADIA - SF59708 / SF59706

**FINISH** BK - Black | BG - Brushed Gold

**GLASS** OP - Opal Matte | SM - Smoked

Forged steel accompaniments  
Opal or smoked glass options  
Hourglass-inspired shape  
Modern brushed or powder-coated finish options

**WATTAGE:** 1 x 60W  
**VOLTAGE:** 120V

*Custom options available*







CEILING.



FM45707-BG/GO



FM45707-BN/GO



FM45710-BG/GO




FM45710-BN/GO

SEE FULL COLLECTION



WALL / VANITY  
PAGE 254-255



## HOLT - FM45710 / FM45707

**FINISH** BG - Brushed Gold | BN - Brushed Nickel

**GLASS** GO - Glossy Opal

Plated Steel Accents  
Modern plated finishes  
Glossy opal glass diffusers  
Down light

	FM45710	FM45707
<b>WATTAGE:</b>	16W	13W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	525*	420*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV (not included)
<b>RATED LIFE</b>	50,000 HOURS

Custom options available







FM45710-BG/GO



FM58306-BK/OP



FM58306-BG/OP



FM58306-BK/OP



FM58310-BG/OP




FM58310-BK/OP

SEE FULL COLLECTION



PENDANT PAGE 142-143



# MONAE - FM58310 / FM58306

**FINISH** BK - Black | BG - Brushed Gold

**GLASS** OP - Opal Matte

- Forged steel body
- Modern brushed or powder-coated finish options
- Opal glass shade
- Socket-based configuration
- Bulb not included

**WATTAGE:**  
**VOLTAGE:**

<b>FM58310</b>	<b>FM58306</b>
1 X 60W	1 X 60W
120V	120V

*Custom options available*




\*Preliminary figures

CEILING.



FM44912-BK/WH



**CAYNE** - FM44912

**FINISH** BK/WH - Black/White

- Forged iron body
- Modern powder-coated finish
- Trendy duo-tone design
- Acrylic diffuser
- Down light


**WATTAGE:** 16W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 713\*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV *(not included)*  
**RATED LIFE** 50,000 HOURS

*Custom options available*



FM44614-BK/WH



**CROFT** - FM44614

**FINISH** BK/WH - Black/White

- Forged iron body
- Modern powder-coated finish
- Trendy duo-tone design
- Acrylic diffuser
- Down light

**WATTAGE:** 17W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 650\*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV *(not included)*  
**RATED LIFE** 50,000 HOURS

*Custom options available*










FM63432-BK



**Style Tip**  
 This configuration easily mounts to wall or ceiling to create a custom look.



FM63432-BK



FM63432-BN

SEE FULL COLLECTION



CHANDELIER PAGE 60-61




PENDANT PAGE 144-145



WALL / VANITY PAGE 262



WALL / VANITY PAGE 263



31-3/4"

17-3/4"

3-3/4"

## REZZ - FM63432

**FINISH** BK - Black | BN - Brushed Nickel

Forged iron and aluminum frame  
 Frosted opal glass diffusers  
 Modern powder-coated and anodized finishes  
 Direct light  
 Mounting options: horizontally or vertically

**WATTAGE:** 51W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1100\*

\*All data based on Black finish.  
 See spec sheet for details.

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%-10%  
**TYPE OF DIMMER:** ELV OR TRIAC (*not included*)  
**RATED LIFE:** 50,000 HOURS

*Custom options available*



CEILING.



FM43423-BK/GD



FM43423-WH/GD



FM43419-WH/GD




FM43419-BK/GD



FM43414-WH/GD



FM43414-BK/GD



FM43423

FM43419

FM43414

## JASPER - FM43423 / FM43419 / FM43414

FINISH BK/GD - Black/Gold | WH/GD - White/Gold

Spun-aluminum base  
 Modern duo-tone powder-coated finish  
 Frosted acrylic diffuser  
 Down light

	FM43423	FM43419	FM43414
WATTAGE:	45W	32W	17W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2555*	1640*	775*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available





SF62014-BK/CH



SF62014-BK/CP




SF62014-BK/SM

SEE FULL COLLECTION



PENDANT PAGE 179



## TRINITY - SF62014

**FINISH** BK - Black

**GLASS** CH - Chrome | CP - Copper | SM - Smoked

Cast-aluminum accompaniments  
 Clear glass with painted gradient detailing  
 Modern powder-coated finish  
 Frosted acrylic diffuser  
 Down light

**WATTAGE:** 21W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1100\*

\*All data based on Black/Smoked finish.  
 See spec sheet for details.

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%-10%  
**TYPE OF DIMMER** ELV *(not included)*  
**RATED LIFE** 50,000 HOURS

*Custom options available*

CEILING.



FM43920-WH/GD



FM43920-WH/BK



FM43920-WH/WT




FM43916-BK/GD



FM43916-BK/WT



FM43916-BK/WH



## ESSEX - FM43920 / FM43916

**FINISH** BK - Black | WH - White

**INTERIOR** BK - Black | WH - White | WT - Walnut | GD - Gold

Steel and acrylic body  
 Modern powder-coated finish  
 Frosted acrylic diffuser  
 Down and ceiling light  
 Intentional frame gap creating decorative halo of illumination

	FM43920	FM43916
<b>WATTAGE:</b>	45W	32W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1780*	1118

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



FM43916-BK/WH

CEILING.



FM1515-WH



FM1515-BG




FM1515-BK



FM1512-CH



FM1512-BN



## MALTA - FM1515 / FM1512

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | CH - Chrome | WH - White

Circular opal white glass dome  
Formed steel trim ring  
Matte painted, brushed or plated finish  
Down light

	FM1515	FM1512
<b>WATTAGE:</b>	19W	13W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	840*	570*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*





CEILING.



FM52719-WT



FM52719-BN



FM52719-BK


SEE FULL COLLECTION



PENDANT PAGE 151



WALL / VANITY PAGE 271



## ANELLO MINOR - FM52719

FINISH BK - Black | BN - Brushed Nickel | WT - Walnut

Cylindrical segments with polymeric diffuser  
Up and down light

WATTAGE: 50W  
VOLTAGE: 120V  
DELIVERED LUMENS: 1422

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER TRIAC (not included)  
RATED LIFE 50,000 HOURS  
*Custom options available*




CEILING.




FM43121-BK



FM43117-CL



FM43117



FM43121

## HAMPTON - FM43121 / FM43117

FINISH BK - Black | CL - Clear

Steel base with polymeric body  
Frosted acrylic lens  
Down light

	FM43121	FM43117
WATTAGE:	45W	32W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1490*	950*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS


Custom options available




FM43518-WH



FM43522-BK



FM43518



FM43522

## BRUNSWICK - FM43522 / FM43518

FINISH BK - Black | WH - White

Circular steel base with polymeric body  
Frosted acrylic lens  
Glossy body and matte painted base  
Down light

	FM43522	FM43518
WATTAGE:	45W	32W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2795*	1385*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available



\*Preliminary figures

CEILING.



FM93820-AN



FM93820-BK




FM93820-AS

SEE FULL COLLECTION




CHANDELIER PAGE 65



PENDANT PAGE 190



WALL / VANITY PAGE 287



## SYNERGY - FM93820


**FINISH** AN - Antique Brass | AS - Antique Silver | BK - Black

Extruded and rolled rectangular aluminum helix ring  
Flexible silicone-rubber diffuser  
Metallic brushed finish or matte powder-coated  
Multi-directional lighting from ceiling


**WATTAGE:** 37W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1236\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%-10%  
**TYPE OF DIMMER:** ELV OR TRIAC *(not included)*  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*


CEILING.




FM18247-BN




FM18247-BG



FM18232-WH



FM18232-BK




FM18232

SEE FULL COLLECTION



CHANDELIER PAGE 74-75




PENDANT PAGE 167



WALL / VANITY PAGE 291



WALL / VANITY  
PAGE 342-343



FM18247

## VEGA MINOR - FM18247 / FM18232

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Overlapping square profile linear aluminum with square ceiling mount  
Removable lamp arms for multiple configurations  
Inset opal polymeric diffuser  
Finely textured plate or powder-coated finish  
Down light

	FM18247	FM18232
<b>WATTAGE:</b>	61W	46W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	2240*	2177*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures

CEILING.



FM7920-BE



FM7920-BOR



FM7920-GY



FM7916-WH



FM7916-BK




FM7916-WOR

SEE FULL COLLECTION



PENDANT PAGE 220-221



## DALTON - FM7920 / FM7916

FINISH BE - Beige | BK - Black | BOR - Black Organza | GY - Gray | WH - White | WOR - White Organza

Textured beige, black, white, gray, white organza and black organza fabric shade with formed steel frame and white acrylic diffuser  
Down light

	FM7920	FM7916	COLOR TEMP	3000K
WATTAGE:	32W	26W	CRI (RA)	>90
VOLTAGE:	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	1310*	1050*	TYPE OF DIMMER	ELV (not included)
			RATED LIFE	50,000 HOURS
			<i>Custom options available</i>	





FM7916-WOR

CEILING.




FM43315-CH



FM43313-WH



FM43311-BK



## BROOK - FM43315 / FM43313 / FM43311

FINISH BK - Black | CH - Chrome | WH - White

Circular steel base with polymeric body  
 Frosted acrylic lens  
 Chrome plated finish  
 Down light

	FM43315	FM43313	FM43311
WATTAGE:	32W	26W	17W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1540*	1330*	800*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV ( <i>not included</i> )
RATED LIFE	50,000 HOURS

*Custom options available*



CEILING.




FM7620-BK



FM7616-BN



FM7610-BK



**PARKER - FM7620 / FM7616 / FM7610**

**FINISH** BK - Black | BN - Brushed Nickel (FM7616 only)


Circular frosted glass, with clear edges and electroplated, formed steel center section and canopy  
Down light

	FM7620	FM7616	FM7610
<b>WATTAGE:</b>	45W	32W	19W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	2182	1443	802

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures





**Style Tip**  
 This configuration easily mounts to wall or ceiling to create a custom look.



SF16316-BK



SF16312-BN



SF16216-BN



SF16212-BK


SEE FULL COLLECTION



PENDANT PAGE 171



WALL / VANITY PAGE 296-297



## MONDRIAN - SF16316 / SF16312 / SF16216 / SF16212

FINISH BK - Black | BN - Brushed Nickel



Machined aluminum with electroplated brushed finish

Adjustable frames for a range of design styles

Frosted acrylic diffuser

Light directed toward wall and finish plate

Mounting options: wall or ceiling

	SF16316	SF16312	SF16216	SF16212
WATTAGE:	47W	33W	33W	33W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	1645*	1155*	1155*	1085*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS

Custom options available

\*Preliminary figures

CEILING.



501122-LED



501122BG-LED



501112-LED




501112BG-LED



501102-LED



501102BG-LED



**FLOYD - 501122-LED / 501112-LED / 501102-LED**

**FINISH** BG - Brushed Gold | BN - Brushed Nickel

Circular, domed white opal glass with electroplated formed steel detail  
Down light

	501122	501112	501102
<b>WATTAGE:</b>	22W	19W	17W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	1190	995	912

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*






CEILING.



FM2011-CH



**LOMITA - FM2011**

**FINISH** CH - Chrome

Round white opal glass with electroplated  
formed steel detail  
Down light

**WATTAGE:** 19W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 948

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV *(not included)*  
**RATED LIFE** 50,000 HOURS  
*Custom options available*




FM6012-BK



FM6012-BN



FM6012-CH



**CHARLIE - FM6012**

**FINISH** BK - Black | BN - Brushed Nickel | CH - Chrome

Round white opal acrylic diffuser with electroplated  
formed steel canopy  
Down light

**WATTAGE:** 24W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1352

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV *(not included)*  
**RATED LIFE** 50,000 HOURS  
*Custom options available*



**2**  
MOUNTING  
OPTIONS

CEILING.



WS22915-GY  
As wall light



WS22915-BK/WH  
As Semi-Flush



FM22815-BK/WH  
As Semi-Flush




FM22815-GY  
As wall light

SEE FULL COLLECTION



PENDANT PAGE 180-181



## CRUZ - WS22915 / FM22815

FINISH BK/WH - Black/White | GY - Gray

Cast- and spun-aluminum or felt textile body  
Modern powder-coated finish  
Spun aluminum (BK/WH) or gray felt textile (GY)  
reflector with frosted acrylic cover (WS22915)  
Spun aluminum (BK/WH) or gray felt textile (GY)  
reflector with opal glass (FM22815)  
Down light (WS22915)  
Direct omni-directional light (FM22815)  
Mounting options: wall or ceiling  
392 CRUZ

	WS22915	FM22815
WATTAGE:	13W	13W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	237*	781*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available



\*Preliminary figures





CEILING.



FM72205-BK




SF72205-BK

SEE FULL COLLECTION



CHANDELIER PAGE 56




PENDANT PAGE 168



WALL / VANITY  
PAGE 284-285





PORTABLE PAGE 413



SF72205

6-1/2" Max.

5-1/4"



FM72205

3/4"

5-1/4"

## NOVEL - SF72205 / FM72205

FINISH BK - Black

Cast-aluminum frame and base  
Modern powder-coated finish  
Frosted acrylic cover and light guide  
Down light or rotational up or down light  
Adjustable 350° disks for a variety of styles and directional illumination (SF72205)

	SF72205	FM72205
WATTAGE:	8W	8W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	492*	492*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

*Custom options available*




CEILING.



FM10205-BK



FM10205-WH



**LUCCI - FM10205**

FINISH BK - Black | WH - White

Shallow cylinder-shaped flush mount  
White or black powder-coated detail

WATTAGE: 15W  
VOLTAGE: 120V  
DELIVERED LUMENS: 750\*



COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%–10%  
TYPE OF DIMMER ELV (*not included*)  
RATED LIFE 50,000 HOURS  
*Custom options available*



FM10705-BK



FM10605-WH



**FALCO - FM10705 / FM10605**

FINISH BK - Black | WH - White

Square- and cylinder-shaped flush mounts  
White or black powder-coated detail

	FM10705	FM10605
WATTAGE:	16W	16W
VOLTAGE:	120-277V	120-277V
DELIVERED LUMENS:	813	717

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%–10%  
TYPE OF DIMMER ELV OR TRIAC (*not included*)  
RATED LIFE 50,000 HOURS  
*Custom options available*



\*Preliminary figures







CEILING.




FM48618



FM48614



FM48610



**ASTON - FM48618 / FM48614 / FM48610**

**FINISH** CL - Clear

- Clear round aesthetic glass
- Opal glass cylindrical diffuser
- Powder-coated white steel ceiling plate
- Down light

	FM48618	FM48614	FM48610
<b>WATTAGE:</b>	32W	26W	13W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	1430*	1050*	396*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



\*Preliminary figures


CEILING.



FM42706-WH



FM42706-BK



**STOCKTON - FM42706**

FINISH BK - Black | WH - White

Slim die-cast aluminum body with powder-coated finish  
Cylindrical polymeric diffuser  
Down light

WATTAGE: 14W  
VOLTAGE: 120V  
DELIVERED LUMENS: 910\*


COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%–10%  
TYPE OF DIMMER ELV (not included)  
RATED LIFE 50,000 HOURS  
*Custom options available*




FM13120-BK



FM13124-WH



FM13120



FM13124

SEE FULL COLLECTION



PENDANT PAGE 222

**BEACON - FM13124 / FM13120**

FINISH BK - Black | WH - White

Formed aluminum and steel  
Available in black or white finish

	FM13124	FM13120
WATTAGE:	60W	26W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2840*	1049
*All data based on Black finish. See spec sheet for detail.		

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%–10%  
TYPE OF DIMMER ELV (not included)  
RATED LIFE 50,000 HOURS  
*Custom options available*



CEILING.




FM3511-CH/FR




FM3511-BK



FM3506-BN



FM3506



FM3511



## BEDFORD - FM3511 / FM3506

**FINISH** BK - Black/Frosted | BN - Brushed Nickel/Frosted | CH/FR - Chrome/Frosted (FM3511 only)

Round frosted or clear outer glass surface  
Cylindrical steel ceiling mount  
Matte painted, brushed or plated finish  
Down light

	FM3511	FM3506
<b>WATTAGE:</b>	22W	13W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	971*	518*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS


*Custom options available*




FM11015-WH



FM11011-WH



FM11011



FM11015



## TRAFALGAR - FM11015 / FM11011

**FINISH** WH - White

Circular domed white opal glass diffuser with powder-coated white formed steel canopy  
Down light

	FM11015	FM11011
<b>WATTAGE:</b>	22W	17W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1242*	745

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

\*Preliminary figures

CEILING.



FM11418-BK



FM11418-WH



FM11414-WH




FM11414-BK



FM11410-WH



FM11410-BK



FM11418

FM11414

FM11410

## MOUSINNI - FM11418 / FM11414 / FM11410

FINISH BK - Black | WH - White

Gold interior with black metal details  
or silver interior with white metal details  
White acrylic diffuser

	FM11418	FM11414	FM11410
WATTAGE:	48W	22W	17W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1890*	572*	365*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available





CEILING.



FM9405-WH




FM9304-WH



FM9405-BK



FM9304-BK



## SOLO - FM9405 / FM9304

**FINISH** BK - Black | WH - White

Square or cylindrical adjustable flush mount  
 Bi-color powder-coated machined and die-cast aluminum  
 Set and forget aiming  
 Down light

	FM9405	FM9304	COLOR TEMP	3000K
<b>WATTAGE:</b>	20W	20W	CRI (RA)	>90
<b>VOLTAGE:</b>	120V	120V	DIMMING	100%–10%
<b>DELIVERED LUMENS:</b>	1355*	1382*	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
			RATED LIFE	50,000 HOURS
			<i>Custom options available</i>	





CEILING.



SF15001-BK



SF15101-WH



SF15601-BK



SF15701-WH



SF15002-WH




SF15102-BK




SF15602-WH




SF15702-BK




SF15702




SF15701




SF15602




SF15601




SF15102



SF15101



SF15002



SF15001

**DOWNEY** - SF15702 / SF15701 / SF15602 / SF15601  
SF15102 / SF15101 / SF15002 / SF15001

**FINISH** BK - Black | WH - White

Cylindrical lamp heads with recessed reflectors  
Powder-coated finish  
Adjustable directional lights  
Fixed stem length

	SF15702	SF15701	SF15602	SF15601
WATTAGE:	12W	8W	7W	4W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	548*	274*	356*	178*
	SF15102	SF15101	SF15002	SF15001
WATTAGE:	12W	8W	7W	4W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	548*	274*	356*	178*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures

CEILING.




TR10022-BK




TR10015-BN




TR10006-BK



TR10006



TR10015



TR10022

**LYRA** - TR10022 / TR10015 / TR10006

**FINISH** BK - Black | BN - Brushed Nickel

Machined steel with frosted glass diffuser  
Electroplated formed steel detail  
Down light

	TR10022	TR10015	TR10006
<b>WATTAGE:</b>	17W	11W	6W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	900*	600*	300*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



CEILING.






TR10044-BN



TR10036-BK



TR10031-BN



## LYRA - TR10044 / TR10036 / TR10031

**FINISH** BK - Black | BN - Brushed Nickel

Machined steel with frosted glass diffuser  
Electroplated formed steel detail  
Down light

	TR10044	TR10036	TR10031
<b>WATTAGE:</b>	33W	27W	22W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	1300*	1500*	1200*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures



PORTABLE.

**NEW**

PORTABLE.



FL28563-BK



FL28563-BG



TL28518-BG



TL28518-BK


SEE FULL COLLECTION



PENDANT PAGE 110-111



PENDANT PAGE 110



# HILO - FL28563 / TL28518

**FINISH** BK - Black | BG - Brushed Gold

- Forged aluminum and steel frame
- Modern brushed or powder-coated finish options
- Light guide technology
- Clear glass shades
- Black wire
- Omni-directional light
- Easy on/off switch on base

	FL28563	TL28518	COLOR TEMP	3000K
WATTAGE:	17W	9W	CRI (RA)	>90
VOLTAGE:	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	650*	320*	TYPE OF DIMMER	TOUCH DIMMING
			RATED LIFE	50,000 HOURS
			<i>Custom options available</i>	









TL83708-BK/WH

PORTABLE.



TL83708-BK/WH


SEE FULL COLLECTION



PENDANT PAGE 200-201



WALL / VANITY  
PAGE 256-257



## SONDER - TL83708

FINISH BK/WH - Black/White

Forged iron body  
Modern powder-coated finish  
Trendy duo-tone design  
Easy On/Off controls  
Glass diffuser  
Up light  
Max. cable length of 72"

WATTAGE: 8W  
VOLTAGE: 120V  
DELIVERED LUMENS: 420\*

COLOR TEMP 3000K  
CRI (RA) >90  
RATED LIFE 50,000 HOURS  
*Custom options available*




\*Preliminary figures

PORTABLE.

ROTATIONAL  
**HEADS**

**TOUCH  
CONTROL  
LIGHTING**




FL90155-BK




TL90118-BK

Wireless and USB charging capabilities



TL90118



FL90155

SEE FULL COLLECTION



CHANDELIER PAGE 72-73



PENDANT PAGE 178



WALL PAGE 258



VANITY PAGE 259

## ROTAIRE - FL90155 / TL90118

FINISH BK - Black

- Cast-aluminum body
- Modern powder-coated finish
- Frosted acrylic diffuser
- Directional light and up or down light
- Adjustable 350° heads for directional illumination
- Base features wireless and USB charging capabilities (TL90118)

	FL90155	TL90118
WATTAGE:	7W	11W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	460*	460*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	TOUCH DIMMER
RATED LIFE	50,000 HOURS

*Custom options available*





PORTABLE.



TL72218-BK  
Wireless and USB charging capabilities




FL72268-BK

SEE FULL COLLECTION



CHANDELIER PAGE 56




PENDANT PAGE 168




WALL / VANITY  
PAGE 284-285



CEILING PAGE 394



FL72268



TL72218

## NOVEL - FL72268 / TL72218

FINISH BK - Black

Cast-aluminum frame and base  
Modern powder-coated finish  
Frosted acrylic cover and light guide  
Rotational up and down light  
Adjustable 350° disks for directional illumination  
Base features wireless and USB charging capabilities (TL72218)

	FL72268	TL72218
WATTAGE:	18W	27W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1000*	1000*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	TOUCH DIMMER
RATED LIFE	50,000 HOURS

*Custom options available*



\*Preliminary figures

PORTABLE.




FL95360-BK

SEE FULL COLLECTION



PENDANT PAGE 152-153



## CURSIVE - FL95360

FINISH BK - Black

An effortless acrylic form dancing around a center aluminum rod  
Frosted acrylic tube and matte powder-coated finish  
Each fixture is handcrafted to make a unique shape

WATTAGE: 20W  
VOLTAGE: 120V  
DELIVERED LUMENS: 1691

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%-10%  
TYPE OF DIMMER TOUCH DIMMER  
RATED LIFE 50,000 HOURS

*Custom options available*





PORTABLE.



FL70355-BK



FL70155-BK



TL70124-BK


SEE FULL COLLECTION



PENDANT PAGE 182



WALL / VANITY  
PAGE 288-289



FL70355

FL70155

TL70124

## GRAMERCY - FL70355 / FL70155 / TL70124

FINISH BK - Black

Frosted glass cylinders, available as a single or in multiples, are composed around an aluminum die-cast body  
Available as a floor lamp or table lamp  
Matte powder-coated finish

	FL70355	FL70155	TL70124
WATTAGE:	40W	25W	15W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2000*	1200*	750*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	TOUCH DIMMER
RATED LIFE	50,000 HOURS

*Custom options available*



\*Preliminary figures

PORTABLE.



FL46948-BK




FL46948-WH



FL46748-BK



FL46748-WH



## REEDS - FL46948 / FL46748

**FINISH** BK - Black | WH - White

Single, or multiple elegantly minimal aluminum wands, casting a soft directional glow with minimal hardware  
 Repositionable and smooth swivel wands  
 Black or white textured powder-coated finish  
 Soft directional light

	FL46948	FL46748
<b>WATTAGE:</b>	20W	12W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1700*	800*


<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	TOUCH DIMMER
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*




PORTABLE.

TOUCH  
CONTROL  
LIGHTING



FL46660-GWH



FL46660-GBK



TL46615-GBK



TL46615-GWH


SEE FULL COLLECTION



PENDANT PAGE 175



WALL / VANITY PAGE 267



TL46660

TL46615

## FLUX - FL46660 / TL46615

FINISH GBK - Gloss Black | GWH - Gloss White

Aluminum body with tubular arm  
Circular weighted base  
Frosted lens with clear parameter to eliminate glare  
Cap ring diffuser  
Adjustable directional spot and ambient light


	FL46660	TL46615
WATTAGE:	10W	10W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	210*	210*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	TOUCH DIMMER
RATED LIFE	50,000 HOURS

Custom options available



PORTABLE.



FL25558-WH




FL25558-BG



TL25517-BK



TL25517-BN



## MITER - FL25558 / TL25517

**FINISH** BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square-profile linear aluminum with weighted base  
 Inset opal polymeric diffuser  
 Finely textured plate or powder-coated finish  
 Down light with adjustable position  
 Touch switch with three brightness settings

	FL25558	TL25517
<b>WATTAGE:</b>	11W	14W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	367*	522

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	TOUCH DIMMER
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

\*Preliminary figures

PORTABLE.



FL95150-BG



TL95121-BG



TL95121-CH



TL95121-BK



FL95150-CH




FL95150-BK

SEE FULL COLLECTION



PENDANT PAGE 211



## HURON - FL95150 / TL95121

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Steel base with die-cast aluminum body  
Acrylic frosted tube  
Matte powder-coated or plated finish

	FL95150	TL95121
WATTAGE:	21W	11W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1155*	702*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	TOUCH DIMMING
RATED LIFE	50,000 HOURS

Custom options available









FANS.

**NEW**


FANS.



CF539056MBAG



CF539056MB



## CYRUS - CF539056

**FINISH** AG - Aged Gold | MB - Matte Black

Blade: 4, Plywood, 13° Pitch, 56" Sweep  
 Fan Control Parts Included: Remote Control  
 Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control  
 Fan Function Memory: Fan memory saves last used lighting and speed settings when turned off  
*Testing data not available at time of publication*  
 Go to [kuzcolighting.com](http://kuzcolighting.com) for more information

**WATTAGE:** 33W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1900\*

**COLOR TEMP:** 3000K  
**TYPE OF DIMMER:** REMOTE CONTROL  
**CEILING ADAPTOR:** YES, UP TO 18°  
**RATED LIFE:** 50,000 HOURS

*Custom options available*









HF522054MB



FANS.

**NEW**



CF522054MB




CF522054WH



HF522054MB



HF522054WH



## RUBIO - HF522054 / CF522054

**FINISH** MB - Matte Black | WH - Matte White

Blade: 3, ABS, 18° Pitch, 54" Sweep

Fan Control Parts Included: Remote Control

Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control

Fan Function Memory: Fan memory saves last used lighting and speed settings when turned off

*Testing data not available at time of publication*

*Go to [kuzcolighting.com](http://kuzcolighting.com) for more information*

	HF522054	CF522054
<b>WATTAGE:</b>	33W	33W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1900*	1900*

<b>COLOR TEMP</b>	3000K
<b>TYPE OF DIMMER</b>	REMOTE CONTROL
<b>CEILING ADAPTOR</b>	YES, UP TO 18°
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*




\*Preliminary figures



FANS.



CF584054MB



# ARCHER - CF584054

FINISH MB - Matte Black

Blade: 3, Plywood, 16° Pitch, 54" Sweep  
Fan Control Parts Included: Remote Control  
Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control  
Fan Function Memory: Fan memory saves last used lighting and speed settings when turned off  
*Testing data not available at time of publication.  
Go to kuzcolighting.com for more information*

WATTAGE: 33W  
VOLTAGE: 120V  
DELIVERED LUMENS: 1900\*

COLOR TEMP 3000K  
TYPE OF DIMMER REMOTE CONTROL  
CEILING ADAPTOR YES, UP TO 18°  
RATED LIFE 50,000 HOURS  
*Custom options available*





CE584054MB





HF523056MB

FANS.



CF523056MB




CF523056WH




HF523056MB



HF523056WH



CF523056



HF523056

## EMIKO - HF523056 / CF523056

**FINISH** MB - Matte Black | WH - Matte White

Blade: 3, ABS, 23° Pitch, 56" Sweep

Fan Control Parts Included: Remote Control

Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control

Fan Function Memory: Fan memory saves last used lighting and speed settings when turned off

*Testing data not available at time of publication*

*Go to [kuzcolighting.com](http://kuzcolighting.com) for more information*

	HF523056	CF523056
<b>WATTAGE:</b>	33W	33W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1900*	1900*

<b>COLOR TEMP</b>	3000K
<b>TYPE OF DIMMER</b>	REMOTE CONTROL
<b>CEILING ADAPTOR</b>	YES, UP TO 18"
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



**NEW**


FANS.



CH94956-MG



CH94956-MB



## OWENS - CF94956

**FINISH** MB - Matte Black | MG - Mahogany

Blade: 3, Plywood, 13° Pitch, 56" Sweep

Fan Control Parts Included: Remote Control

Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control

Fan Function Memory: Fan memory saves last used lighting and speed settings when turned off

*Testing data not available at time of publication.*

*Go to [kuzcolighting.com](http://kuzcolighting.com) for more information*

**WATTAGE:** 33W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1900\*

**COLOR TEMP:** 3000K  
**TYPE OF DIMMER:** REMOTE CONTROL  
**CEILING ADAPTOR:** YES, UP TO 18°  
**RATED LIFE:** 50,000 HOURS

*Custom options available*







CH94956-MB





CF95960-BG

FANS.




CF95960-MB



CF95960-BG



CF95960-BN



## FREMONT - CF95960

**FINISH** BG - Brushed Gold | BN - Brushed Nickel | MB - Matte Black

Blade: 3, ABS, 13.5° Pitch, 60" Sweep  
Fan Control Parts Included: Remote Control  
Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control  
Fan Function Memory: Fan memory saves last used lighting and speed settings when turned off  
*Testing data not available at time of publication.*  
*Go to [kuzcolighting.com](http://kuzcolighting.com) for more information*

**WATTAGE:** 33W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1900\*

**COLOR TEMP:** 3000K  
**TYPE OF DIMMER:** REMOTE CONTROL  
**CEILING ADAPTOR:** YES, UP TO 18°  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*

\*Preliminary figures

**NEW**

FANS.




CF96956-BG



CF96956-MB



CF96956-BN



## HORIZON - CF96956

**FINISH** BG - Brushed Gold | BN - Brushed Nickel | MB - Matte Black

Blade: 4, ABS, 14.5° Pitch, 56" Sweep

Fan Control Parts Included: Remote Control

Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control

Fan Function Memory: Fan memory saves last used lighting and speed settings when turned off

*Testing data not available at time of publication.*

*Go to [kuzcolighting.com](http://kuzcolighting.com) for more information*

**WATTAGE:** 33W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1900\*

**COLOR TEMP:** 3000K  
**TYPE OF DIMMER:** REMOTE CONTROL  
**CEILING ADAPTOR:** YES, UP TO 18°  
**RATED LIFE:** 50,000 HOURS

*Custom options available*













# STEP LIGHTING.

INDOOR / OUTDOOR




STEP LIGHTING.



ER72001-12V-BK



ER72001-BK



ER72001 / ER72001-12V

# JACKSON - ER72001 / ER72001-12V

FINISH BK - Black

Cast-aluminum body  
Frosted glass diffuser  
Down light  
Wet rated for outdoor use

	ER72001	ER72001-12V
WATTAGE:	4W	3W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	135*	110*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (ER72001)
RATED LIFE	50,000 HOURS

Custom options available





STEP LIGHTING.




ER30203-BK



ER30203-BZ



ER30203-WH



## LIO - ER30203

FINISH BK - Black | BZ - Bronze | WH - White

Cast-aluminum body  
Modern powder-coated finish  
Clear glass diffuser  
Down light

WATTAGE: 4W  
VOLTAGE: 120V  
DELIVERED LUMENS: 10\*

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%–10%  
TYPE OF DIMMER ELV (*not included*)  
RATED LIFE 50,000 HOURS

*Custom options available*



## STEP LIGHTING.




ER30103-BK



ER30103-BZ



ER30103-WH



### ROTO - ER30103

**FINISH** BK - Black | BZ - Bronze | WH - White

Cast-aluminum body  
Modern powder-coated finish  
Clear glass diffuser  
Down light

**WATTAGE:** 4W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 16\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%-10%  
**TYPE OF DIMMER:** ELV (*not included*)  
**RATED LIFE:** 50,000 HOURS

*Custom options available*

STEP LIGHTING.



EW71211-BK



EW71211-GY



EW71209-BK





EW71209-GY





EW71205-BK





EW71205-GY



EW71205



EW71209



EW71211

**MESA** - EW71211 / EW71209 / EW71205

**FINISH** BK - Black | GY - Gray

Die-cast aluminum housing with powder-coated finish and glass diffuser  
Light directed downwards from a recess  
Down light

	EW71211	EW71209	EW71205
<b>WATTAGE:</b>	31W	21W	11W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	809*	791*	341*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*





STEP LIGHTING.



EW71311-BK



EW71311-GY



EW71309-BK





EW71309-GY





EW71305-BK





EW71305-GY



EW71305



EW71309



EW71311

**CASA** - EW71311 / EW71309 / EW71305

**FINISH** BK - Black | GY - Gray

Die-cast aluminum housing with powder-coated finish and glass diffuser  
Light directed downwards from a recess  
Down light

	EW71311	EW71309	EW71305
<b>WATTAGE:</b>	31W	21W	11W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	1172*	759*	333*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



\*Preliminary figures

STEP LIGHTING.



EW71412-GY




EW71412-BK




EW71403-GY



EW71403-BK



EW71403



EW71412

**CASA** - EW71412 / EW71403

**FINISH** BK - Black | GY - Gray

Die-cast aluminum housing with powder-coated finish and glass diffuser  
Light directed downwards from a recess  
Down light

	EW71412	EW71403
<b>WATTAGE:</b>	21W	9W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	825*	249*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



STEP LIGHTING.



ER3003-WH



ER3005-12V-BK



ER3005-BZ




ER3003-BN




ER3003-GY



ER3003-12V-ST



ER3003 / ER3003-12V



ER3005 / ER3005-12V

## SONIC - ER3005 / ER3005-12V / ER3003 / ER3003-12V



**FINISH** BK - Black | BN - Brushed Nickel | BZ - Bronze | GY - Gray | WH - White | ST - Stainless Steel (ER3005 & ER3003 only)

Die-cast aluminum housing with powder-coated or cast stainless steel for marine-grade

Down light

Optically designed housing for glare-free illumination

	ER3005	ER3005-12V	ER3003	ER3003-12V	COLOR TEMP	3000K
<b>WATTAGE:</b>	4W	4W	4W	4W	CRI (RA)	>90
<b>VOLTAGE:</b>	120V	12V	120V	12V	DIMMING	100%-10%
<b>DELIVERED LUMENS:</b>	23*	23*	26*	26*	TYPE OF DIMMER	ELV ( <i>not included</i> )
					RATED LIFE	50,000 HOURS
					<i>Custom options available</i>	


\*Preliminary figures




ER9410-GY



ER9420-BK



ER9410



ER9420

## BRISTOL - ER9420 / ER9410

**FINISH** BK - Black | GY - Gray

Die-cast aluminum with powder-coated finish and combination glass and polymeric diffuser  
 Interior wiring galvanized back-box or die-cast concrete box (sold separately)  
 Wet listed with die-cast concrete box

	ER9420	ER9410
<b>WATTAGE:</b>	16W	9W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	885*	404*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*





ER9420-BK

## BRISTOL - ER9420 / ER9410

ORDER INFORMATION

### ER9410

DRY LOCATION



INTERIOR WIRING  
GALVANIZED BACK-BOX  
ER9410-MBOX

WET LOCATION



DIE-CAST WET LOCATION BOX  
ER9410-CBOX

### ER9420

DRY LOCATION



INTERIOR WIRING  
GALVANIZED BACK-BOX  
ER9420-MBOX

WET LOCATION



DIE-CAST WET LOCATION BOX  
ER9420-CBOX

STEP LIGHTING.






ER7108-BK



ER7110-GY



ER7120-BK



**NEWPORT** - ER7120 / ER7110 / ER7108

FINISH BK - Black | GY - Gray

Die-cast aluminum with powder-coated finish and polymeric lens  
 Interior wiring galvanized back-box or die-cast concrete box (sold separately)  
 Wet listed with die-cast concrete box  
 Details on the order information, page 451

	ER7120	ER7110	ER7108
WATTAGE:	15W	9W	9W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	305*	160	241*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available







ER7110-BK

## NEWPORT - ER7120 / ER7110 / ER7108

### ORDER INFORMATION

#### ER7120

DRY LOCATION



INTERIOR WIRING  
GALVANIZED BACK-BOX  
ER7120-MBOX

WET LOCATION



DIE-CAST WET LOCATION BOX  
ER7120-CBOX

#### ER7110

DRY LOCATION



INTERIOR WIRING  
GALVANIZED BACK-BOX  
ER7110-MBOX

WET LOCATION



DIE-CAST WET LOCATION BOX  
ER7110-CBOX

#### ER7108

DRY LOCATION



INTERIOR WIRING  
GALVANIZED BACK-BOX  
ER7108-MBOX

WET LOCATION



DIE-CAST WET LOCATION BOX  
ER7108-CBOX



1534



OUTDOOR LIGHTING.



EW29560-BK



EW29560-BK




EW29548-BK

SEE FULL COLLECTION



PENDANT PAGE 112-113



## ENZO - EW29560 / EW29548

FINISH BK - Black

Forged aluminum and steel body  
 Frosted acrylic diffusers  
 Modern duo-toned finish  
 Omni-directional light  
 Mounting options: horizontally or vertically  
 Wet rated for outdoor use

	EW29560	EW29548
WATTAGE:	62W	40W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2280*	1520*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures






OUTDOOR LIGHTING.



EW72560-BK



EW72533-BK



# ASPEN - EW72560 / EW72533

FINISH BK - Black

- Forged aluminum and steel body
- Unique glossed glass diffusers
- Mounting options: horizontally or vertically
- Omni-directional light
- Wet rated for outdoor use

	EW72560	EW72533
WATTAGE:	43W	22W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1580*	750*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available














EW72724-BK



## ESTES - EW72724

**FINISH** BK - Black

Forged aluminum and steel body  
 Opal glass diffuser  
 Modern powder-coated finish  
 Omni-directional light  
 Mounting options: horizontally or vertically  
 Wet rated for outdoor use

**WATTAGE:** 55W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1100\*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%-10%  
**TYPE OF DIMMER** ELV *(not included)*  
**RATED LIFE** 50,000 HOURS  
*Custom options available*

\*Preliminary figures




OUTDOOR LIGHTING.



EW72332-BK



EW72355-BK



# VAIL - EW72355 / EW72332

FINISH BK - Black

- Forged aluminum and steel body
- Unique glossed glass diffusers
- Omni-directional light
- Wet rated for outdoor use
- Mounting options: horizontally or vertically

	EW72355	EW72332
WATTAGE:	47W	31W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1700*	1140*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV ( <i>not included</i> )
RATED LIFE	50,000 HOURS

*Custom options available*







EW39506-BK







EW39506-BK



EW39005-BK



EW39005



EW39506



## RENE - EW39506 / EW39005

**FINISH** BK - Black

Cast-aluminum body  
 Modern powder-coated finish  
 Up and down light  
 Wet rated for outdoor usage

	EW39506	EW39005
<b>WATTAGE:</b>	11W	11W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	430*	430*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*


\*Preliminary figures




EW70714-BK



EW70720-BK



EW70714



EW70720

# BRAVO - EW70720 / EW70714

FINISH BK - Black

- Cast-aluminum body
- Frosted polycarbonate diffuser
- Modern powder-coated finish
- Diffused omni-directional light
- Wet rated for outdoor use
- Mounting options: horizontally or vertically

	EW70720	EW70714
WATTAGE:	30W	21W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1100*	850*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available





2  
8  
7










EP56913-BK/OP



## KONA - EP56913

**FINISH** BK - Black

**GLASS** OP - Opal Matte

Mesh steel shade  
Opal glass diffuser  
Modern powder-coated finish  
Up and down light  
Max. cable length of 120"  
Wet rated for outdoor use

**LAMPING:** 1 X 60W  
**VOLTAGE:** 120V

*Custom options available*




OUTDOOR LIGHTING.



EB48516-BK

EB48528-BK

EB48538-BK



# WINDERMERE - EB48538 / EB48528 / EB48516

FINISH BK - Black

Cast-aluminum body  
Frosted polycarbonate diffuser  
Modern powder-coated finish  
Diffused omni-directional light  
Wet rated for all climates

	EB48538	EB48528	EB48516
WATTAGE:	24W	24W	24W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	800*	800*	800*

COLOR TEMP	3000K
CRI (RA)	>80
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

*Custom options available*










EB48941-BK



EB48931-BK



EB48919-BK



# KINGSBURY - EB48941 / EB48931 / EB48919

FINISH BK - Black

- Cast-aluminum body
- Clear polycarbonate diffuser
- Modern powder-coated finish
- Diffused omni-directional light
- Three base sizes with interchangeable head options
- Wet rated for all climates

	EB48941	EW48931	EB48919
WATTAGE:	24W	24W	24W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	1450*	1450*	1450*

COLOR TEMP	3000K
CRI (RA)	>80
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

*Custom options available*






EB49041-BK



EB49031-BK



EB49020-BK



## ALDEN - EB49041 / EB49031 / EB49020

**FINISH** BK - Black

- Cast-aluminum body
- Frosted polycarbonate diffuser
- Modern powder-coated finish
- Diffused omni-directional light
- Three base sizes with interchangeable head options
- Wet rated for all climates

	EB49041	EB49031	EB49020
<b>WATTAGE:</b>	24W	24W	24W
<b>VOLTAGE:</b>	120-277V	120-277V	120-277V
<b>DELIVERED LUMENS:</b>	1150*	1150*	1150*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>80
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



\*Preliminary figures



OUTDOOR LIGHTING.




EB46440-BK



EB46430-BK



EB46418-BK



## CHADWORTH - EB46440 / EB46430 / EB46418

FINISH BK - Black

Cast-aluminum body  
 Frosted polycarbonate diffuser  
 Modern powder-coated finish  
 Diffused omni-directional light  
 Three base sizes with interchangeable head options  
 Wet rated for all climates

	EB46440	EB46430	EB46418
WATTAGE:	24W	24W	24W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	950*	950*	950*

COLOR TEMP	3000K
CRI (RA)	>80
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	






EB47837-BK



EB47829-BK



EB47818-BK



## BLAINE - EB47837 / EB47829 / EB47818

**FINISH** BK - Black



Cast-aluminum body  
 Frosted polycarbonate diffuser  
 Modern powder-coated finish  
 Diffused omni-directional light  
 Three base sizes with interchangeable head options  
 Wet rated for all climates

	EB47837	EB47829	EB47818
<b>WATTAGE:</b>	24W	24W	24W
<b>VOLTAGE:</b>	120-277V	120-277V	120-277V
<b>DELIVERED LUMENS:</b>	780*	780*	780*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>80
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

\*Preliminary figures




EB83339-BK



EB83329-BK



EB83317-BK



## DOVER - EB83339 / EB83329 / EB83317

FINISH BK - Black

Cast-aluminum body  
 Modern powder-coated finish  
 Diffused omni-directional light  
 Three base sizes with interchangeable head options  
 Wet rated for all climates

	EB83339	EB83329	EB83317
WATTAGE:	24W	24W	24W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	1100*	1100*	1100*

COLOR TEMP	3000K
CRI (RA)	>80
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

*Custom options available*








EB49740-BK



EB49718-BK



EB49730-BK



## HANOVER - EB49740 / EB49730 / EB49718

**FINISH** BK - Black

Cast-aluminum body  
 Modern powder-coated finish  
 Diffused omni-directional light  
 Three base sizes with interchangeable head options  
 Wet rated for all climates

	EB49740	EB49730	EB49718
<b>WATTAGE:</b>	24W	24W	24W
<b>VOLTAGE:</b>	120-277V	120-277V	120-277V
<b>DELIVERED LUMENS:</b>	1600*	1600*	1600*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>80
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



\*Preliminary figures




EB82229-BK

EB82239-BK



EB82217-BK



# GLEN - EB82239 / EB82229 / EB82217

FINISH BK - Black

Cast-aluminum body  
Modern powder-coated finish  
Diffused omni-directional light  
Three base sizes with interchangeable head options  
Wet rated for all climates

	EB82239	EW82229	EB82217
WATTAGE:	24W	24W	24W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	1150*	1150*	1150*

COLOR TEMP	3000K
CRI (RA)	>80
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

*Custom options available*




OUTDOOR LIGHTING.



EB3024-BK



EB3036-BK



## SONOMA - EB3036 / EB3024

**FINISH** BK - Black

Extruded and formed aluminum  
 Powder-coated finish  
 Clear glass diffuser  
 Down light

	EB3036	EB3024
<b>WATTAGE:</b>	24W	24W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1376*	1376*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>80
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



\*Preliminary figures






EB40936-BK



EB40924-BK



EB40910-BK



## NOVATO - EB40936 / EB40924 / EB40910

**FINISH** BK - Black

Cast-aluminum body  
Modern powder-coated finish  
Down light  
Wet rated for all climates

	EB40936	EB40924	EB40910
<b>WATTAGE:</b>	24W	24W	24W
<b>VOLTAGE:</b>	120-277V	120-277V	120-277V
<b>DELIVERED LUMENS:</b>	1150*	1150*	650*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>80
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS


*Custom options available*




\*Preliminary figures



EB41924-BK



EB41936-BK



## KNOX - EB41936 / EB41924

**FINISH** BK - Black

Cast-aluminum body  
Modern powder-coated finish  
Down light  
Wet rated for all climates

	EB41936	EB41924
<b>WATTAGE:</b>	24W	24W
<b>VOLTAGE:</b>	120-277V	120-277V
<b>DELIVERED LUMENS:</b>	1150*	1150*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>80
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*







EB41936-BK






OUTDOOR LIGHTING.



EB2924-BK



EB2936-BK



EB2936

EB2924



## NAPA - EB2936 / EB2924

**FINISH** BK - Black

Extruded and formed aluminum  
Powder-coated finish  
Clear glass diffuser  
Down light

	EB2936	EB2924
<b>WATTAGE:</b>	24W	24W
<b>VOLTAGE:</b>	120-277V	120-277V
<b>DELIVERED LUMENS:</b>	1376	1376

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>80
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

**WET LISTED**

**Design Detail**


The Suara Collection can be powered with solar energy. Place the Suara in direct sunlight to charge with green energy.



EL17610-BK



EL17614-BK



**SUARA - EL17614 / EL17610**

**FINISH** BK - Black

- Forged aluminum body
- Frosted acrylic diffuser
- Stunning clear glass details
- Plug-in 120V wall charger or solar charge options
- Touch on/off and dimmer
- Handle for easy moving (EL17614)

	EL17614	EL17610
<b>WATTAGE:</b>	3W	3W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	150*	150*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	TOUCH DIMMING
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*





EL17614-BK & EL17610-BK








**3**  
MOUNTING  
OPTIONS



EG64816-BK



EG64810-BK



## PARC - EG64816 / EG64810

**FINISH** BK - Black

- Cast-aluminum circular frame
- Modern powder-coated finish
- Frosted polycarbonate diffuser
- Omni-directional light
- Compatible with all outdoor 12V AC transformers (not included)
- Hardscape mounting base and garden mounting spike included (anchorage not included)
- Additional mounting base options available (sold separately)

	EG64816	EG64810
<b>WATTAGE:</b>	12W	6W
<b>VOLTAGE:</b>	12V	12V
<b>DELIVERED LUMENS:</b>	820	448

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	




\*Preliminary figures

OUTDOOR LIGHTING.




EC64810-BK



EP64815-BK



EP64810-BK



**PARC - EP64815 / EP64810 / EC64810**

**FINISH** BK - Black

Cast-aluminum circular frame  
 Modern powder-coated finish  
 Frosted polycarbonate diffuser  
 Omni-directional light  
 Max. rod length is 46" (EP64815 & EP64810)  
 Sloped ceiling compatible: up to 45°

	EP64815	EP64810	EC64810
<b>WATTAGE:</b>	14W	7W	7W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	977	419*	419*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*





EC64810-BK



**3**  
MOUNTING  
OPTIONS



EG17631-BK




EG17621-BK



EG17632-BK



EG17622-BK



**DAVY - EG17632 / EG17631 / EG17622 / EG17621**

**FINISH** BK - Black

Modern powder-coated finish with cast-aluminum body

Clear glass accents and with polycarbonate protective cover

Down light

Compatible with all outdoor 12V AC

Transformers and anchorage (not included)

Garden mounting spike included; additional hardscape mounting base options available (sold separately)

*\*Preliminary figures*

	EG17632	EG17631	EG17622	EG17621
<b>WATTAGE:</b>	18W	9W	18W	9W
<b>VOLTAGE:</b>	12V	12V	12V	12V
<b>DELIVERED LUMENS:</b>	660*	330	660*	330

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	






OUTDOOR LIGHTING.



EP17609-BK



EC17609-BK



## DAVY - EP17609 / EC17609

**FINISH** BK - Black

Cast-aluminum frame  
 Modern powder-coated finish  
 Clear glass accents and with polycarbonate protective cover  
 Down light  
 Max. rod length of 46" (EP17609)  
 Sloped ceiling compatible: up to 45° (EP17609)

	EP17609	EC17609
<b>WATTAGE:</b>	16W	16W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	602*	602*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*





OUTDOOR LIGHTING.




EW17605-BK



EW17611-BK



EW17608-BK



**DAVY** - EW17611 / EW17608 / EW17605

**FINISH** BK - Black



Cast-aluminum body  
 Modern powder-coated finish  
 Clear glass accents and with polycarbonate protective cover  
 Down light (EW17611 & EW17608)  
 Direct light (EW17605)

	EW17611	EW17608	EW17605
<b>WATTAGE:</b>	16W	11W	8W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	602*	328*	210*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	

\*Preliminary figures

**3**  
MOUNTING  
OPTIONS




EG17828-BK



EP17805-BK



EW17805-BK



## TREK - EG17828 / EP17805 / EW17805

**FINISH** BK - Black

Cast-aluminum circular frame and accents  
 Modern powder-coated finish  
 Frosted acrylic diffuser  
 Down light  
 Compatible with all outdoor 12V AC (EG17808)  
 Transformers and anchorage (not included) (EG17808)  
 Garden mounting spike included; additional hardscape mounting base options available (sold separately) (EG17808)  
 Max. cable length of 120" (EP17805)  
 494 TREK

	EG17828	EP17805	EW17805
<b>WATTAGE:</b>	6W	7W	7W
<b>VOLTAGE:</b>	12V	120V	120V
<b>DELIVERED LUMENS:</b>	100*	107*	107*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC (not included) EP17805. & EW17805
<b>RATED LIFE</b>	50,000 HOURS
	Custom options available



\*Preliminary figures



EG17828-BK





EG45124-BK

OUTDOOR LIGHTING.

ADJUSTABLE  
**HEADS**

**3**  
MOUNTING  
OPTIONS



EG45124-BK




EG45118-BK



EG45109-BK



EG45105-BK



**TRAVERSE** - EG45124 / EG45118 / EG45109 / EG45105

**FINISH** BK - Black

Aluminum body and steel frame, modern powder-coated finish  
Parabolic aluminum reflector and clear glass lens cover  
Directional light with adjustable 355° heads  
Compatible with all outdoor 12V AC Transformers (not included)

Hardscape mounting base (anchorage not included)  
Garden mounting spike included  
Additional mounting base options available (sold separately)

\*Preliminary figures

	EG45124	EG45118	EG45109	EG45105	COLOR TEMP	3000K
<b>WATTAGE:</b>	13W	13W	7W	7W	CRI (RA)	>90
<b>VOLTAGE:</b>	12V	12V	12V	12V	<b>RATED LIFE</b>	50,000 HOURS
<b>DELIVERED LUMENS:</b>	1028*	1028*	514*	514*	<i>Custom options available</i>	




OUTDOOR LIGHTING.



EW45102-BK  
Up and down light



EW45101-BK  
Down light



## TRAVERSE - EW45102 / EW45101

**FINISH** BK - Black

Cast-aluminum and steel frame  
Anodized parabolic multi-faceted aluminum reflector  
Clear glass  
Modern powder-coated finish  
Down light (EW45101)  
Up and down light (EW45102)

	EW45102	EW45101
<b>WATTAGE:</b>	8W	4W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	515*	260*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*









**3**  
MOUNTING  
OPTIONS



## DORIAN - EG26730 / EG26724 / EG26718

**FINISH** BK - Black

Cast-aluminum body  
 Modern powder-coated finish  
 Frosted acrylic diffuser  
 Direct light  
 Compatible with all outdoor 12V AC  
 Transformers and anchorage (not included)  
 Garden mounting spike included; additional hardscape  
 mounting base options available (sold separately)

	EG26730	EG26724	EG26718
<b>WATTAGE:</b>	7W	6W	5W
<b>VOLTAGE:</b>	12V	12V	12V
<b>DELIVERED LUMENS:</b>	275*	230*	180*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures


**3**  
MOUNTING  
OPTIONS



EG96422-BK



EG96428-BK



EG96428

EG96422

## BRIXTON - EG96428 / EG96422

**FINISH** BK - Black

Cast-aluminum body  
Modern powder-coated finish  
Frosted polycarbonate diffuser  
Up light  
Compatible with all outdoor 12V AC  
Transformers and anchorage (not included)  
Garden mounting spike included; additional hardscape  
mounting base options available (sold separately)

	EG96428	EG96422
<b>WATTAGE:</b>	4W	4W
<b>VOLTAGE:</b>	12V	12V
<b>DELIVERED LUMENS:</b>	185*	185*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	













OUTDOOR LIGHTING.

ROTATIONAL  
**HEADS**

**3**  
MOUNTING  
OPTIONS




EG25726-BK



EG25720-BK



EG25714-BK



**MARO - EG25726 / EG25720 / EG25714**

**FINISH** BK - Black

Cast-aluminum body

Modern powder-coated finish

Frosted polycarbonate diffuser

Rotational light

Adjustable 350° heads for directional illumination

Compatible with all outdoor 12V AC

Transformers and anchorage (not included)


Garden mounting spike included; additional hardscape mounting base options available (sold separately)

	EG25726	EG25720	EG25714
<b>WATTAGE:</b>	5W	5W	5W
<b>VOLTAGE:</b>	12V	12V	12V
<b>DELIVERED LUMENS:</b>	186	186	186

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	




\*Preliminary figures



OUTDOOR LIGHTING.



EW25707-BK



## MARO - EW25707

**FINISH** BK - Black

Extruded- and cast-aluminum body  
Modern powder-coated finish  
Frosted polycarbonate diffuser  
Rotational up or down light  
Adjustable 350° heads for directional illumination

**WATTAGE:** 6W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 346

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV OR TRIAC (*not included*)  
**RATED LIFE** 50,000 HOURS

*Custom options available*





OUTDOOR LIGHTING.



EW3107-BK




EW3107-GY



EW3105-BK



EW3105-GY



## NORDIC - EW3107 / EW3105

FINISH BK - Black | GY - Gray

Extruded- and cast-aluminum body  
 Modern powder-coated or anodized finish  
 Parabolic aluminum reflector and glass  
 Down light

	EW3107	EW3105
WATTAGE:	16W	11W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	912*	684*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available



OUTDOOR LIGHTING.



EW3207-BK




EW3207-GY



EW3212-BK



EW3212-GY



**LUND - EW3212 / EW3207**

**FINISH** BK - Black | GY - Gray

Extruded- and cast-aluminum body  
 Modern powder-coated or anodized finish  
 Parabolic aluminum reflector and glass  
 Up and down light

	<b>EW3212</b>	<b>EW3207</b>
<b>WATTAGE:</b>	31W	21W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	1829*	1371*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



\*Preliminary figures


OUTDOOR LIGHTING.




EW44206-BK  
Up and down light



EW44204-BK  
Down light



EW44204



EW44206

## GRIFFITH - EW44206 / EW44204

**FINISH** BK - Black

Die-cast aluminum cylindrical wall mount  
Narrow beam reflector  
High-impact clear glass diffuser  
Black textured powder-coated finish  
Up and down light (EW44206)  
Down light (EW44204)  
High-pressure die-cast aluminum  
Non-dimmable

	EW44206	EW44204
<b>WATTAGE:</b>	9W	6W
<b>VOLTAGE:</b>	120-277V	120-277V
<b>DELIVERED LUMENS:</b>	444*	201*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*






OUTDOOR LIGHTING.



EW47512-BK



## LORNA - EW47512

**FINISH** BK - Black

Die-cast cylindrical aluminum body  
Clear glass cover  
Black powder-coated finish  
Custom options available  
Wet, IP65 rated

**WATTAGE:** 40W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 2470LM\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%–10%  
**TYPE OF DIMMER:** ELV *(not included)*  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*

\*Preliminary figures



OUTDOOR LIGHTING.




EW62604-WH



EW62604-GY



EW62604-BK



## DROTTO - EW62604

**FINISH** BK - Black | GY - Gray | WH - White

Asymmetrical form of faceted die-cast aluminum body  
Narrow and broad spreads  
Clear glass cover  
Textured powder-coated finish  
Up and down light  
ADA-compliant  
High-pressure die-cast aluminum

**WATTAGE:** 12W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 168\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%-10%  
**TYPE OF DIMMER:** ELV OR TRIAC (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*



\*Preliminary figures

OUTDOOR LIGHTING.



EW19404-BK  
Down light




EW19414-WH  
Up and down light



EW19418-WH  
Up and down light



EW19408-BK  
Down light



**LAMAR - EW19418 / EW19414 / EW19408 / EW19404**

**FINISH** BK - Black | WH - White

Extruded- and cast-aluminum body  
Modern powder-coated finish  
Frosted polycarbonate diffuser  
Down light (EW19404)  
Up and down light (EW19418)

	EW19418	EW19414	EW19408	EW19404
<b>WATTAGE:</b>	50W	28W	30W	20W
<b>VOLTAGE:</b>	120V	120V	120V	120V
<b>DELIVERED LUMENS:</b>	2850*	1740*	1570*	1022

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



OUTDOOR LIGHTING.




EP19404-BK



EC19404-WH



EC19408-BK



## LAMAR - EC19408 / EC19404 / EP19404

FINISH BK - Black | WH - White

Extruded-aluminum cylinders  
 Cast retaining rings and mounts  
 Opal circular diffuser  
 Down light  
 Exterior surface mount (EC19404 & EC19408)  
 Max. stem length of 46" (EP19404)

	EC19408	EC19404	EP19404	COLOR TEMP	3000K
WATTAGE:	39W	20W	20W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	DIMMING	100%–10%
DELIVERED LUMENS:	2789*	1132*	1132*	TYPE OF DIMMER	ELV OR TRIAC ( <i>not included</i> )
				RATED LIFE	50,000 HOURS
					<i>Custom options available</i>



\*Preliminary figures







OUTDOOR LIGHTING.



EW33104-BK  
Down light




EW33104-GH  
Down light



EW33204-WH  
Up and down light



EW33204-BK  
Up and down light



**STATO - EW33204 / EW33104**

**FINISH** BK - Black | GH - Graphite | WH - White

Die-cast cubic aluminum body  
Clear glass  
Powder-coated finishes  
Down light (EW33104)  
Up and down light (EW33204)  
Wet, IP65 rated


	EW33204	EW33104
<b>WATTAGE:</b>	15W	6W
<b>VOLTAGE:</b>	120-277V	120-277V
<b>DELIVERED LUMENS:</b>	840	420

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>80
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures

OUTDOOR LIGHTING.





EW27140-WH





EW27120-GH




EW27112-BK



EW27112



EW27120



EW27140

**PLATEAU** - EW27140 / EW27120 / EW27112

**FINISH** BK - Black | GH - Graphite | WH - White

Extruded-aluminum body with rounded ends  
 Powder-coated finish  
 Dual linear polymeric diffusers  
 Up and down light

	EW27140	EW27120	EW27112	COLOR TEMP	3000K
<b>WATTAGE:</b>	50W	23W	13W	CRI (RA)	>90
<b>VOLTAGE:</b>	120V	120V	120V	DIMMING	100%–10%
<b>DELIVERED LUMENS:</b>	2650*	1492*	934*	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
				RATED LIFE	50,000 HOURS
				<i>Custom options available</i>	





OUTDOOR LIGHTING.



AT67006-BK  
Down light




AT6606-BG  
Up and down light



AT67010-BN  
Down light



AT6610-WH  
Up and down light



**MICA - AT67010 / AT67006 / AT6610 / AT6606**

**FINISH** BK - Black | BN - Brushed Nickel | BG - Brushed Gold | WH - White



Machined aluminum body  
Modern powder-coated finish  
Frosted glass diffuser  
Up and down light (AT6610 & AT6606)  
Down light (AT67010 & AT67006)

	AT67010	AT67006	AT6610	AT6606
<b>WATTAGE:</b>	13W	8W	26W	15W
<b>VOLTAGE:</b>	120V	120V	120V	120V
<b>DELIVERED LUMENS:</b>	597*	383*	888*	955*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

OUTDOOR LIGHTING.



AT6506-BG  
Up and down light




AT6510-BK  
Up and down light



AT68006-WH  
Down light



AT68010-BN  
Down light



**SLATE** - AT68010 / AT68006 / AT6510 / AT6506



**FINISH** BK - Black | BN - Brushed Nickel | BG - Brushed Gold | WH - White

Machined aluminum body

Modern powder-coated finish

Frosted glass diffuser

Up and down light (AT6510 & AT6506)


Down light (AT68010 & AT68006)

	AT68010	AT68006	AT6510	AT6506	COLOR TEMP	3000K
<b>WATTAGE:</b>	13W	8W	26W	15W	CRI (RA)	>90
<b>VOLTAGE:</b>	120V	120V	120V	120V	DIMMING	100%–10%
<b>DELIVERED LUMENS:</b>	597*	383*	888	955	TYPE OF DIMMER	ELV OR TRIAC ( <i>not included</i> )
					RATED LIFE	50,000 HOURS

*Custom options available*

\*Preliminary figures

OUTDOOR LIGHTING.




EW71205-BK



EW71209-GY



EW71211-BK



**MESA** - EW71211 / EW71209 / EW71205

**FINISH** BK - Black | GY - Gray

- Die-cast aluminum housing
- Powder-coated finish
- Frosted glass diffuser
- Down light

	EW71211	EW71209	EW71205
<b>WATTAGE:</b>	31W	21W	11W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	809*	633*	273*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*





OUTDOOR LIGHTING.



EW71412-BK



EW71403-GY




EW71311-BK



EW71309-GY



EW71305-BK



**CASA** - EW71412 / EW71403 / EW71311 / EW71309 / EW71305



**FINISH** BK - Black | GY - Gray

Die-cast aluminum housing  
 Powder-coated finish  
 Frosted glass diffuser  
 Down light

	EW71412	EW71403	EW71311	EW71309	EW71305
<b>WATTAGE:</b>	21W	9W	31W	21W	11W
<b>VOLTAGE:</b>	120V	120V	120V	120V	120V
<b>DELIVERED LUMENS:</b>	659*	199*	936*	606*	266*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV (not included)
<b>RATED LIFE</b>	50,000 HOURS


*Custom options available*

\*Preliminary figures

OUTDOOR LIGHTING.



EW61806-BK



**CARSON** - EW61806

**FINISH** BK - Black


Exterior wall sconce with truncated conical die-cast shade  
 Curved glossy white interior  
 White polycarbonate diffuser  
 Down light  
 High-pressure die-cast aluminum

**WATTAGE:** 11W  
**VOLTAGE:** 120-277V  
**DELIVERED LUMENS:** 741

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**RATED LIFE** 50,000 HOURS  
*Custom options available*



EW60210-BK



**ASTORIA** - EW60210

**FINISH** BK - Black

Die-cast aluminum with powder-coated finish  
 Glass diffuser  
 Up and down light

**WATTAGE:** 26W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 1769

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%-10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*






EC46004-BK



EC46004-BK



## PASADENA - EC46004

**FINISH** BK - Black

Die-cast aluminum body  
 Optical spread lens  
 Ambient light  
 Wet, IP65 rated

**WATTAGE:** 8W  
**VOLTAGE:** 120-277V  
**DELIVERED LUMENS:** 285

**COLOR TEMP** 3000K  
**CRI (RA)** >80  
**RATED LIFE** 50,000 HOURS  
*Custom options available*




*\*Preliminary figures*

OUTDOOR LIGHTING.



EW60308-BK



**LENOX** - EW60308

**FINISH** BK - Black


Powder-coated die-cast aluminum  
Polymeric diffuser  
Down light

**WATTAGE:** 13W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 592

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*



EW6612-BK



**ZODIAC** - EW6612


**FINISH** BK - Black

Die-cast and formed aluminum  
Powder-coated finish with polymeric lens  
Mounting options: upwards or downwards

**WATTAGE:** 9W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 146

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*


OUTDOOR LIGHTING.



EW4208-GY



EW4208-BK



**ETNA** - EW4208

**FINISH** BK - Black | GY - Gray

Die-cast aluminum with powder-coated finish  
 Black or gray metal details  
 Unique curved shape  
 Outward emitting light

**WATTAGE:** 5W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 70\*


**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%–10%  
**TYPE OF DIMMER:** ELV (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*



EW4306-BK



EW4306-WH



**TAC** - EW4306

**FINISH** BK - Black | WH - White

Die-cast aluminum with powder-coated finish  
 Available in two finishes  
 Light-emitting surface

**WATTAGE:** 13W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 40


**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%–10%  
**TYPE OF DIMMER:** ELV (*not included*)  
**RATED LIFE:** 50,000 HOURS  
*Custom options available*

\*Preliminary figures

OUTDOOR LIGHTING.



EW54008-BK




EW54016-BK



EW54008-GY



EW54008-BZ



## ELEMENT - EW54016 / EW54008

FINISH BK - Black | BZ - Bronze (EW54008 only) | GY - Gray (EW54008 only)

Die-cast aluminum with powder-coated finish  
Glass diffuser  
Down light

	EW54016	EW54008
WATTAGE:	9W	9W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	247*	252*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available





OUTDOOR LIGHTING.



EW60307-BN




EW60307-WH




EW60312-BZ



EW60312-BK



EW60312



EW60307

## INDIO - EW60312 / EW60307

**FINISH** BK - Black (EW60312 only) | BN - Brushed Nickel | BZ - Bronze | WH - White

Machined, extruded-aluminum with electroplated or powder-coated finish  
Up and down light

	EW60312	EW60307
<b>WATTAGE:</b>	11W	7W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	172*	219*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	




\*Preliminary figures



EP7718-GH



EW7718-GH



EP7718

EW7718

## KATTARI - EP7718 / EW7718

**FINISH** GH - Graphite

Powder-coated die-cast aluminum  
Polymeric diffuser, steel pendant rod  
Up and down light  
Max. rod length 52" (EP7718)

	EP7718	EW7718
<b>WATTAGE:</b>	63W	10W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	2371*	240*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC (EP7718 – not included) ELV (EW7718 – not included)
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	








EP68420-BK



EP68428-BK



## ARCTIC - EP68428 / EP68420

**FINISH** BK - Black

Powder-coated steel wire-form construction  
 Convex glass lens  
 Down light  
 Gold finish might fade outdoor  
 Max. cable length 120"

	EP68428	EP68420
WATTAGE:	32W	32W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	514*	514*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

*Custom options available*




OUTDOOR LIGHTING.



EP48232-BK

EP48224-BK



EP48232

EP48224

## COPENHAGEN - EP48232 / EP48224

**FINISH** BK - Black

Powder-coated die-cast aluminum and tube steel  
 Cast clear textured glass diffusers  
 Up and down light  
 Max. stem length 52"

	EP48232	EP48224
<b>WATTAGE:</b>	59W	36W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	2780*	2070*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV OR TRIAC <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures


OUTDOOR LIGHTING.



EW48218-BK



EW48212-BK



## COPENHAGEN - EW48218 / EW48212

**FINISH** BK - Black

Powder-coated die-cast aluminum and formed steel  
 Cast clear textured glass diffusers  
 Up and down light

	EW48218	EW48212
<b>WATTAGE:</b>	16W	11W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	661	372

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*








EW48212-BK




EW48208-BK



EW48205-BK



EW48205



EW48208

# COPENHAGEN - EW48208 / EW48205

**FINISH** BK - Black

Powder-coated die-cast aluminum and formed steel  
 Cast clear textured glass diffusers  
 Up and down light

	<b>EW48208</b>	<b>EW48205</b>	<b>COLOR TEMP</b>	3000K
<b>WATTAGE:</b>	11W	5W	<b>CRI (RA)</b>	>90
<b>VOLTAGE:</b>	120V	120V	<b>DIMMING</b>	100%-10%
<b>DELIVERED LUMENS:</b>	474	288	<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
			<b>RATED LIFE</b>	50,000 HOURS
			<i>Custom options available</i>	



\*Preliminary figures

## OUTDOOR LIGHTING.




EW22109-BK



EW22109-BN



EW22109-WH



### VISTA - EW22109

**FINISH** BK - Black | BN - Brushed Nickel | WH - White

Machined aluminum with powder-coated or electroplated finish  
Frosted glass diffuser  
Up and down light  
Wet location  
Mounting options: horizontally or vertically

**WATTAGE:** 7W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 293\*


**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*



EW3609-BK




EW3609-GH



EW3609



EW3612-WH



EW3612

### CABO - EW3612 / EW3609

**FINISH** BK - Black | GH - Graphite | WH - White

Die-cast aluminum with powder-coated finish and polymeric diffuser  
Up and down light  
Mounting options: horizontally or vertically

	<b>EW3612</b>	<b>EW3609</b>
<b>WATTAGE:</b>	9W	5W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	287*	181*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*




OUTDOOR LIGHTING.



EW53916-BK



EW53916-GY



**TWILIGHT - EW53916**

**FINISH** BK - Black | GY - Gray

Formed aluminum with powder-coated finish  
Inlaid-stone and glass diffuser  
Down light

**WATTAGE:** 9W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 127\*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*




EW53908-BK



EW53908-GY



EW53908-BZ



**DAWN - EW53908**

**FINISH** BK - Black | BZ - Bronze | GY - Gray

Formed aluminum with powder-coated finish  
Inlaid-stone and glass diffuser  
Down light

**WATTAGE:** 9W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 203\*

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS  
*Custom options available*



\*Preliminary figures

OUTDOOR LIGHTING.




EW3406-BK



EW3506-GY



EW3506-BK



**BYRON** - EW3506 / EW3406

**FINISH** BK - Black | GY - Gray (EW3506 only)

Die-cast aluminum with powder-coated finish  
Glass diffuser  
Down light

	EW3506	EW3406	COLOR TEMP	3000K
WATTAGE:	6W	9W	CRI (RA)	>90
VOLTAGE:	120V	120V	DIMMING	100%–10%
DELIVERED LUMENS:	127*	128*	TYPE OF DIMMER	ELV ( <i>not included</i> )
			RATED LIFE	50,000 HOURS
			<i>Custom options available</i>	




OUTDOOR LIGHTING.



EW4405-BK



EW4405-WH



**MAVIS - EW4405**

FINISH BK - Black | WH - White

Machined, extruded-aluminum with electroplated or powder-coated finish and glass diffuser  
Up and down light

WATTAGE: 17W  
VOLTAGE: 120V  
DELIVERED LUMENS: 696\*


COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%–10%  
TYPE OF DIMMER ELV (not included)  
RATED LIFE 50,000 HOURS  
*Custom options available*



EW9010-GY



EW9010-BK



**OLYMPUS - EW9010**

FINISH BK - Black | GY - Gray

Die-cast extruded aluminum with powder-coated finish and glass diffuser  
Down light

WATTAGE: 11W  
VOLTAGE: 120V  
DELIVERED LUMENS: 406  
\*All data based on Gray finish.  
See spec sheet for detail.

COLOR TEMP 3000K  
CRI (RA) >90  
DIMMING 100%–10%  
TYPE OF DIMMER ELV (not included)  
RATED LIFE 50,000 HOURS  
*Custom options available*

\*Preliminary figures

OUTDOOR LIGHTING.



AT7972-BK



AT7950-BN








AT7935-WH



AT7924-BN



AT7928-BK



**VESTA - AT7972 / AT7950 / AT7935 / AT7928 / AT7924**

**FINISH** BK - Black | BN - Brushed Nickel | WH - White

Machined aluminum body  
 Modern powder-coated or  
 electroplated finish  
 Mounting options: vertically  
 or horizontally  
 Up and down light

	AT7972	AT7950	AT7935	AT7928	AT7924
<b>WATTAGE:</b>	92W	60W	41W	31W	24W
<b>VOLTAGE:</b>	120V	120V	120V	120V	120V
<b>DELIVERED LUMENS:</b>	5175*	3226	2116	1725	1247

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*








1534



EW7624-WH



EW7624-GH



## NAGA - EW7624

**FINISH** GH - Graphite | WH - White

Die-cast aluminum housing with powder-coated finish and polymeric diffuser  
Up and down light

**WATTAGE:** 21W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 850

**COLOR TEMP** 3000K  
**CRI (RA)** >90  
**DIMMING** 100%–10%  
**TYPE OF DIMMER** ELV (*not included*)  
**RATED LIFE** 50,000 HOURS

*Custom options available*




OUTDOOR LIGHTING.




EW7924-GH



EW7918-GY



EW7918



EW7924



## NEVIS - EW7924 / EW7918

**FINISH** GH - Graphite | GY - Gray

Formed aluminum with powder-coated finish  
Up light

	EW7924	EW7918
<b>WATTAGE:</b>	15W	16W
<b>VOLTAGE:</b>	120V	120V
<b>DELIVERED LUMENS:</b>	765*	611*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*

\*Preliminary figures


OUTDOOR LIGHTING.




EW6824-GY



EW6818-BK



EW6818



EW6824

## CASPIAN - EW6824 / EW6818

FINISH BK - Black | GY - Gray

Die-cast aluminum with powder-coated and inlaid-stone finish  
Glass diffuser  
Mounting options: horizontally or vertically

	EW6824	EW6818
WATTAGE:	31W	16W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	494*	271*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available



OUTDOOR LIGHTING.




EW7024-GH



EW7018-GH



EW7012-GH



**MOONDEW** - EW7024 / EW7018 / EW7012

**FINISH** GH - Graphite

Formed aluminum with powder-coated finish  
 Art-glass shadow and 4x-sealed glass diffuser  
 Up and down light  
 Mounting options: horizontally or vertically

	EW7024	EW7018	EW7012
<b>WATTAGE:</b>	31W	25W	21W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	1572	1065	769

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS
<i>Custom options available</i>	



\*Preliminary figures







## OUTDOOR LIGHTING.



EC18705-BK



EC18705-WH



### TRENTON - EC18705

**FINISH** BK - Black | WH - White

Cast cylindrical aluminum housing and ceiling mount  
Finely textured achromatic powder-coated finish  
Opal diffuser or transparent optical lens  
Down light

**WATTAGE:** 15W  
**VOLTAGE:** 120V  
**DELIVERED LUMENS:** 824\*

**COLOR TEMP:** 3000K  
**CRI (RA):** >90  
**DIMMING:** 100%-10%  
**TYPE OF DIMMER:** ELV (*not included*)  
**RATED LIFE:** 50,000 HOURS

*Custom options available*

\*Preliminary figures

OUTDOOR LIGHTING.



**RIDGE** - EC34509 / EC34507 / EC34505

**FINISH** BK - Black | GY - Gray

Rectilinear cast-aluminum body and frame  
 Lightly textured powder-coated finish  
 Square opal polymeric diffuser  
 Down light  
 Rated for exterior use

	EC34509	EC34507	EC34505
<b>WATTAGE:</b>	36W	21W	16W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	2218*	1227*	747*

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%–10%
<b>TYPE OF DIMMER</b>	ELV ( <i>not included</i> )
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



OUTDOOR LIGHTING.




EC44511-BK




EC44509-GY




EC44505-BK



EC44505



EC44509



EC44511

**BAILEY - EC44511 / EC44509 / EC44505**

**FINISH** BK - Black | GY - Gray

Circular cast-aluminum body and frame  
 Lightly textured powder-coated finish  
 Round opal polymeric diffuser  
 Down light  
 Rated for exterior use

	EC44511	EC44509	EC44505
<b>WATTAGE:</b>	36W	21W	15W
<b>VOLTAGE:</b>	120V	120V	120V
<b>DELIVERED LUMENS:</b>	2034	1234	771

<b>COLOR TEMP</b>	3000K
<b>CRI (RA)</b>	>90
<b>DIMMING</b>	100%-10%
<b>TYPE OF DIMMER</b>	ELV <i>(not included)</i>
<b>RATED LIFE</b>	50,000 HOURS

*Custom options available*



\*Preliminary figures

# INDEX

401207BK-LED	223	601432BN-LED	326	AT7928-BN	540	CH14356-BN	90
401207WH-LED	223	601432CH-LED	326	AT7928-WH	540	CH14356-WH	90
401214BG-LED	227	601464CH-LED	311	AT7935-BK	540	CH18537-BK	51
401214BK-LED	227	601465CH-LED	311	AT7935-BN	540	CH18537-BN	51
401214BN-LED	227	601471BK-LED	330	AT7935-WH	540	CH18548-BK	51
401214WH-LED	227	601471WH-LED	330	AT7950-BK	540	CH18548-BN	51
401215BG-LED	227	601484BK-LED	334	AT7950-BN	540	CH19220-BK/AN	82
401215BK-LED	227	601484BN-LED	334	AT7950-WH	540	CH19226-BK/AN	82
401215BN-LED	227	601484CH-LED	334	AT7972-BK	540	CH19234-BK/AN	82
401215WH-LED	227	601485BK-LED	334	AT7972-BN	540	CH19933-BK	57
401216BG-LED	227	601485BN-LED	334	AT7972-WH	540	CH19933-BN	57
401216BK-LED	227	601485CH-LED	334	CF522054MB	427	CH23532-BG	39
401216BN-LED	227	701313BK-LED	304	CF522054WH	427	CH23532-BK	39
401216WH-LED	227	701313CH-LED	304	CF523056MB	431	CH23534-BG	39
401431BK-LED	231	701314BK-LED	304	CF523056WH	431	CH23534-BK	39
401431BN-LED	231	701314CH-LED	304	CF539056MB	424	CH24755-BG	40
401431WH-LED	231	AT6506-BG	521	CF539056MBAG	424	CH24755-BK	40
401432BK-LED	231	AT6506-BK	521	CF584054MB	428	CH3117	88
401432BN-LED	231	AT6506-BN	521	CF94956-MB	432	CH3128	88
401432WH-LED	231	AT6506-WH	521	CF94956-MG	432	CH50825-BG	58
402401BG-LED	215	AT6510-BG	521	CF95960-BG	435	CH50825-BK	58
402401CH-LED	215	AT6510-BK	521	CF95960-BK	435	CH50848-BG	58
402501BG-LED	215	AT6510-BN	521	CF95960-BN	435	CH50848-BK	58
402501BK-LED	215	AT6510-WH	521	CF96956-BG	436	CH51224-BK/GD	67
402501CH-LED	215	AT6606-BK	520	CF96956-BN	436	CH51224-BK/WH	67
402601BG-LED	235	AT6606-BN	520	CF96956-MG	436	CH51232-BK/GD	67
402601CH-LED	235	AT6606-WH	520	CH10345-BG	76	CH51232-BK/WH	67
402801BC-LED	234	AT6610-BK	520	CH10345-BK	76	CH51624-BK/LG	69
402801BG-LED	234	AT6610-BN	520	CH10345-BN	76	CH51632-BK/LG	69
402801CH-LED	234	AT6610-WH	520	CH10345-WH	76	CH51818-BK	68
501102BG-LED	390	AT67006-BK	520	CH10356-BG	76	CH51825-BK	68
501102-LED	390	AT67006-BN	520	CH10356-BK	76	CH57514-BG/CP	44
501112BG-LED	390	AT67006-WH	520	CH10356-BN	76	CH57514-BK/SM	44
501112-LED	390	AT67010-BK	520	CH10356-WH	76	CH57514-CH/OP	44
501122BG-LED	390	AT67010-BN	520	CH14220-BG	91	CH58030-BK/GD	43
501122-LED	390	AT67010-WH	520	CH14220-BK	91	CH58040-BK/GD	43
601001BK-LED	312	AT68006-BG	521	CH14220-BN	91	CH62628-BG/LG	55
601001BN-LED	312	AT68006-BK	521	CH14220-WH	91	CH62628-BK/LG	55
601001CH-LED	312	AT68006-BN	521	CH14232-BG	91	CH62737-BG/LG	55
601002BK-LED	312	AT68006-WH	521	CH14232-BK	91	CH62737-BK/LG	55
601002BN-LED	312	AT68010-BG	521	CH14232-BN	91	CH63436-BK	60
601002CH-LED	312	AT68010-BK	521	CH14232-WH	91	CH63436-BN	60
601003CH-LED	311	AT68010-BN	521	CH14348-BG	90	CH72225-BK	56
601004CH-LED	311	AT68010-WH	521	CH14348-BK	90	CH76718-BG	36
601431BK-LED	326	AT7924-BK	540	CH14348-BN	90	CH76718-BK	36
601431BN-LED	326	AT7924-BN	540	CH14348-WH	90	CH76718-CH	36
601431CH-LED	326	AT7924-WH	540	CH14356-BG	90	CH76728-BG	36
601432BK-LED	326	AT7928-BK	540	CH14356-BK	90	CH76728-BK	36

# INDEX

CH76728-CH	36	CH93934-BK	64	EB49718-BK	475	EG96428-BK	502
CH81527-BK	32, 129	CH93941-AN	64	EB49730-BK	475	EL17610-BK	484
CH87224-BG	62	CH93941-AS	64	EB49740-BK	475	EL17614-BK	484
CH87224-BK	62	CH93941-BK	64	EB82217-BK	476	EP17609-BK	492
CH87224-WH	62	CH94824-AN	59	EB82229-BK	476	EP17805-BK	494
CH87232-BG	62	CH94824-AS	59	EB82239-BK	476	EP19404-BK	515
CH87232-BK	62	CH94824-BK	59	EB83317-BK	474	EP19404-WH	515
CH87232-WH	62	CH94829-AN	59	EB83329-BK	474	EP48224-BK	533
CH87332-BG	62	CH94829-AS	59	EB83339-BK	474	EP48232-BK	533
CH87332-BK	62	CH94829-BK	59	EC17609-BK	492	EP56913-BK/OP	467
CH87332-WH	62	CH96442-BK	28	EC18705-BK	547	EP64810-BK	488
CH87824-BG	63	CH96840-BK	35	EC18705-WH	547	EP64815-BK	488
CH87824-BK	63	CH96840-BK/BG	35	EC19404-BK	515	EP68420-BK	532
CH87824-WH	63	CH97139-BK	52	EC19404-WH	515	EP68428-BK	532
CH87832-BG	63	CH97358-BK	52	EC19408-BK	515	EP7718-GH	530
CH87832-BK	63	CNL3AC-BK	95	EC19408-WH	515	ER3003-BK	447
CH87832-WH	63	CNL3AC-GH	95	EC34505-BK	548	ER3003-BK-12V	447
CH87932-BG	63	CNL3AC-WH	95	EC34505-GY	548	ER3003-BN	447
CH87932-BK	63	CNL5AC-BK	95	EC34507-BK	548	ER3003-BN-12V	447
CH87932-WH	63	CNL5AC-GH	95	EC34507-GY	548	ER3003-BZ	447
CH88224-BG	79	CNL5AC-WH	95	EC34509-BK	548	ER3003-BZ-12V	447
CH88224-BK	79	CNM13AC-BK	92	EC34509-GY	548	ER3003-GY	447
CH88224-WH	79	CNM13AC-GH	92	EC44505-BK	549	ER3003-GY-12V	447
CH88232-BG	79	CNM13AC-WH	92	EC44505-GY	549	ER3003-ST	447
CH88232-BK	79	EB2924-BK	483	EC44509-BK	549	ER3003-WH	447
CH88232-WH	79	EB2936-BK	483	EC44509-GY	549	ER3003-WH-12V	447
CH88332-BG	79	EB3024-BK	477	EC44511-BK	549	ER3005-BK	447
CH88332-BK	79	EB3036-BK	477	EC44511-GY	549	ER3005-BK-12V	447
CH88332-WH	79	EB40910-BK	479	EC46004-BK	525	ER3005-BN	447
CH89832-BG/GO	31	EB40924-BK	479	EC64810-BK	488	ER3005-BN-12V	447
CH89832-BK/GO	31	EB40936-BK	479	EG17621-BK	491	ER3005-BZ	447
CH89854-BG/GO	31	EB41924-BK	480	EG17622-BK	491	ER3005-BZ-12V	447
CH89854-BK/GO	31	EB41936-BK	480	EG17631-BK	491	ER3005-GY	447
CH90132-BK	72	EB46418-BK	472	EG17632-BK	491	ER3005-GY-12V	447
CH90136-BK	72	EB46430-BK	472	EG17828-BK	494	ER3005-ST	447
CH90734-BK	53	EB46440-BK	472	EG25714-BK	505	ER3005-WH	447
CH90826-BK	50	EB47818-BK	473	EG25720-BK	505	ER3005-WH-12V	447
CH90826-BK/GD	50	EB47829-BK	473	EG25726-BK	505	ER30103-BK	443
CH90833-BK	50	EB47837-BK	473	EG26718-BK	501	ER30103-BZ	443
CH90833-BK/GD	50	EB48516-BK	468	EG26724-BK	501	ER30103-WH	443
CH93824-AN	65	EB48528-BK	468	EG26730-BK	501	ER30203-BK	442
CH93824-AS	65	EB48538-BK	468	EG45105-BK	497	ER30203-BZ	442
CH93824-BK	65	EB48919-BK	470	EG45109-BK	497	ER30203-WH	442
CH93834-AN	65	EB48931-BK	470	EG45118-BK	497	ER7108-BK	450
CH93834-AS	65	EB48941-BK	470	EG45124-BK	497	ER7108-CBOX	451
CH93834-BK	65	EB49020-BK	471	EG64810-BK	487	ER7108-GY	450
CH93934-AN	64	EB49031-BK	471	EG64816-BK	487	ER7108-MBOX	451
CH93934-AS	64	EB49041-BK	471	EG96422-BK	502	ER7110-BK	450

# INDEX

ER7110-CBOX	451	EW33104-BK	517	EW60312-BZ	529	FL25558-BN	419
ER7110-GY	450	EW33104-GH	517	EW60312-WH	529	FL25558-WH	419
ER7110-MBOX	451	EW33104-WH	517	EW61806-BK	524	FL28563-BG	408
ER7120-BK	450	EW33204-BK	517	EW62604-BK	513	FL28563-BK	408
ER7120-CBOX	451	EW33204-GH	517	EW62604-GY	513	FL46660-GBK	418
ER7120-GY	450	EW33204-WH	517	EW62604-WH	513	FL46660-GWH	418
ER7120-MBOX	451	EW3406-BK	538	EW6612-BK	526	FL46748-BK	416
ER72001-12V-BK	440	EW3506-BK	538	EW6818-BK	544	FL46748-WH	416
ER72001-BK	440	EW3506-GY	538	EW6818-GY	544	FL46948-BK	416
ER9410-BK	448	EW3609-BK	536	EW6824-BK	544	FL46948-WH	416
ER9410-GY	448	EW3609-GH	536	EW6824-GY	544	FL70155-BK	415
ER9420-BK	448	EW3609-WH	536	EW7012-GH	545	FL70355-BK	415
ER9420-GY	448	EW3612-BK	536	EW7018-GH	545	FL72268-BK	413
EW17605-BK	493	EW3612-GH	536	EW7024-GH	545	FL90155-BK	412
EW17608-BK	493	EW3612-WH	536	EW70714-BK	464	FL95150-BG	420
EW17611-BK	493	EW39005-BK	463	EW70720-BK	464	FL95150-BK	420
EW17805-BK	494	EW39506-BK	463	EW71205-BK	444, 522	FL95150-CH	420
EW19404-BK	514	EW4208-BK	527	EW71205-GY	444, 522	FL95360-BK	414
EW19404-WH	514	EW4208-GY	527	EW71209-BK	444, 522	FM10205-BK	395
EW19408-BK	514	EW4306-BK	527	EW71209-GY	444, 522	FM10205-WH	395
EW19408-WH	514	EW4306-WH	527	EW71211-BK	444, 522	FM10605-BK	395
EW19414-BK	514	EW4405-BK	539	EW71211-GY	444, 522	FM10605-WH	395
EW19414-WH	514	EW4405-WH	539	EW71305-BK	445, 523	FM10705-BK	395
EW19418-BK	514	EW44204-BK	510	EW71305-GY	445, 523	FM10705-WH	395
EW19418-WH	514	EW44206-BK	510	EW71309-BK	445, 523	FM11011-WH	399
EW22109-BK	536	EW45101-BK	498	EW71309-GY	445, 523	FM11015-WH	399
EW22109-BN	536	EW45102-BK	498	EW71311-BK	445, 523	FM11410-BK	400
EW22109-WH	536	EW47512-BK	511	EW71311-GY	445, 523	FM11410-WH	400
EW25707-BK	506	EW48205-BK	535	EW71403-BK	446, 523	FM11414-BK	400
EW27112-BK	518	EW48208-BK	535	EW71403-GY	446, 523	FM11414-WH	400
EW27112-GH	518	EW48212-BK	534	EW71412-BK	446, 523	FM11418-BK	400
EW27112-WH	518	EW48218-BK	534	EW71412-GY	446, 523	FM11418-WH	400
EW27120-BK	518	EW53908-BK	537	EW72332-BK	460	FM13120-BK	398
EW27120-GH	518	EW53908-BZ	537	EW72355-BK	460	FM13120-WH	398
EW27120-WH	518	EW53908-GY	537	EW72533-BK	456	FM13124-BK	398
EW27140-BK	518	EW53916-BK	537	EW72560-BK	456	FM13124-WH	398
EW27140-GH	518	EW53916-GY	537	EW72724-BK	459	FM1512-BG	378
EW27140-WH	518	EW54008-BK	528	EW7624-GH	542	FM1512-BK	378
EW29548-BK	455	EW54008-BZ	528	EW7624-WH	542	FM1512-BN	378
EW29560-BK	455	EW54008-GY	528	EW7718-GH	530	FM1512-CH	378
EW3105-BK	508	EW54016-BK	528	EW7918-GH	543	FM1512-WH	378
EW3105-GY	508	EW60210-BK	524	EW7918-GY	543	FM1515-BG	378
EW3107-BK	508	EW60307-BN	529	EW7924-GH	543	FM1515-BK	378
EW3107-GY	508	EW60307-BZ	529	EW7924-GY	543	FM1515-BN	378
EW3207-BK	509	EW60307-WH	529	EW9010-BK	539	FM1515-CH	378
EW3207-GY	509	EW60308-BK	526	EW9010-GY	539	FM1515-WH	378
EW3212-BK	509	EW60312-BK	529	FL25558-BG	419	FM18232-BG	383
EW3212-GY	509	EW60312-BN	529	FL25558-BK	419	FM18232-BK	383



# INDEX

FM18232-BN	383	FM43920-BK/GD	376	FM72205-BK	394	LP18248-BN	167
FM18232-WH	383	FM43920-BK/WH	376	FM7610-BK	387	LP18248-WH	167
FM18247-BG	383	FM43920-BK/WT	376	FM7616-BK	387	LP18260-BG	167
FM18247-BK	383	FM43920-WH/BK	376	FM7616-BN	387	LP18260-BK	167
FM18247-BN	383	FM43920-WH/GD	376	FM7620-BK	387	LP18260-BN	167
FM18247-WH	383	FM43920-WH/WT	376	FM7916-BE	384	LP18260-WH	167
FM2011-CH	391	FM44614-BK/WH	370	FM7916-BK	384	LP18537-BK	147
FM22815-BK/WH	266, 392	FM44912-BK/WH	370	FM7916-BOR	384	LP18537-BN	147
FM22815-GY	266, 392	FM45316-BG	346	FM7916-GY	384	LP18648-BK	147
FM23534-BG	353	FM45316-BK	346	FM7916-WH	384	LP18648-BN	147
FM23534-BK	353	FM45707-BG/GO	366	FM7916-WOR	384	LP19937-BK	154
FM31205-BK/WH	349	FM45707-BN/GO	366	FM7920-BE	384	LP19937-BN	154
FM3506-BK	399	FM45710-BG/GO	366	FM7920-BK	384	LP19947-BK	154
FM3506-BN	399	FM45710-BN/GO	366	FM7920-BOR	384	LP19947-BN	154
FM3511-BK	399	FM45907-BG/OP	362	FM7920-GY	384	LP23532-BG	117
FM3511-BN	399	FM45907-BK/OP	362	FM7920-WH	384	LP23532-BK	117
FM3511-CH/FR	399	FM45910-BG/OP	362	FM7920-WOR	384	LP28543-BG	110
FM42706-BK	398	FM45910-BK/OP	362	FM9304-BK	402	LP28543-BK	110
FM42706-WH	398	FM48610	397	FM9304-WH	402	LP28748-BG	106
FM43117-BK	381	FM48614	397	FM93820-AN	382	LP28748-BK	106
FM43117-CL	381	FM48618	397	FM93820-AS	382	LP28748-BK/BG	106
FM43121-BK	381	FM52508-BG/CL	354	FM93820-BK	382	LP28760-BG	106
FM43121-CL	381	FM52508-BK/CL	354	FM9405-BK	402	LP28760-BK	106
FM43311-BK	386	FM52512-BG/CL	354	FM9405-WH	402	LP28760-BK/BG	106
FM43311-CH	386	FM52512-BK/CL	354	HF522054MB	427	LP29548-BK	113
FM43311-WH	386	FM52719-BK	379	HF522054WH	427	LP29560-BK	113
FM43313-BK	386	FM52719-BN	379	HF523056MB	431	LP32942-WK	114
FM43313-CH	386	FM52719-WT	379	HF523056WH	431	LP32942-WT	114
FM43313-WH	386	FM53005-BG/OP	361	LP10345-BG	166	LP45548-BG	146
FM43315-BK	386	FM53005-BK/OP	361	LP10345-BK	166	LP45548-BK	146
FM43315-CH	386	FM53509-BG/CL	357	LP10345-BN	166	LP45548-BN	146
FM43315-WH	386	FM53509-BK/CL	357	LP10345-WH	166	LP45548-WH	146
FM43414-BK/GD	374	FM53512-BG/CL	357	LP10356-BG	166	LP45560-BG	146
FM43414-WH/GD	374	FM53512-BK/CL	357	LP10356-BK	166	LP45560-BK	146
FM43419-BK/GD	374	FM54809-BG/OP	358	LP10356-BN	166	LP45560-BN	146
FM43419-WH/GD	374	FM54809-BK/OP	358	LP10356-WH	166	LP45560-WH	146
FM43423-BK/GD	374	FM57508-BG/CP	350	LP14840-BK	186	LP50851-BG	173
FM43423-WH/GD	374	FM57508-BK/SM	350	LP14840-WH	186	LP50851-BK	173
FM43518-BK	381	FM57508-CH/OP	350	LP14935-BK	187	LP58042-BK/GD	121
FM43518-WH	381	FM58306-BG/OP	369	LP14935-WH	187	LP63436-BK	144
FM43522-BK	381	FM58306-BK/OP	369	LP14947-BK	187	LP63436-BN	144
FM43522-WH	381	FM58310-BG/OP	369	LP14947-WH	187	LP70130-BK	182
FM43916-BK/GD	376	FM58310-BK/OP	369	LP16236-BK	170	LP70148-BK	182
FM43916-BK/WH	376	FM6012-BK	391	LP16236-BN	170	LP70548-BK/WH	152
FM43916-BK/WT	376	FM6012-BN	391	LP16248-BK	170	LP72237-BK	168
FM43916-WH/BK	376	FM6012-CH	391	LP16248-BN	170	LP73048-BG	105
FM43916-WH/GD	376	FM63432-BK	373	LP18248-BG	167	LP73048-BK	105
FM43916-WH/WT	376	FM63432-BN	373	LP18248-BK	167	LP73073-BG	105

# INDEX

LP73073-BK	105	MP18203-WH	75	MP95103-BK	211	PD16328-BK	171
LP73510-BK/WH	102	MP18205-BG	74	MP95103-CH	211	PD16328-BN	171
LP73536-BK/WH	102	MP18205-BK	74	MP95105-BG	211	PD1706-BK	229
LP74626-BK	160	MP18205-BN	74	MP95105-BK	211	PD1706-BN	229
LP84434-BK	157	MP18205-WH	74	MP95105-CH	211	PD1706-CH	229
LP84457-BK	157	MP28356-BK	89	PD11119-AN	210	PD1706-WH	229
LP89036-BG	149	MP28356-BN	89	PD11119-AS	210	PD1709-BK	229
LP89036-BK	149	MP3003	237	PD11119-BK	210	PD1709-BN	229
LP89036-BN	149	MP3006	237	PD11132-AN	210	PD1709-CH	229
LP89048-BG	149	MP3009	237	PD11132-AS	210	PD1709-WH	229
LP89048-BK	149	MP3012	237	PD11132-BK	210	PD1712-BK	229
LP89048-BN	149	MP46608-GBK	175	PD11612-BN	225	PD1712-BN	229
LP90727-BK	150	MP46608-GWH	175	PD11706-BG	143	PD1712-CH	229
LP90748-BK	150	MP47613-BK	174	PD11706-BK	142	PD1712-WH	229
LP90838-BK	155	MP47613-WH	174	PD11708-BG	143	PD19347-AN	191
LP90838-BK/GD	155	MP70308-BK	183	PD11708-BK	142	PD19347-BK	191
LP92636-BK	109	MP75113-BG	70	PD11710-BG	143	PD19359-AN	191
LP93742-AN	190	MP75113-BK	70	PD11710-BK	142	PD19359-BK	191
LP93742-AS	190	MP75113-CH	70	PD12506-CL	225	PD19804-BK	224
LP93742-BK	190	MP75121-BG	70	PD12506-SM	225	PD19804-BN	224
LP95354-BK	152	MP75121-BK	70	PD13120-BK	222	PD19804-CH	224
LP96840-BK	118	MP75121-CH	70	PD13120-WH	222	PD21703-BK	224
LP96840-BK/BG	118	MP75127-BG	70	PD13124-BK	222	PD21703-BN	224
MP10303-BG	77	MP75127-BK	70	PD13124-WH	222	PD21703-CH	224
MP10303-BK	77	MP75127-CH	70	PD14740-BK	165	PD22332-BG	197
MP10303-BN	77	MP75213-BG	71	PD14760-BK	165	PD22332-BK	197
MP10303-WH	77	MP75213-BK	71	PD15302-BK	217	PD22332-BN	197
MP10305-BG	77	MP75213-CH	71	PD15302-CH	217	PD22332-WH	197
MP10305-BK	77	MP75221-BG	71	PD15302-WH	217	PD22339-BG	197
MP10305-BN	77	MP75221-BK	71	PD15415-BG	184	PD22339-BK	197
MP10305-WH	77	MP75221-CH	71	PD15415-BK	184	PD22339-BN	197
MP14850-BK	80	MP75227-BG	71	PD15416-BG	184	PD22339-WH	197
MP14850-WH	80	MP75227-BK	71	PD15416-BK	184	PD22723-BK	195
MP14919-BK	81	MP75227-CH	71	PD15518-BG	184	PD22723-BS	195
MP14919-WH	81	MP84483-BK	87	PD15518-BK	184	PD22723-WH	195
MP14924-BK	81	MP89370-BG	48	PD15519-BG	184	PD22735-BK	195
MP14924-WH	81	MP89370-BK	48	PD15519-BK	184	PD22735-BS	195
MP14932-BK	81	MP89370-BN	48	PD15816-BK	212	PD22735-WH	195
MP14932-WH	81	MP89390-BG	48	PD15816-CH	212	PD22753-BK	194
MP14956-BK	84	MP89390-BK	48	PD15816-WH	212	PD22753-BS	194
MP14956-WH	84	MP89390-BN	48	PD15824-BK	212	PD22753-WH	194
MP14960-BK	85	MP89570-BG	47	PD15824-CH	212	PD22772-BK	194
MP14960-WH	85	MP89570-BK	47	PD15824-WH	212	PD22772-BS	194
MP14970-BK	85	MP89570-BN	47	PD15832-BK	212	PD22772-WH	194
MP14970-WH	85	MP89590-BG	47	PD15832-CH	212	PD22824-BK/WH	181
MP18203-BG	75	MP89590-BK	47	PD15832-WH	212	PD22824-GY	181
MP18203-BK	75	MP89590-BN	47	PD16320-BK	171	PD22907-BK/WH	181
MP18203-BN	75	MP95103-BG	211	PD16320-BN	171	PD22907-GY	181

# INDEX

PD24716-BG	122	PD52724-BK	151	PD75027-BK	163	PD82548-WH	205
PD24716-BK	122	PD52724-BN	151	PD75027-CH	163	PD82560-BK	205
PD24724-BG	122	PD52724-WT	151	PD76312-BG/OP	130	PD82560-BN	205
PD24724-BK	122	PD52732-BK	151	PD76312-BK/OP	130	PD82560-WH	205
PD24732-BG	122	PD52732-BN	151	PD76316-BG/OP	130	PD82572-BK	205
PD24732-BK	122	PD52732-WT	151	PD76316-BK/OP	130	PD82572-BN	205
PD24748-BG	122	PD53305-CH	228	PD76708-BG	133	PD82572-WH	205
PD24748-BK	122	PD53330-CH	228	PD76708-BK	133	PD82724-BK	192
PD28515-BG	110	PD57508-BG/CP	138	PD76708-CH	133	PD82724-WH	192
PD28515-BK	110	PD57508-BK/SM	138	PD76712-BG	133	PD82732-BK	192
PD29226-BK	126	PD57508-CH/OP	138	PD76712-BK	133	PD82732-WH	192
PD29806-BG	141	PD58014-BK/GD	121	PD76712-CH	133	PD83708-BK/WH	200
PD29806-BK	141	PD59708-BG/OP	137	PD76716-BG	133	PD84324-BK	158
PD3004	236	PD59708-BK/OP	137	PD76716-BK	133	PD84336-BK	158
PD3005	236	PD59708-BK/SM	137	PD76716-CH	133	PD84353-BK	158
PD3007	236	PD61412-CL/BG	218	PD7716-BN	232	PD84436-BK	159
PD30501-BG/CL	134	PD61412-CL/BK	218	PD7716-CH	232	PD87118-BG	202
PD30501-BK/CL	134	PD61418-CL/BG	218	PD7721-BN	232	PD87118-BK	202
PD30502-BG/CL	134	PD61418-CL/BK	218	PD7721-CH	232	PD87118-WH	202
PD30502-BK/CL	134	PD62012-BK/CH	179	PD7916-BE	220	PD87124-BG	202
PD30505-BG/CL	134	PD62012-BK/CP	179	PD7916-BK	220	PD87124-BK	202
PD30505-BK/CL	134	PD62012-BK/SM	179	PD7916-BOR	220	PD87124-WH	202
PD3106	235	PD62013-BK/CH	179	PD7916-GY	220	PD87132-BG	202
PD32901-WK	114	PD62013-BK/CP	179	PD7916-WH	220	PD87132-BK	202
PD32901-WT	114	PD62013-BK/SM	179	PD7916-WOR	220	PD87132-WH	202
PD32912-WK	114	PD62014-BK/CH	179	PD7920-BE	220	PD87136-BG	202
PD32912-WT	114	PD62014-BK/CP	179	PD7920-BK	220	PD87136-BK	202
PD41304-BN	216	PD62014-BK/SM	179	PD7920-BOR	220	PD87136-WH	202
PD41305-BN	216	PD62511-BG/LG	176	PD7920-GY	220	PD87148-BG	202
PD42502-BK	213	PD62511-BK/LG	176	PD7920-WH	220	PD87148-BK	202
PD42502-BN	213	PD62622-BG/LG	176	PD7920-WOR	220	PD87148-WH	202
PD42502-CH	213	PD62622-BK/LG	176	PD80324-WH	199	PD87160-BG	202
PD42502-WH	213	PD63428-BK	60	PD80332-WH	199	PD87160-BK	202
PD4401-CH	234	PD63428-BN	60	PD80340-WH	199	PD87160-WH	202
PD46216-BK	217	PD6705-BK	230	PD80712	198	PD87172-BG	202
PD46216-WH	217	PD6705-BN	230	PD80718	198	PD87172-BK	202
PD46604-GBK	175	PD6705-WH	230	PD80724	198	PD87172-WH	202
PD46604-GWH	175	PD70610-CL/BG	219	PD80730	198	PD87718-BG	203
PD47603-BK	174	PD70610-SM/BN	219	PD80736	198	PD87718-BK	203
PD47603-WH	174	PD70615-CL/BG	219	PD81511-BK	32, 129	PD87718-WH	203
PD50852-BG	173	PD70615-SM/BN	219	PD82524-BK	205	PD87724-BG	203
PD50852-BK	173	PD72208-BK	168	PD82524-BN	205	PD87724-BK	203
PD51212-BK/GD	189	PD74738-BK	162	PD82524-WH	205	PD87724-WH	203
PD51212-BK/WH	189	PD74746-BK	162	PD82536-BK	205	PD87732-BG	203
PD51612-BK/LG	189	PD75021-BG	163	PD82536-BN	205	PD87732-BK	203
PD52719-BK	151	PD75021-BK	163	PD82536-WH	205	PD87732-WH	203
PD52719-BN	151	PD75021-CH	163	PD82548-BK	205	PD87736-BG	203
PD52719-WT	151	PD75027-BG	163	PD82548-BN	205	PD87736-BK	203

# INDEX

PD87736-WH	203	PD95108-BK	211	TL25517-BN	419	VL17224-CH	299
PD87748-BG	203	PD95108-CH	211	TL25517-WH	419	VL17324-CH	307
PD87748-BK	203	PD96416-BK	125	TL28518-BG	408	VL18224-BG	291
PD87748-WH	203	PD96424-BK	125	TL28518-BK	408	VL18224-BK	291
PD87760-BG	203	PL18217-BK	343	TL46615-GBK	418	VL18224-BN	291
PD87760-BK	203	PL18217-BN	343	TL46615-GWH	418	VL18224-WH	291
PD87760-WH	203	PL18234-BK	343	TL70124-BK	415	VL18236-BG	291
PD87772-BG	203	PL18234-BN	343	TL72218-BK	413	VL18236-BK	291
PD87772-BK	203	SF15001-BK	403	TL83708-BK/WH	411	VL18236-BN	291
PD87772-WH	203	SF15001-WH	403	TL90118-BK	412	VL18236-WH	291
PD88118-BG	206	SF15002-BK	403	TL95121-BG	420	VL18248-BG	291
PD88118-BK	206	SF15002-WH	403	TL95121-BK	420	VL18248-BK	291
PD88118-WH	206	SF15101-BK	403	TL95121-CH	420	VL18248-BN	291
PD88124-BG	206	SF15101-WH	403	TR10006-BK	404	VL18248-WH	291
PD88124-BK	206	SF15102-BK	403	TR10006-BN	404	VL18524-BK	270
PD88124-WH	206	SF15102-WH	403	TR10015-BK	404	VL18524-BN	270
PD88132-BG	206	SF15601-BK	403	TR10015-BN	404	VL18532-BK	270
PD88132-BK	206	SF15601-WH	403	TR10022-BK	404	VL18532-BN	270
PD88132-WH	206	SF15602-BK	403	TR10022-BN	404	VL18536-BK	270
PD88136-BG	206	SF15602-WH	403	TR10031-BK	405	VL18536-BN	270
PD88136-BK	206	SF15701-BK	403	TR10031-BN	405	VL19931-BK	277
PD88136-WH	206	SF15701-WH	403	TR10036-BK	405	VL19931-BN	277
PD88148-BG	206	SF15702-BK	403	TR10036-BN	405	VL19941-BK	277
PD88148-BK	206	SF15702-WH	403	TR10044-BK	405	VL19941-BN	277
PD88148-WH	206	SF16212-BK	389	TR10044-BN	405	VL23524-BG	244
PD88160-BG	206	SF16212-BN	389	VL0118-BK	312	VL23524-BK	244
PD88160-BK	206	SF16216-BK	389	VL0118-BN	312	VL23532-BG	244
PD88160-WH	206	SF16216-BN	389	VL0118-CH	312	VL23532-BK	244
PD88172-BG	206	SF16230-BK	296	VL10323-BG	295	VL27523-BG	248
PD88172-BK	206	SF16230-BN	296	VL10323-BK	295	VL27523-BK	248
PD88172-WH	206	SF16240-BK	296	VL10323-BN	295	VL27523-CH	248
PD88530-BG	207	SF16240-BN	296	VL10323-WH	295	VL27534-BG	248
PD88530-BK	207	SF16312-BK	389	VL10337-BG	295	VL27534-BK	248
PD88530-WH	207	SF16312-BN	389	VL10337-BK	295	VL27534-CH	248
PD88548-BG	207	SF16316-BK	389	VL10337-BN	295	VL31218-BK/WH	240
PD88548-BK	207	SF16316-BN	389	VL10337-WH	295	VL31224-BK/WH	240
PD88548-WH	207	SF59706-BG/OP	365	VL13424-BK	306	VL45721-BG/GO	255
PD90115-BK	178	SF59706-BK/OP	365	VL13424-BN	306	VL45721-BK/GO	255
PD9108-BK/BK	208	SF59706-BK/SM	365	VL13424-CH	306	VL45730-BG/GO	255
PD9108-BK/GD	208	SF59708-BG/OP	365	VL16720-BK	318	VL45730-BK/GO	255
PD9108-WH/GD	208	SF59708-BK/OP	365	VL16720-CH	318	VL4721-CH	315
PD9108-WH/SV	208	SF59708-BK/SM	365	VL16727-BK	318	VL47221-BK	314
PD9117-BK/BK	208	SF62014-BK/CH	375	VL16727-CH	318	VL47221-CH	314
PD9117-BK/GD	208	SF62014-BK/CP	375	VL17024-BG	309	VL47225-BK	314
PD9117-WH/GD	208	SF62014-BK/SM	375	VL17024-BK	309	VL47225-CH	314
PD9117-WH/SV	208	SF72205-BK	394	VL17024-BN	309	VL47237-BK	314
PD92615-BK	109	TL25517-BG	419	VL17024-CH	309	VL47237-CH	314
PD95108-BG	211	TL25517-BK	419	VL17124-CH	307	VL4725-CH	315

# INDEX

VL47321-BG	298	VL6220-CH	323	WS10336-BG	294	WS18248-BG	290
VL47321-CH	298	VL62220-BK	322	WS10336-BK	294	WS18248-BK	290
VL47337-BG	298	VL62220-CH	322	WS10336-BN	294	WS18248-BN	290
VL47337-CH	298	VL62224-BK	322	WS10336-WH	294	WS18248-WH	290
VL4737-CH	315	VL62224-CH	322	WS10415-BK	340	WS18901-BK	338
VL52512-BG/CL	251	VL62236-BK	322	WS10415-WH	340	WS18901-WH	338
VL52512-BK/CL	251	VL62236-CH	322	WS10423-BK	340	WS19705-BK	332
VL52520-BG/CL	251	VL6224-CH	323	WS10423-WH	340	WS19707-BK	332
VL52520-BK/CL	251	VL6236-CH	323	WS10437-BK	340	WS19914-BK	277
VL52718-BK	271	VL63316-BK	279	WS10437-WH	340	WS19914-BN	277
VL52718-BN	271	VL63316-BN	279	WS13748-BG	269	WS22915-BK/WH	266, 392
VL52718-WT	271	VL63316-CH	279	WS13748-BK	269	WS22915-GY	266, 392
VL52727-BK	271	VL63325-BK	279	WS13748-BN	269	WS2413-CH	304
VL52727-BN	271	VL63325-BN	279	WS13748-WH	269	WS24324-BK	303
VL52727-WT	271	VL63325-CH	279	WS13760-BG	269	WS24324-BN	303
VL52738-BK	271	VL63336-BK	279	WS13760-BK	269	WS24324-WH	303
VL52738-BN	271	VL63336-BN	279	WS13760-BN	269	WS24332-BK	303
VL52738-WT	271	VL63336-CH	279	WS13760-WH	269	WS24332-BN	303
VL53511-BG/CL	252	VL63416-BK	263	WS14923-BK	301	WS24332-WH	303
VL53511-BK/CL	252	VL63416-BN	263	WS14923-WH	301	WS24348-BK	303
VL53519-BG/CL	252	VL63416-CH	263	WS14935-BK	301	WS24348-BN	303
VL53519-BK/CL	252	VL63425-BK	263	WS14935-WH	301	WS24348-WH	303
VL57532-BG/CP	243	VL63425-BN	263	WS14947-BK	301	WS25118-BG	283
VL57532-BK/SM	243	VL63425-CH	263	WS14947-WH	301	WS25118-BK	283
VL57532-CH/OP	243	VL63436-BK	263	WS16705-BK	318	WS25118-BN	283
VL60220-BK	320	VL63436-BN	263	WS16705-CH	318	WS25118-WH	283
VL60220-CH	320	VL63436-CH	263	WS16806-BK	339	WS25125-BG	283
VL60224-BK	320	VL63624-BK	274	WS16806-WH	339	WS25125-BK	283
VL60224-CH	320	VL63624-BN	274	WS16811L-BK	339	WS25125-BN	283
VL60236-BK	320	VL63624-CH	274	WS16811L-WH	339	WS25125-WH	283
VL60236-CH	320	VL63636-BK	274	WS16811R-BK	339	WS25336-BG	282
VL60536-BK	275	VL63636-BN	274	WS16811R-WH	339	WS25336-BK	282
VL60536-BN	275	VL63636-CH	274	WS16907-BK	337	WS25336-BN	282
VL60536-CH	275	VL63724-BK	278	WS16907-WH	337	WS25336-WH	282
VL60624-BK	293	VL63724-BN	278	WS16912-BK	337	WS25350-BG	282
VL60624-CH	293	VL63724-CH	278	WS16912-WH	337	WS25350-BK	282
VL60637-BK	293	VL63736-BK	278	WS17014-BG	309	WS25350-BN	282
VL60637-CH	293	VL63736-BN	278	WS17014-BK	309	WS25350-WH	282
VL61220-BK	321	VL63736-CH	278	WS17014-BN	309	WS2812-BK	333
VL61220-CH	321	VL72213-BK	285	WS17014-CH	309	WS2812-BN	333
VL61224-BK	321	VL72221-BK	285	WS18224-BG	290	WS2812-CH	333
VL61224-CH	321	VL72237-BK	285	WS18224-BK	290	WS31205-BK/WH	240
VL61236-BK	321	VL7524-CH	299	WS18224-BN	290	WS3309	335
VL61236-CH	321	VL90133-BK	259	WS18224-WH	290	WS3313	335
VL61620-CH	310	WS10324-BG	294	WS18236-BG	290	WS33407-BG	328
VL61626-CH	310	WS10324-BK	294	WS18236-BK	290	WS33407-BK	328
VL61638-CH	310	WS10324-BN	294	WS18236-BN	290	WS33407-BN	328
VL61650-CH	310	WS10324-WH	294	WS18236-WH	290	WS33407-WH	328

# INDEX

WS3413-BG	325	WS74226-BK	272	WS9809-BN	327
WS3413-BK	325	WS74226-CH	272	WS9809-CH	327
WS3413-CH	325	WS8318-BK	316	WS9815-BG	327
WS3909-BN	325	WS8318-BN	316	WS9815-BN	327
WS3909-CH	325	WS8318-CH	316	WS9815-CH	327
WS39210-BG	329	WS83218-BG	302		
WS39210-BK	329	WS83218-BK	302		
WS39210-CH	329	WS83218-CH	302		
WS41216-BK/GL	330	WS8324-BK	316		
WS41216-WH/SV	330	WS8324-BN	316		
WS46604-GBK	267	WS8324-CH	316		
WS46604-GWH	267	WS8332-BK	316		
WS47305-BG	298	WS8332-BN	316		
WS47305-CH	298	WS8332-CH	316		
WS51202-BK/WH	264	WS83421-BK	286		
WS52505-BG/CL	251	WS83421-GD	286		
WS52505-BK/CL	251	WS83427-BK	286		
WS52511-BG/CL	251	WS83427-GD	286		
WS52511-BK/CL	251	WS83706-BK/WH	256		
WS53318-CH	332	WS8418-BK	317		
WS53322-CH	332	WS8418-BN	317		
WS53505-BG/CL	252	WS8418-CH	317		
WS53505-BK/CL	252	WS84218-BG	302		
WS54615-BK	333	WS84218-BK	302		
WS54615-BN	333	WS84218-CH	302		
WS54615-BZ	333	WS8424-BK	317		
WS54615-CH	333	WS8424-BN	317		
WS62524-BG/LG	261	WS8424-CH	317		
WS62524-BK/LG	261	WS8432-BK	317		
WS62629-BG/LG	261	WS8432-BN	317		
WS62629-BK/LG	261	WS8432-CH	317		
WS63209-BG	335	WS90101-BK	258		
WS63209-BK	335	WS90102-BK	258		
WS63209-CH	335	WS90116-BK	259		
WS63424-BK	262	WS90120-BK	259		
WS63424-BN	262	WS90717-BK	280		
WS70124-BK	288	WS90727-BK	280		
WS70130-BK	288	WS92617-BK	247		
WS70136-BK	288	WS93724-AN	287		
WS70410-BK	267	WS93724-AS	287		
WS70410-WH	267	WS93724-BK	287		
WS74114-BG	272	WS93730-AN	287		
WS74114-BK	272	WS93730-AS	287		
WS74114-CH	272	WS93730-BK	287		
WS74122-BG	272	WS93736-AN	287		
WS74122-BK	272	WS93736-AS	287		
WS74122-CH	272	WS93736-BK	287		
WS74226-BG	272	WS9809-BG	327		







# KUZCO

USA  
3035 E. Lone Mountain Road  
Las Vegas NV, USA 89081

CANADA  
19054 28<sup>th</sup> Avenue  
Surrey BC, Canada V3Z 6M3

Toll: 1.855.85K.UZCO(5.8926)  
[www.kuzcolighting.com](http://www.kuzcolighting.com)