


Chandeliers & Pendants Interior Sconces 148 Bath & Interior Sconces 224 Flush Mounts 280 312 Outdoor 412 Task

2

Within these pages, you will find plentiful products that meet ADA and Dark Sky compliance, many with universal




FOREVER


Spectacularly luminous panels made with reclaimed K5 crystal are spellbouding in this exquisite chandelier. Clandestine LED light sources are powered by thin cables that suspend the frame to the canopy for a technologically advanced design with the utmost attention to detail.



- Reclaimed K5 crystalDimmer: ELV, TRIAC 0-10V
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Universal Driver (120-277V) concealed within canopy
- Quick spin-on canopy design with minimal hardware for easy installation
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Rated Life: 54,000 hours
- Color temp: 3000KCRI: 90

Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-76034	34"	32W	120-277V	2400	1745	AB AN	Aged Brass Antique Nickel	2 - 100






Example: PD-76034-AB

MNX


Illustrious reclaimed crystal that has been crushed and suspended are set in rods and illuminated throughout by discretely hidden LEDs.

- · Hang straight swivel
- PD-81006; Six 12" and two 6" down rod included purchase)





See complimentary pieces on page 8, 156, 222



Model	# of lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-81004 PD-81006	4 6	32W 45W	120-277V	2642 4135	1719 2489		Aged Brass Antique Nickel






MINX

Elegant artisanal sparkles. Held aloft, long-lasting LEDs provide functional down lighting. A sleek mini pendant that works by itself or in multiples.

- · Reclaimed K5 crystal
- · Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Minimal exposed hardware
- · Title 24 option available (special order) with driver concealed within canopy
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90









See complimentary pieces on page 6, 156, 222



Example: PD-78013-AB For Title 24 option, add a "T24" before the finish: PD-78013-T24-AB







HARMONY


Featuring a new textured finish technique developed uniquely for this family to contrast against the grooved, tempered glass cylinders of glittering beaded glass. The subtle textural juxtapositions are the details elevating this design to that without equal.

- · Quick spin-on canopy design with minimal hardware for easy installation
- Uniquely textured metalwork paired with beaded glass shades
- Hang straight swivel
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90





See complimentary piece on page 12, 150



modernforms.com

Мо	del	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD	-71011	11"	23W	120-277V	1250	867	AB	Aged Brass	1000

Example: PD-71011-AB



HARMONY


Featuring a new textured finish technique developed uniquely for this family to contrast against the grooved, tempered glass cylinders of glittering beaded glass. The subtle textural juxtapositions are the details elevating this design to that without equal.



piece on page 10,150



- · Quick spin-on canopy design with minimal hardware for easy installation
- Uniquely textured metalwork paired with beaded glass shades
- · Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



modernforms.com

Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-71027 PD-71035	27" 35"	62W 88W	120-277V	4500 6250	2481 3440	AB	Aged Brass	0.000
E Di	D 7400F AD							

Example: PD-71035-AB



ARCS

A sleek and sophisticated chandelier for contemporary and transitional spaces. Concave and convex arcs in black or aged brass are mirrored above and below. A statement piece for over a dining or conference table.

- Quick spin-on canopy design with minimal hardware for easy installation
- · Curved, flowing, etched diffuser
- · Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- · Universal Driver (120-277V) concealed within canopy
- Rated Life: 50,000 hours



Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-31058	58″	40W	120-277V	5300	2089	AB BK	Aged Brass Black	
Example: PD	-31058-AB							


MIN 120"

AMARI

Cubism captured the imagination of a changing world during the turn of the 20th century. Pay homage to this era in Modern art with a chandelier of juxtaposed planes finished in aged brass.




- Ambient light distributed from multiple diffusers
- Hang straight swivel
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Twelve 12" and four 6" down rods included (additional down rods available for purchase)
- · Rated Life: 66,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-79058	58"	47W	120-277V	6000	1169	AB	Aged Brass	

Example: PD-79058-AB



FURY

An elegant chandelier combining energy efficiency with lustrous metal finishes and gold encased art glass panes. Soft and even illumination from an innovative design only made possible with the latest in LED technology.






See complimentary piece on page 20, 150

- · Quick spin-on canopy design with minimal hardware for easy installation
- Handmade from recycled glass Molded gold and clear glass shards
- · Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90







Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-66028	28"	44W	120-277V	1871	1060	АВ	Aged Brass	300

Example: PD-66028-AB



FURY


An elegant chandelier combining energy efficiency with lustrous metal finishes and gold encased art glass panes. Soft and even illumination from an innovative design only made possible with the latest in LED technology.






See complimentary piece on page 18, 150

- Handmade from recycled glass
- Molded gold and clear glass shards
- · Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-66048	48"	45W	120-277V	1936	1097	AB	Aged Brass	0.000

Example: PD-66048-AB




ARETHA

A contemporized mid-century inspired luminaire featuring geometric aged brass finished cylinders. This innovative design set in a wave suggests movement when viewed from various angles for a gracious statement over a long table or as room dividers when displayed in multiples at upscale establishments.




- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- · Universal Driver (120-277V) concealed within canopy
- · Rated Life: 66,000 hours
- · JA8 Title 24 2019 compliant
- · Color temp: 3000K
- · CRI: 90




Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-74045	45"	31W	120-277V	2850	1815	AB	Aged Brass	

Example: PD-74045-AB




JACKAL Like star-crossed lovers never to meet, parallels of finely-finished lines and light create the intriguing display. Beautiful in aged brass or black finishes.

- Hang straight swivel
- Ambient light distributed from multiple diffusers
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within canopy
- Six 12" and two 6" down rods included (additional down rods available for purchase)
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-80056	56"	40W	120-277V	2794	1937	AB BK	Aged Brass Black	100000

Example: PD-80056-AB



BLOOM

Spectacular, yet distinctly different looks from one finely-crafted lightpiece. From a bud of concentrated light to a crown of light.



- Quick spin-on canopy design with minimal hardware for easy installation
- Extends and retracts mechanically from 32" to 42"
- · Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90














Example: PD-73032-BK




MODERN FORMS

JUPITER

Two orbits of cosmic dust dancing in space. Rings can be adjusted independently to create a spectacular modern statement of varying relational elements.



- Quick spin-on canopy design with minimal hardware for easy installation
- Reclaimed K5 crystal
- · Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- JA8 Title 24 2019 compliantETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90




Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-75027	27"	62W	120-277V	5177	4612	ВК	Black	

Example: PD-75027-BK








- Quick spin-on canopy design with minimal hardware
- Guick spin-on carropy design with minimal hardware for easy installation
 Cast art glass
 Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
 ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Rated Life: 50,000 hoursColor temp: 3000KCRI: 90

Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-39928 PD-39935	28" 35"	44W 64W	120-277V	3000 4000	1312 1908	AN	Antique Nickel	

Example: PD-39928-AN






ATLANTIS

The rhythm of moonlight on the sea is captured within the molded glass lens floating inside the frame. Integral LEDs backlight the glass for a stunning luminous effect, like reflections of moonlight on waves.



- Cast art glass
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- · Universal Driver (120-277V) concealed within canopy
- Six 12" and two 6" down rods included (additional down rods available for purchase)
- Rated Life: 50,000 hoursColor temp: 3000K
- · CRI: 90



Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-39947	47"	43W	120-277V	3500	1177	AN	Antique Nickel	

Example: PD-39947-AN



THE RING

Simple yet refined. An elevated ring suspended above by its ultra-thin powered cables. Brushed aluminum or black finishes accentuate the tailored profile and seamless construction.


- Quick spin-on canopy design with minimal hardware for easy installation
- · Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within the canopy
- Rated Life: 50,000 hours
- · Color temp: 2700K, 3000K, 3500K
- · CRI: 90












Model	CCT	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	1	
PD-55024-27 PD-55036-27 PD-55048-27	2700	24" 36" 48"	22W 30W 44W		1881 2777 3948	1361 2073 3110			
PD-55024-30 PD-55036-30 PD-55048-30	3000	24" 36" 48"	22W 30W 44W	120-277V	1891 2791 3968	1368 2083 3126	BK AL	Black Brushed Aluminum	
PD-55024-35 PD-55036-35 PD-55048-35	3500	24" 36" 48"	22W 30W 44W		1985 2931 4167	1436 2187 3282			

Example: PD-55024-30-AL



MODERN FORMS RACETRACK A continuum of seamless LEDs in a shape reminiscent of the Roman Circus Maximus, where chariots created breathtaking spectacles. Available in three CCT options.

- Silicon gel diffusers for even illumination
- · Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Rated Life: 50,000 hours
- · Color temp: 2700K, 3000K, 3500K
- · CRI: 90



Model	Length	Color Temp	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-53046-27 PD-53046-30 PD-53046-35	46"	2700K 3000K 3500K	38W	120-277V	2987 3142 3266	1903 2067 2135	AL BK	Brushed Aluminum Black	

Example: PD-53046-30-BK



36 Chandeliers & Pendants modernforms.com

Chaos freezes a moment in time with breathtaking elegance. Ultra thin powered cables stabilize the suspension without visual interference. Each section of this sculptural form is equipped with consistent, LEDs for refined illumination throughout. Let chaos reign.



- look for adjustable suspension height
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV / 0-10V
- Universal Driver (120-277V) concealed within the canopy
- Rated Life: 50,000 hours
- · Color temp: 3000K
- CRI: 90

Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens		Finish	
PD-64848 PD-64872	48" 72"	30W 58W	120-277V	2336 3859	1567 3496	AB AL BK	Aged Brass Brushed Aluminum Black	

Example: PD-64848-AL





Like piano keys falling through the air, Chaos freezes a moment in time with breathtaking elegance. Ultra-thin powered aircraft cables hold everything in place with as little visual interference as possible, and each section of this sculptural form is equipped with consistent, highly efficient LEDs for refined illumination throughout. Available in brushed aluminum, aged brass or black. Let chaos reign.




- Fixed sculptural form
- Thin, powered aircraft cables provide an ultra-clean
- look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90











PD-64849

PD-64875








Like piano keys falling through the air, Chaos freezes a moment in time with breathtaking elegance. Ultra-thin powered aircraft cables hold everything in place with as little visual interference as possible, and each section of this sculptural form is equipped with consistent, highly efficient LEDs for refined illumination throughout. Available in brushed aluminum, aged brass or black. Let chaos reign.




- Fixed sculptural form
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-64834 PD-64861	34" 61"	40W 60W	120-277V	2717 4010	2407 3720	AL AB BK	Brushed Aluminum Aged Brass Black	

Example: PD-64861-AL



Chaos freezes a moment in time with breathtaking elegance. Ultra thin powered cables stabilize the suspension without visual interference. Each section of this sculptural form is equipped with consistent, LEDs for refined illumination throughout. Let chaos reign.

- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within the canopy
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90


MULTIPLES WITH AGED BRASS CANOPY

3 Lights PD-64803R-BK/AB-AB 5 Lights PD-64805R-BK/AB-AB 9 Lights PD-64809R-BK/AB-AB 15 Lights PD-64815R-BK/AB-AB PD-64821R-BK/AB-AB 21 Lights

MULTIPLES WITH BLACK CANOPY

3 Lights PD-64803R-BK/AB-BK PD-64805R-BK/AB-BK 5 Lights PD-64809R-BK/AB-BK 9 Lights 15 Lights PD-64815R-BK/AB-BK 21 Lights PD-64821R-BK/AB-BK





_	Model	# of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		Canop	ру	
	PD-64803R PD-64805R PD-64809R PD-64815R PD-64821R	3 Lights 5 Lights 9 Lights 15 Lights 21 Lights	27W 37W 67W 114W 135W	120-277	1702 2332 4020 7285 10199	1114 1747 2807 3871 4591	BK/AB	Black/Aged Brass		Aged Brass Black	


Example: PD-64809R-BK/AB-AB

44 Chandeliers & Pendants Chandeliers & Pendants 45 modernforms.com modernforms.com

Chaos freezes a moment in time with breathtaking elegance. Ultra thin powered cables stabilize the suspension without visual interference. Each section of this sculptural form is equipped with consistent, LEDs for refined illumination throughout. Let chaos reign.



- · Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within the canopy
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-64814 PD-64820 PD-64826	14" 20" 26"	10W 15W 22W	120-277V	875 1444 1565	530 826 1016	AB BK	Aged Brass Black	

Example: PD-64826-AB




DOUBLE BUBBLE

A minimalist take on a crystal ball. Two geometrically concentric spheres are laser-etched within K9 optically perfect crystal. When illuminated with the latest in LED technology the double bubble within is a curious diffuse floating light.



- Thin, powered aircraft cable provides an ultra-clean look for adjustable suspension height
- · Light is distributed by a laser-etched crystal ball
- Title 24 option available (special order) with driver concealed within canopy
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-82006	6"	9W	120-277V	559	538	AB BK SN	Aged Brass Black Satin Nickel	

Example: PD-82006-BK For Title 24 option, add a "T24" before the finish: PD-82006-T24-BK




PUNK

Modern with a slight edge. Punk orbs feature soft opal glass in a variety of sizes. Simple to incorporate and endure the test of time.





- Hang straight swivel
- Mouth blown etched opal glass
- Three 12" and one 6" downrods included (additional downrods available).
- Universal driver (120V-220V-277V) installs within standard 4" junction box
- · Dimmer: ELV
- · 50,000 hour potential life
- · Color Temp: 3000K (2700K / 3500K available special order)
- · CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-24610 PD-24614	10" 14"	18W 30W	120V-277V	1451 2527	758 1563	BK PN	Black Polished Nickel	•

Example: PD-24610-PN For 2700K add "-27"; 3500K add "-35" before the finish: PD-24610-35-PN




FLUFFY

A soft feathered piece with a heavenly look. Handcrafted of detailed acrylic that emerges into a glowing cluster of interlocking petals with frosted edges. Celestial silk-screened petals diffuse the light with incredible texture around the fixture for a tone on tone style.



- Universal Driver (120-277V) concealed within the canopy
- Glowing cluster of interlocked petal shades
- Magnetic tool-free shade installation for easy maintenance
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- · CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-59922 PD-59933		32W 44W	120-277V	2718 3980	2333 3375	BN	Brushed Nickel	

Example: PD-59922-BN



COSMIC

Massive dazzling art glass spheres of cosmic proportions. When filled with light, the bubbling and marbling effects of the 7-step art-glass making process captivates the room like celestial forms. It's easy to install, it's easy to adjust the length of the suspension, and it's easy to marvel at this spectacular piece, whether you choose the single pendant or the chandelier.



- 7-step art glass for sparkling bubble and marbleized effect
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) concealed within the canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90













PD-28807

PD-28801

PD-28812

Model	Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-28801 PD-28807 PD-28812	1 Lights 7 Lights 12 Lights	7W 49W 84W	120-277V	412 2884 4944	377 2639 4524	BN	Brushed Nickel

Example: PD-28807-BN




GROOVY


Nostalgic throwback paying homage to the sixties. Rigid acrylic structure wrapped in a double layer of acoustic felt available in three two-tone color combinations. A fun and funky addition to chic open space designs. Groovy brings an upscale downtown vibe to any space while reducing echo and noise pollution from crowds.







- Universal Driver (120-277V) installs within the junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Acoustic felt
- 3 felt color options and 3 hardware finish options
- Mouth blown etched opal glass
- · Dimmer: ELV, TRIAC, 0-10V
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- · Rated Life: 70,000 hours
- · Color temp: 3000K
- · CRI: 90









PD-89924

PD-89936

PD-89948

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		Hard	ware	
PD-89924 PD-89936	24" 36"	10W 14W	120-277V	777 897	236 274	BK/GO CM/BL	Black/Gold Cream/Blue	AB BN	Aged Brass Brushed Nickel	Ber all
PD-89948	48"	14W	120 277 V	906	286	GN/PK		WT	White	

Example: PD-89924-BK/GO-AB




HARMONIX


Like a dynamic instrument of musical chimes. Harmonix plays to the rhythm of light. Beautiful playful light. A two tone finish features black with aged brass.



- Frosted diffusers spread light evenly
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90







Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-87914	14"	47W	120-277V	2742	2660	BK/AB	Black/Aged Brass	
PD-87924	24"	56W	120-277V	5040	2425	BK/AB	Black/Aged Brass	

Example: PD-87914-BK/AB




HARMONIX

Like a dynamic instrument of musical chimes, Harmonix plays to the rhythm of light. A duet of gorgeous black with aged brass. Beautiful playful light perfectly executed in two formats.



- Hang straight swivel Frosted diffusers spread light evenly
- · CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, 0-10VUniversal Driver (120-277V) concealed within canopy
- Six 12" and two 6" down rods included (additional down rods available for purchase)
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-87956	56"	91W	120-277V	8190	4244	BK/AB	Black/Aged Brass	

Example: PD-87956-BK/AB




STORMY

This spectacle amazes like lightning in the sky. Discreetly concealed LEDs brightly illuminate seeded stems of optical grade polycarbonate. Splendid in aged brass or polished nickel. Complementary sconces complete a well decorated look.



- · Hang straight swivel
- Concealed LEDs and no visible hardware
- ETL & cETL damp location listed
- Dimmer: ELV for PD-92927 and ELV / 0-10V for PD-92950
- Universal Driver (120-277V) concealed within the canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-92927 PD-92950	26" 48"	16W 33W	120-277V	584 1210	552 1198	AB PN	Aged Brass Polished Nickel	

Example: PD-92927-AB



MYSTIC

Aged brass hardware encases a stunning seeded crystal that sparkles bright. The fluted central crystal is hand carved with V channels for an added optical and textural effect. An electrified aircraft cable passes invisibly through the crystal to power LED arrays that illuminate upward into the crystal for brilliance and downward for powerful illumination. Install Mystic in multiples to make a rich design statement.



- K5 V-cut seeded crystal
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant (special order)
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-11912	12"	22W	120-277V	1725	812	AB	Aged Brass	

Example: PD-11912-AB

For Title 24 option, add a "T24" before the finish: PD-11912-T24-AB




CINEMA


In a luxe aged brass finish, Cinema makes a modern statement that's right in line with the latest trends. Painstakingly V-cut seeded crystal adds understated glamour when it fills with light sourced from high-performance LEDs. With a variety of styles in the family, Cinema creates a matching lighting environment that can pull multiple rooms together.





- Hang straight swivel
- V-cut K5 crystal
- Intricately welded for a seamless look
- · CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within canopy
- Six 12" and two 6" down rods included with PD-30854; twelve 12" and four 6" down rods included with PD-30826 (additional down rods available for purchase)
- Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 90





Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-30826 PD-30854	26" 54"	56W 86W	120-277V	4352 6528	3488 5232	AB	Aged Brass	(10)

Example: PD-30854-AB




CASCADE

CUT CRYSTAL ACCENT

Choose the Cascade design for a more refined take on minimalist glam. Each pendant illuminates beautifully while the jeweled crystal caps, expertly hand-cut, punctuate each piece like a chic yet understated exclamation of luxury.



- · Hand-cut faceted crystal
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 90



Model	Height	Accent	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
1 5 11715		Cut Crystal	7W	120-277V	595	511	AB BK PN	Aged Brass Black Polished Nickel	

Example: PD-41719-AB




Chandeliers & Pendants modernforms.com modernforms.com 69

CASCADE

MULTIPLES WITH CUT CRYSTAL OR ETCHED FLAT ACCENTS

A new aged brass finish updates the original Cascade design for a more refined take on minimalist glam. Each pendant illuminates bountifully while the jeweled crystal caps, expertly hand-cut, punctuate each piece like a chic yet understated exclamation of luxury.

- look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) concealed within the canopy
- Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 90



120" MAX

Multiples with Cut Crystal Accents

3 Lights PD-41703R

5 Lights PD-41705R

9 Lights PD-41709R

15 Lights PD-41715R


21 Lights PD-41721R


Multiples with Etched Flat Accents


3 Lights PD-41803R		5 Lights PD-41805R		9 Lights	PD-41809R	15 Ligh	its PD-418	315R 21 Lights PD-41821
Model	# of Lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-41*03R PD-41*05R PD-41*09R PD-41*15R PD-41*21R	3 Lights 5 Lights 9 Lights 15 Lights 21 Lights	Round	21W 35W 63W 105W 147W	120V-277V	1311 2185 3933 6555 9177	1126 1876 3377 5629 7880	AB BK PN	Aged Brass Black Polished Nickel

^{*} to be Replaced with either 7 or 8 for correct model# Example: PD-41815R-BK









Multiples with Cut Crystal Accents

3 Lights PD-41703L

5 Lights PD-41705L

23 Lights PD-41723L

Multiples with Etched Flat Accents

3 Lights PD-41803L

5 Lights PD-41805L

23 Lights PD-41823L

Model	# of Lights	Canopy	Wattage	Voltage	Lumens	Lumens	Finish		
PD-41*03L PD-41*05L PD-41*23L	3 Lights 5 Lights 23 Lights	Rectangular	21W 35W 161W	120V-277V	1311 2185 10051	1126 1876 8631	AB BK PN	Aged Brass Black Polished Nickel	

^{*} to be Replaced with either 7 or 8 for correct model# Example: PD-41823L-PN


70 Chandeliers & Pendants Chandeliers & Pendants 71 modernforms.com modernforms.com

CASCADE

FLAT ETCHED ACCENT

Suspended alone, in pairs or in multiples as a beautiful chandelier, Cascade captures the imagination and makes an alluring presentation in restaurants, hotel atriums and residences alike. The slim tapered form has a minimalist sensibility that is accentuated by the luminous end.

- Precision cut flat etched cap
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 90



Model	Height	Accent	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	_	
PD-41819 PD-41828 PD-41837	19" 28" 37"	Etched Cap	7W	120-277V	428	420	AB BK PN	Aged Brass Black Polished Nickel	

Example: PD-41819-AB





MIES

Inspired by Mies van der Rohe, one of the pioneers of modern architecture, this hexagonal chandelier nails the minimalist aesthetic while observing modern décor trends with its aged brass finish. Cutting-edge LED modules bring beautiful light into every setting. Ultra-thin aircraft cables connect the hexagon to a circular canopy for a subtle geometric contrast.




- Frosted diffusers spread light evenly
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- · CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV. 0-10V
- Universal Driver (120-277V) concealed within the canopy
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90





Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-50829 PD-50835	26" 35"	52W 78W	120-277V	4402 6753	2892 4437	АВ	Aged Brass	100

Example: PD-50835-AB





GOTHAM

Perpendicular lines travel up and down on this hexagonal design, forming building-like columns that suggest an austere cityscape. A round canopy adds a geometric accent, while thinly coated wires deliver power and the cleanest look possible. With a beautiful black finish and superior light, Gotham is a modern meditation on monochromatic contrasts and does justice in town or country.



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90





PD-60828

PD-60834

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-60828 PD-60834	28" 34"	39W 54W	120-277V	3177 4959	2138 3477	ВК	Black	

Example: PD-60834-BK




CHRONOS


Like gears in a giant clock, this massive sculptural chandelier chimes of daring lighting design. Suspended and powered from ultra-thin aircraft cables, Chronos is ideal for high profile architectural and commercial environments with tall ceilings and larger rooms. Beautifully hand-finished in aged brass to complement the latest modern décor.






- · CEC Title 24 compliant
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-277V) concealed within the canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90





Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-75934 PD-75950	34" 50"	47W 64W	120-277V	2793 3310	2282 2696	АВ	Aged Brass	-

Example: PD-75934-AB




78 Chandeliers & Pendants modernforms.com modernforms.com

MEMORY

Using an intricate welding process, artisans built this Bauhaus-inspired design giving it an overall clean look, before coating it with an enduring black finish. Behind the steel bars, sleek opalescent rectangles are illuminated by carefully positioned edge-lit LED modules giving them the appearance of floating within, while creating an unforgettable stark contrast of black and white.




- Hang straight swivel
- Intricate welding for rectangular accents
- Edge-lit LED optic panels spread light evenly
- ETL & cETL damp location listed
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the canopy
- Six 12" and two 6" down rods included (additional down rods available for purchase)
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



PD-56856

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-56856	56"	79W	120-277V	4070	2581	BK	Black	

Example: PD-56856-BK




80 Chandeliers & Pendants modernforms.com

RIDDLE



- · Wet-etched steel with matching black cables and hardware
- Injection-molded acrylic diffuser inside
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the canopy
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90





modernforms.com

PD-62864

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-62864	64"	33W	120-277V	526	400	ВК	Black	

Example: PD-62864-BK



RIDDLE

Riddle's intricate pattern and joinery is no joke. Our expert craftsmen use a special wet-etching process to create a textural motif that looks like a mash up of Sol Lewitt and the complex geometric shapes of Islamic architecture. Inside, an acrylic diffuser shields the high-performance LED modules to create glare-free illumination, which peekaboos through the etchings and creates stunning patterns on the nearest surface. A true statement piece with a bold black finish.



- Wet-etched steel with matching black cables and hardware
- Injection-molded acrylic diffuser inside
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- · CEC Title 24 Compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



PD-62812

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-62812	12"	16W	120-277V	435	379	ВК	Black	

Example: PD-62864-BK



ACID

Surrealistic droplets of metallic liquid artfully suspended. Powerful LED downlights concealed within these steel shades provide functional illumination comparable to halogen MR16s. String individually or drop them in clusters for the full mind-blowing experience.







- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- · Rated Life: 70,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	#	f of lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-156	04	1 light	11W	120-277V	639	485	BK PN	Black Polished Nickel	•

Example: PD-15604-BK



86 Chandeliers & Pendants modernforms.com modernforms.com 87

METRIC

Hexagonal shaped chandelier imbued with an array of six linear elements with robust down lighting for dining areas and lobbies in residential and hospitality locations. Aluminum construction aligned with unique precision designed for a layered look.



- look for adjustable suspension height

 CEC Title 24 compliant


 ETL & cETL damp location listed

 Dimmer: ELV, 0-10V

 Universal Driver (120-277V) concealed within canopy

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens		
PD-43728	28"	42W	120-277V	5800	2156	AL Brushed Aluminum BK Anodized Black	


Example: PD-43728-AL






Minimalist styling reveals six linear aluminum constructed elements with functional down light that can be arranged to your specification. Dims beautifully.

- · Down light only
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- · CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the canopy
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90





Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-43738 PD-43748	38" 48"	55W 83W	120-277V	7770 11600	2936 4511	AL BK	Brushed Aluminum Anodized Black	
Evenente, DD	42720 41							

Example: PD-43738-AL


90 Chandeliers & Pendants modernforms.com modernforms.com godernforms.com

STACKED

Engineered with the sophisticated industrial feel of high tech helicopter rotors, each illuminated arm adjusts up or down. A complex aerodynamic structural design made simple with advanced LED technology, allowing varying configurations.



- Hang straight swivelRotatable arms & articulating lights adjust 350° for up or down or around light
- ETL & cETL damp location listed
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-50748	48"	41W	120-277V	4795	2055	AL BK BR	Brushed Aluminum Anodized Black Brushed Brass

Example: PD-50748-BK




SCISSORS

A customizable design that can contract or expand into the exact shape you want. Adjust the length to accommodate various length tables. Finely crafted strips of extruded aluminum are affixed without the appearance of any fasteners for a finished appeal, while cutting-edge LEDs create a smooth, even illumination that's consistent across each section of the design.



- Contracts and extends 10°–170° for customizable shape
- Thin, powered aircraft cables provide an ultra-clean
- look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the canopy
- · Rated Life: 60,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-32880	14" - 96"	93W	120-277V	6468	4983		Brushed Aluminum Black	

Example: PD-32880-AL




KINETIC

Whether you think of gyroscopes, the atomic structure or da Vinci's "L'Uomo Vitruviano," Kinetic has deep roots in science, exemplified by brilliant edge-lit LED panels that broadcast 360-degrees of seamless, even light. Even better, its rings are adjustable for a personalized look.





- Hang straight swivel
- Rotatable rings for customizable form
- ETL & cETL damp location listed
- · Dimmer: 0-10V
- Universal driver (120-277V) concealed within the canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- · Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 80



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-61728 PD-61738	28" 38"	130W 202W	120-277V	3100 4374	2937 3499	BK TT	Black Titanium	








How do you improve on perfection? Featuring a black or titanium finish and fifth ring, Kinetic is bigger and bolder than ever. Adjust the rings for a personalized look.




- Adjustable rings for customizable form
- ETL & cETL damp location listed
- · Dimmer: 0-10V
- Universal Driver (120-277V) concealed within the canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- · Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 80



Example: PD-61760-BK




MIN 143" VELOCE



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-24848	48"	107W	120-277V	9235	5035	BK TT	Black Titanium	

Example: PD-24848-TT



VELOCE


Interlocked bands of metal loop around and around on this simple yet oblique design. Veloce's rings can be adjusted for a more personalized shape. Thin, coated cables maintain a clean, refined look.





PD-24826

- Rotatable edge-lit metal bands 0°-25°Thin, powered aircraft cables provide an
- Inin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, 0-10V
- · Universal Driver (120-277V) concealed within canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



PD-24838

4W 120-277V	3850 5311	3593 5261	BK TT	Black Titanium	






DREAM

Smooth, sinuous lines. Powerful yet ambient light. Gracefully engineered design. This Dream flows in fivemagnificent strips and is gently bowed in the middle like a melancholic sigh. A long rectangular canopy provides a discreet geometric contrast and holds the form in place with four ultra-thin powered aircraft cables.




- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV
- Transformer concealed within the canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · 277V special order
- · CRI: 90




Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-54868	68"	149W	120V	9590	6928	TT	Titanium	

Example: PD-54868-TT For 277V special order add an "F" before the finish: PD-54868F-TT



ISOTOPE

Branches of starkly contrasting black and white present a distinctively modern arrangement. Each adjustable stem is illuminated from within by discreetly concealed powerful LEDs behind optically-efficient frosted acrylic.



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-77932	31″	31W	120-277V	1195	1064	ВК	Black/Etched Acrylic

Example: PD-77965-BK

PD-77965

24"
MIN
115"
MAX

PD-77932




BDSM

Leather-bound luxury and control. Designed with handsome vintage black or white leather and clean styling, this unique linear LED pendant is the perfect complement to an executive office. A thin streamlined profile conceals robust LED down lighting with cutting edge full-range dimming controllability.




- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- · Dimmer: ELV
- Transformer concealed within the canopy
- · Rated Life: 80,000 hours
- · Color temp: 3000K
- 277V special order
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-51542	42"	48W	120V	1716	746	ВК	Black	

Example: PD-51542-BK For 277V special order, add an "F" before the finish: PD-51542F-BK




DRIFT

The natural finish of Drift and its linear form perfectly express the tension of minimalist design. LED modules are stationed from end to end and diffused through a strip of etched glass to spread the light evenly and prevent glare or hot spots. With its versatile shape and three different lengths, Drift translates across a variety of applications.



- · Down light only
- Light and dark walnut wood with matching canopy option
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Tempered glass diffuser with sanded surface
- End-to-end LED modules for even down illumination without hotspots
- · Dimmer: ELV
- Transformer within canopy
- · Rated Life: 80,000 hours
- · Color temp: 3000K
- 277V special order
- · CRI: 90




modernforms.com

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-58738 PD-58756	38" 56"	44W 74W	120V	1736 2810	744 1074	DW	Dark Walnut	
PD-58784	84"	96W	1200	4000	1500	WAL	Walnut	

Example: PD-58756-DW

For 277V special order add an "F" before the finish: PD-58756F-DW



PADRÓN

For absolute precision, our craftsmen use a computer-controlled cutting process to shape each section, then finish the middle section with a rich dark walnut. Like the glowing ember of a cigar, a frosted diffuser at the tip softens the powerful LED illumination and fills the room with warm, even light.



- Matching wood canopy included
- Frosted diffusers spread light evenly
- Precision-cut aluminum and solid dark walnut wood
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) installs within the junction box, driver dimensions: 2.8" \times 1.3" \times 1.2"
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-92818	13"	9W	120-277V	571	463	DW	Dark Walnut	

Example: PD-92818-DW



112 Chandeliers & Pendants modernforms.com modernforms.com

⊢ 6½″ **⊣**

MIN 135"

MAX








MAGIC

Glorious sparkly stalks of Piastra crystal are alluringly remarkable either as a single-file line of slender, individual pendants or as a 23-light linear chandelier with customizable proportions. New rectangular canopies. Long lasting LEDs dim down beautifully. Ideal for large residential, hospitality and commercial applications.









Model	# of lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	1	
PD-35603L PD-35605L PD-35623L		Rectangular	17W 29W 133W	120-277V	672 1120 5152	618 1030 4738		Black Polished Nickel	

Example: PD-35623L-PN



remarkable either as a few pendants or as a 21-light chandelier with customizable proportions to cluster




SWING

A playful swing. Creative application of LED technology and luminaire design sparkle in a chrome framed multi-faceted block of crystal. Suspend in multiples over a bar or counter to make a dramatic statement.



- · Up & down light
- Hang straight swivel
- ETL & cETL damp location listed
- · Dimmer: ELV
- No transformer or driver required
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-52512	12"	11W	120V	830	535	СН	Chrome	

Example: PD-52512-CH



ZELDA

with highly polished plating renders functional down lighting. An innovative upscale look for large modern interiors in residential,




- Down light only


- Dimmer: ELVTransformer within canopyRated Life: 54,000 hours
- · Color temp: 3000K

Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-56729 PD-56748	29″ 48″	49W 75W	120V	1236 3060	1236 1770	PN

Example: PD-56729-PN

For 277V special order add an "F" before the finish: PD-56729F-PN






METROPOLIS

A diaphanous shade provokes the imagination on this elegant design, creating softer light and a beautiful, sophisticated expression of form. Inside the glowing round diffuser, state-of-the-art LED modules broadcast consistent and enduring illumination. hpolis handles urban décor with ease, but makes a welcome addition to Scandinavian and Mid-Century styled spaces too.




- Hang straight swivel
- · Ultra-bright lumen output
- · Clear glass diffuser with fabric shade
- CEC Title 24 compliant
- · Dimmer: ELV
- No transformer or driver needed
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- PD-16818/PD-16824: 277V special order
- 277V special order (for 18" and 24" sizes only)
- · CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-16818 PD-16824 PD-16830	18" 24" 30"	25W 31W 48W	120V	2015 2644 3869	1996 2474 3815	BN	Brushed Nickel	

Example: PD-16824-BN

For 277V special order add an "F" before the finish: PD-16818F-BN



MIN 49"

MAX

<u></u> 24" ─

TANGO


Rhythmic beats reverberate in a dramatic larger than life pendant. A luxuriously cinched drum design carefully adorned in gold leaf. Tango is simple made sexy.



For complementary Vermeil sconce See page 168



- · 14K gold leaf finish
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-34620	20"	40W	120-277V	1750	1187	GL	Gold Leaf	

Example: PD-34620-GL



YOLO

Clean, contemporary, the YOLO pendant is imbued luster within a large spunmetal dome. Luxuriously hand applied finishes in dark bronze and gold leaf or white and silver leaf. Full range dimming. Beautiful warm ambient lighting. Now avaliable in a larger than-life 35 inch pendant.




- Hang straight swivel 14K gold leaf or silver leaf interior
- CEC Title 24 compliant (35" ONLY)
- ETL & cETL damp location listed
- Dimmer: ELV
- 18" and 26" sizes only, driver dimensions: 2.8" x 1.3" x 1.2"
 No transformer or driver needed (35" size only)
- Three 12" and one 6" down rods included
- · Color temp: 3000K
- 277V option available (35" size only)
- CRI: 90

Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	h	
PD-55718 PD-55726 PD-55735	20" 24" 35"	21W 25W 40W	120-277V 120-277V 120V	2000 2400 2864	630 888 1174	GL SL	Gold Leaf/Dark Bronze Silver Leaf/White	

Example: PD-55735-GL

For 277V special order add an "F" before the finish: PD-55735F-GL






GILT


A modern gilt medallion glows above from LEDs lighting upward from the pendant while concealed down lighting delivers perfect illumination on tabletops and surfaces below. Hand finished in dark bronze with gold leaf interior for an opulent lustrious appeal.



For complementary GILT flush mount See page 288



- · Up & down illumination
- 14K gold leaf or silver leaf interior
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV
- Transformer concealed within canopy
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · 277V special order
- · CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	Canopy-Interior/Exterior	
PD-51318	18"	55W	120V	4050	2618	GL	Gold Leaf/Dark Bronze	

Example: PD-51318-GL

For 277V special order, add an "F" before the finish: PD-51318F-GL



MARIMBA


The single-pendant complement to the beautiful multilight collection of 14K gold leaf or silver leaf pendants. Matching Gilt and Vermeil canopies complete this luxurious design.



For complementary Vermeil sconce See page 168



- 14K gold leaf or silver leaf interior
- Twist lock glass inside, no visible harware
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV
- Transformer concealed within the canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finis	sh	
PD-52708	8"	14W	120V	753	278		Gold Leaf/Dark Bronze Silver Leaf/White	

Example: PD-52708-GL



MARIMBA

Inspired by Piet Mondrian's work with simplified geometric elements, Marimba offers abstract art with upscale appeal achieved with fine gold leaf details, aircraft cable power lines and silk screened LED light emitters for perfect illumination. Larger sizes scale perfectly for luxury residential, commercial and hospitality spaces.



For complementary Blaze sconce See page 170



- 14K gold leaf or silver leaf
- Twist lock glass inside, no visible hardware
- · Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV
- Transformer concealed within the canopy
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · 277V special order
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	Canopy-Interior/Exterior	
PD-52718 PD-52724	18" 24"	55W 59W	120V	2885 3753	1255 2790	GL	Gold Leaf/Dark Bronze	
PD-52734	34"	129W		7880	3414		•	

Example: PD-52718-GL For 277V special order, add an "F" before the finish: PD-52718F-GL



Chandeliers & Pendants | 135 134 Chandeliers & Pendants modernforms.com modernforms.com

CATALYST

Make a bold, breathtaking design statement with extraordinary works of art created in free form. Mounted individually or grouped to create larger chandeliers for ballrooms, lobbies and large living areas. This luxurious, modern adjustable luminaire is offered in three sizes in both polished nickel and aged brass.



- Hang straight swivel
- Arms are adjustable to customize look
- Exclusive free formed mouth-blown art glass with flecks of sterling silver or 14K gold
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 50,000 hours
- Color temp: 3000K
- · CRI: 90

Model	Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-53751	10 lights	18W	120-277V	1200	999	AB PN	Aged Brass Polished Nickel

Example: PD-53751-PN

299 Mili 130 MA


136 Chandeliers & Pendants modernforms.com modernforms.com modernforms.com

CATALYST

Scintillating art glass orbs of real silver or gold are beautifully featured. Each one is uniquely mouthblown and formed by hand. This luxurious, modern adjustable luminaire in polished nickel and aged brass is offered in three sizes with 8 light, 9 light and 10 light configurations.



- with flecks of sterling silver or 14K gold
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-53728 PD-53740	8 Lights 9 Lights	15W 16W	120-277V	795 1107	737 916	AB PN	Aged Brass Polished Nickel	D. C. CHARLES

Example: PD-53728-PN



Chandeliers & Pendants | 139 138 Chandeliers & Pendants modernforms.com modernforms.com

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumer	ns Finish		115" 13" MAX	15" MIN 116" MAX
PD-54732 PD-54765	27" 55"	31W 46W	120-277V	1195 1780	962 1217	BK Black/Piastra Crystal PN Polished Nickel/Piastra Cr	Crystal	27"	MAX
Example: PD								PD-54732	PD-54765



EMBER

Alluring with aged brass or antique nickel finishes and fine reclaimed shards of optical crystal throwing sparkles in all directions. Stunning as an ADA qualified wall sconce for corridors or on either side of a mirror in a luxury bath.

- Reclaimed K5 crystal
- Mount vertically or horizontally
- · ADA compliant
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
 • Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90







Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-65023	23"	18W	120-277V	1332	1006	AB AN	Aged Brass Antique Nickel	





BURNING MAN

A refined touch to modern industrial décor. Deeply textured for a rough tactile aesthetic, this masculine utilitarian design also has brilliant ends encasing LED light sources while providing architectural up and down lighting.


- Uniquely textured and finished metalwork
- · Up and down illumination
- · ADA compliant
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



⊢3" ⊦

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-67015	15"	9W	120-277V	617	542	AB AN	Aged Brass Antique Nickel	

Example: WS-67015-AB



ORACLE


Dazzling in design. Oracle features a specialized handmade technique to encase reclaimed optical crystal. The crackling sconce is indirectly illuminated from a seamless cylinder in plated aged brass. A dramatic appearance to complement luxury interiors.

- Reclaimed K5 crystalLight is evenly diffused
- JA8 Title 24 2019 compliant
 ETL & cETL damp location listed
 Dimmer: ELV

- No driver or transformer neededRated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90








Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-69009	9″	11W	120V	613	438	AB AN	Aged Brass Antique Nickel	-





HARMONY


Featuring a new textured finish technique developed uniquely for this family to contrast against the grooved, tempered glass cylinders of glittering beaded glass. The subtle textural juxtapositions are the details elevating this design to that without equal.

- Uniquely textured metalwork paired with beaded glass shades
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listedDimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90





See complimentary pieces on page 10, 12



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-71014	14"	17W	120-277V	1026	597	AB	Aged Brass	0.000

Example: WS-71014-AB




FURY

An elegant triptych combining energy efficiency with lustrous metal finishes and gold encased art glass panes. Soft and even illumination from an innovative design only made possible with the latest in LED technology.

- Handmade from recycled glass
- Molded gold and clear glass shards
- Mount vertically or horizontally
- · ADA compliant
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90







Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-66016	16"	23W	120-277V	709	344	AB	Aged Brass	0.00

Example: WS-66016-AB



DIPLOMAT

Easy elegance and simply tailored. A rectangular fabric shade atop a wave of softly illuminated lightguide. Uptown and sleekly finished to fit in with poise.

- Light is evenly diffused through fabric shade and etched lightguide post
- ADA compliant
- · JA8 Title 24 2019 compliant
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within the canopy
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90





Example: WS-70018-AB




Interior Sconces 155

MNX

A glittering torch of illuminated reclaimed fragments of crystal. Elevate your design with illumination that adds a finishing touch of refinement. Discreetly hidden within the luminaire, LEDs offer long-lasting up and down lighting.

- ADA compliant
- · Reclaimed K5 crystal
- · Minimal exposed hardware
- Up and down illumination
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within the fixture
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90





See complimentary pieces on page 8, 6, 222

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-68026	26"	9W	120-277V	615	507	AB AN	Aged Brass Antique Nickel	Ber (1986)

Example: WS-68026-AB



CHAOS

Chaos freezes a moment in time with breathtaking elegance. Ultra thin powered cables stabilize the suspension without visual interference. Each section of this sculptural form is equipped with consistent, LEDs for refined illumination throughout. Let chaos reign.


- Fixed sculptural form
- Mount vertically or horizontally
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K















See complimentary piece on page 38

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-64832	32"	29W	120-277V	1838	1259	AB AL BK	Aged Brass Brushed Aluminum Black






BLADE

A new slant on modern lighting. This low profile angular sconce deploys robust indirect illumination of walls and surfaces. The subtle graduated design offers a unique look and high style appeal.

- Conversion plate for 4" junction box included

- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-11511	11"	10W		753	621	AL	Brushed Aluminum	
WS-11718	18"	19W	120V	1385	1225	BK	Black	
WS-11522	22"	20W		1494	1253	WT	White	

Example: WS-11718-AL For 277V special order, add an "F" before the finish: WS-11718F-AL

MAGIC

A magic wand crowned with crystallized art glass illuminated by LEDs from both ends. A slim low profile design perfect for modern vignettes in fine homes and hotels.



See complimentary piece on page 114



Example: WS-12632-BK



MAGIC

A magic wand crowned with crystallized art glass illuminated by LEDs from both ends. A slim low profile design perfect for modern vignettes in fine homes and hotels.

- · Up & down light
- Artisan Piastra crystal
- ETL & cETL damp location listed
- · Dimmer: ELV
- Driver installs within junction box Driver dimension: 2.8"x1.3"x1.2"
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90





Example: WS-12620-BK



See complimentary piece on page 114

PALLADIAN

Tinseltown glamour. Visual drama in an LED light. Designed as a wraparound band finished in gold leaf, silver leaf or polished nickel. The sparkling, seeded crystal spear creates the ideal focal point. Perfect in a home theater or commercial venue.










- · Clear seeded crystal
- 14K gold leaf or silver leaf
- · ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Transformer installs within the junction box, transformer dimensions: 2.0" x 1.4" x 1.0"
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- 277V special order
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-11310	10"	12W	120V	452	393	GL PN SL	Gold Leaf Polished Nickel Sllver Leaf	

Example: WS-11310-GL

For 277V special order, add an "F" before the finish: WS-11310F-GL



VERMEIL

Wrap your room in glamour with this simple, sophisticated sconce. Elegantly finished in gold or silver leaf. A lustrous accent to light your way through a corridor.



For complementary Tango pendant See page 126





- · Up & down light
- · Low profile design
- ADA compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- Transformer installs within the junction box, transformer dimensions: 2.0" x 1.4" x 1.0"
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · 277V special order
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-11311	10"	11W	120V	452	393	GL SL	Gold Leaf Sllver Leaf	

Example: WS-11311-SL For 277V special order, add an "F" before the finish: WS-11311F-SL




BLAZE

A radiating spectacle of warm indirect illumination from hand applied gold leaf or silver leaf. Offered in three proportional sizes to design in multiples on walls or ceilings.



- 14K gold leaf or silver leaf
- Place on wall as sconce or flush mounts to ceiling
- Low profile design available in 12" and 18" sizes
- ADA compliant (12" and 18" sizes only)
- ETL & cETL damp location listed
- Dimmer: ELV
 Universal Driver (120-277)
- Universal Driver (120-277V) installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Fini	ish	
WS-30612 WS-30618 WS-30624	12" 18" 24"	10.5W 25W 31W	120-277V	787 1979 2392	250 605 700		Gold Leaf/Gold Plated Silver Leaf/Polished Nickel	
Example: W	/S-30612-GL							

170 Interior Sconces modernforms.com




DINK

DINK reveals a tapered wall lighting design in stunning luxurious finish of bronze with gold leaf. Ideal for residential, hospitality and office applications.



- · CEC Title 24 Compliant
- Up & down light
- 14K gold leaf or silver leaf interior
- · ADA compliant, low profile design
- ETL & cETL damp location listed
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the fixture
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-32714	14"	21W	120-277V	1000	752	GL	Bronze/Gold Leaf	

Example: WS-32714-GL




TRIBECA

Hand-leafed in pure gold with a contrast finish in bronze, Tribeca adds gilded glamour and the downtown sophistication of New York to your modern living space. A sanded glass diffuser, concealed by the center bridge, softens the up and down illumination, which is sourced from cutting-edge, energy-efficient LED modules inside. Mount it vertically or horizontally, whatever suits your space.



- · 14K gold leaf interior
- Up and down illumination
- ADA compliant
- · CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · 277V special order
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-40832	32"	21W	120V	1167	760	BZ/GL	Bronze/Gold Leaf	

Example: WS-40832-BZ/GL

For 277V special order add an "F" before the finish: WS-40832F-BZ/GL





TOWER


Featuring an aged brass finish, Tower brings understated luxury to every setting. The painstakingly V-cut seeded crystal inset adds a touch of glamour. With LEDs to light the crystal from both ends, plus a bonus hidden uplight or downlight, this sconce delivers the best of both worlds—warm ambience and quality indirect illumination.



- V-cut K5 crystal
- · ADA compliant
- · CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 54,000 hours
- · Color temp: 3500K
- CRI: 90







Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-58814 WS-58820 WS-58827	14" 20" 27"	15W 16W 16W	120V	949 961 1000	504 618 671	AB	Aged Brass	

Example: WS-58820-AB




CERES

Finished in aged brass, this indoor sconce adds a touch of classic luxury to your modern décor. Light fills the painstakingly V-cut seeded crystal columns with a mix of understated elegance and spectacular shine. Ceres is a subtle statement piece wherever it's mounted, a sophisticated accent that will endure over time.



- V-cut K5 crystal
- Can be mounted vertically or horizontally
- · ADA compliant
- · CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Optional conversion plate included for 4" junction box
- · Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-18818	18"	15W	120-277V	1054	971	AB	Aged Brass	100

Example: WS-18818-AB



SCEPTER

A majestic addition to our collection, Scepter is finished in aged brass for a toned-down take on the luxe décor trend. A solid crown of V-cut seeded crystal is affixed to the top for a glamorous refraction, creating a beautiful play of light and shadow on the wall. Meanwhile, the hidden downward-illuminating LED provides plenty of ambience and enough illumination for spatial orientation in low light areas.



- V-cut K5 crystal
- Ultra-bright lumen output for up and down illumination
- ADA compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within junction box, driver dimensions: 2 7/8" x 1 3/8" x 1 1/8"
- Optional decorative plate included for 4" junction box
- · Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 90



⊦3″\

⊦ 4″+

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-10830	30"	9W	120-277V	617	456	AB	Aged Brass	

Example: WS-10830-AB



CINEMA


In a luxe aged brass finish, Cinema makes a modern statement. V-cut seeded crystal adds understated glamour when it fills with light sourced from high-performance LEDs. With a variety of styles in the family, Cinema creates a matching lighting environment that can pull multiple rooms together.





- V-cut K5 crystal
- · ADA compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- · Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 90






modernforms.com

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-30815 WS-30835	15" 35"	7W 21W	120-277V	544 953	423 499	AB	Aged Brass	300

Example: WS-30835-AB



STORMY

This spectacle amazes like lightning in the sky. Discreetly concealed LEDs brightly illuminate seeded stems of optical grade polycarbonate. Splendid in aged brass or polished nickel. Complementary sconces complete a well decorated look.




For complementary Stormy pendant See page 62



- Up and down illumination
- Shatterproof optical grade polycabonate
- ADA compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-277V) concealed within the canopy
- · Rated Life: 54,000 hours
- · Color temp: 3500K
- · CRI: 90





Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-92927	27"	13W	120-277V	466	362	AB PN	Aged Brass Polished Nickel	

Example: WS-92927-AB



184 Interior Sconces Interior Sconces 185 modernforms.com modernforms.com

WASP

Charming elegance. An exquisite crystal torch made for a queen and king. This luxuriously faceted crystal honeycomb rests atop the elongated stem reminiscent of a stinger. Dims down beautifully for a variety of ambient moods in living spaces and hospitality settings.



 K9 faceted cryst 	a
--------------------------------------	---

- Up and down illumination
- ADA compliant
- · CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-277V) concealed within the canopy
- · Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 90



Example: WS-23932-AB




186 Interior Sconces modernforms.com modernforms.com

GATSBY

Streamlined and slender. Add a classically aspirational touch to upscale décor in residences, resorts and restaurants with this modern LED luminaire. White ceramic-glazed mitered glass diffuses light perfectly with consistent illumination.




- Mount vertically or horizontally
- White ceramic-glazed mitered glass
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-53932	32"	25W	120V	2000	1437	AB PN	Aged Brass Polished Nickel	

Example: WS-53932-AB



188 Interior Sconces modernforms.com modernforms.com

MUSE


Wood, metal, glass and technology come together in a beautifully cohesive LED sconce with a tailored wooden spike, metal accents, a mitered glass shade and the latest advancements in LED technology.

- · JA8 Title 24 2019 compliant
- Ebony stained wood arm and mitered glass ADA compliant, low profile design
- ETL & cETL damp location listed
- · Dimmer: ELV
- · No transformer or driver required
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · 277V Special order
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-12118	18"	21W	120V	1681	1214	AB PN BN	Aged Brass Polished Nickel Brushed Nickel	

Example: WS-12118-AB For 277V special order, add an "F" before the finish: WS-12118F-BN




ARCH

Tailored as couture, this sophisticated sconce with a curvaceous accent is an elegant selection for both formal and casual settings. A smooth linen shade delivers beautiful ambient illumination with minimal glare, projecting upward and downward through fitted acrylic diffusers.





- · Urban elegance & LED illumination
- softened with a fabric shade
- · ADA compliant, low profile design
- · CEC Title 24 compliant
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-81910 WS-81916	10" 16"	11W 19W	120V	800 1400	484 974	AB BN	Aged Brass Brushed Nickel	
Example: WS	-81910-AB							




LUMNOS

Luminous box of ambient and functional down lighting encapsulating powerful energy efficient LEDs. A crisp, simple style.



- Up & down light
- White silk-screened mitered glass
- ADA compliant, low profile design
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within the junction box, driver dimensions: $2.8'' \times 1.3'' \times 1.2''$
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- 2700K/3500K special order
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-92616	16"	31W	120-277V	1409	1226	SN	Satin Nickel	7

Example: WS-92616-SN

For 2700K add "-27"; 3500K add "-35" before the finish: WS-92616-35-SN




NA

The minimalist curves of this extrusion are boldly featured in a form meets function design. Powerful LEDs provide up and down illumination for a versatile and durable luminaire ideal for corridors and stairwells in upscale public spaces including multifamily and high-rise buildings.



- · Up & down light
- ADA compliant, low profile design
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within the junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Conversion plate for 4" J box included
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · 2700K/3500K special order
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-39610	10"	16W	120-277V	1159	773	BN	Brushed Nickel	

Example: WS-39610-BN

For 2700K add "-27"; 3500K add "-35" before the finish: WS-39610-27-BN



ASGARD

Simple, sophisticated form has all the hallmarks of Scandinavian design, but it fits right in with nearly any modern décor aesthetic. Its rounded, rectilinear shape conceals the light source, which broadcasts up and down through silk-screened glass to avoid glare from any angle.



For complemetary Drift Pendant See page 110




- Emergency back up battery option available (special order)
- Up and down illumination
- · Dark walnut wood
- ADA compliant
- · Dimmer: ELV
- Universal Driver (120-277V) installs within the junction box, driver dimensions: 3.0" x 1.9" x 1.1"
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-97614	14"	31W	120-277V	2077	1127	DW	Dark Walnut	

Example: WS-97614-DW

For emergency backup battery option, add -EM after the finish: WS-97614-DW-EM




STEM

Finely tuned for precise, even illumination, this simple sconce brings beautiful light into any room where you mount it.

Crafted from dark walnut wood and with a crisp rectangular diffuser made from sanded acrylic, Stem is much more than the sum of its parts. The formal restraint of the wooden arm braced against the diffuser is pure elegance, matched only by the quality of the light.



- Dark walnut wood
- Tempered glass conceals and protects LED modules inside
- ADA compliant
- · CEC Title 24 compliant
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-84819	19"	28W	120V	1317	1219	DW	Dark Walnut	

Example: WS-84819-DW




ELYSIA

A thin sheet of light rests between two panels of dark walnut wood on this superlative sconce, lending uncommon elegance to your living room, restaurant or hotel environment. The contrast of materials and geometric shapes are surpassed only by the exceptional quality of the LED modules inside, which project beautiful ambient uniform light.



- Dark walnut wood
- ADA compliant
- · CEC Title 24 compliant
- · Dimmer: ELV
- · No transformer or driver needed
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · 277V special order
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-82817	17"	12W	120V	1098	646	DW	Dark Walnut	

Example: WS-82817-DW For 277V special order add an "F" before the finish: WS-82817F-DW



I BEAM


LEDs are set at an angle to illuminate the wall surrounding the sconce while minimizing glare seen from the side. An exceptional option for illuminating corridors or stairwells where it may be challenging to find an ADA sconce that looks attractive from multiple viewing angles.







- · ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV for WS-94614; ELV, 0-10V for WS-94620
- Universal Driver (120-277V) installs within the junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	1				
WS-94614 WS-94620	14" 20"	21W 32W	120-277V	960 1311	658 1160	AL WT	Brushed Aluminum White				
E	Francisco MC 04644 AL										

Example: WS-94614-AL



SLIDE


An austere form arcing up off the wall deploying illumination in both directions. Simply beautiful.

- · Up & down light
- Luminaire may be rotated 180° when mountingADA compliant, low profile design
- ETL & cETL damp location listed
- · Dimmer: ELV
- · Universal Driver (120-277V) concealed within the fixture
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · 2700K/3500K special order
- · CRI: 90










Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-27610	10"	22W	120-277V	1409	1124	AL BK WT	Brushed Aluminum Black White

Example: WS-27610-AL For 2700K add "-27"; 3500K add "-35" before the finish: WS-27610-35-AL




ESCHER

Enigmatic spatial representation of a continuum. Different vantage points offer dramatic views of the entangled metal bands.



- Silk-screened linen, mitered glass diffuser
 ADA compliant, low profile design
 ETL & cETL damp location listed

- · Dimmer: ELV
- Universal Driver (120-277V) installs within the junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-95614	14"	11W	120-277V	210	130	TT	Titanium	

Example: WS-95614-TT




CHILL

Sparkles emit playfully from light bouncing off bubbles frozen in solid crystal. Powerful LED light sources hidden within a polished nickel frame illuminate upward and downward.



- · Up & down light
- Clear seeded crystal
 ADA compliant, low profile design
 ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within the junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- · Rated Life: 50,000 hours
- Color temp: 3000KCRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-31618	3 18"	20W	120-277V	722	709	PN	Polished Nickel	

Example: WS-31618-PN



GLACIER

The brilliance of frozen ice. LEDs sparkle and shimmer mesmerizingly through weighty blocks of Piastra glass for luxury baths and powder rooms



- Piastra glassUp and down illumination
- ADA compliant, low profile designETL & cETL damp location listed
- · Dimmer: ELV
- No transformer or driver required
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Width	#of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-6509	9"	1 light	14W	120V	1230	525	CH Chrome	

Example: WS-6509-CH




GLACIER

The beautiful brilliance of frozen ice and polar caps crystalize into stunning wall sconce luminaires as LEDs evoke a sparkle and shimmer with mesmerizing Piastra glass, hand crafted utilizing techniques developed in the 13th century.



- Up & down light
- · Artisan Piastra crystal
- ADA compliant, low profile designCEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hoursColor temp: 3000K
- · 277V special order
- · CRI: 90



modernforms.com

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-12721	21"	10W	120V	830	175	СН	Chrome	

Example: WS-12721-CH For 277V special order, add an "F" before the finish: WS-12721F-CH




ELESSAR

Magically transform a room with dramatic elegance. LEDs are thoughtfully hidden behind the striking polished stainless steel stem to provide dramatic indirect light on the wall behind. Spectacularly crowned with solid crystal where the bubbles frozen within project a million sparkles upward. Put this one on the wish list. Available in two dramatic sizes




- · Clear seeded glass
- 304 stainless steel construction
- Projects up and body back lights the wall
- · ADA compliant, low profile design
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal driver (120-277V) installs within the junction box, driver dimensions: $2.8'' \times 1.3'' \times 1.2''$
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-66734 WS-66641	34" 70"	30W 42W	120-277V	2345 2585	1607 1575	PN	Polished Nickel	

Example: WS-66641-PN



216 Interior Sconces modernforms.com




FORBES

These handcrafted artisanal shades steal the show on this exquisite vanity. The unique shades capture and refract the light such that the visual effect is nothing short of staggering.





- Reclaimed K5 crystal
- Mount vertically or horizontally
- · Up and down illumination
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V Universal Driver (120-277V)
- concealed within canopy · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



WS-63027

Model	# of lights	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-63027 WS-63037	3	27" 37"	20W 27W	120-277V	1774 2304	1268 1809	PN	Polished Nickel	

Example: WS-63027-PN



220 Bath & Interior Sconces Bath & Interior Sconces 221 modernforms.com modernforms.com

MINX

Urbane and sleek. Reclaimed crystalline shards add sparkle and drama with continuous shadow free LED illumination. An instantly modern classic.


- Reclaimed K5 crystal
- Luminaire may be rotated 180°
- · ADA compliant
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90

















Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-62021 WS-62029 WS-62039	21" 29" 39"	17W 25W 32W	120-277V	1183 1582 2240	909 1131 1827	AB BN	Aged Brass Brushed Nickel	

Example: WS-62021-AB



QUARRY


Prized for millennia for its translucent beauty, Spanish alabaster continues its appeal in the Modern Age. Uniformly lit from behind with LEDs, this luminaire provides ambient lighting enhanced by the inherent beauty of this natural stone.

- · First quality spanish alabaster
- · Distributes light evenly
- Mount vertically or horizontally
- · ADA compliant
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- · No driver or transformder needed
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90









Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-60018	18"	22W		1893	1052	AB	Aged Brass	
WS-60028	28"	40W	120V	3211	2013	BN	Brushed Nickel	
WS-60038	38"	61W		4863	3007	514	Drastrea twetter	

Example: WS-60018-AB




MIES

Inspired by Mies van der Rohe, one of the pioneers of modern architecture. This contemporary sconce respects the minimalist aesthetic while observing modern décor trends with an aged brass finish.

- Minimal exposed hardware
- Mount vertically or horizontally
- · ADA compliant
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90








Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-50820 WS-50827	20" 27"	16W 17W	120-277V	1053 1133	762 793	AB	Aged Brass	-

Example: WS-50820-AB




226 Bath & Interior Sconces modernforms.com modernforms.com 227

ARGO

A clean and minimal profile. With soft curves, it easily complements architectural designs. Unobstructed LEDs deliver even, shadow free illumination mounted vertically or horizontally.



- Elongated thin profile with evenly distributed illumination
- Mount vertically or horizontally
- ADA compliant
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC
- Universal Driver (120-277V) concealed within fixture
- Rated Life: 50,000 hours
- Color temp: 3000KCRI: 90





Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-93027 WS-93037	27" 37"	19W 25W	120-277V	1397 1742	1320 1617	BN WT	Brushed Nickel White	

Example: WS-93037-BN



SHOCK WAVES

A dramatic fluid design. The rhythm of rippling oceanic waves is captured within the cast art glass feature floating inside the frame. Integral LEDs indirectly light the glass for a stunning luminous effect, like reflections of moonlight on waves.



- Cast art glass
- ADA compliar
- CFC Title 24 compliant
- ETL & CETL damp location listed
- Dimmer: FL
- No transformer or driver needed
- · Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
	27"	44W	120V	2552 3416		BN	Brushed Nickel
WS-39938		67W		5104	2341		

ICE


Covered with shimmering frost, this transitional design adds a jewelry-inspired iced element while preserving continuity across a broad range of architectural styles.







- Can be mounted vertically or horizontally
- · ADA compliant
- CEC Title 24 compliant
- ETL & CETL damp location listed
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-57919 WS-57927 WS-57937	19" 27" 37"	12W 24W 27W	120V	1000 1800 2400	710 1420 1720	СН	Chrome	

Example: WS-57919-CH



VODKA

Architectural accents and frame add a sophisticated aesthetic to the sparkling glass lens. This versatile luminaire can be placed as a centerpiece on a ceiling, wall or both. Proprietary LEDs fill the room with even, shadow free illumination and a subtle glow.



For complementary Vodka flush mount See page 282








16" 3"

- Tempered, mitered glass diffuser with crystalline effect
- ADA compliant
- · CEC Title 24 compliant
- ETL & CETL damp location listed
- · Dimmer: ELV
- No driver or transformer needed
- · Rated Life: 54,000 hours
- · Color temp: 3500K
- · CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-25816	16"	22W		2003	1214			
WS-25827	27"	40W	120V	3685	2242	CH	Chrome	
WS-25837	37"	61W		5578	3194			-

Example: WS-25827-CH




NIGHTLIFE

Crystalline, fine as sand, within lights up the squared design with exaggerated proportions of an inch thin but up to 73 inches long of continuous illumination.



• 1" slim junction box included and can be ordered separately (model# JB-0501)

- Sparkling acrylic
- ADA Compliant
- ETL & CETL damp location listed
- · CEC Title 24 compliant
- · Dimmer: ELV
- No transformer or driver needed
- Conversion plate to cover 4" junction box included
- Rated Life: 54,000 hours
- · Color temp: 3500K
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	n	
WS-35919 WS-35925 WS-35937 WS-35949 WS-35961 WS-35973	19" 25" 37" 49" 61" 73"	16W 22W 33W 43W 45W 65W	120V	1288 1720 2576 3440 3670 5152 6880	634 874 1271 1693 1739 2542 3386	AL	Brushed Aluminum	

Example: WS-35919-AL




Bath & Interior Sconces modernforms.com modernforms.com 237

LIGHTSTICK

Modern and ultra-minimal. A slender bar of light constructed from a co-extrusion of clear and white acrylic affords the luxurious dimensional look of cased glass but durable enough for its dramatic proportions. Mount horizontally or vertically or even at angles on walls and ceilings.



- Can be mounted vertically or horizontally
- 1" slim junction box included and can be ordered separately (model# JB-0501)
- · Co-extruded acrylic diffuser
- ADA compliant
- CEC Title 24 compliant
- ETL & CETL damp location listed
- · Dimmer: ELV
- No transformer or driver needed
- Conversion plate to cover 4" junction box included
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	١	
WS-47919	19"	17W		1268	975			
WS-47925	25"	22W		1708	1375			
WS-47937	37"	33W		2450	1949	AL	Brushed Aluminum	
WS-47949	49"	44W	120V	3171	2479	WT	White	
WS-47961	61"	46W		3651	2826	VVI	VVIIICE	
WS-47973	73"	66W		4900	3782			
WS-47997	97"	88W		6342	4874			

Example: WS-47919-WT




SABRE

On the cutting edge of technology and aesthetics, bath lighting can now be both refined and robust.

A sleek look with a durable and optically enhanced co-extruded acrylic diffuser, this watertight design is IP65 rated.



- Mount vertically or horizontally
- 1/4" thick wall co-extruded clear and white optical acrylic
- · ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- Universal Driver (120V-277V) installs within junction box, driver dimensions: $2.8'' \times 1.3'' \times 1.2''$
- Conversion plate for 4" J box included
- · Rated Life: 54,000 hour
- · Color temp: 3500K
- · CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W81619 WS-W81625 WS-W81637	19" 25" 37"	15W 20W 30W	120V-277V	1500 1725 2560	1010 1375 2130	AL	Brushed Aluminum

Example: WS-W81619-AL



NEO

Marvel at this ultra-thin sconce and vanity light collection which adapts the latest technology from the television and display industry, to create phenomenal light output. This luminaire boasts a depth from the wall of less than an inch. The amazing uniform light is free from glare, hot spots and color-over-angle changes.




For complementary NEO Flush Mount See pages 292





- · Advanced edge-lit technology
- Mount vertically, horizontally, or on ceiling
- ADA compliant, low profile design
- ETL & cETL damp location listed
- · Dimmer: ELV
- Transformer installs within the junction box, transformer dimensions: 2.0" x 1.4" x 1.0"
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · 277V special order
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-3724 WS-3736	24" 36"	31W 41W	120V	3008 3720	1220 1697	AL	Brushed Aluminum

Example: WS-3724-AL

For 277V special order, add an "F" before the finish: WS-3724F-AL




POLAR

This sleek design epitomizes the use of modern materials with state of the art LED technology to create a refined urban luminaire. Features crisp edges of mitered glass and optimally engineered with a maximum amount of LEDs for a wide range of bath lighting and ambient illumination in luxury hotel corridors and other spaces.





- Mitered glass
- Mount vertically or horizontally
- ADA compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- Transformer installs within the junction box, transformer dimensions: 2.0" x 1.4" x 1.0"
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- 277V option available
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-3226	26"	45W	120V	2617	1451	BN	Brushed Nickel	
WS-3240	40"	73W	1200	4037	2844	DIN	DI USITEU IVICKEI	

Example: WS-3226-BN

For 277V special order, add an "F" before the finish: WS-3226F-BN




MINI CLOUD

Architectural styling arrives in fine baths. Mini Cloud is remarkably thin but a stunning cousin of the Cloud vanity luminaires that deliver high quality functional light for luxury environments. Hand-mitered glass over cutting-edge LEDs positioned for even illumination without glare. Vertical or horizontal mounting options.




- Mitered glass construction
- Mount vertically or horizontally
- ADA compliant
- · CEC Title 24 compliant
- ETL & CETL damp location listed
- · Dimmer: ELV
- No transformer or driver needed
- 1" slim junction box included and can be ordered separately (model# JB-0501)
- Conversion plate for junction box included
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-51920 WS-51927	20"	10W 16W	120V	915 1331	674 962	СН	Chrome	
WS-51927 WS-51937	37"	24W	1200	2031	1461	СП	Cilionie	

Example: WS-51920-CH



Bath & Interior Sconces modernforms.com modernforms.com 247

CLOUD

Cloud combines a distinguished contemporary rectilinear profile with exaggerated proportions and concealed hardware. Designed to complement a diverse range of architectural interiors while delivering high quality functional illumination for upscale spaces.








Mitered glass construction

· CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-3418 WS-3428	18" 28"	16W 37W	120V	1199 1982	655 916	СН	Chrome	

Example: WS-3428-CH

For 277V special order, add an "F" before the finish: WS-3428F-CH



Mount vertically or horizontally

[·] ADA compliant, low profile design

ETL & cETL damp location listedDimmer: ELV

[·] Rated Life: 54,000 hours

[·] Color temp: 3000K

^{· 277}V special order


SEISMIC

Polished stainless steel construction makes Seismic a durable complement to polished hardware in seaside dwellings. Classic architectural styling and flattering light intersect in this open grid structure with an etched white glass layer. Accented with braces and struts in an elaborate design. Mounts vertically or horizontally as a vanity light in baths or as a wall sconce in corridors.





- Can be mounted vertically or horizontally
- 304 stainless steel for an enduring polished finish
- White ceramic glaze silk-screened mitered glass
- · ADA compliant, low profile design
- ETL & cETL damp location listed
- · Dimmer: ELV
- No transformer or driver required
- · Rated Life: 80,000 hours
- · Color temp: 3000K
- · 277V special order
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	1
WS-46518 WS-46527	18" 27"	26W 39W	120V	1508 2537	590 1215	SS	Polished Stainless Steel
WS-46537	37"	53W		3637	1625		

Example: WS-46527-SS

For 277V special order, add an "F" before the finish: WS-46527F-SS



VETRI


Stunning Piastra style glass, hand formed using techniques that date back to the 13th century. A clever indirect application of powerful LEDs in a linear format brings out sparkling highlights in the spagnetti glass while providing strong ambient illumination. Vetri's curvilinear profile allows for the glass to be mounted towards the wall or away from the wall and will turn any bath or hotel corridor into an eye-popping experience.



- Piastra hand made glass
- Mount vertically or horizontally
- ETL & cETL damp location listed
- Dimmer: ELV
- Transformer installs within the junction box, transformer dimensions: 2.0" x 1.4" x 1.0"
- Rated Life: 50,000 hours
- · Color temp: 3000K
- CRI: 90

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-3919 WS-3925	21" 27"	27W 39W	120V	1880 2500	873 1251	AL	Brushed Aluminum

Example: WS-3919-AL




SOFIA

Elegant as a classic tennis bracelet. Solid hand cut faceted crystals like oversized cushion-cut diamonds in a beautiful and shiny polished setting add a resplendent fashion statement with a touch of the grace of yesteryear to beautify any room. A vision of Hollywood, redefined.









· Color temp: 3500K	
· CRI: 90	

· Rated Life: 50,000 hours

ADA compliant, low profile designETL & cETL damp location listed

No transformer or driver required

· Clear hand cut crystal

· Dimmer: ELV

Model	# of Light	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	1	
WS-13619 WS-13630 WS-13641	2 lights 3 lights 4 lights	19" 30" 41"	19W 28W 37W	120V	1091 1611 3200	994 1521 1939	PN	Polished Nickel	

Example: WS-13619-PN




GLACIER

The brilliance of frozen ice. LEDs sparkle and shimmer mesmerizingly through weighty blocks of Piastra glass for luxury baths and powder rooms



- Piastra glass
- Up and down illumination
- ADA compliant, low profile designETL & cETL damp location listed
- · Dimmer: ELV
- No transformer or driver required
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Width	#of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-6528	28"	3 lights	44W	120V	3695	1820	CH Chrome	

Example: WS-6509-CH




BAHN

Clean minimalism with Euro styling and advanced technology. Straight lines and homogeneous surfaces are tailored with German precision and incorporated seamlessly with the latest in LED thinking. Flattering illumination from full spectrum LEDs. Horizontal and vertical configurations for a wide variety of settings.





- Mount vertically or horizontally
- · Ceramic-screened mitered glass diffuser
- · ADA compliant, low profile design
- · CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- No transformer or driver required
- · Rated Life: 80,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-6826 WS-6838	26" 38"	38W 58W	120V	3230 4845	1440 1815	BN	Brushed Nickel	

Example: WS-6826-BN



VIGO

Dark walnut wood and mitered glass suggest a subtle influence of art deco, but this luxe design is unequivocally modern with highly efficient, cutting-edge LED modules that produce outstanding illumination. Excellent in a luxury bath—both horizontally over a vanity or vertically as a sconce.





- · Dark walnut wood veneer
- Hand-crafted mitered glass diffuser
- · Can be mounted vertically or horizontally
- ADA compliant
- CEC Title 24 compliant
- ETL & CETL damp location listed
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · 277V special order
- CRI: 90





WS-80814

Finish



Example: WS-80827-DW

For 277V special order add an "F" before the finish: WS-80827F-DW



TUSK

Whether you mount it in a bath or in a hotel foyer, Tusk brings superb LED task lighting into every room. Expertly crafted from mouth-blown etched opal glass, the elegantly tapered diffuser spreads the light evenly for timeless quality illumination.







- Mouth-blown etched opal glass
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- 277V special order
- · CRI: 90




WS-38817

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-38817	17"	12W	120V	1059	679	BK BN BR	Black Brushed Nickel Brushed Brass	

Example: WS-38817-BR For 277V special order add an "F" before the finish: WS-38817F-BR TUSK



- Mouth-blown etched opal glass
- Can be mounted vertically or horizontally
- · ADA compliant
- · CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- 277V special order
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-38826	26"	25W	120V	1918	1317	BK BN BR	Black Brushed Nickel Brushed Brass	

Example: WS-38826-BR

For 277V special order add an "F" before the finish: WS-38826F-BR


262 Bath & Interior Sconces modernforms.com modernforms.com and modernforms.com solution and modernforms.com and modernforms.c

GATSBY

Streamlined and slender. Add a classically aspirational touch to upscale décor in residences, resorts and restaurants with this modern LED luminaire. White ceramic-glazed mitered glass diffuses light perfectly with consistent illumination.




- Mount vertically or horizontally
- White ceramic-glazed mitered glass
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-53932	32"	25W	120V	2000	1437	AB PN	Aged Brass Polished Nickel	

Example: WS-53932-AB



VOGUE

With its wide variety of sizes and luminaire options, Vogue slips into transitional, contemporary and urban industrial decor plans with ease. Offered in a modern brushed brass, bronze, brushed nickel or chrome finish.




- · Mouth-blown opal glass diffuser
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K (2700K/3500K special order)
- · 277V special order
- · CRI: 90




Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-3111 WS-3115	11" 15"	18W 20W	120V	1488 1673	1093 1124	BN BR BZ CH	Brushed Nickel Brushed Brass Bronze Chrome	

Example: WS-3115-BR For 277V special order add an "F" before the finish: WS-3115F-BR For 2700K special order add a "-27", 3500K add a "-35" before the finish: WS-3115-27-BR

VOGUE



- · Mouth-blown opal glass diffuser
- · Can be mounted vertically or horizontally
- ADA compliant
- CEC Title 24 compliant
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 60,000 hours
- Color temp: 3000K (2700K/3500K special order)
- 277V special order
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-3120 WS-3127 WS-3139	20" 27" 39"	31W 40W 62W	120V	2971 3384 5872	2157 2425 4390	BN BR BZ CH	Brushed Nickel Brushed Brass Bronze Chrome	

Example: WS-3139-BR

modernforms.com

For 277V special order add an "F" before the finish: WS-3139F-BR

For 2700K special order add a "-27", 3500K add a "-35" before the finish: WS-3139-35-BR


266 Bath & Interior Sconces modernforms.com

MINI VOGUE

This minimalist design adapts to almost any décor with its slim, linear form and versatile finishes. Available in brushed nickel, black and chrome.



- Adjustable backplate
- Co-extruded acrylic diffuser
- · Can be mounted vertically or horizontally
- ADA compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within the junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Optional conversion plate included for 4" junction box
- · Rated Life: 54,000 hours
- · Color Temp: 2700K/3000K/3500K
- · CRI: 90



Model	CCT	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-21718-27 WS-21724-27 WS-21736-27	2700	18" 24" 36"	16W 21W 30W		1140 1534 2446	1077 1443 2172			
WS-21718-30 WS-21724-30 WS-21736-30	3000	18" 24" 36"	16W 21W 30W	120-277V	1126 1591 2269	1126 1491 2269	BK BN CH	Black Brushed Nickel Chrome	
WS-21718-35 WS-21724-35 WS-21736-35	3500	18" 24" 36"	16W 21W 30W		1175 1567 2363	1175 1567 2363			

Example: WS-21718-27-BK



3"

MINI LOFT

The petite version of our popular Loft sconce, featuring the same elegant contrasts. An oval back plate in fine aluminum offsets the slim diffuser, which is fashioned from co-extruded clear and white acrylic to soften and distribute the light with beautiful precision even in this miniaturized format. Pair Mini-Loft with the larger version for a consistent lighting scheme throughout.





- Adjustable back plate
- · Can be mounted vertically or horizontally
- · Co-extruded clear and white acrylic diffuser
- ADA compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within the junction box, driver dimensions: $2.8'' \times 1.3'' \times 1.2''$
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90






Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		·
WS-14818 WS-14824	18" 24"	16W 20W	120-277V	1324 1826	1198 1588	BK BN CH	Black Brushed Nickel Chrome	

Example: WS-14824-CH



LOFT


This modern design is highlighted with contoured etched opal glass that creates a striking aesthetic. Ideal for installation in fine baths and hallways.



- Mouth blown etched opal glass
- · ADA compliant, low profile design
- CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- No transformer or driver required
- Rated Life: 80,000 hours
- Color temp: 3000K (2700K/3500K special order)
- · CRI: 90








Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-3611 WS-3618 WS-3624	11" 18" 24"	9W 31W 38W	120V	1235 2030 2720	630 1445 1930	BN CH	Brushed Nickel Chrome	

Example: WS-3624-BN

For 277V special order, add an "F" before the finish: WS-3624F-BN For 2700K add "-27"; 3500K add "-35" before the finish: WS-3624-35-CH



Bath & Interior Sconces modernforms.com modernforms.com



METROPOLIS


A diaphanous shade provokes the imagination on this elegant design, creating softer light and a beautiful, sophisticated expression of form. Inside the glowing round diffuser, state-of-the-art LED modules broadcast consistent and enduring illumination. Metropolis handles urban décor with ease, but makes a welcome addition to Scandinavian and Mid-Century styled spaces too.



For complementary Metropolis pendant See page 124



- · Ultra-bright lumen output
- Frosted glass diffuser with fabric shade
- · CEC Title 24 compliant
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- FM-16818 & FM-16824: 277V special order
- · CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
FM-16818	18"	26W		2015	1996			
FM-16824	24"	32W	120V	2644	2474	BN	Brushed Nickel	
FM-16830	30"	48W		3869	3815			

Example: FM-16818-BN

For 277V special order add an "F" before the finish: FM-16818F-BN




SEGMENT

A delicate pairing of fabric and wood structures. The wood embraces a clean white linen shade for architectural detailing. Dark walnut brackets combine a feeling of pleasant warmth with design appeal and artisanal craftsmanship.




- · Powerful illumination
- Dark walnut wood frame with fabric shade
- Urban elegance & LED illumination softened with a fabric shade
- · CEC Title 24 compliant
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
FM-83922	20"	35W	120V	3000	2170	DW	Dark Walnut	

Example: FM-83922-DW




RAZOR

A matching compliment to chrome and nickel plated finishes, this impressive flush mount provides bright and beautiful lighting for task and general applications in residential and hospitality environments. Thick walled glass enhanced with detailed crosshatch polished stainless steel hardware for seaside interiors.

- · Etched opal glass diffuser
- Polished 304 stainless steel hardware
- · ADA compliant
- ETL & CETL damp location listed
- · Dimmer: ELV
- No transformer or driver needed
- Rated Life: 80,000 hours
- · Color temp: 3000K
- · CRI: 90





Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
FM-4716	16"	40W	120V	2800	1160	SS	Stainless Steel	

Example: FM-4716-SS



280 Flush Mounts modernforms.com

VODKA


Architectural accents and frame add a sophisticated aesthetic to the sparkling glass lens. The versatile luminaire can be placed as a centerpiece on a ceiling, wall or both. Proprietary LEDs fill the room with even, shadow free illumination and a subtle glow.



For complementary Vodka sconces and vanities See page 234



- Tempered, mitered glass diffuser with beaded glass inside for crystalline effect
- · ADA compliant
- · CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
FM-25814	14"	27W	120V	2399	1807	СН	Chrome	

Example: FM-25814-CH



282 Flush Mounts modernforms.com modernforms.com 283


FLUFFY

A soft feathered piece with a heavenly look. Handcrafted of detailed acrylic that emerges into a glowing cluster of interlocking petals with frosted edges. Celestial silk-screened petals diffuse the light with incredible texture around the fixture for a tone on tone style.



- Magnetic tool-free shade installation for easy cleaning
 CEC Title 24 compliant
 ETL & cETL damp location listed

- · Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-277V) installs within the canopy
- Rated Life: 50,000 hoursColor temp: 3000K
- · CRI: 90



modernforms.com

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
FM-59922 FM-59933	22" 33"	32W 42W	120-277V	2718 3980	2333 3375	BN	Brushed Nickel	

Example: FM-59922-BN




BLAZE

A radiating spectacle of warm indirect illumination from hand applied gold leaf and silver leaf. Offered in three proportional sizes to design in multiples on walls or ceilings.







WS-30624

- Flush mounts to ceiling or wall as sconce
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- · Color temp: 3000K
- · CRI: 90



Example: WS-30612-GL



Flush Mounts modernforms.com modernforms.com

GILT

Hand finished in dark bronze with gold-leaf interior, Gilt has an opulent lustrous appeal. An etched dome glass diffuser conceals a powerful LED array for generous illumination.



For complementary Gilt pendant See page 130




- 14K gold leaf interior
- Etched glass diffuser, no visible hardware
- ETL & cETL damp location listed
- · CEC Title 24 compliant
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
FM-51318	18"	35W	120V	3013	1455	GL	Gold Leaf/Dark Bronze	

Example: FM-51318-GL



ARGO

The circle, a timeless symbol of continuity and life, gets the modern treatment with a sleek, ultra-slim profile and high-performing LED modules inside. Available in white, black and brushed nickel.



- 1" profile, edge-lit illumination
- Installs over a
- 3", 4" or 3/0-4/0 hybrid electrical box
- ADA compliant
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC
- 120V integrated driver for 7", 9" and 15" sized fixture
- 120-277V options available for 19" only
- Rated Life: 50,000 hours
- Color temp: 2700K/3000K/3500K
- · CRI: 90







11"






19"





FM-4211



FM-4219

Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish					
FM-4207	7"	15W	120V	1391	1002	BN	Brushed Nickel				
FM-4211	11"	20W	120V	2109	1521	BK	Black				
FM-4215	15"	26W	120V	3084	2221	WT	White				
FM-4219	19"	31W	120-277V	3985	2870	VVI	VVIIICE				
Example: FM-4211-WT											





NEO

Neo is the one. Employing the latest technology from the television and display industry, geometric styled flush mounts make a strong impression on the ceiling or wall. At less than an inch deep and featuring an incredible ambient illumination with uniform light free from glare and hot spots, An architectural design for a skylight effect or create a striking look by mixing sizes.

For complementary Neo sconces and vanities See page 242




FM-3712



FM-3718

- Advanced edge-lit technology
- Mitered aluminum decorative frame
- Flush mounts to ceiling or wall as sconce
- · ADA compliant, low profile design
- ETL & cETL damp location listed
- · Dimmer: ELV
- Transformer installs within the junction box, transformer dimensions: 2.0" x 1.4" x 1.0"
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · 277V special order
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
FM-3712	12"	25W	120V	1940	1135	Δ1	0 / /// :
FM-3718	18"	48W	1200	2990	1809	AL	Brushed Aluminum

Example: FM-3718-AL

For 277V special order add an "F" before the finish: FM-3718F-AL



PUCK

Super efficient performance from a curvaceous LED luminaire featuring an optically efficient acrylic diffuser to deliver ample lighting with brushed nickel plated metal frame. LED arrays provide uniform illumination without the shadows commonly found in conventional flush mounts. Full range dimming with either TRIAC or ELV dimmers. Use as wall or ceiling mount.





16"



14"

- Universal Driver (120-277V) concealed within the fixture
- Optically efficient acrylic diffuser
- Secondary lens to spread light evenly
- Twist & Lock installation with no visible hardware
- · CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: TRIAC, ELV
- Rated Life: 59,000 hours
- · Color temp: 3500K
- · CRI: 90





Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	1	
FM-4514-35 FM-4516-35		20W 27W	120-277V	1500 2300	1464 2152	BN	Brushed Nickel	

Example: FM-4516-35-BN



P

Durable stainless steel design handles the outdoor elements with ease, while the sleek polished hardware also gives interiors a welcome touch of industrial refinement. A user-friendly twist lock mechanism makes installation a snap. As for illumination, the finely crafted diffuser enhances the brightness for a beautiful mix of task and ambient light.




9'



12"

- Weather-resistant 316 marine grade stainless steel construction
- Lightweight injection-molded acrylic diffuser enhances brightness
- Easy installation with twist-lock mechanism (no visible hardware)
- Energy Star® Rated
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- · Color temp: 3000K/3500K
- 277V options available (for 9", 12", 15" only)
- · CRI: 90



Model	CCT	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finis	h	
FM-W44806-30 FM-W44809-30 FM-W44812-30 FM-W44815-30	3000K	6" 9" 12" 15"	11W 17W 27W 31W	120V	790 1400 2315 2400	572 997 1495 1773	ВК	Black	
FM-W44806-35 FM-W44809-35 FM-W44812-35 FM-W44815-35	3500K	6" 9" 12" 15"	11W 17W 27W 31W	120V	800 1542 2400 2934	600 1082 1550 1838	SS	Stainless Steel	

Example: FM-W44809-30-SS

For 277V special order add an "F" before the finish: FM-W44809F-30-SS





MATRIX

Flawless in a black finish, adding a fierce contrast with its thick white glass diffuser. Crafted in aluminum, Matrix mounts on the wall as well as the ceiling, adding a splash of minimalism to your commercial or residential setting. Also available in titanium.



- · Energy Star Rated
- Can be mounted on wall or ceiling
- Two layers pressed, etched glass with optical diffuser within
- · CEC Title 24 compliant
- ADA compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- No driver or transformer needed
- · Rated Life: 54,000 hours
- Color temp: 3000K (2700K/3500K special order)
- 277V option available
- · CRI: 90





Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
FM-2009-30 FM-2012-30	9" 12"	31W 27W	120V	2765 2555	1511 1015	BK TT	Black Titanium	

Example: FM-2012-30-BK

For 2700K add "27" before the finish: FM-2012-27-BK

For 277V special order add a "F" before the finish: FM-2012F-27-BK



CIRCA

This utilitarian family in black and titanium finish is avaliable in 3 sizes to accommodate more spaces like narrow hallways, bathroom or guestrooms. The glass shade is pressed and sanded for pure whiteness, while a second insert is layered inside to extract the optimal amount of light from the high-performance LED modules.



11"



14"

- · Energy Star Rated
- Can be mounted on wall or ceiling
- Two layers pressed, etched glass with optical diffuser within
- ADA compliant
- · CEC Title 24 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- No driver or transformer needed (277V option available)
- · Rated Life: 54,000 hours
- Color temp: 3000K (2700K/3500K special order)
- · CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
FM-2109-30 FM-2111-30	9" 11"	17W 26W	120V	1794 2759	720 1080	BK	Black	
FM-2115-30	15"	25W		2729	1463	11	Titanium	

Example: FM-2111-30-TT

For 2700K add "27" before the finish: FM-2111-27-BK

For 277V special order add a "F" before the finish: FM-2111F-27-BK



BLOC

Bold geometry and clean lines echo robust illumination for today's modern interiors and exteriors. Sleek die-cast aluminum construction reveals a silk-screened glass diffuser that renders powerful downward illumination.



For complementary Bloc exterior sconces See page 404



White



Black

Bronze



Brushed Aluminum

- No visible hardware
- Available in four architectural finishes
- CEC Title 24 compliant
- ETL & CETL wet location listed, IP66
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the fixture
- Rated Life: 60,000 hours
- Color temp: 3000K (2700K/4000K special order)
- · CRI: 90



Туре	Model	Size	Wattage	LED Lumens	Delivered Lumens	Finis	h	
Down lights	FM-W9200	5½"	15W	1167	943	BK	Brushed Aluminum Black Bronze White	

Example: FM-W9200-WT

For 2700K add "-27"; 4000K add "-40" before the finish: FM-W9200-27-AL



VESSEL

A sleek, minimalist profile supported by precision engineering using advanced proprietary LED technology.

Integral reflectors ensure high performance optics for accent lighting, pathway illumination and building security.



For complementary Vessel exterior sconces See page 402



Black



Brushed Aluminum



White



Bronze

- Silk screen glass
- No visible hardware
- · Die-cast aluminum hardware
- ETL & cETL wet location listed, IP66
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the fixture
- Rated Life: 50,000 hours
- Color temp: 3000K (2700K/4000K special order)
- · CRI: 90



Type	Model	Size	Wattage	LED Lumens	Delivered Lumens	Finish	1	
Down lights	FM-W9100	5½"	17W	1167	956	AL BK BZ WT	Brushed Aluminum Black Bronze White	

Example: FM-W9100-AL

For 2700K add "-27"; 4000K add "-40" before the finish: FM-W9100-27-AL



304 Interior/Exterior Flush Mounts modernforms.com modernforms.com 305



Outdoor


MIST

A contemporary outdoor sconce inspired by the handmade colonial era glass window panes. The seeded and hammered glass is captivatingly framed in black or bronze.

- · Seeded, hammered blown glass
- · JA8 Title 24 2019 compliant
- ETL & cETL wet location listed
- · Dimmer: ELV
- · No driver or transformer needed
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90









Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W54016 WS-W54020 WS-W54025	16" 20" 25"	4W 8W 11W	120V	323 600 800	113 228 308	BK BZ	Black Bronze	

Example: WS-W54016-BK




LANTERNA

Update your style from traditional lanterns to this clean and open frame. Graciously exquisite with its unique art glass clandestinely illuminated with LEDs to create interest and light refraction on surrounding surfaces.

- Uniquely hand-crafted from recycled glass
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- · No transformer or driver needed
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90









Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W56014 WS-W56018	14" 18"	6W 10W	120V	400 800	116 211	ВК	Black	

Example: WS-W56014-BK




ELYSE

Like with ocean waves in the horizon, light twinkles in the undulating glass within this lantern. The minimalistic frame and discreetly-hidden LED technology for soft illumination are well-suited for entrances of upscale residences and commercial spaces.


- Handmade fused glass
- Mount vertically or horizontally
- ADA compliant (WS-W58012 only)
- · JA8 Title 24 2019 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90







WS-W58012



WS-W58017

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W58012 WS-W58017	12" 17"	12W 14W	120-277V	326 380	192 250	ВК	Black	

Example: WS-W58012-BK





DORNE

Beautiful ambient light warms over the antiqued brass finished feature to indirectly illuminate entryways subtly for a soft and comforting glow. This durable indoor/outdoor wall sconce offers advanced LED technology discreetly hidden in its robust housing.

- Contrasting aged brass finish and textured black
- Dark Sky Friendly
- · JA8 Title 24 2019 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No driver or transformer needed
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90







WS-W57018

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W57014 WS-W57018	14" 18"	6W 8W	120V	400 600	115 217	BK/AB	Black/Aged Brass	






WEXLER

Midcentury modern reinterpreted for a timeless appeal. Minimally adorned Wexler reads on the period with retro influenced interiors or exteriors. This stylish luminaire is available in weather-resistant aged brass or black finishes.

- · Silk screen tempered glass diffuser
- · Dark Sky Friendly
- · JA8 Title 24 2019 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No driver or transformer needed
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90








Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS- W59017	17"	12W	120V	630	231	AB BK	Aged Brass Black	






WEXLER

Midcentury modern reinterpreted for a timeless appeal. Minimally adorned Wexler reads on the period with retro influenced interiors or exteriors. This stylish luminaire is available in weather-resistant aged brass or black finishes.



- · Hang straight swivel
- Silk screen tempered glass diffuser eliminates hot spots
- · JA8 Title 24 2019 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- · No driver or transformer needed
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD- W59016	16"	13W	120V	630	256	AB BK	Aged Brass Black	

Example: PD-W59016-BK




SUSPENSE

Giving the proverbial nod to tradition, it takes a powerful LED to pull off this look. This contemporary lantern showcases a clear mouth-blown glass element and is equipped with state of the art LEDs for a filament-free design.



- Hang straight swivel Three 12" and one 6" downrods included (additional downrods available)
- · Thick clear mouth blown glass
- Twist-lock glass for seamless appearance
 ETL & cETL wet location listed, IP65
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-W1915	10"	12W	120-277V	722	677	BK BZ	Black Bronze	

Example: PD-W1915-BZ



SUSPENSE


Giving the proverbial nod to tradition, it takes a powerful LED to pull off this look in a dark sky friendly design. This contemporary lantern showcases a mouth blown clear glass element and is equipped with state of the art LEDs for a filament-free design. Couple your passion for living with our passion for lighting.








- · Thick clear mouth-blown glass
- Weather-resistant powder coat
- Twist-lock glass for seamless appearance
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV, 0-10V
- Universal Driver (120V-277V) concealed within the canopy
- Rated Life: 70,000 hours
- · Color temp: 3000K
- · CRI: 90







WS-W1917

WS-W1911



WS-W1915

915

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W1911 WS-W1915 WS-W1917	11" 15" 17"	11W	120-277V	860 860 843	548 625 804	BK BZ	Black Bronze	

Example: WS-W1911-BK



322 Exterior Sconces modernforms.com modernforms.com 323

BALTHUS

Heavy hardware exhibits craftsman details. Clear hammered mouth-blown glass creates resplendent splashes of light.






- Weather-resistant powder coat
- Mouth blown hammered clear glass
- · CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · 277V option available
- · CRI: 90

Model

WS-W28514

WS-W28516


WS-W28521



440


495

614



BK

ORB



WS-W28514

LED Lumens Delivered Lumens Finish

431

431

558

WS-W28521

Black Oil Rubbed Bronze

Example: WS-W28514-ORB

Height

13"

16"

21"

For 277V special order, add an "F" before the finish: WS-W28521F-ORB

Wattage

11W

13W

15W

Voltage

120V



Exterior Sconces | 325 324 Exterior Sconces modernforms.com

TWO IF BY SEA

Like standing behind windows with beads of rain falling during a storm, find solace as timeless inspiration merges with modern technology for a clean and versatile LED luminaire. Light diffuses through clear hammered glass for a soft glow on all sides of this geometric wall sconce.






- · Down light illumination
- · Glare-free lantern design
- Weather-resistant powder coat
- · Clear, hammered, mouth-blown glass
- · CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90





Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W41912 WS-W41918	12" 18"	15W	120V	1200 1200	919 965	ВК	Black	

Example: WS-W41912-BK



326 Exterior Sconces modernforms.com modernforms.com 327


AVANT GARDE

Classic lantern profile artfully expressed in black lines. A clear mouth blown glass element within reveals a spectral reference to an Edison filament lamp of old. A contemporary art piece idea for welcoming friends and family in entryways and lobbies in residential and hospitality venues.





- Fluted etched glass
- Weather-resistant powder coat
- ETL&cETL wet location listed
- · Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-277V) concealed within the canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W17912 WS-W17917	12" 17"	13W 18W	120-277V	556 610	455 539	ВК	Black	

Example: WS-W17912-BK



AVANT GARDE

Classic lantern profile artfully expressed in black lines. A clear mouth blown glass element within reveals a spectral reference to an Edison filament lamp of old. A contemporary art piece idea for welcoming friends and family in entryways and lobbies in residential and hospitality venues.



- · Hang straight swivel
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Fluted etched glass
- Weather-resistant powder coat
- ETL & cETL wet location listed
- Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-277V) concealed within the canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-W17917	17"	18W	120-277V	642	631	BK	Black	

Example: PD-W17917-BK



330 Exterior Sconces modernforms.com modernforms.com Exterior Sconces 3

AVANT GARDE


Love it or hate it, Avant Garde will surely elicit emotion.

More of a sculpture of artistic expression than a
luminaire, Avant Garde renders a statement challenging
our visual presumptions about lighting.





- Weather-resistant powder coat
- Fluted etched glass
- Outdoor ready cables for an adjustable customized suspension height
- ETL & cETL wet location listed
- · Dimmer: ELV
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- · Rated Life: 54,000 hours
- Color temp: 3000K
- · CRI: 90





Model	# of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-W17907 PD-W17913		41W 78W	120V	2888 5363	1182 2195	ВК	Black	

Example: PD-W17913-BK

332 Exterior Chandelier modernforms.com modernforms.com 333

LOGIC

Using an intricate welding process, our artisans craft an austere cage and coat it with a weather-resistant black finish. The sleek rectangular diffuser inside is powered by ingenious LED modules and contrasts with the aluminum base for a transitional-meets-minimalist style.







- Mitered glass shade
 Weather-resistant not
- Weather-resistant powder coat
- Intricately welded for clean, seamless look
- ETL & cETL wet location listed, IP65
- · CEC Title 24 compliant
- · Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W48816 WS-W48823	16" 23"	13W 15W	120V	1078 1387	546 728	ВК	Black	

Example: WS-W48823-BK



FRAMED

An eminent contemporary architectural design, sleek lines embrace mitered glass. This bold ADA compliant structure accentuates wall height for a dramatic impression throughout the space.









- Mount vertically or horizontally
- Weather-resistant powder coat
- Mitered glass with white ceramic glaze
- ADA compliant, low profile design
- · CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- · Color temp: 3000K
- 277V options available (special order)
- · CRI: 90








Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W73608 WS-W73614 WS-W73620	8" 14" 20"	17W 32W 34W	120V	1400 2621 2981	829 1608 1663	BK BZ	Black Bronze	


Example: WS-W73608-BK For 277V special order, add an "F" before the finish: WS-W73608F-BK



FRAMED

An eminent contemporary architectural design, sleek lines embrace mitered glass. Accentuates varying wall height for a dramatic impression.





- Up & down illumination
- Weather-resistant powder coat
- Mitered glass with white ceramic glaze
- ADA compliant, low profile design
- ETL & cETL wet location listed
- · Dimmer: ELV
- Universal Driver (120-277V) concealed within the fixture
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Example: WS-W73660-BZ




LUCID

A clearly defined orb gently encircles a cylinder of opal glass. Lucid is a clean and updated version of the traditional lantern that may be hung in multiples in an outdoor entertainment area or over an entryway.



- Hang straight swivel
- · Clear and etched opal glass
- Weather-resistant powder coat
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver required
- Three 12" and one 6" downrods included (additional downrods available).
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-W74615	15"	13W	120V	860	676	ВК	Black	

Example: PD-W74615-BK



SKYSCRAPER


Update your style from traditional lanterns to this clean and open frame. Graciously exquisite with its unique art glass clandestinely illuminated with LEDs to create interest and light refraction on surrounding surfaces.

- ADA compliant (except for 37" size)
- SS-Weather resistant 316 stainless steel construction BZ & BK - Aluminum construction, weather resistant powder coat
- JA8 Title 24 2019 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- · Color temp: 3000K
- 277V options available
- 2700K and 3500K special order
- · CRI:90













Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W68612 WS-W68618 WS-W68627 WS-W68637	12" 18" 27" 37"	12W 19W 24W 44W	120V	872 1170 1645 3480	485 674 923 2295	BK BZ SS	Black Bronze Stainless Steel	

Example: WS-W68612-BZ

For 277V special order, add an "F" before the finish: WS-W68612F-BZ

For 2700K add "-27"; 3500K add "-35" before the finish: WS-W68618-35-SS



PHANTOM

A highly polished, stylish appearance with sharp curb appeal, this stunning family of distinctive mitered glass columns exhibits a shallow depth and clean, architectural look. Constructed in bronze powder coated aluminum or marine grade stainless steel for waterside locations in luxury residential and commercial environments.








- · CEC Title 24 Compliant
- Mitered white silk screened glass
- SS 316 marine grade, stainless steel construction
- BZ Aluminum construction, weather resistant powder coat
- · ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No driver or transformer required
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · 277V special order
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W1611 WS-W1616 WS-W1621	11" 16" 21"	13W 24W 32W	120V	978 2000 2500	327 642 889	BZ SS	Bronze Stainless Steel	

Example: WS-W1611-SS For 277V special order, add an "F" before the finish: WS-W1611F-SS



LEDGE

A luminous architectural profile and superior construction make this wall sconce appropriate for transitional and contemporary interiors or exteriors. Options allow for cohesive specifications across residential and commercial interior and exterior applications.
















- White mitered glass
- Weather-resistant powder coat
- · ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No driver or transformer required
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · 2700K/3500K special order
- 277V option available (special order)
- · CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W1408	8"	13W	120V	1050	419	AL	Brushed Aluminum
WS-W1414	14"	15W		1313	626	BK	Black
WS-W1420	20"	27W		2356	1189	BZ	Bronze

Example: WS-W1420-AL

For 2700K add "-27"; 3500K add "-35" before the finish: WS-W1420-35-AL For 277V special order, add an "F" before the finish: WS-W1420F-AL



ELEVATION

Zen architecture. A sectional profile enhances the precisely drawn structural elements of the design. Silk-screened linen on glass diffuses soft ambient light while a down light delivers illumination for pathways in an all-LED design. Perfectly adorns entries, columns or walls in luxury resorts, restaurants and dwellings.










- · Dimmer: ELV
- No transformer or driver required
- · Rated Life: 54,000 hours
- · Color temp: 3000K

Includes downlight

- · 277V special order
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W5216 WS-W5222	16" 22"	15W 24W	120V	1209 1468	212 575	BZ	Bronze	

Example: WS-W5216-BZ For 277V special order, add an "F" before the finish: WS-W5216F-BZ




KYOTO

A Shinto inspired architectural design. Miter cut and joined white ceramic-glazed glass provides crisp lines to complement the hardware.





- · CEC Title 24 Compliant
- Weather-resistant powder coat
- Mitered glass with white ceramic glaze
- · ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90





Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W22510 WS-W22514 WS-W22520	10" 14" 20"	10W 16W 27W	120V	616 918 1620	330 465 840	BZ	Bronze	

Example: WS-W22520-BZ




LEDs sparkle mesmerizingly through glacial glass for interior or exterior applications. Illuminate any space with a brilliant combination of ambient lighting and down lighting.





- · Up & down illumination
- ADA compliant, low profile designETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hoursColor temp: 3000K
- · CRI: 85



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W35516 WS-W35520	16" 20"	13W 18W	120V	226 512	139 223	BZ	Bronze	

Example: WS-W35520-BZ



RAIN


Evoking an image of gentle rainfall, this Zen luminaire uses LED technology to highlight the clear seeded glass in an ADA compliant sconce.







- Seeded glassWeather-resistant powder coat
- · ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver required
- 50,000 hour rated life
- · Color temp: 3000K
- · CRI: 85



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W2408 WS-W2412 WS-W2416	8" 12" 16"	8W	120V	327	146	BZ	Bronze	

Example: WS-W2416-BZ




FATHOM

Like diving down into the mysterious depths below the ocean surface. Dramatic cast art glass in a watery design emerges and is showcased with bold black hardware that illuminates from above and below. This artfully crafted wall sconce complements upscale interior and exterior finishes with sophisticated style.








WS-W37916

- Cast art glass
- Up and down illumination
- Weather-resistant powder coat
- ETL & cETL wet location listed
- CEC Title 24 compliant
- · Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W37916 WS-W37922	16" 22"	39W	120V	1869	1195	ВК	Black	

Example: WS-W37916-BK



356 Exterior Sconces modernforms.com modernforms.com 357

VITRINE

Raindrops falling gently on the window pane. This stunning effect is the result of concealed LEDs illuminating from above while casting a warm beam through clear hammered seeded, mouth blown optic glass. The durable body and minimalist design complement a multiplicity of architectural styles.







- Weather-resistant powder coat
- · Clear, seeded hammered mouth-blown glass
- ADA compliant
- · CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver needed

Height

16"

21"

Wattage

11W

16W


- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90

Model

WS-W32512

WS-W32516

WS-W32521









LED Lumens Delivered Lumens Finish Voltage 260 Black 612 120V ΒZ 436 Bronze 633 588 GH Graphite





STRUCTURE

A refreshing look for refined tastes. A raindrop glass cylinder suspended within an architectural frame. Beautifully illuminated with LED down lighting for a magical appearance of crystallized effervescence.





- Clear seeded glassWeather-resistant powder coat
- ETL & cETL wet location listed
- · Dimmer: ELV
- Universal Driver (120-277V) concealed within the canopy

Wattage

11W

Voltage


120-277V


- Rated Life: 70,000 hours
- · Color temp: 3000K
- · CRI: 90

Model

WS-W5411

WS-W5416






WS-W	5411	

LED Lumens	Delivered Lumens	Finish		
910	588	BK	Rlack	

Example: WS-W5411-BK



910 910

FROST

Understated geometry to complement a variety of architectural styles. Sparkling central glass insert draws visual interest while subtle cues of upscale appeal communicate through the heavy gauge frame, the absence of visible hardware, and the quality illumination.



- Sparkling glass insert
- Weather-resistant powder coat
- · ADA compliant
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 54,000 hours
- · Color temp: 3500K
- · CRI: 90





modernforms.com

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W71918 WS-W71928	18" 28"	13W 39W	120V	1000 3200	583 1829	ВК	Black	

Example: WS-W71918-BK




OATH

Bronze framed art glass becomes a simple but clever transitional wall sconce for both interiors and exteriors. With the warmth of natural elements, the Oath promises continuity across American architectural styles from prairie to saltbox to craftsman.



- Mount vertically or horizontally
- Weather-resistant powder coat
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver required
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · 277V special order
- · CRI: 90





Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W71618 WS-W71628	18" 28"	12W 36W	120V	901 2760	161 586	BZ	Bronze	

Example: WS-W71618-BZ For 277V special order, add an "F" before the finish: WS-W71618F-BZ




SHADOW

This minimalist luminaire provides smooth, even light whether you place it inside or outside, vertically or horizontally. A anti-UV grade acrylic diffuser means Shadow won't color over time in the sunlight, while a weather-resistant finish also protects against rain and sun.




- · Sanded UV-grade acrylic
- Weather-resistant powder coat
- · May be mounted vertically or horizontally
- Edge-lit LED illumination prevents glare and hot spots
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- Universal Driver (120-277V) concealed within the canopy
- Rated Life: 60,000 hours
- · Color temp: 3000K
- · CRI: 90






WS-W46817



Model	Height	wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W46817 WS-W46824	17" 24"	14W 21W	120-277V	1256 2101	722 1111	ВК	Black	

Example: WS-W46824-BK




366 Exterior Sconces modernforms.com modernforms.com

STAFF

Sleek and stylish, this versatile LED sconce with tapered torch design fosters an easy transition from interiors to exteriors for exceptional design continuity. Embodies an IP65 sealed frame with back light the length of the sconce and up light for warm ambience.

- Projects light up through accent cap
- Indirect light the full length of the sconce
- ETL & cETL wet location listed, IP65
- · ADA compliant, low profile design
- · Dimmer: ELV
- Transformer concealed within the fixture
- · Rated Life: 52,000 hour
- · Color temp: 3500K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W19732 WS-W19770	32" 70"	15W 31W	120V	374 1190	258 713	ВК	Black	

Example: WS-W19732-BK




BLADE


A new slant on modern lighting. This low profile angular sconce deploys robust indirect illumination on walls and surfaces in two sizes for various IP65 rated exterior and interior applications. The subtle graduated design offers a unique look and high style appeal.



- Unique backlit glare free design
- Weather-resistant powder coat
- · ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · 277V special order
- · CRI: 90







Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W11716 WS-W11722	16" 22"	15W 19W	120V	1112 1408	893 1200	AL BK	Brushed Aluminum Black	

Example: WS-W11722-BK For 277V special order add an "F" before the finish: WS-W11716F-AL



DAWN

From dusk to dawn, there's no better expression of modern minimalism than this outdoor sconce, an elegantly curved geometrical form with a bold cutout window. Powered by energy-efficient LEDs, bright indirect light is perfect for creating architectural accents and illuminated pathways.









Weather-resistant powder coat

· CRI: 85





Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W2216 WS-W2223	16" 23"	17W 26W	120V	960 1440	617 912	BK BZ	Black Bronze	

Example: WS-W2223-BK



[•] ETL & cETL wet location listed, IP65

[·] Dimmer: ELV

[•] No transformer or driver needed

Rated Life: 50,000 hours

[·] Color temp: 3000K

URBAN

Like urban renewal, this sconce gives new life to the conventional step baffle.

Form follows function in this simplified indirect wall sconce. Clean styling and robust LED performance are combined in this modern dark sky friendly luminaire.









- Dark Sky friendly
- Interior light and down light
- Weather-resistant powder coat
- · ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver required
- 50,000 hour rated life
- · Color temp: 3000K
- 277V special order

374 Exterior Sconces

· CRI: 85






Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W1110 WS-W1116 WS-W1122	10" 16" 22"	12W 16W 20W	120V	720 960 1200	370 490 610	BK BZ GH	Black Bronze Graphite	

Example: WS-W1110-BK For 277V special order, add an "F" before the finish: WS-W1110F-BK

modernforms.com modernforms.com Exterior Sconces 375




HILINE

The Hiline luminaire features a sealed LED housing and clean, versatile Dark Sky and ADA design. This functional design is ideal for showing off multi-tiered decks, stone patios or illuminating entryways in luxury hotels and homes.





- Etched glass light shield
- Weather-resistant powder coat
- Dark sky friendly
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver required
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · 277V special order
- · CRI: 85



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W2308 WS-W2312	8" 12"	8W	120V	280	245	ВК	Black	

Example: WS-W2312-BK

For 277V special order, add an "F" before the finish: WS-W2312F-BK




TWILIGHT

Waning light of day. Indirect LED illumination gives the illusion of twilight. Glare free illumination with ambient and down lighting for safety, security and architectural accent.





- Up and down illumination
- Weather-resistant powder coat
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W5516 WS-W5521	16" 21"	23W 32W	120V	912 973	637 946	BK BZ	Black Bronze	

Example: WS-W5516-BZ




DOUBLE DOWN

Parlay your bet with this winning hand. The dual down light sconce delivers layered lighting from an architectural style with twin down lights emanating from different levels for a tiered effect. Designed in a unique format, this sconce makes a welcoming entry light or intriguing sconce.



- Dark Sky friendly
- Weather-resistant powder coat
- · ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- Universal Driver (120-277V) concealed within the fixture
- · Dimmer: ELV
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90






Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W13718	18"	11W	120-277V	300	274	GH BK	Graphite Black	

Example: WS-W13718-GH




HELIX

Sleek and commanding, the dramatic curves and contours define this graceful design. Interest generating illumination with up and down light.



- Weather-resistant powder coat
- Hand formed heavy gauge aluminum ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 85





WS-W34517

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W34517 WS-W34524	17" 24"	9W	120V	327	211	BZ GH	Bronze Graphite	

Example: WS-W34524-GH



TWIST

Dramatically illuminated curvature. A multi-dimensional metal wall sculpture captivates from various directions in luxurious exterior and interior environments. The fluid hardware reveals a beautiful play of light and shadow within.











Up and down illumination for wall grazing

- · ADA complaint, low profile design
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90





Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W5620	20"	17W	120V	551	402	BK BZ GH	Black Bronze Graphite	
Example: WS	-W5620-B2	7_						

modernforms.com

FORQ

Tall and austere. A simple form presents from the wall behind it while enhancing the sense of space by drawing the eye to the wall. Rated for interior and exterior applications.










[·] ADA compliant (WS-W1718)

- Rated Life: 50,000 hours
- Color temp: 3000K
- · 277V special order
- · CRI: 90

Model



	WS-W1718	
Delivered Lumens	Finish	

Black

Bronze

Graphite

BK

ΒZ

956

1590



WS-W1718	18"	32W	120V	1405
WS-W1724	24"	37W		2337
Example: WS- For 277V spec			efore the fir	nish: WS-W1718F-GH

Voltage

LED Lumens



[•] ETL & cETL wet location listed

[·] Dimmer: ELV

[•] Transformer installs within the canopy, transformer dimensions: 2.0" x 1.4" x 1.0"

PANDORA

A popular understated design updated with a sleek black finish, Pandora brings sculptural sophistication and high-powered energy-efficient LEDs to your overall lighting scheme, whether you mount it inside or out. With its tiered, minimalist form and two points of illumination, you'll never regret opening this box.







Oil Rubbed Bronze

- · Up and down illumination
- Weather-resistant powder coat
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 85









WS-W30507

WS-W30509

WS-W30511

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W30507 WS-W30509 WS-W30511	7" 9" 11"	13W 22W 31W	120V	467 884 1089	310 591 694	BK ORB	Black Oil Rubbed Bronze	

Example: WS-W30509-BK




OSLO

Add sophistication to your exteriors with Oslo, a pointedly rendered design influenced by marine and industrial styling. This wall luminaire incorporates exquisite mouth blown etched opal glass with a unique conical profile. Two sizes available.



- · Low profile design
- Dark sky friendly
- Weather-resistant powder coat
- Mouth blown etched opal glass
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver required
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90





WS-W18710

WS-W18708 8" 8W 510 204 WS-W18710 10" 12W 760 408 BK Black	Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
				120V	510 760		ВК	Black	

Example: WS-W18708-BK




BLINC

A curved, whimsical and simple design. Blinc creates pleasing wall illumination from an adjustable sconce perched on a swivel with directional up and down lighting for a variety of applications. Display in clusters as a work of art. Full range dimming available. Perfect for residential and hospitality applications.





- No driver or transformer required
- Up and down illumination
- Weather-resistant powder coat
- Aluminum shade tilts and rotates 360°
- Rotatable and adjustable angle for customization
- ADA compliant, when not adjusted
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- 277V options available
- · CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W55607	7"	9W	120V	193	188	WT	White	

Example: WS-W55607-WT For 277V special order, add an "F" before the finish: WS-W55607F-WT



SQUARE

Four equal sides and a stream of light. Square artfully provides geometry to wall surfaces in the daytime when mounted in multiples while providing safe illumination of pathways and dramatic visual intrigue in the evening. Perfect for wall grazing surfaces.










- · ADA complaint, low profile design
- · CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- 277V options available
- CRI: 90





Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W38608 WS-W38610	8" 10"	11W 18W	120V	700 1400	391 700	BK BZ TT	Black Bronze Titanium	

Example: WS-W38608-BZ

For 277V special order, add an "F" before the finish: WS-W38608F-BZ




CIRCLE

An eternal shape, this simple floating metal shield mystically glows indirectly illuminating the surface behind. Exceptionally versatile as an interior/exterior wall or ceiling mount. Use just one or many.



- Weather-resistant powder coat
- · Rated for wall and ceiling installation
- · CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- · Color temp: 3000K
- 277V option available
- · CRI: 90





modernforms.com


WS-W60610

WS-W60616

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W60610 WS-W60616	10" 16"	9W 20W	120V	849 1717	245 277	BK AL	Black Brushed Aluminum	

Example: WS-W60610-BK

For 277V special order, add an "F" before the finish: WS-W60610F-BK



BIG V


Sometimes, the name says it all. More impressive in real life, this monolith of a vaulted sconce will light a façade and make a great, big, bold design statement.





- Weather-resistant powder coat
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- Universal Driver (120-277V) concealed within the fixture
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90





Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W69620 WS-W69628	20" 28"	23W 28W	120-277V	1478 1763	1249 1344	BZ	Bronze	

Example: WS-W69620-BZ




MEGA

A purposeful asymmetrical wall mounted up or down light design brightly illuminates walkways and provides security with an attractive simple architectural form.




- Dark Sky friendly
- · Up or down illumination
- Weather-resistant powder coat
- Luminaire may be rotated 180° when mounting
- · ADA compliant, low profile design
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the fixture
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90





Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W70612	11"	25W	120-277V	1621	593	BK BZ	Black Bronze	

Example: WS-W70612-BZ



400 Exterior Sconces modernforms.com modernforms.com

VESSEL


A sleek, minimalist profile supported by precision engineering using advanced proprietary LED technology. Integral reflectors ensure high performance optics for accent and wall lighting, pathway and facade illumination and building security.



For complementary Vessel flush mount See page 304



- Mounts in any direction
- Weather-resistant powder coat
- · Up & down light for WS-W9102
- ETL & cETL wet location listed, IP66
- WS-W9101 is Dark Sky friendly
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the fixture
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · 2700K/4000K special order
- · CRI: 90



modernforms.com

Туре	Model	Wattage	LED Lumens	Delivered Lumens	Finish		
1 Light	WS-W9101	17W	1167	861	BZ	Bronze	
2 Light	WS-W9102	29W	2334	1613	AL BK WT	Brushed Aluminum Black White	-

Example: WS-W9102-BK

For 2700K add "-27"; 4000K add "-40" before the finish: WS-W9102-40-BK



BLOC

Bold geometry and seamless forms with robust illumination for today's modern interiors and exteriors. Sleek die-cast aluminum construction reveals a silk-screened glass diffuser that renders upward and downward illumination. Also available for flush mounted ceiling luminaires.



For complementary Bloc flush mount See page 302








- No visible hardware
- Die-cast aluminum hardware
- Weather-resistant powder coat
- Up & down light for WS-W9202
- ETL & cETL wet location listed, IP66
- WS-W9201 is CEC Title 24 Compliant
- Dark sky friendly
- · Dimmer: ELV, 0-10V
- Universal Driver (120-277V) concealed within the fixture
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · 2700K/4000K special order
- · CRI: 90





Туре	Model	Wattage	LED Lumens	Delivered Lumens	Finish		
1 Light	WS-W9201	17W	1167	945	AL BK	Brushed Aluminum Black	
2 Light	WS-W9202	29W	2334	1566	BZ WT	Bronze White	

Example: WS-W9202-AL

For 2700K add "-27"; 4000K add "-40" before the finish: WS-W9201-40-WT






Task

BEAM



- Adjustable arms for customization
- Driver (120-240V) within canopy
 Rated Life: 50,000 hours
 Color temp: 3000K

- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
BL-20922	22"	8W	120-240V	530	373	BK WT TT	Black White Titanium	


Example: BL-20922-BK



REFLEX



- Adjustable arms
- Head rotatable up to 333°
- Wall arm adjustable up to 180°
- Middle arm adjustable up to 300°
- Driver within canopy
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
BL-21924	24"	8W	120V	577	455	BK WT BN	Black White Brushed Nickel	

Example: BL-21924-BK



410 Task modernforms.com modernforms.com

STYLUS

Functionality celebrating engineering. A striking silhouette that combines unique decorative elements, this large Mid-Century Modern adjustable reading light is perfect for illuminating niches in living areas and bedrooms in fine homes and boutique hotels.



- Universal Driver (120-277V) installs in the junction box, driver dimensions: 3.4" x 1.3" x 1.2"
- Front head with 350° rotatation and 90° vertical adjustability
 Wall arm with 350° horizontal adjustability
 Dimmer: ELV, TRIAC, 0-10V

- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
BL-24959	59"	12W	120-277V	429	295	BK/GO	Black/Gold	A STATE OF THE STA

Example: BL-24959-BK/GO

412 Task Task 413 modernforms.com modernforms.com



INDEX

FORBES ··· 220

FLUFFY ••• 52, 284

MIST ••• 308

MUSE ••• 190

A	FOREVER · · · 4	MYSTIC ··· 64	TOWER ••• 176
	FORQ ••• 386		TRIBECA ··· 174
ACID · · · 86	FRAMED ••• 336, 338	N	TUSK ••• 262, 263
AMARI ··· 16 ARCH ··· 192	FROST ••• 362 FURY ••• 18, 20, 152		TWILIGHT ··· 378
ARCS ••• 14	101(1 10, 20, 132	NEO · · · 242, 292	TWIST ••• 384
ARETHA ··· 22		NIA ··· 196 NIGHTLIFE ··· 236	TWO IF BY SEA ··· 326
ARGO · · · 228, 290	G	MGMENE 330	
ASGARD ··· 198	GATSBY ••• 188, 264		\bigcup
ATLANTIS · · · 30, 32 AVANT GARDE · · · 328, 330, 332	GILT · · · 130, 288	O	URBAN ••• 374
AVAINT GARDE *** 320, 330, 332	GLACIER · · · 212, 214, 256	OATH · · · 364	31.27.11
_	GOTHAM · · · 76 GROOVY · · · 56	OMNI · · · 352	\ /
В	GROOVY ··· 30	ORACLE ··· 148	\vee
BAHN ••• 258		OSLO ··· 390	VELOCE · · · 100, 102
BALTHUS ··· 324	Н		VERMEIL ··· 168
BDSM ••• 108	HARMONIX ••• 58, 60	P	VESSEL · · · 304, 402
BEAM · · · 408	HARMONY · · · 10, 12, 150	PADRÓN ··· 112	VETRI ••• 252 VIGO ••• 260
BIG V · · · 398 BLADE · · · 160, 370	HELIX ••• 382	PALLADIAN ··· 166	VITRINE *** 358
BLAZE ··· 170, 286	HILINE ··· 376	PANDORA ··· 388	VODKA ··· 234, 282
BLINC · · · 392		PHANTOM · · · 344	VOGUE · · · 266, 267
BLOC · · · 302, 404		PI · · · 296	
BLOOM ··· 26	I BEAM ⋅・・ 204	POLAR · · · · 244 PUCK · · · · 294	\bigvee
BURNING MAN ··· 146	ICE ··· 232	PUNK ••• 50	
	ISOTOPE ··· 106		WASP ••• 186
С			WEXLER ••• 316, 318
CASCADE ••• 68, 70, 72	1	Q	
CATALYST · · · 136, 138	J	QUARRY ··· 224	Y
CERES ••• 178	JACKAL ··· 24		YOLO · · · 128
6111.06 00 10 10 11 16 150	JUPITER ··· 28	_	
CHAOS · · · 38, 40, 42, 44, 46, 158	·	R	
CHILL ··· 210		R	7
CHILL ··· 210 CHRONOS ··· 90	K	RACETRACK ··· 36	Z
CHILL · · · 210 CHRONOS · · · 90 CINEMA · · · 66, 182		RACETRACK ··· 36 RAIN ··· 354	Z ZELDA ··· 122
CHILL · · · 210 CHRONOS · · · 90 CINEMA · · · 66, 182 CIRCA · · · 300	KINETIC ••• 96, 98	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280	
CHILL · · · 210 CHRONOS · · · 90 CINEMA · · · 66, 182		RACETRACK ··· 36 RAIN ··· 354	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396	KINETIC ··· 96, 98 KRYPTONITE ··· 140	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410	
CHILL ··· 210 CHRONOS ··· 90 CINEMA ··· 66, 182 CIRCA ··· 300 CIRCLE ··· 396 CLOUD ··· 248	KINETIC ··· 96, 98 KRYPTONITE ··· 140	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84	
CHILL ··· 210 CHRONOS ··· 90 CINEMA ··· 66, 182 CIRCA ··· 300 CIRCLE ··· 396 CLOUD ··· 248 COSMIC ··· 54	KINETIC ··· 96, 98 KRYPTONITE ··· 140	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84 S SABRE ··· 240	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84 S SABRE ··· 240 SCEPTER ··· 180	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84 S SABRE ··· 240 SCEPTER ··· 180 SCISSORS ··· 94	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172 DIPLOMAT 154	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238 LOFT ··· 272	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84 S SABRE ··· 240 SCEPTER ··· 180 SCISSORS ··· 94 SEGMENT ··· 278	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84 S SABRE ··· 240 SCEPTER ··· 180 SCISSORS ··· 94	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172 DIPLOMAT 154 DORNE 314	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238 LOFT ··· 272 LOGIC ··· 334	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84 S SABRE ··· 240 SCEPTER ··· 180 SCISSORS ··· 94 SEGMENT ··· 278 SEISMIC ··· 250	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172 DIPLOMAT 154 DORNE 314 DOUBLE BUBBLE 48 DOUBLE DOWN 380 DREAM 104	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238 LOFT ··· 272 LOGIC ··· 334 LUCID ··· 340	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84 S SABRE ··· 240 SCEPTER ··· 180 SCISSORS ··· 94 SEGMENT ··· 278 SEISMIC ··· 250 SHADOW ··· 366	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172 DIPLOMAT 154 DORNE 314 DOUBLE BUBBLE 48 DOUBLE DOWN 380	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238 LOFT ··· 272 LOGIC ··· 334 LUCID ··· 340 LUMNOS ··· 194	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84 S SABRE ··· 240 SCEPTER ··· 180 SCISSORS ··· 94 SEGMENT ··· 278 SEISMIC ··· 250 SHADOW ··· 366 SHOCK WAVES ··· 230 SKYSCRAPER ··· 342 SLIDE ··· 206	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172 DIPLOMAT 154 DORNE 314 DOUBLE BUBBLE 48 DOUBLE DOWN 380 DREAM 104	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238 LOFT ··· 272 LOGIC ··· 334 LUCID ··· 340 LUMNOS ··· 194	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84 S SABRE ··· 240 SCEPTER ··· 180 SCISSORS ··· 94 SEGMENT ··· 278 SEISMIC ··· 250 SHADOW ··· 366 SHOCK WAVES ··· 230 SKYSCRAPER ··· 342 SLIDE ··· 206 SOFIA ··· 254	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172 DIPLOMAT 154 DORNE 314 DOUBLE BUBBLE 48 DOUBLE DOWN 380 DREAM 104	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238 LOFT ··· 272 LOGIC ··· 334 LUCID ··· 340 LUMNOS ··· 194 M MAGIC ··· 114, 116, 118, 162, 164	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84 S SABRE ··· 240 SCEPTER ··· 180 SCISSORS ··· 94 SEGMENT ··· 278 SEISMIC ··· 250 SHADOW ··· 366 SHOCK WAVES ··· 230 SKYSCRAPER ··· 342 SLIDE ··· 206 SOFIA ··· 254 SQUARE ··· 394	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172 DIPLOMAT 154 DORNE 314 DOUBLE BUBBLE 48 DOUBLE DOWN 380 DREAM 104 DRIFT 110	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238 LOFT ··· 272 LOGIC ··· 334 LUCID ··· 340 LUMNOS ··· 194 M MAGIC ··· 114, 116, 118, 162, 164 MARIMBA ··· 132, 134	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84 S SABRE ··· 240 SCEPTER ··· 180 SCISSORS ··· 94 SEGMENT ··· 278 SEISMIC ··· 250 SHADOW ··· 366 SHOCK WAVES ··· 230 SKYSCRAPER ··· 342 SLIDE ··· 206 SOFIA ··· 254	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172 DIPLOMAT 154 DORNE 314 DOUBLE BUBBLE 48 DOUBLE DOWN 380 DREAM 104 DRIFT 110 E ELESSAR 216	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238 LOFT ··· 272 LOGIC ··· 334 LUCID ··· 340 LUMNOS ··· 194 M MAGIC ··· 114, 116, 118, 162, 164 MARIMBA ··· 132, 134 MATRIX ··· 298	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84 S SABRE ··· 240 SCEPTER ··· 180 SCISSORS ··· 94 SEGMENT ··· 278 SEISMIC ··· 250 SHADOW ··· 366 SHOCK WAVES ··· 230 SKYSCRAPER ··· 342 SLIDE ··· 206 SOFIA ··· 254 SQUARE ··· 394 STACKED ··· 92	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172 DIPLOMAT 154 DORNE 314 DOUBLE BUBBLE 48 DOUBLE DOWN 380 DREAM 104 DRIFT 110	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238 LOFT ··· 272 LOGIC ··· 334 LUCID ··· 340 LUMNOS ··· 194 M MAGIC ··· 114, 116, 118, 162, 164 MARIMBA ··· 132, 134	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84 S SABRE ··· 240 SCEPTER ··· 180 SCISSORS ··· 94 SEGMENT ··· 278 SEISMIC ··· 250 SHADOW ··· 366 SHOCK WAVES ··· 230 SKYSCRAPER ··· 342 SLIDE ··· 206 SOFIA ··· 254 SQUARE ··· 394 STACKED ··· 92 STAFF ··· 368 STEM ··· 200 STORMY ··· 62, 184	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172 DIPLOMAT 154 DOUBLE BUBBLE 48 DOUBLE BUBBLE 48 DOUBLE BUBBLE 48 DOUBLE DOWN 380 DREAM 104 DRIFT 110 E ELESSAR 216 ELEVATION 348	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238 LOFT ··· 272 LOGIC ··· 334 LUCID ··· 340 LUMNOS ··· 194 M MAGIC ··· 114, 116, 118, 162, 164 MARIMBA ··· 132, 134 MATRIX ··· 298 MEGA ··· 400	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84 S SABRE ··· 240 SCEPTER ··· 180 SCISSORS ··· 94 SEGMENT ··· 278 SEISMIC ··· 250 SHADOW ··· 366 SHOCK WAVES ··· 230 SKYSCRAPER ··· 342 SLIDE ··· 206 SOFIA ··· 254 SQUARE ··· 394 STACKED ··· 92 STAFF ··· 368 STEM ··· 200 STORMY ··· 62, 184 STRUCTURE ··· 360	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172 DIPLOMAT 154 DORNE 314 DOUBLE BUBBLE 48 DOUBLE DOWN 380 DREAM 104 DRIFT 110 E ELESSAR 216 ELEVATION 348 ELYSE 312	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238 LOFT ··· 272 LOGIC ··· 334 LUCID ··· 340 LUMNOS ··· 194 M MAGIC ··· 114, 116, 118, 162, 164 MARIMBA ··· 132, 134 MATRIX ··· 298 MEGA ··· 400 MEMORY ··· 80	RACETRACK · · · · 36 RAIN · · · · 354 RAZOR · · · 280 REFLEX · · · 410 RIDDLE · · · 82, 84 S SABRE · · · 240 SCEPTER · · · 180 SCISSORS · · · 94 SEGMENT · · · 278 SEISMIC · · · 250 SHADOW · · · 366 SHOCK WAVES · · · 230 SKYSCRAPER · · · 342 SLIDE · · · 206 SOFIA · · · 254 SQUARE · · · 394 STACKED · · · 92 STAFF · · · 368 STEM · · · 200 STORMY · · · 62, 184 STRUCTURE · · · 360 STYLUS · · · 412	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172 DIPLOMAT 154 DORNE 314 DOUBLE BUBBLE 48 DOUBLE DOWN 380 DREAM 104 DRIFT 110 E ELESSAR 216 ELEVATION 348 ELYSE 312 ELYSIA 202	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238 LOFT ··· 272 LOGIC ··· 334 LUCID ··· 340 LUMNOS ··· 194 M MAGIC ··· 114, 116, 118, 162, 164 MARIMBA ··· 132, 134 MATRIX ··· 298 MEGA ··· 400 MEMORY ··· 80 METRIC ··· 88, 90 METROPOLIS ··· 124, 276 MIES ··· 74, 226	RACETRACK · · · · 36 RAIN · · · · 354 RAZOR · · · 280 REFLEX · · · 410 RIDDLE · · · 82, 84 S SABRE · · · 240 SCEPTER · · · 180 SCISSORS · · · 94 SEGMENT · · · 278 SEISMIC · · · 250 SHADOW · · · 366 SHOCK WAVES · · · 230 SKYSCRAPER · · · 342 SLIDE · · · 206 SOFIA · · · 254 SQUARE · · · 394 STACKED · · · 92 STAFF · · · 368 STEM · · · 200 STORMY · · · 62, 184 STRUCTURE · · · 360 STYLUS · · · 412 SUSPENSE · · · 320, 322	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172 DIPLOMAT 154 DORNE 314 DOUBLE BUBBLE 48 DOUBLE DOWN 380 DREAM 104 DRIFT 110 E ELESSAR 216 ELEVATION 348 ELYSE 312 ELYSIA 202 EMBER 144	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238 LOFT ··· 272 LOGIC ··· 334 LUCID ··· 340 LUMNOS ··· 194 M MAGIC ··· 114, 116, 118, 162, 164 MARIMBA ··· 132, 134 MATRIX ··· 298 MEGA ··· 400 MEMORY ··· 80 METRIC ··· 88, 90 METROPOLIS ··· 124, 276 MIES ··· 74, 226 MINI CLOUD ··· 246	RACETRACK · · · · 36 RAIN · · · · 354 RAZOR · · · 280 REFLEX · · · 410 RIDDLE · · · 82, 84 S SABRE · · · 240 SCEPTER · · · 180 SCISSORS · · · 94 SEGMENT · · · 278 SEISMIC · · · 250 SHADOW · · · 366 SHOCK WAVES · · · 230 SKYSCRAPER · · · 342 SLIDE · · · 206 SOFIA · · · 254 SQUARE · · · 394 STACKED · · · 92 STAFF · · · 368 STEM · · · 200 STORMY · · · 62, 184 STRUCTURE · · · 360 STYLUS · · · 412	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172 DIPLOMAT 154 DORNE 314 DOUBLE BUBBLE 48 DOUBLE BUBBLE 48 DOUBLE TOWN 380 DREAM 104 DRIFT 110 E ELESSAR 216 ELEVATION 348 ELYSE 312 ELYSIA 202 EMBER 144 ESCHER 208	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238 LOFT ··· 272 LOGIC ··· 334 LUCID ··· 340 LUMNOS ··· 194 M MAGIC ··· 114, 116, 118, 162, 164 MARIMBA ··· 132, 134 MATRIX ··· 298 MEGA ··· 400 MEMORY ··· 80 METRIC ··· 88, 90 METROPOLIS ··· 124, 276 MISS ··· 74, 226 MINI CLOUD ··· 246 MINI LOFT ··· 270	RACETRACK ··· 36 RAIN ··· 354 RAZOR ··· 280 REFLEX ··· 410 RIDDLE ··· 82, 84 S SABRE ··· 240 SCEPTER ··· 180 SCISSORS ··· 94 SEGMENT ··· 278 SEISMIC ··· 250 SHADOW ··· 366 SHOCK WAVES ··· 230 SKYSCRAPER ··· 342 SLIDE ··· 206 SOFIA ··· 254 SQUARE ··· 394 STACKED ··· 92 STAFF ··· 368 STEM ··· 200 STORMY ··· 62, 184 STRUCTURE ··· 360 STYLUS ··· 412 SUSPENSE ··· 320, 322 SWING ··· 120	
CHILL 210 CHRONOS 90 CINEMA 66, 182 CIRCA 300 CIRCLE 396 CLOUD 248 COSMIC 54 D DAWN 372 DINK 172 DIPLOMAT 154 DORNE 314 DOUBLE BUBBLE 48 DOUBLE DOWN 380 DREAM 104 DRIFT 110 E ELESSAR 216 ELEVATION 348 ELYSE 312 ELYSIA 202 EMBER 144	KINETIC ··· 96, 98 KRYPTONITE ··· 140 KYOTO ··· 350 L LANTERNA ··· 310 LEDGE ··· 346 LIGHTSTICK ··· 238 LOFT ··· 272 LOGIC ··· 334 LUCID ··· 340 LUMNOS ··· 194 M MAGIC ··· 114, 116, 118, 162, 164 MARIMBA ··· 132, 134 MATRIX ··· 298 MEGA ··· 400 MEMORY ··· 80 METRIC ··· 88, 90 METROPOLIS ··· 124, 276 MIES ··· 74, 226 MINI CLOUD ··· 246	RACETRACK · · · · 36 RAIN · · · · 354 RAZOR · · · 280 REFLEX · · · 410 RIDDLE · · · 82, 84 S SABRE · · · 240 SCEPTER · · · 180 SCISSORS · · · 94 SEGMENT · · · 278 SEISMIC · · · 250 SHADOW · · · 366 SHOCK WAVES · · · 230 SKYSCRAPER · · · 342 SLIDE · · · 206 SOFIA · · · 254 SQUARE · · · 394 STACKED · · · 92 STAFF · · · 368 STEM · · · 200 STORMY · · · 62, 184 STRUCTURE · · · 360 STYLUS · · · 412 SUSPENSE · · · 320, 322	

TANGO · · · 126

THE RING · · · 34

HEADQUARTERS Tel: 800.526.2588 Fax: 800.526.2585 WEST COAST FACTORY

EAST COAST FACTORY

CENTRAL FACTORY 1600 Distribution Ct Lithia Springs, GA 30122

For up-to-date product specifications and assistance, please visit: **modernforms.com** or call **1-800-526-2588**We retain the right to modify the design of our products at any time as part of the company's continuous improvement program. Please refer to our website for the latest product specifications.

© Copyright 2021 Modern Forms



MODERN FORMS

Many LED luminarie designs within contain patent pending features. Modern Forms will not hesitate to enforce its intellectual property rights though injunctive relief and seek further relief through damages if it has reason to believe the patents are being infringed upon. We retain the right to modify the design of our products at any time as part of the company's continuous improvement program. Please refer to our website for the latest product specifications © 2021

Copyright © 2021 by WAC Lighting. All rights reserved. This catalog is copyrighted and WAC Lighting will use all measures available to it under the law against anyone who copies or derives from its copyrighted work.

MODERNFORMS.COM