











NEW

Rondure 54" Ceiling Fan 3-114-15

Black | Weathered Gray ABS Blades

Available Finishes

White | White ABS Blades

Black | Weathered Gray ABS Blades

Satin Nickel | Silver ABS Blades

NEW

Rondure 54" Ceiling Fan 3-114-6

White | White ABS Blades

Available Finishes

White | White ABS Blades

Black | Weathered Gray ABS Blades

Satin Nickel | Silver ABS Blades

ITEM #	FINISH	BLADES	CONTROLS	CERTIFICATION
3-114-XX	6 White 15 Black 24 Satin Nickel	White ABS Weathered Gray ABS Silver ABS	Wall Control (included)	c UL us damp

GENERAL SPECIFICATIONS:

• Lifetime Motor Warranty • Three Blades • 54" Blade Sweep • 16-Degree Blade Pitch • 80" Lead Wire • Not Light Kit Adaptable • 4" & 6" downrods included • Not Light Kit Adaptable • Additional Downrod options on page 182.

MECHANICAL SPECIFICATIONS:

• 125mm DC Motor • 6 Speeds-Reversible with wall control • 8 Poles • .34/.03 AMPS on H/L • 26/2 WATTS on H/L • 165/52 RPMS on H/L • Wall Control Included • Not Remote Control Adaptable

ENERGY SPECIFICATIONS:

• Energy Information at High Speed • Airflow: 6665 Cubic Feet/Minute • Electricity Use: 32 Watts (Excluded Lights) • Airflow Efficiency: 208 Cubic Feet/Minute/Watt

DOE ENERGY GUIDE INFORMATION

• Airflow: 4418 cfm • Watts 20 • Airflow Efficiency 225 cfm/w • Estimated yearly energy cost \$6





NEW

Temple 56" Ceiling Fan 3-115-15

Black | Weathered Gray ABS Blades

Available Finishes

Black | Weathered Gray ABS Blades

Satin Nickel | Weathered Gray ABS Blades

White/Aged Brass | White ABS Blades

NEW

Temple 56" Ceiling Fan 3-115-24

Satin Nickel | Weathered Gray ABS Blades

Available Finishes

Black | Weathered Gray ABS Blades

Satin Nickel | Weathered Gray ABS Blades

White/Aged Brass | White ABS Blades

ITEM #	FINISH	BLADES	LED LIGHT KIT (optional)		CONTROLS	CERTIFICATION
3-115-XX	15 Black 24 Satin Nickel 640 White/Aged Brass	Weathered Gray ABS Weathered Gray ABS White ABS		3-9-110-XX 18w, 3000k, 90CRI, Dimmable LED, 255 Delivered Lumens w/ Matte White Glass Diffuser Wet Listed	Wall Control (included)	c (I) damp

GENERAL SPECIFICATIONS:

- Lifetime Motor Warranty Three Blades 56" Blade Sweep 13-Degree Blade Pitch 80" Lead Wire 24w LED Kit Included
- Additional Downrod options on page 182.

MECHANICAL SPECIFICATIONS:

• 125mm DC Motor • 6 Speeds-Reversible with wall control • 8 Poles • .37/.04 AMPS on H/L • 26/2 WATTS on H/L • 150/50 RPMS on H/L • Wall Control Included • Not Remote Control Adaptable


ENERGY SPECIFICATIONS:

• Energy Information at High Speed • Airflow: 6339 Cubic Feet/Minute • Electricity Use: 31 Watts (Excluded Lights) • Airflow Efficiency: 204 Cubic Feet/Minute/Watt

DOE ENERGY GUIDE INFORMATION

• Airflow: 4340 cfm • Watts 19 • Airflow Efficiency 224 cfm/w • Estimated yearly energy cost \$5





ITEM#	FINISH	BLADES	CONTROL	CERTIFICATION
3-113-XX	15 Black 24 Satin Nickel 640 Aged Brass 1540 Aged Brass	Black ABS Silver ABS White ABS Black ABS	Remote Control (included)	c (I) UL

- Lifetime Motor Warranty. Three Blades. 54" Blade Sweep. 20-Degree Blade Pitch. 80" Lead Wire. 4" & 6" Downrod (Included).
- Not Light Kit Adaptable Additional Downrod Options on Page 182.

MECHANICAL SPECIFICATIONS:

- DC Motor. 6 Speeds-Reversible with remote control. .37/.04 AMPS on H/L 28/3 WATTS on H/L 155/52 RPMS on H/L.
- Remote Control Included.

ENERGY SPECIFICATIONS:

- Energy Information at High Speed. Airflow: 5850 Cubic Feet/Minute. Electricity Use: 33 Watts (Excludes Lights).
- Airflow Efficiency: 178 Cubic Feet/Minute/Watt.

DOE ENERGY GUIDE INFORMATION

• Airflow 4012 cfm. • Watts 20. • Airflow efficiency 198 cfm/w. • Estimated yearly energy cost \$6.





ITEM#	FINISH	BLADES	LED LIGHT KIT (optional)		CONTROL	CERTIFICATION
3-110-XX	6 White 15 Black 24 Satin Nickel	White ABS Matte Black ABS Silver ABS		3-9-110-XX 18w, 3000k, 90CRI, Dimmable LED, 255 Delivered Lumens w/ Matte White Glass Diffuser Wet Listed	Wall Control (included)	C UL WEI

^{*3-8-1000-0} remote features 3 fan speeds, forward/reverse function, light kit on/off/dimmer and timer that will turn off the fan after 2, 4 or 8 hours.

- Lifetime Motor Warranty. Three Blades. 52" Blade Sweep. 20-Degree Blade Pitch. 80" Lead Wire. 4" & 6" Downrods (Included)
- Additional Downrod options on page 182.

MECHANICAL SPECIFICATIONS:

- 153x18 Motor. 3 Speeds-Reversible with manual reverse switch. .39/.34/.25 AMPS on H/M/L. 47/36/19 WATTS on H/M/L.
- 130/113/76 RPMS on H/M/L. Wall Control Included.

ENERGY SPECIFICATIONS:

- Energy Information at High Speed. Airflow: 4822 Cubic Feet/Minute. Electricity Use: 47 Watts (Excludes Lights).
- Airflow Efficiency: 102 Cubic Feet/Minute/Watt.

DOE ENERGY GUIDE INFORMATION

• Airflow 3882 cfm. • Watts 35. • Airflow efficiency 112 cfm/w. • Estimated yearly energy cost \$10.



White | White ABS Blades



ITEM#	FINISH	BLADES	LED LIGHT KIT (optional)		CONTROL		CERTIFICATION
3-111-XX	6 White 15 Black 24 Satin Nickel	White ABS Matte Black ABS Silver ABS		3-9-110-XX 18w, 3000k, 90CRI, Dimmable LED, 255 Delivered Lumens w/ Matte White Glass Diffuser Wet Listed	Wall Control (included)		c UL WET

^{*3-8-1000-0} remote features 3 fan speeds, forward/reverse function, light kit on/off/dimmer and timer that will turn off the fan after 2, 4 or 8 hours.

• Lifetime Motor Warranty. • Three Blades. • 52" Blade Sweep. • 20-Degree Blade Pitch. • 22" Lead Wire.

MECHANICAL SPECIFICATIONS:

- 153x18 Motor. 3 Speeds-Reversible with manual reverse switch. .39/.34/.25 AMPS on H/M/L. 49/36/19 WATTS on H/M/L.
- 128/113/76 RPMS on H/M/L. Wall Control Included.


ENERGY SPECIFICATIONS:

- Energy Information at High Speed. Airflow: 4268 Cubic Feet/Minute. Electricity Use: 49 Watts (Excludes Lights).
- Airflow Efficiency: 87 Cubic Feet/Minute/Watt.

DOE ENERGY GUIDE INFORMATION

• Airflow 3407 cfm. • Watts 35. • Airflow efficiency 97 cfm/w. • Estimated yearly energy cost \$10.





ITEM #	FINISH	BLADE SELECTION	OPTIONAL LED LAMP (included)		CONTROLS		CERTIFICATION
3-105-0XX	6 White 22 Oiled Bronze 24 Satin Nickel	3-8-61306 White ABS 3-8-61322 Walnut ABS 3-8-61324 Silver ABS		7w, 2700k, 80CRI, Dimmable LED GU10 Bulb (Finished Socket Cover Included for use w/o Optional LED Lamp)	Wall Control (included)	3-8-2000-0 Remote Control (optional)	¢.∭T

HOW TO ORDER THE ALPHA FAN:

A. First Pick the Housing/Motor Finish from below:

3-105-06 White

3-105-022 Oiled Bronze

3-105-024 Satin Nickel

B. Then Choose the Blade Finish from below:

3-8-61306 White

3-8-61322 Walnut

3-8-61324 Silver

*Note - Housing/Motor and Blades options will ship separately.

GENERAL SPECIFICATIONS:

• Lifetime Motor Warranty. • Three Blades. • 60" Blade Sweep. • 18-Degree Blade Pitch. • 58" Lead Wire.

MECHANICAL SPECIFICATIONS:

- 125mm DC Motor. 6 Speeds-Reversible with wall control. 12 Poles. .39/.05 AMPS on H/L 32/3 WATTS on H/L 157/50 RPMS on H/L.
- Wall Control Included. Finished socket cover included.

ENERGY SPECIFICATIONS:

- Energy Information at High Speed. Airflow: 8200 Cubic Feet/Minute. Electricity Use: 32 Watts (Excludes Lights).
- Airflow Efficiency: 256 Cubic Feet/Minute/Watt.

DOE ENERGY GUIDE INFORMATION

• Airflow 5773 cfm. • Watts 22. • Airflow efficiency 267 cfm/w. • Estimated yearly energy cost \$6.





ITEM#	FINISH	BLADES	LED LIGHT KIT (optional)		CONTROLS		CERTIFICATION
3-103-XX	6 White 15 Black 20 Polished Nickel 22 Oiled Bronze 24 Satin Nickel	White Black Silver Oiled Bronze Silver		3-9-102 15w, 3000k, 90CRI Dimmable LED, 743 Delivered Lumens w/ Matte White Polycarbonate Diffuser	Wall Control (included)	3-8-3000 Remote Control (optional)	€ us

- Lifetime Motor Warranty. Three Blades. 56" Blade Sweep. 13.5-Degree Blade Pitch. 80" Lead Wire. 4.5" Downrod (Included)
- Additional Downrod options on page 182.

MECHANICAL SPECIFICATIONS:


- 120mm DC Motor. 6 Speeds-Reversible with wall control. 8 Poles. .43/.07 AMPS on H/L 26/3 WATTS on H/L
- 169/74 RPMS on H/L. Wall Control Included.

ENERGY SPECIFICATIONS:

- Energy Information at High Speed. Airflow: 5238 Cubic Feet/Minute. Electricity Use: 28 Watts (Excludes Lights).
- Airflow Efficiency: 187 Cubic Feet/Minute/Watt.

DOE ENERGY GUIDE INFORMATION

 $\bullet \ \text{Airflow 3815 cfm.} \ \bullet \ \text{Watts 18.} \ \bullet \ \text{Airflow efficiency 208 cfm/w.} \ \bullet \ \text{Estimated yearly energy cost $5.}$



Cosmo 70" Ceiling Fan 3-100-24

Satin Nickel | Silver ABS Blades

Available Finishes

White | White ABS Blades

Black | Black ABS Blades

Polished Nickel | Silver Blades

Oiled Bronze | Oiled Bronze Blades

Satin Nickel | Silver ABS Blades

Cosmo 70" Ceiling Fan 3-100-20

Polished Nickel | Silver Blades

Available Finishes

White | White ABS Blades

Black | Black ABS Blades

Polished Nickel | Silver Blades

Oiled Bronze | Oiled Bronze Blades

Satin Nickel | Silver ABS Blades



Cosmo 70" Ceiling Fan 3-100-22

Oiled Bronze | Oiled Bronze Blades

Available Finishes

White | White ABS Blades

Black | Black ABS Blades

Polished Nickel | Silver Blades

Oiled Bronze | Oiled Bronze Blades

Satin Nickel | Silver ABS Blades

damp

Cosmo 70" Ceiling Fan 3-100-6

White | White ABS Blades

Available Finishes


White | White ABS Blades

Black | Black ABS Blades

Polished Nickel | Silver Blades

Oiled Bronze | Oiled Bronze Blades

Satin Nickel | Silver ABS Blades



ITEM #	FINISH	BLADES	LED LIGHT KIT (optional)		CONTROLS		CERTIFICATION
3-100-XX	6 White* 15 Black* 20 Polished Nickel 22 Oiled Bronze 24 Satin Nickel*	White ABS Black ABS Silver Oiled Bronze Silver ABS		3-9-100 18w, 3000k, 90CRI Dimmable LED, 1247 Delivered Lumens w/ Matte White Glass Diffuser	Wall Control (included)	3-8-2000-0 Remote Control (optional)	د (آل)

- Lifetime Motor Warranty Eight Blades 70" Blade Sweep 14-Degree Blade Pitch 80" Lead Wire 4" and 6" Downrod (Included)
- Additional Downrod options on page 182.

MECHANICAL SPECIFICATIONS:


- 165mm DC Motor. 6 Speeds-Reversible with wall control. 8 Poles. .40/.05 AMPS on H/L 32/3 WATTS on H/L
- 119/49 RPMS on H/L. Wall Control Included. Remote Control Adaptable w/ 3-8-2000-0 Remote

ENERGY SPECIFICATIONS:


- Energy Information at High Speed. Airflow: 9448 Cubic Feet/Minute. Electricity Use: 35 Watts (Excludes Lights).
- Airflow Efficiency: 270 Cubic Feet/Minute/Watt.

DOE ENERGY GUIDE INFORMATION

• Airflow 6832 cfm. • Watts 22. • Airflow efficiency 306 cfm/w. • Estimated yearly energy cost \$6.







ITEM#	FINISH	BLADES	CONTROL	CERTIFICATION
3-112-XX	15 Black 24 Satin Nickel 40 Aged Brass	Weathered Gray ABS Silver ABS Matte Black ABS	Remote Control 3-8-2000-0 (included)	o UL

- Lifetime Motor Warranty. Eight Blades. 56" Blade Sweep. 13-Degree Blade Pitch. 80" Lead Wire. 4" & 6" Downrod (Included).
- Additional Downrod Options on Page 182.

MECHANICAL SPECIFICATIONS:

- DC Motor. 6 Speeds-Reversible with Remote Control. .37/.05 AMPS on H/L 28/3 WATTS on H/L 155/50 RPMS on H/L.
- Remote Control Included.

ENERGY SPECIFICATIONS:

- Energy Information at High Speed. Airflow: 7662 Cubic Feet/Minute. Electricity Use: 30 Watts (Excludes Lights).
- Airflow Efficiency: 248 Cubic Feet/Minute/Watt.

DOE ENERGY GUIDE INFORMATION

• Airflow 5161 cfm. • Watts 19. • Airflow efficiency 270 cfm/w. • Estimated yearly energy cost \$6.







Optional LED Light Kit 3-1084-15

11"(w) x 6"(h) 18w, 120v, 90CRI 3000k Dimmable LED Title 24 556 Delivered Lumens Black | Matte White Glass

Available Finishes

Aged Brass | Matte White Glass Diffuser Satin Nickel | Matte White Glass Diffuser





Optional LED Light Kit 3-9-108-24

7.5"(w) x 2.375"(h) 18w, 120v, 90CRI 3000k Dimmable LED Title 24 376 Delivered Lumens Satin Nickel | Matte White Glass Diffuser

Available Finishes

Aged Brass | Matte White Glass Diffuser Satin Nickel | Matte White Glass Diffuser Black | Matte White Glass Diffuser

ITEM #	FINISH	BLADES	CONTROL	CERTIFICATION
3-108-XX	15 Black 24 Satin Nickel 40 Aged Brass	Weathered Gray ABS Silver ABS Black ABS	Remote Control (included)	cUL _{US} UL

GENERAL SPECIFICATIONS:

- Lifetime Motor Warranty. Eight Blades. 72" Blade Sweep. 13-Degree Blade Pitch. 80" Lead Wire. 6" Downrod (Included).
- Additional Downrod Options on Page 182.

MECHANICAL SPECIFICATIONS:

- DC Motor. 6 Speeds-Reversible with wall control. .3/.06 AMPS on H/L 28/4 WATTS on H/L 100/50 RPMS on H/L.
- Remote Control Included.

ENERGY SPECIFICATIONS:

- Energy Information at High Speed. Airflow: 9280 Cubic Feet/Minute. Electricity Use: 30 Watts (Excludes Lights).
- Airflow Efficiency: 307 Cubic Feet/Minute/Watt.

DOE ENERGY GUIDE INFORMATION

• Airflow 7087 cfm. • Watts 20. • Airflow efficiency 355 cfm/w. • Estimated yearly energy cost \$6.





ITEM#	FINISH	BLADES	CONTROLS		CERTIFICATION
3-109-XX	6 White 15 Black 22 Oiled Bronze 24 Satin Nickel 40 Aged Brass	White Black Weathered Gray Oiled Bronze Weathered Oak Silver Weathered Gray Matte Black Weathered Oak	Wall Control (included)	Remote Control 3-8-2000-0* (optional)	c UL) us

^{*3-8-2000-0} remote features 6 fan speeds, forward/reverse function, light kit on/off/dimmer.

• Lifetime Motor Warranty. • Three Blades. • 60" Blade Sweep. • 16-Degree Blade Pitch. • 80" Lead Wire.

MECHANICAL SPECIFICATIONS:

- DC Motor. 6 Speeds-Reversible with wall control. .39/.06 AMPS on H/L 31/3 WATTS on H/L 119/49 RPMS on H/L.
- Wall Control Included. Remote Control Adaptable w/ 3-8-2000-0 Remote.

ENERGY SPECIFICATIONS:

• Energy Information at High Speed. • Airflow: 5789 Cubic Feet/Minute. • Electricity Use: 36 Watts (Excludes Lights). • Airflow Efficiency: 161 Cubic Feet/Minute/Watt.

DOE ENERGY GUIDE INFORMATION

• Airflow 4250 cfm. • Watts 23. • Airflow efficiency 186 cfm/w. • Estimated yearly energy cost \$6.



Oslo 52" Ceiling Fan 3-101-40

Aged Brass | Black ABS Blades damp listed

Available Finishes

Aged Brass | Black ABS Blades - NEW FINISH

Satin Nickel | Silver ABS Blades

Oiled Bronze | Oiled Bronze ABS Blades

Polished Nickel | Silver Blades

Black | Black ABS Blades White | White ABS Blades



Oslo Ceiling Fan Optional LED Light Kit 3-9-101

7"(w) x .125"(h)
18w, 3000k, 90CRI, Dimmable LED, 430 Delivered Lumens
Matte White Glass Damp Listed



Aged Brass | Black ABS Blades - NEW FINISH

Satin Nickel | Silver ABS Blades

Oiled Bronze | Oiled Bronze ABS Blades

Polished Nickel | Silver Blades

Black | Black ABS Blades

White | White ABS Blades

ITEM #	FINISH	BLADES	LED LIGHT KIT (optional)		CONTROLS		CERTIFICATION
3-101-XX	6 White 15 Black 20 Polished Nickel - (not damp listed) 22 Oiled Bronze 24 Satin Nickel 40 Aged Brass	White ABS Black ABS Silver Oiled Bronze ABS Silver ABS Black ABS		3-9-101 18w, 3000k, 90CRI, Dimmable LED, 430 Delivered Lumens w/ Matte White Glass Diffuser Damp Listed	Wall Control (included)	Remote Control 3-8-1000-0* (optional)	c UL damp

^{*3-8-1000-0} remote features 3 fan speeds, forward/reverse function, light kit on/off/dimmer and timer that will turn off the fan after 2, 4 or 8 hours.

GENERAL SPECIFICATIONS:

- Lifetime Motor Warranty. Four Blades. 52" Blade Sweep. 14-Degree Blade Pitch. 80" Lead Wire. 4" & 6" Downrods (Included)
- Additional Downrod options on page 182.

MECHANICAL SPECIFICATIONS:

- 153x18 Motor. 3 Speeds-Reversible with wall control. 14 Poles. .50/.28 AMPS on H/L 64/16 WATTS on H/L 147/72 RPMS on H/L.
- \bullet Wall Control Included. \bullet Remote Control Adaptable w/ 3-8-1000-0 Remote.

ENERGY SPECIFICATIONS:


- Energy Information at High Speed. Airflow: 4991 Cubic Feet/Minute. Electricity Use: 64 Watts (Excludes Lights).
- Airflow Efficiency: 78 Cubic Feet/Minute/Watt.

DOE ENERGY GUIDE INFORMATION

• Airflow 3770 cfm. • Watts 43. • Airflow efficiency 88 cfm/w. • Estimated yearly energy cost \$12.



Oslo 52" Hugger Fan Optional LED Light Kit 3-9-101 7"(w) x .125"(h) 18w, 3000k, 90CRI, Dimmable LED, 430 Delivered Lumens Matte White Glass damp listed



ITEM #	FINISH	BLADES	LED LIGHT KIT (optional)		CONTROLS		CERTIFICATION
3-102-XX	6 White 15 Black 20 Polished Nickel 22 Oiled Bronze 24 Satin Nickel 40 Aged Brass	White ABS Black ABS Silver ABS Oiled Bronze ABS Silver ABS Black ABS		3-9-101 18w, 3000k, 90CRI, Dimmable LED, 430 Delivered Lumens w/ Matte White Glass Diffuser Damp Listed	Wall Control (included)	Remote Control 3-8-1000-0* (optional)	c UL damp

^{*3-8-1000-0} remote features 3 fan speeds, forward/reverse function, light kit on/off/dimmer and timer that will turn off the fan after 2, 4 or 8 hours.

• Lifetime Motor Warranty. • Four Blades. • 52" Blade Sweep. • 14-Degree Blade Pitch. • 22" Lead Wire.

MECHANICAL SPECIFICATIONS:

- 153x18 Motor. 3 Speeds-Reversible with wall control. 14 Poles. .54/.28 AMPS on H/L 64/16 WATTS on H/L 153/74 RPMS on H/L.
- Wall Control Included. Remote Control Adaptable w/ 3-8-1000-0 Remote.


ENERGY SPECIFICATIONS:

• Energy Information at High Speed. • Airflow: 3664 Cubic Feet/Minute. • Electricity Use: 64 Watts (Excludes Lights). • Airflow Efficiency: 57 Cubic Feet/Minute/Watt.

DOE ENERGY GUIDE INFORMATION

• Airflow 2764 cfm. • Watts 43. • Airflow efficiency 65 cfm/w. • Estimated yearly energy cost \$12.





Available Finishes

White | White ABS Blades

Oiled Bronze | Oiled Bronze ABS Blades

Satin Nickel | Silver ABS Blades

Available Finishes

White | White ABS Blades

Oiled Bronze | Oiled Bronze ABS Blades

Satin Nickel | Silver ABS Blades

ITEM #	FINISH	BLADES	LED LIGHT I	KIT (included)	CONTROLS		CERTIFICATION
3-106-XX	6 White 22 Oiled Bronze 24 Satin Nickel	White ABS Oiled Bronze ABS Silver ABS		15w, 3000k, 90CRI, Dimmable LED w/White Glass Diffuser	Wall Control (included)	3-8-3000 Remote Control (optional)	€D _{us}

GENERAL SPECIFICATIONS:

- Lifetime Motor Warranty. Three Blades. 56" Blade Sweep. 16-Degree Blade Pitch. 80" Lead Wire. 4.5" Downrod (Included)
- Additional Downrod options on page 182.

MECHANICAL SPECIFICATIONS:

- 120mm DC Motor. 6 Speeds-Reversible with wall control. 8 Poles. .42/.05 AMPS on H/L 25/3 WATTS on H/L.
- 200/74 RPMS on H/L. Wall Control Included.

ENERGY SPECIFICATIONS:

- Energy Information at High Speed. Airflow: 5115 Cubic Feet/Minute. Electricity Use: 25 Watts (Excludes Lights).
- Airflow Efficiency: 204 Cubic Feet/Minute/Watt.

DOE ENERGY GUIDE INFORMATION

• Airflow 3710 cfm. • Watts 18. • Airflow efficiency 211 cfm/w. • Estimated yearly energy cost \$5.





ITEM#	FINISH	BLADES	LED LIGHT KIT (optional)		CONTROLS		CERTIFICATION
3-104-XX	6 White 15 Black 20 Polished Nickel 22 Oiled Bronze 24 Satin Nickel	White ABS Black ABS Silver ABS Oiled Bronze ABS Silver ABS		3-9-102 15w, 3000k, 90CRI, Dimmable LED, 743 Delivered Lumens w/ Matte White Polycarbonate Diffuser	Wall Control (included)	3-8-3000 Remote Control (optional)	

- Lifetime Motor Warranty. Three Blades. 52" Blade Sweep. 15-Degree Blade Pitch. 80" Lead Wire. 4.5" Downrod (Included)
- Additional Downrod options on page 182.

MECHANICAL SPECIFICATIONS:

- 120mm DC Motor. 6 Speeds-Reversible with wall control. 8 Poles. .39/.07 AMPS on H/L 23/3 WATTS on H/L.
- 168/69 RPMS on H/L. Wall Control Included.

ENERGY SPECIFICATIONS:

- Energy Information at High Speed. Airflow: 4644 Cubic Feet/Minute. Electricity Use: 23 Watts (Excludes Lights).
- Airflow Efficiency: 202 Cubic Feet/Minute/Watt.

DOE ENERGY GUIDE INFORMATION

• Airflow 3272 cfm. • Watts 16. • Airflow efficiency 203 cfm/w. • Estimated yearly energy cost \$5.





ITEM #	FINISH	BLADES	CONTROLS		CERTIFICATION
3-107-XX	6 White 15 Black 24 Satin Nickel	White ABS Black ABS Silver ABS	Wall Control (included)	3-8-4000 Remote Control (optional)	c (UL) wet

^{*3-8-4000} remote features 3 fan speeds and timer that will turn off the fan after 2, 4 or 8 hours.

GENERAL SPECIFICATIONS:

- Lifetime Motor Warranty. Three Blades. 56" Blade Sweep. 16-Degree Blade Pitch. 80" Lead Wire. 4" & 6" Downrods (Included)
- Not Light Kit Adaptable. Additional Downrod options on page 182.

MECHANICAL SPECIFICATIONS:

- 188x18 Motor. 4 Speeds-Reversible with manual reverse switch. 16 Poles. .43/.17 AMPS on H/L 52/8 WATTS on H/L.
- 157/58 RPMS on H/L. Wall Control Included.

ENERGY SPECIFICATIONS:

- Energy Information at High Speed. Airflow: 6192 Cubic Feet/Minute. Electricity Use: 51 Watts (Excludes Lights).
- Airflow Efficiency: 121 Cubic Feet/Minute/Watt.

DOE ENERGY GUIDE INFORMATION

• Airflow 4340 cfm. • Watts 31. • Airflow efficiency 138 cfm/w. • Estimated yearly energy cost \$9.

CHANDELIERS



NEW Bonzo Chandelier 3-28-1540

31.5"(w) x 21.75"(h)* 8 x 3.9w, 120v, 90CRI 3000k Triac Dimming LED Black/Aged Brass | Satin Opal Glass Diffuser

Contact Oxygen for Lumen Information.

*hanging height adjustable with assorted rods. 2-8", 2-12" and 3-16" rods included. damp listed $\,$









NEW Lustre Chandelier 3-24-15

25.25"(w) x 33"(h)*
6 x 5.3w, 120v, 90CRI 3000k Triac Dimming LED Black | Clear Bubble Glass Diffuser Contact Oxygen for Lumen Information.
*hanging height adjustable with assorted rods. 2-8", 2-12" and 3-16" rods included.

*shown with flush mount hardware damp listed

Available Finishes

Black | Clear Bubble Glass Diffuser

Aged Brass | Clear Bubble Glass Diffuser





Nero 24" Chandelier 3-684-1540

24"(w) x 26.5"(h)* 24 x 2.1w, 120v, 90CRI 3000k Triac Dimming LED Black/Aged Brass | Frosted Acrylic Diffuser Contact Oxygen for Lumen Information.

*hanging height adjustable with assorted rods. 2-8", 2-12" and 3-16" rods included. damp listed

NEW Nero 30" Chandelier 3-685-1540

30"(w) x 33.5"(h)* 36 x 2.1w, 120v, 90CRI 3000k Triac Dimming LED Black/Aged Brass | Frosted Acrylic Diffuser 2565 Delivered Lumens *hanging height adjustable with assorted rods. 2-8*, 2-12* and 3-16* rods included. damp listed





3-63-7-40 22.25"(w) x 19.5"(h)* 6 x 5w, 120v, 90CRI 3000k Triac Dimming LED Aged Brass | Clear Bubble Glass 623 Delivered Lumens

*hanging height adjustable with assorted rods. 2-8", 2-12" and 3-16" rods included.

Available Finishes

Aged Brass | Clear Bubble Glass

Satin Nickel | Clear Bubble Glass


Black | Clear Bubble Glass

NEW Presto! 6 Light Chandelier 3-657-24 22.25'(w) x 19.5'(h)* 6 x 5w, 120v, 90CRI 3000k Triac Dimming LED Satin Nickel | Clear Bubble Glass 623 Delivered Lumens *hanging height adjustable with assorted rods. 2-8", 2-12" and 3-16" rods included. **Available Finishes** Aged Brass | Clear Bubble Glass Satin Nickel | Clear Bubble Glass Black | Clear Bubble Glass **NEW Presto! 6 Light Chandelier** 3-657-15 22.25'(w) x 19.5'(h)* 6 x 5w, 120v, 90CRI 3000k Triac Dimming LED Black | Clear Bubble Glass 623 Delivered Lumens *hanging height adjustable with assorted rods. 2-8", 2-12" and 3-16" rods included. Available Finishes Aged Brass | Clear Bubble Glass Satin Nickel | Clear Bubble Glass Black | Clear Bubble Glass





CHANDELIERS 45





Atlantis Chandelier 3-637-40

42"(I) x 18"(w) x 23"(h)*
13 x 2.1w, 120v, 90CRI 3000k Triac Dimming LED Aged Brass | Clear Bubble Acrylic
1332 Delivered Lumens

*hanging height adjustable with assorted rods. 2-8", 2-12" and 3-16" rods included. damp listed

Available Finishes

Aged Brass | Clear Bubble Acrylic















Available Finishes

Satin Nickel | Matte White Acrylic Diffuser

Black | Matte White Acrylic Diffuser



Utopia 21" Chandelier 3-6140-15

21"(w) x 20.25"(h)*
4 x 10w, 120v, 90CRI 3000k Triac Dimming LED Black | Matte White Acrylic Diffuser
1508 Delivered Lumens

*hanging height adjustable with assorted rods. 2-8", 2-12" and 3-16" rods included. damp listed

Available Finishes

Satin Nickel | Matte White Acrylic Diffuser

Black | Matte White Acrylic Diffuser




Utopia 28" Chandelier 3-6141-24

28"(w) x 25.5"(h)*
4 x 13.5w, 120v, 90CRI 3000k Triac Dimming LED Satin Nickel | Matte White Acrylic Diffuser 2401 Delivered Lumens

*hanging height adjustable with assorted rods. 2-8", 2-12" and 3-16" rods included. damp listed

Available Finishes

Satin Nickel | Matte White Acrylic Diffuser







NEW

Dieter 24" Pendant 3-22-15

24.25"(w) x1.75"(h)*
6 x 8.5w, 120v, 90CRI, 3000k Triac Dimming LED Black | Matte White Acrylic Diffuser Contact Oxygen for Lumen Information.
*hanging height adjustable with 10' cable damp listed

Available Finishes

White | Matte White Acrylic Diffuser

Black | Matte White Acrylic Diffuser

NEW

Dieter 32" Pendant 3-23-6

32"(w) x1.75"(h)*
9 x 8.5w, 120v, 90CRI, 3000k Triac Dimming LED
White | Matte White Acrylic Diffuser
Contact Oxygen for Lumen Information.
*hanging height adjustable with 10' cable
damp listed

Available Finishes

White | Matte White Acrylic Diffuser

Black | Matte White Acrylic Diffuser



NEW

Dune 12" Pendant 3-641-1540

12"(w) x 12"(h)*

1 x 24w Medium. PAR20/30/38/A21/A19

Aged Brass/Dark Gray

hanging height adjustable with assorted rods and chain. 2-8, 2-12*, 2-16* rods and 1' of chain included. damp listed

Available Finishes



Aged Brass/Dark Gray

Satin Nickel/Gray



NEW

Dune 12" Pendant 3-641-1624

12"(w) x 12"(h)*

1 x 24w Medium. PAR20/30/38/A21/A19

Satin Nickel/Gray

*hanging height adjustable with assorted rods and chain. 2-8", 2-12", 2-16" rods and 1' of chain included. damp listed

Available Finishes



Aged Brass/Dark Gray

Satin Nickel/Gray





NEW Lucci 16" Pendant

3-20-650

15.75"(w) x 8"(h)*
1 x 18w, 120v, 90CRI, 3000k Triac Dimming LED White/Industrial Brass | Aluminum Shade Contact Oxygen for Lumen Information.
*hanging height adjustable with 10' cord damp listed

Available Finishes



NEW

Lucci 23" Pendant 3-21-1550

23.625"(w) x 11.875"(h)*
1 x 42w, 120v, 90CRI, 3000k Triac Dimming LED Black/Industrial Brass | Aluminum Shade Contact Oxygen for Lumen Information.
*hanging height adjustable with 10' cord damp listed

Available Finishes

White/Industrial Brass | Aluminum Shade
Black/Industrial Brass | Aluminum Shade







NEW Lupe Pendant 3-25-15

3-25-15
26.325"(w) x 23"(h)*
6 x 13w, 120v, 90CRI, 3000k Triac Dimming LED
Black | Matte White Acrylic Diffuser
Contact Oxygen for Lumen Information.
*hanging height adjustable with 2-8", 2-12" and 3-16" stems
damp listed





NEW

Maria 16" Pendant 3-663-1540

16"(w) x 12"(h)*

1 x 24w Medium. PAR20/30/38/A21/A19

Aged Brass/Dark Gray

*hanging height adjustable with assorted rods and chain. 2-8", 2-12", 2-16" rods and 1' of chain included. damp listed

Available Finishes



Aged Brass/Dark Gray

Satin Nickel/Gray

NEW

Maria 16" Pendant 3-663-1624

12"(w) x 12"(h)*

1 x 24w Medium. PAR20/30/38/A21/A19

Satin Nickel/Gray

*hanging height adjustable with assorted rods and chain. 2-8", 2-12", 2-16" rods and 1' of chain included. damp listed

Available Finishes



Aged Brass/Dark Gray







Available Finishes


NEW

3-680-24

Aged Brass | 6" Matte Opal Glass Globe Diffusers Satin Nickel | 6" Matte Opal Glass Globe Diffusers

Black | 6" Matte Opal Glass Globe Diffusers













NEW

Primo 7 Light Pendant 3-674-40

18"(w) x 8.25"(h)*
7 x 2.1w, 120v, 90CRI 3000k Triac Dimming LED Aged Brass | Clear Glass Diffuser
Contact Oxygen for lumen information.
*hanging height adjustable with 10' cable damp listed

Available Finishes



Aged Brass | Clear Glass Diffuser

Satin Nickel | Clear Glass Diffuser

NEV

Primo 7 Light Pendant 3-674-24

18"(w) x 8.25"(h)*
7 x 2.1w, 120v, 90CRI 3000k Triac Dimming LED Satin Nickel | Clear Glass Diffuser
Contact Oxygen for lumen information.
*hanging height adjustable with 10' cable damp listed

Available Finishes



Aged Brass | Clear Glass Diffuser

Satin Nickel | Clear Glass Diffuser





NEW

Spacely 18" Pendant 3-646-1540

17.75"(w) x 8.625"(h)* 1 x 12.5w, 120v, 90CRI, 3000k Triac Dimming LED Black/Aged Brass | Matte White Acrylic Diffuser Contact Oxygen for Lumen Information.

*hanging height adjustable with 2-8", 2-12" and 3-16" stems damp listed

NEW

Spacely 26" Pendant 3-647-1540

25.625"(w) x 10"(h)* 1 x 25w, 120v, 90CRI, 3000k Triac Dimming LED Black/Aged Brass | Matte White Acrylic Diffuser Contact Oxygen for Lumen Information.

*hanging height adjustable with 2-8", 2-12" and 3-16" stems damp listed





Totem 2.75" Pendant 3-614-1540

2.75"(w) x 16.5"(h)* 1 x 6.2w, 120v, 90CRI 3000k Triac Dimming LED Aged Brass/Dark Gray

Contact Oxygen for lumen information.

hanging height adjustable with assorted rods and chain. 2-8, 2-12*, 2-16* rods and 1' of chain included. damp listed

Available Finishes



Aged Brass/Black

Satin Nickel/Gray



Totem 2.75" Pendant 3-614-1624

2.75"(w) x 16.5"(h)* 1 x 6.2w, 120v, 90CRI 3000k Triac Dimming LED Satin Nickel/Gray

Contact Oxygen for lumen information.

*hanging height adjustable with assorted rods and chain. 2-8", 2-12", 2-16" rods and 1' of chain included. damp listed

Available Finishes



Aged Brass/Black





Circulo 32" Pendant 3-65-24

31.5'(w) x 1.25'(h)*

1 x 78w, 120v, 3000k Triac Dimming LED Satin Nickel | Matte White Acrylic Diffuser 4408 Delivered Lumens
*hanging height adjustable with 8' cables

Available Finishes

Aged Brass | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser


Black | Matte White Acrylic Diffuser

White | Matte White Acrylic Diffuser









Cornet Pendant 3-651-14

4.25"(w) x 17.25"(h)* 1 x 6.2w, 120-277v, 90CRI 3000k 0-10 Phase Dimming LED Polished Chrome | Clear Glass Diffuser 399 Delivered Lumens damp listed

Available Finishes

Polished Chrome | Smoked Ombre Glass Diffuser

Polished Chrome | Clear Glass Diffuser

Gunmetal | Coffee Ombre Glass Diffuser

Cornet Pendant 3-651-2018

4.25"(w) x 17.25"(h)*

1 x 6.2w, 120-277v, 90CRI 3000k 0-10 Phase Dimming LED Gunmetal | Coffee Ombre Glass Diffuser 399 Delivered Lumens damp listed

Available Finishes


Polished Chrome | Smoked Ombre Glass Diffuser

Polished Chrome | Clear Glass Diffuser

Gunmetal | Coffee Ombre Glass Diffuser









Gratis Pendant 3-609-1414

3.75"(w) x 15.5"(h)*

1 x 6.2w, 120-277v, 90CRI 3000k 0-10 Phase Dimming LED Polished Chrome | Mirrored Glass Diffuser

391 Delivered Lumens damp listed

Available Finishes

Polished Chrome | Mirrored Glass Diffuser

Polished Chrome | Clear Glass Diffuser
Satin Nickel | Satin Opal/Clear Glass Diffuser



Gratis Pendant 3-609-14

3.75"(w) x 15.5"(h)*

1 x 6.2w, 120-277v, 90CRI 3000k 0-10 Phase Dimming LED Polished Chrome | Clear Glass Diffuser 391 Delivered Lumens damp listed

Available Finishes

Polished Chrome | Mirrored Glass Diffuser

Polished Chrome | Clear Glass Diffuser

Satin Nickel | Satin Opal/Clear Glass Diffuser

Gratis Pendant 3-609-124

3.75"(w) x 15.5"(h)* 1 x 6.2w, 120-277v, 90CRI 3000k 0-10 Phase Dimming LED Satin Nickel | Satin Opal Glass Diffuser 391 Delivered Lumens damp listed

Available Finishes

Polished Chrome | Mirrored Glass Diffuser

Polished Chrome | Clear Glass Diffuser

Satin Nickel | Satin Opal/Clear Glass Diffuser



Liberty Pendant 3-652-14

5"(w) x 16.25"(h)* 1 x 6.2w, 120-277v, 90CRI 3000k 0-10 Phase Dimming LED Polished Chrome | Clear Glass Diffuser 401 Delivered Lumens damp listed

Available Finishes

Polished Chrome | Smoked Ombre Glass Diffuser

Polished Chrome | Clear Glass Diffuser

Gunmetal | Coffee Ombre Glass Diffuser

Liberty Pendant 3-652-1314

5"(w) x 16.25"(h)* 1 x 6.2w, 120-277v, 90CRI 3000k 0-10 Phase Dimming LED Polished Chrome | Smoked Ombre Glass Diffuser 401 Delivered Lumens damp listed

Available Finishes

Polished Chrome | Smoked Ombre Glass Diffuser

Polished Chrome | Clear Glass Diffuser

Gunmetal | Coffee Ombre Glass Diffuser







Luna 12" Pendant 3-673-24

12"(w) x 13.75"(h)*
1 x 10.1w, 120/277v, 90CRI, 3000k 0-10v Phase Dimming LED Satin Nickel | Matte Opal Glass Diffuser
740 Delivered Lumens
*hanging height adjustable with 10' cord
damp listed

Available Finishes

Polished Nickel | Matte Opal Glass Diffuser
Oiled Bronze | Matte Opal Glass Diffuser
Satin Nickel | Matte Opal Glass Diffuser
Aged Brass | Matte Opal Glass Diffuser







Multi-pendant canopy options. See page 181

Magneta Pendant 3-607-124

2.75"(w) x 9.75"(h)*
1 x 6.2w, 120/277v, 90CRI, 3000k 0-10v Phase Dimming LED Satin Nickel | Matte Opal Glass Diffuser
230 Delivered Lumens
*hanging height adjustable with 10' cord damp listed

Available Finishes

Satin Nickel | Matte Opal Glass Diffuser

Aged Brass | Matte Opal Glass Diffuser



Magneta Pendant

3-607-24
2.75"(w) × 9.75"(h)*
1 × 6.2w, 120/277v, 90CRI, 3000k 0-10v Phase Dimming LED Satin Nickel | Matte White Acrylic Diffuser
233 Delivered Lumens
*hanging height adjustable with 10' cord damp listed

Magneta Pendant
3-607-40
2.75"(w) x 9.75"(h)*
1 x 6.2w, 120/277v, 90CRI, 3000k 0-10v Phase Dimming LED Aged Brass | Matte White Acrylic Diffuser
233 Delivered Lumens
*hanging height adjustable with 10' cord damp listed

Available Finishes





Magnum Pendant 3-653-14

3-53-14
3.5"(w) x 18"(h)*
1 x 6.2w, 120/277v, 90CRI, 3000k 0-10v Phase Dimming LED Polished Chrome | Matte White Acrylic Diffuser
383 Delivered Lumens
*hanging height adjustable with 10' cord damp listed

Available Finishes

Polished Chrome | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser

Aged Brass | Matte White Acrylic Diffuser

Magnum Pendant 3-653-24

3.5"(w) x 18"(h)* 1 x 6.2w, 120/277v, 90CRI, 3000k 0-10v Phase Dimming LED Satin Nickel | Matte White Acrylic Diffuser

383 Delivered Lumens *hanging height adjustable with 10' cord damp listed

Available Finishes

Polished Chrome | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser

Aged Brass | Matte White Acrylic Diffuser





















VANITIES



NEW

Zora Small Vanity 3-53-1550

21.125"(w) x 5.25"(h) x 2.25"(ext) 1 x 12.5w, 120v, 90CRI 3000k Triac Dimming LED Black/Industrial Brass | Matte White Acrylic Diffuser Contact Oxygen for Lumen Information. damp listed

Available Finishes

White/Industrial Brass | Matte White Acrylic Diffuser

Black/Industrial Brass | Matte White Acrylic Diffuser



NEW

Zora Large Vanity 3-54-1550

32"(w) x 5.25"(h) x 2.25"(ext) 1 x 18w, 120v, 90CRI 3000k Triac Dimming LED Black/Industrial Brass | Matte White Acrylic Diffuser Contact Oxygen for Lumen Information. damp listed

Available Finishes

White/Industrial Brass | Matte White Acrylic Diffuser

Black/Industrial Brass | Matte White Acrylic Diffuser





Adelphi 24" Vanity 3-537-40

24.25"(w) x 4.75"(h) x 3.5"(ext)
1 x 11.6w, 120-277v, 90CRI 3000k Phase Dimming LED
Aged Brass | Matte White Acrylic Diffuser
1258 Delivered Lumens
damp listed

Available Finishes

Aged Brass | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser

Oiled Bronze | Matte White Acrylic Diffuser



Adelphi 24" Vanity 2-5170-224

24.25"(w) x 5.25"(h) x 3.5"(ext)
1 x 14w T5 fluorescent (mini bi-pin)
Satin Nickel | Matte White Acrylic Diffuser
729 Delivered Lumens
damp listed

Available Finish

Satin Nickel | Matte White Acrylic Diffuser




NEW Adelphi 36" Vanity 3-555-24

36"(w) x 4.75"(h) x 3.5"(ext) 2 x 11.6w, 120-277v, 90CRI 3000k Phase Dimming LED Satin Nickel | Matte White Acrylic Diffuser Contact Oxygen for lumen information. damp listed

Available Finishes

Aged Brass | Matte White Acrylic Diffuser Satin Nickel | Matte White Acrylic Diffuser





Adelphi 46" Vanity 3-536-22

46.375"(w) x 4.75"(h) x 3.5"(ext) 2 x 11.6w, 120-277v, 90CRI 3000k Phase Dimming LED Oiled Bronze | Matte White Acrylic Diffuser 2490 Delivered Lumens damp listed

Available Finishes

Aged Brass | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser

Oiled Bronze | Matte White Acrylic Diffuser



Available Finishes

Black | Matte White Acrylic Diffuser
Polished Nickel | Matte White Acrylic Diffuser
Satin Nickel | Matte White Acrylic Diffuser



Fugit 18" Vanity 3-5011-15

17.625"(w) x 4.5"(h) x 3.125"(ext)
1 x 13w, 120v, 90CRI 3000k Triac Dimming LED Black | Matte White Acrylic Diffuser
1062 Delivered Lumens
damp listed

Available Finishes

Black | Matte White Acrylic Diffuser

Polished Nickel | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser



Fugit 35" Vanity 3-5013-24

34.25"(w) x 4.5"(h) x 3.125"(ext) 2 x 13w, 120v, 90CRI 3000k Triac Dimming LED Satin Nickel | Matte White Acrylic Diffuser 2205 Delivered Lumens damp listed

Available Finishes

Black | Matte White Acrylic Diffuser

Polished Nickel | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser



Tempus 19" Vanity 3-5001-20

18.875"(w) \times 5.375"(h) \times 4"(ext) 1 \times 13w, 120v, 90CRI 3000k Triac Dimming LED Polished Nickel | Matte White Acrylic Diffuser 1049 Delivered Lumens damp listed

Available Finishes

Black | Matte White Acrylic Diffuser

Polished Nickel | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser



Tempus 36" Vanity 3-5003-15

35.5"(w) x 5.375"(h) x 4"(ext) 2 x 13w, 120v, 90CRI 3000k Triac Dimming LED Black | Matte White Acrylic Diffuser 2376 Delivered Lumens damp listed

Available Finishes

Black | Matte White Acrylic Diffuser

Polished Nickel | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser



Tempus 24" Vanity 3-5002-24 24.5"(w) x 5.375"(h) x 4"(ext) 2 x 9w, 120v, 90CRI 3000k Triac Dimming LED Satin Nickel | Matte White Acrylic Diffuser 1572 Delivered Lumens damp listed

Available Finishes

- Black | Matte White Acrylic Diffuser
- Polished Nickel J Matte White Acrylic Diffuser



Wave 24" Vanity 3-5022-15 23.25"(w) x 6.25"(h) x 3"(ext) 2 x 9w, 120v, 90CRI 3000k Triac Dimming LED Black | Matte White Acrylic Diffuser 1353 Delivered Lumens damp listed

Available Finishes

Black | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser



Wave 34" Vanity 3-5023-15

34.25"(w) x 6.25"(h) x 3"(ext) 2 x 13w, 120v, 90CRI 3000k Triac Dimming LED Satin Nickel | Matte White Acrylic Diffuser 1955 Delivered Lumens damp listed

Available Finishes

Black | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser



Wave 18" Vanity 3-5021-24

17.625"(w) x 6.25"(h) x 3"(ext)
1 x 13w, 120v, 90CRI 3000k Triac Dimming LED Satin Nickel | Matte White Acrylic Diffuser
930 Delivered Lumens
damp listed

Available Finishes

Black | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser

SCONCES





NEW

Nero Wall Sconce

Nero Wall Sconce
3-584-1540
7.25"(w) x 14.125"(h) x 4"(ext)
6 x 2.1w, 120v, 90CRI 3000k Triac Dimming LED
Black/Aged Brass | Frosted Acrylic Diffuser
366 Delivered Lumens
damp listed



NEW Zora Medium Wall Sconce 3-51-650

3-3 (w) x 5.25 (h) x 2.25 (ext)
1 x 18w, 120v, 90CRI 3000k Triac Dimming LED
White/Industrial Brass | Matte White Acrylic Diffuser
Contact Oxygen for Lumen Information. damp listed

Available Finishes

White/Industrial Brass | Matte White Acrylic Diffuser Black/Industrial Brass | Matte White Acrylic Diffuser



NEW

Zora Small Wall Sconce 3-50-650

21.125"(w) x 5.25"(h) x 2.25"(ext)
1 x 12.5w, 120v, 90CRI 3000k Triac Dimming LED
White/Industrial Brass | Matte White Acrylic Diffuser
Contact Oxygen for Lumen Information. damp listed

Available Finishes

White/Industrial Brass | Matte White Acrylic Diffuser

Black/Industrial Brass | Matte White Acrylic Diffuser

Zora Large Wall Sconce 3-52-650

47.75'(w) x 5.25"(h) x 2.25'(ext) 1 x 24.8w, 120v, 90CRI 3000k Triac Dimming LED White/Industrial Brass | Matte White Acrylic Diffuser Contact Oxygen for Lumen Information. damp listed

Available Finishes

White/Industrial Brass | Matte White Acrylic Diffuser



Black/Industrial Brass | Matte White Acrylic Diffuser



Beacon Wall Sconce 3-587-124

7"(w) x 16.5"(h) x 4"(ext) 1 x 10.1w, 120/277v, 90CRI 3000k 0-10v/Phase Dimming LED Satin Nickel | White Cotton Shade Diffuser 441 Delivered Lumens damp listed

Available Finishes

Satin Nickel | White Cotton Shade Diffuser

Old World | White Cotton Shade Diffuser



Beacon Wall Sconce 3-587-295

7"(w) x 16.5"(h) x 4"(ext)
1 x 10.1w, 120/277v, 90CRI 3000k 0-10v/Phase Dimming LED
Old World | Matte White Acrylic Diffuser
441 Delivered Lumens
damp listed

Available Finishes

Satin Nickel | Matte White Acrylic Diffuser





Small Chameleon Wall Sconce 3-521-40

8"(w) x 11.75"(h) x 4"(ext)
1 x 10.1w, 120/277v, 90CRI 3000k 0-10v/Phase Dimming LED
Aged Brass | Matte White Acrylic Diffuser
552 Delivered Lumens
damp listed

Available Finishes

Polished Chrome | Matte White Acrylic Diffuser

Oiled Bronze | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser

Aged Brass | Matte White Acrylic Diffuser



Small Chameleon Wall Sconce 3-521-14

8"(w) x 11.75"(h) x 4"(ext)
1 x 10.1w, 120/277v, 90CRI 3000k 0-10v/Phase Dimming LED
Polished Chrome | Matte White Acrylic Diffuser
552 Delivered Lumens
damp listed

Available Finishes

Polished Chrome | Matte White Acrylic Diffuser

Oiled Bronze | Matte White Acrylic Diffuser
Satin Nickel | Matte White Acrylic Diffuser

Aged Brass | Matte White Acrylic Diffuser



Large Chameleon Wall Sconce 3-514-22

11.5"(w) x 11.25"(h) x 4"(ext)
1 x 10.1w, 120/277v, 90CRI 3000k 0-10v/Phase Dimming LED
Oiled Bronze | Matte White Acrylic Diffuser
832 Delivered Lumens
damp listed

Available Finishes

Polished Chrome | Matte White Acrylic Diffuser

Oiled Bronze | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser

Aged Brass | Matte White Acrylic Diffuser

Large Chameleon Wall Sconce 3-514-24

11.5"(w) x 11.25"(h) x 4"(ext)
1 x 10.1w, 120/277v, 90CRI 3000k 0-10v/Phase Dimming LED Satin Nickel | Matte White Acrylic Diffuser
832 Delivered Lumens
damp listed

Available Finishes

Polished Chrome | Matte White Acrylic Diffuser
Oiled Bronze | Matte White Acrylic Diffuser
Satin Nickel | Matte White Acrylic Diffuser
Aged Brass | Matte White Acrylic Diffuser





Dou Wall Sconce 3-509-24

3-109-24
3"(w) x 9.25"(h) x 3"(ext)
2 x 7w, Max GU10 120v LED Only (Not Included)
Satin Nickel | Perforated Metal Diffuser
Contact oxygen for lumen information.
damp listed

Available Finishes

Gunmetal | Perforated Metal Diffuser

Satin Nickel | Perforated Metal Diffuser

Aged Brass | Perforated Metal Diffuser



Dou Wall Sconce 3-509-40

3"(w) x 9.25"(h) x 3"(ext)
2 x 7w, Max GU10 120v LED Only (Not Included)
Aged Brass | Perforated Metal Diffuser
Contact oxygen for lumen information.
damp listed

Available Finishes

Gunmetal | Perforated Metal Diffuser

Satin Nickel | Perforated Metal Diffuser

Aged Brass | Perforated Metal Diffuser





Fugit Wall Sconce 3-5010-15

3-30-0-19
4.5"(w) x 12.125"(h) x 3.125"(ext)
1 x 9w, 120v, 90CRI 3000k Triac Dimming LED
Black | Matte White Acrylic Diffuser
689 Delivered Lumens
damp listed

Available Finishes

Black | Matte White Acrylic Diffuser

Polished Nickel | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser

Aged Brass | Matte White Acrylic Diffuser





Fugit Wall Sconce 3-5010-40

4.5"(w) x 12.125"(h) x 3.125"(ext)
1 x 9w, 120v, 90CRI 3000k Triac Dimming LED
Aged Brass | Matte White Acrylic Diffuser
689 Delivered Lumens
damp listed

Available Finishes

Black | Matte White Acrylic Diffuser
Polished Nickel | Matte White Acrylic Diffuser
Satin Nickel | Matte White Acrylic Diffuser
Aged Brass | Matte White Acrylic Diffuser

Fugit Wall Sconce 3-5010-24

4.5"(w) x 12.125"(h) x 3.125"(ext)
1 x 9w, 120v, 90CRI 3000k Triac Dimming LED
Satin Nickel | Matte White Acrylic Diffuser
689 Delivered Lumens
damp listed

Available Finishes

Black | Matte White Acrylic Diffuser

Polished Nickel | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser

Aged Brass | Matte White Acrylic Diffuser



NEW

Reflex Wall Sconce 3-504-15

 $4"(w) \times 20"(h) \times 3.5"(ext) \\ 2 \times 7w, \; Max \; GU10 \; 120v \; LED \; Only \; (Not \; Included) \\ Black \mid \; Perforated \; Metal \; Diffuser \\ Contact \; oxygen \; for \; lumen \; information. \\ damp \; listed$

Available Finishes

Polished Chrome | Perforated Metal Diffuser

Black | Perforated Metal Diffuser

Satin Nickel | Perforated Metal Diffuser

Satin Copper | Perforated Metal Diffuser

Aged Brass | Perforated Metal Diffuser



4"(w) x 20"(h) x 3.5"(ext) 2 x 7w, Max GU10 120v LED Only (Not Included) Satin Nickel | Perforated Metal Diffuser Contact oxygen for lumen information. *shown with optional cover plate (included) damp listed

Available Finishes

Polished Chrome | Perforated Metal Diffuser Black | Perforated Metal Diffuser Satin Nickel | Perforated Metal Diffuser Satin Copper | Perforated Metal Diffuser Aged Brass | Perforated Metal Diffuser



4"(w) x 20"(h) x 3.5"(ext) 2 x 7w, Max GU10 120v LED Only (Not Included) Polished Chrome | Perforated Metal Diffuser Contact oxygen for lumen information. damp listed

Available Finishes

Polished Chrome | Perforated Metal Diffuser Black | Perforated Metal Diffuser Satin Nickel | Perforated Metal Diffuser Satin Copper | Perforated Metal Diffuser

Aged Brass | Perforated Metal Diffuser



Siren Wall Sconce 3-563-114

7.75"(w) x 12.5"(h) x 4"(ext)
1 x 10.1w, 120/277v, 90CRI 3000k 0-10v/Phase Dimming LED Polished Chrome | White Opal Glass Diffuser
980 Delivered Lumens damp listed

Available Finishes

Polished Chrome | White Opal Glass Diffuser
Satin Nickel | White Opal Glass Diffuser



Siren Wall Sconce 3-563-224

7.75"(w) x 12.5"(h) x 4"(ext)

1 x 10.1w, 120/277v, 90CRI 3000k 0-10v/Phase Dimming LED Satin Nickel | Matte White Acrylic Diffuser

1066 Delivered Lumens damp listed

Available Finishes

Polished Chrome | Matte White Acrylic Diffuser
Satin Nickel | Matte White Acrylic Diffuser



Siren Wall Sconce 3-563-214

7.75"(w) x 12.5"(h) x 4"(ext) 1 x 10.1w, 120/277v, 90CRI 3000k 0-10v/Phase Dimming LED Polished Chrome | Matte White Acrylic Diffuser 1066 Delivered Lumens damp listed

Available Finishes

Polished Chrome | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser



Tempus Wall Sconce 3-5000-24

5-3000-24
5.125'(w) x 12.75"(h) x 4"(ext)
1 x 9w, 120v, 90CRI 3000k Triac Dimming LED
Satin Nickel | Matte White Acrylic Diffuser
687 Delivered Lumens
damp listed

Available Finishes

Black | Matte White Acrylic Diffuser

Polished Nickel | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser

Aged Brass | Matte White Acrylic Diffuser

Tempus Wall Sconce 3-5000-15

5.125"(w) x 12.75"(h) x 4"(ext)
1 x 9w, 120v, 90CRI 3000k Triac Dimming LED
Black | Matte White Acrylic Diffuser
687 Delivered Lumens
damp listed

Available Finishes

Black | Matte White Acrylic Diffuser

Polished Nickel | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser

Aged Brass | Matte White Acrylic Diffuser

Tempus Wall Sconce 3-5000-40

5.125"(w) x 12.75"(h) x 4"(ext) 1 x 9w, 120v, 90CRI 3000k Triac Dimming LED Aged Brass | Matte White Acrylic Diffuser 687 Delivered Lumens damp listed

Available Finishes

Black | Matte White Acrylic Diffuser

Polished Nickel | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser

Aged Brass | Matte White Acrylic Diffuser

Tempus Wall Sconce 3-5000-20

5.125"(w) x 12.75"(h) x 4"(ext) 1 x 9w, 120v, 90CRI 3000k Triac Dimming LED Polished Nickel | Matte White Acrylic Diffuser 687 Delivered Lumens damp listed

Available Finishes

Black | Matte White Acrylic Diffuser

Polished Nickel | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser

Aged Brass | Matte White Acrylic Diffuser





Uno Wall Sconce 3-500-18

3"(w) x 6.75"(h) x 3"(ext)

1 x 7w, Max GU10 120v LED Only (Not Included)
Gunmetal | Perforated Metal Diffuser
Contact oxygen for lumen information.
damp listed

Available Finishes

Gunmetal | Perforated Metal Diffuser

Aged Brass | Perforated Metal Diffuser



Uno Wall Sconce 3-500-40

3"(w) x 6.75"(h) x 3"(ext)

1 x 7w, Max GU10 120v LED Only (Not Included)

Aged Brass | Perforated Metal Diffuser

Contact oxygen for lumen information.

*shown with optional cover plate (included)

damp listed

Available Finishes

Gunmetal | Perforated Metal Diffuser

Aged Brass | Perforated Metal Diffuser





Wave Wall Sconce 3-5020-40

6.25"(w) x 12.125"(h) x 3"(ext)
1 x 9w, 120v, 90CRI 3000k Triac Dimming LED
Aged Brass | Matte White Acrylic Diffuser
626 Delivered Lumens
damp listed

Available Finishes

- Black | Matte White Acrylic Diffuser
 - Satin Nickel | Matte White Acrylic Diffuser
 - Aged Brass | Matte White Acrylic Diffuser



Wave Wall Sconce
3-5020-24
6.25"(w) x 12.125"(h) x 3"(ext)
1 x 9w, 120v, 90CRI 3000k Triac Dimming LED
Satin Nickel | Matte White Acrylic Diffuser
626 Delivered Lumens damp listed

Available Finishes

Black | Matte White Acrylic Diffuser

Satin Nickel | Matte White Acrylic Diffuser

Aged Brass | Matte White Acrylic Diffuser

CEILING MOUNTS

Altair 9" Ceiling Mount 3-334-24

9.125"(w) x 1"(h) 1 x 18.5w, 120v, 90CRI 3000k Triac Dimming LED Satin Nickel | Matte White Glass Diffuser 1064 Delivered Lumens damp listed

Available Finishes

Satin Nickel | Matte White Glass Diffuser

Oiled Bronze | Matte White Glass Diffuser

Black | Matte White Glass Diffuser

White | Matte White Glass Diffuser



Altair 7" Ceiling Mount 3-333-22

7*(w) x 1*(h)
1 x 13.5w, 120v, 90CRI 3000k Triac Dimming LED
Oiled Bronze | Matte White Glass Diffuser
800 Delivered Lumens
damp listed

Available Finishes

Satin Nickel | Matte White Glass Diffuser

Oiled Bronze | Matte White Glass Diffuser

Black | Matte White Glass Diffuser

White | Matte White Glass Diffuser



Altair 7" Ceiling Mount 3-333-15

7"(w) x 1"(h)
1 x 13.5w, 120v, 90CRI 3000k Triac Dimming LED
Black | Matte White Glass Diffuser
800 Delivered Lumens
damp listed

Available Finishes

Satin Nickel | Matte White Glass Diffuser

Oiled Bronze | Matte White Glass Diffuser

Black | Matte White Glass Diffuser

White | Matte White Glass Diffuser

Altair 5" Ceiling Mount 3-332-6

5"(w) x 1"(h)
1 x 10.5w, 120v, 90CRI 3000k Triac Dimming LED
White | Matte White Glass Diffuser
480 Delivered Lumens
damp listed

Available Finishes

Satin Nickel | Matte White Glass Diffuser

Oiled Bronze | Matte White Glass Diffuser

Black | Matte White Glass Diffuser

White | Matte White Glass Diffuser



Elite 5.5" Ceiling Mount
3-644-22
5.5"(w) x 1"(h)
1 x 11w, 120v, 90CRI 3000k Triac Dimming LED
Oiled Bronze | Matte White Acrylic Diffuser
620 Delivered Lumens
wet listed

Available Finishes

Satin Nickel | Matte White Acrylic Diffuser

Oiled Bronze | Matte White Acrylic Diffuser

Black | Matte White Acrylic Diffuser

White | Matte White Acrylic Diffuser



Elite 5.5" Ceiling Mount
3-644-6
5.5"(w) × 1"(h)
1 × 11w, 120v, 90CRI 3000k Triac Dimming LED
White | Matte White Acrylic Diffuser
620 Delivered Lumens
wet listed

Satin Nickel | Matte White Acrylic Diffuser

Oiled Bronze | Matte White Acrylic Diffuser

Black | Matte White Acrylic Diffuser

White | Matte White Acrylic Diffuser



Elite 7" Ceiling Mount 3-645-24

7"(w) x 1"(h)
1 x 13w, 120v, 90CRI 3000k Triac Dimming LED
Satin Nickel | Matte White Acrylic Diffuser
800 Delivered Lumens
wet listed

Available Finishes

Satin Nickel | Matte White Acrylic Diffuser

Oiled Bronze | Matte White Acrylic Diffuser

Black | Matte White Acrylic Diffuser

White | Matte White Acrylic Diffuser



Elite 7" Ceiling Mount 3-645-15

7"(w) x 1"(h)
1 x 13w, 120v, 90CRI 3000k Triac Dimming LED
Black | Matte White Acrylic Diffuser
800 Delivered Lumens
wet listed

Available Finishes

Satin Nickel | Matte White Acrylic Diffuser

Oiled Bronze | Matte White Acrylic Diffuser

Black | Matte White Acrylic Diffuser

White | Matte White Acrylic Diffuser



Journey 14" Ceiling Mount 3-624-14

14"(w) x 4.5"(h) 2 x 10.1w, 120/277v, 90CRI 3000k 0-10v Phase Dimming LED Polished Chrome | Matte Opal Glass Diffuser 1460 Delivered Lumens damp listed

Available Finishes

Polished Chrome | Matte Opal Glass Diffuser
Satin Nickel | Matte Opal Glass Diffuser



Journey 14" Ceiling Mount 3-626-24

14"(w) x 4.5"(h) 2 x 10.1w, 120/277v, 90CRI 3000k 0-10v Phase Dimming LED Satin Nickel | Matte White Acrylic Diffuser 1363 Delivered Lumens damp listed

Available Finishes

Polished Chrome | Matte White Acrylic Diffuser
Satin Nickel | Matte White Acrylic Diffuser





Zuri Small Ceiling Mount 32-630-15 7.25"(w) x 3"(h)

 $7.25"(w) \times 3"(h)$ 1 x 10.1w, 120/277v, 90CRI 3000k 0-10v Phase Dimming LED Black | Satin Opal Glass Diffuser 542 Delivered Lumens damp listed

Available Finishes

Black | Satin Opal Glass Diffuser

Satin Nickel | Satin Opal Glass Diffuser

Aged Brass | Satin Opal Glass Diffuser



Zuri Small Ceiling Mount 32-630-40

7.25"(w) x 3"(h)
1 x 10.1w, 120/277v, 90CRI 3000k 0-10v Phase Dimming LED
Aged Brass | Satin Opal Glass Diffuser
542 Delivered Lumens
damp listed

Available Finishes

Black | Satin Opal Glass Diffuser

Satin Nickel | Satin Opal Glass Diffuser

Aged Brass | Satin Opal Glass Diffuser



Zuri Large Ceiling Mount 32-631-24

11.25"(w) x 3.5"(h)
1 x 20.7w, 120/277v, 90CRI 3000k 0-10v Phase Dimming LED Aged Brass | Satin Opal Glass Diffuser
1328 Delivered Lumens damp listed

Available Finishes

Black | Satin Opal Glass Diffuser

Satin Nickel | Satin Opal Glass Diffuser

Aged Brass | Satin Opal Glass Diffuser

OUTDOOR



Corpus Small Wall Lantern
3-757-15
4.875"(w) x 8"(h) x 4.75"(ext)
1 x 6w, 120v, 90CRI, 3000k Triac Dimming LED
Black / Matte White Glass Diffuser
Contact Oxygen for Lumen Information.
wet listed





Esprit Small Wall Lantern
3-755-15
5.5"(w) x 13.5"(h) x 2"(ext)
1 x 6w, 120v, 90 CRI, 3000k Triac Dimming LED
Black | Clear Bubble Glass Diffuser
Contact Oxygen for Lumen Information.
wet listed









NEW Nitro Wall Lantern 3-725-24

5.5"(w) x 13"(h) x 2.375"(ext) 1 x 7.7w, 120v, 90 CRI, 3000k Triac Dimming LED Satin Nickel | Clear Chiseled Glass Diffuser Contact Oxygen for Lumen Information. wet listed

Available Finishes

Black | Clear Chiseled Glass Diffuser









NEW

Pavo Small Wall Lantern 3-753-15

5-73-13
5.5"(N) x 6.25"(h) x 2.125"(ext)
1 x 8w, 120v, 90 CRI, 3000k Triac Dimming LED
Black | Clear Pinstripe Glass Diffuser
Contact Oxygen for Lumen Information. wet listed



Pavo Large Wall Lantern 3-754-15

1 x 8w, 120v, 90 CRI, 3000k Triac Dimming LED Black | Clear Pinstripe Glass Diffuser Contact Oxygen for Lumen Information.





Aperto Small Wall Lantern 3-722-15


6"(w) x 12"(h) x 4.25"(ext) 1 x 12w, 120v, 90CRI 3000k Triac Dimming LED Black | White Frost Glass Diffuser 465 Delivered Lumens wet listed



Aperto Medium Wall Lantern 3-723-15

6.5"(w) x 16"(h) x 4.25"(ext) 1 x 12w, 120v, 90CRI 3000k Triac Dimming LED Black | White Frost Glass Diffuser 546 Delivered Lumens wet listed





Cadet Wall Sconce 3-748-16

5-125"(w) x 5.125"(h) x 3.25"(ext)
2 x 3w, 110-277v, 3000k LED
Brushed Aluminum | Clear Glass Diffuser
281 Delivered Lumens
Can be mounted horizontal or vertical.
wet listed

Available Finishes

Brushed Aluminum | Clear Glass Diffuser

Black | Clear Glass Diffuser







Cadet Wall Sconce 3-748-15

5-125"(w) x 5.125"(h) x 3.25"(ext) 2 x 3w, 110-277v, 3000k LED Black | Clear Glass Diffuser 281 Delivered Lumens Can be mounted horizontal or vertical. wet listed

Available Finishes





Caliber Wall Sconce 3-733-16

5-73-16 5.125"(w) x 5.625"(h) x 4.375"(ext) 2 x 3w, 110-277v, 3000k LED Brushed Aluminum 209 Delivered Lumens wet listed

Available Finishes







Ceres Wall Lantern 3-727-22

 $\begin{array}{l} 4.75\text{"(w)} \times 4.75\text{"(h)} \times 5\text{"(ext)} \\ 2 \times 10.1\text{w}, \ 120/277\text{v}, \ 90\text{CRI} \ 3000\text{k} \ 0\text{-10v} \ \text{Phase Dimming LED} \\ \text{Oiled Bronze} \ | \ \text{Frosted Glass Diffuser} \\ \text{Contact Oxygen for Lumen Information.} \\ \text{wet listed} \end{array}$

Available Finishes

Gray | Frosted Glass Diffuser

Oiled Bronze | Frosted Glass Diffuser

Ceres Wall Lantern 3-727-16

 $\begin{array}{l} 4.75\text{"(w)} \times 4.75\text{"(h)} \times 5\text{"(ext)} \\ 2 \times 10.1\text{w}, \ 120/277\text{v}, \ 90\text{CRI} \ 3000\text{k} \ 0\text{-}10\text{v} \ \text{Phase Dimming LED} \\ \text{Gray} \ | \ \text{Frosted Glass Diffuser} \\ \text{Contact Oxygen for Lumen Information.} \\ \text{wet listed} \end{array}$

Available Finishes

Gray | Frosted Glass Diffuser

Oiled Bronze | Frosted Glass Diffuser





Ceres Wall Lantern 3-726-22

 $\begin{array}{l} 4.75\text{"(w)} \times 4.75\text{"(h)} \times 5\text{"(ext)} \\ 1 \times 10.1\text{w}, 120/277\text{v}, 90\text{CRI} 3000\text{k} 0\text{-}10\text{v} \text{ Phase Dimming LED} \\ \text{Oiled Bronze} \mid \text{Frosted Glass Diffuser} \\ \text{Contact Oxygen for Lumen Information.} \\ \text{wet listed} \end{array}$

Available Finishes

Gray | Frosted Glass Diffuser

Oiled Bronze | Frosted Glass Diffuser

Ceres Wall Lantern 3-726-16

4.75"(w) x 4.75"(h) x 5"(ext)
1 x 10.1w, 120/277v, 90CRI 3000k 0-10v Phase Dimming LED Gray | Frosted Glass Diffuser
Contact Oxygen for Lumen Information.
wet listed

Available Finishes

Gray | Frosted Glass Diffuser

Oiled Bronze | Frosted Glass Diffuser





Eris Wall Lantern 3-720-16

 $6\text{"(w)}\times4.75\text{"(h)}\times4\text{"(ext)}$ $1\times10.1\text{w},\ 120/277\text{v},\ 90\text{CRI}\ 3000\text{k}\ 0\text{-}10\text{v}$ Phase Dimming LED Gray | Frosted Glass Diffuser Contact Oxygen for Lumen Information. wet listed

Available Finishes

Gray | Frosted Glass Diffuser

Oiled Bronze | Frosted Glass Diffuser



6"(w) x 4.75"(h) x 4"(ext) 2 x 10.1w, 120/277v, 90CRI 3000k 0-10v Phase Dimming LED Gray | Frosted Glass Diffuser Contact Oxygen for Lumen Information. wet listed

Available Finishes

Gray | Frosted Glass Diffuser

Oiled Bronze | Frosted Glass Diffuser







Helio Large Wall Lantern 3-745-15

6.375"(w) x 16"(h) x 4"(ext) 1 x 18w, 120v, 90CRI 3000k Triac Dimming LED Black | White Frost Glass Diffuser 522 Delivered Lumens wet listed



Helio Medium Wall Lantern 3-744-15

4.75"(w) x 12"(h) x 3.125"(ext)
1 x 12w, 120v, 90CRI 3000k Triac Dimming LED Black | White Frost Glass Diffuser
322 Delivered Lumens wet listed



Helio Small Wall Lantern 3-743-15

1.75"(w) x 9.25"(h) x 3"(ext) 1 x 10w, 120v, 90CRI 3000k Triac Dimming LED Black | White Frost Glass Diffuser 298 Delivered Lumens wet listed




Kaldor Wall Lantern 3-734-15

5.125"(w) x 5.125"(h) x 5.5"(ext) 2 x 3w, 110-277v, 3000k LED Black 295 Delivered Lumens wet listed

Available Finishes






Kaldor Wall Lantern 3-734-16

3-134-16 5.125"(w) x 5.125"(h) x 5.5"(ext) 2 x 3w, 110-277v, 3000k LED Brushed Aluminum 295 Delivered Lumens wet listed

Available Finishes





Kubo Wall Lantern 3-735-16

5-73-16 5.125"(w) x 5.125"(h) x 5.625"(ext) 2 x 3w, 110-277v, 3000k LED Brushed Aluminum 210 Delivered Lumens wet listed

Available Finishes





Kubo Wall Lantern 3-735-15 5.125"(w) × 5.125"(h) × 5.625"(ext) 2 × 3w, 110-277v, 3000k LED Black 210 Delivered Lumens wet listed

Available Finishes





Magneta Wall Lantern 3-728-15

 $\begin{array}{l} 4.75\text{"(w)} \times 14.5\text{"(h)} \times 3.5\text{"(ext)} \\ 1 \times 11.9\text{w},\ 120/277\text{v},\ 90\text{CRI}\ 3000\text{k}\ 0\text{-}10\text{v}\ \text{Phase Dimming LED} \\ \text{Black}\ |\ \text{Matte Opal Glass Diffuser} \\ \text{Contact Oxygen for Lumen Information.} \\ \text{wet listed} \end{array}$

Available Finishes

Black | Matte Opal Glass Diffuser

Gray | Matte Opal Glass Diffuser

Oiled Bronze | Matte Opal Glass Diffuser



Magneta Wall Lantern 3-728-22

 $\begin{array}{l} 4.75\text{"(w)} \times 14.5\text{"(h)} \times 3.5\text{"(ext)} \\ 1 \times 11.9\text{w},\ 120/277\text{v},\ 90\text{CRI}\ 3000\text{k}\ 0\text{-}10\text{v}\ \text{Phase Dimming LED} \\ \text{Oiled Bronze}\ |\ \text{Matte Opal Glass Diffuser} \\ \text{Contact Oxygen for Lumen Information.} \\ \text{wet listed} \end{array}$

Available Finishes

Black | Matte Opal Glass Diffuser

Gray | Matte Opal Glass Diffuser

Oiled Bronze | Matte Opal Glass Diffuser



Magneta Wall Lantern 3-728-16

 $4.75\text{"(w)}\times14.5\text{"(h)}\times3.5\text{"(ext)}$ $1\times11.9\text{w},\ 120/277\text{v},\ 90\text{CRI}\ 3000\text{k}\ 0\text{-10v}$ Phase Dimming LED Gray | Matte Opal Glass Diffuser Contact Oxygen for Lumen Information. wet listed

Available Finishes

Black | Matte Opal Glass Diffuser


Gray | Matte Opal Glass Diffuser

Oiled Bronze | Matte Opal Glass Diffuser





Can be rotated and mounted at 180°



Pilot Wall Sconce 3-732-15

5.125"(w) x 6.25"(h) x 5.125"(ext) 2 x 3w, 110-277v, 3000k LED Black 327 Delivered Lumens wet listed

Available Finishes

Brushed Aluminum

Black




Pilot Wall Sconce 3-732-16

5.125"(w) x 6.25"(h) x 5.125"(ext) 2 x 3w, 110-277v, 3000k LED Brushed Aluminum 327 Delivered Lumens wet listed

Available Finishes

Brushed Aluminum

Black



Can be rotated and mounted at 180°



Razzo Wall Lantern 3-746-16

5.125"(w) x 6.25"(h) x 4.25"(ext) 2 x 3w, 110-277v, 3000k LED Brushed Aluminum | Clear Glass Diffuser 680 Delivered Lumens Can be rotated and mounted at 180° wet listed

Available Finishes

Brushed Aluminum | Clear Glass Diffuser


Black | Clear Glass Diffuser



Razzo Wall Lantern 3-746-15

3-746-15
5.125"(w) × 6.25"(h) × 4.25"(ext)
2 × 3w, 110-277v, 3000k LED
Black | Clear Glass Diffuser
680 Delivered Lumens
Can be rotated and mounted at 180°
wet listed

Available Finishes





Available Finishes


Black | Clear Glass Diffuser



Rickie Wall Lantern 3-747-15

6.25"(w) x 6.25"(h) x 2.25"(ext) 8 x 1.5w, 110-277v, 3000k LED Black | Clear Glass Diffuser 616 Delivered Lumens wet listed

Available Finishes





Titan Wall Lantern 3-708-15

4.75"(w) x 4.75"(h) x 4"(ext)


1 x 6w, 120v, 90CRI 3000k Triac Dimming LED Black | White Frost Glass Diffuser
236 Delivered Lumens
Can be rotated and mounted at 180° wet listed

Available Finishes

Brushed Aluminum | White Frost Glass Diffuser







ACCESSORIES, DIFFUSERS & FINISHES

GENERAL SPECIFICATIONS:

Multi-pendant canopies are available in assorted configurations that are compatible with the following pendant designs to create a stunning visual display.

• Cornet • Ellipse • Galaxy • Gratis • Idol • Liberty • Luna • Magneta • Magnum • Opus • Spindle • Spirit









3-8-6318 - 3 light - 13.125"(w) x 2.25"(h)











OPTIONAL 1/2" DOWNRODS

These downrods allow you to choose how far your fan will hang from the ceiling. We offer a complete line of extension rods to match oxygen finishes. Remember your fan should always hang at least 7 feet above the floor.

DOWNROD FINISH	12"	18"	24"	36"	48"	60"	72"
White	3-6-1206	3-6-1806	3-6-2406	3-6-3606	3-6-4806	3-6-6006	3-6-7206
Black	3-6-1215	3-6-1815	3-6-2415	3-6-3615	3-6-4815	3-6-6015	3-6-7215
Polished Nickel	3-6-1220	3-6-1820	3-6-2420	3-6-3620	3-6-4820	3-6-6020	3-6-7220
Oiled Bronze	3-6-1222	3-6-1822	3-6-2422	3-6-3622	3-6-4822	3-6-6022	3-6-7222
Satin Nickel	3-6-1224	3-6-1824	3-6-2424	3-6-3624	3-6-4824	3-6-6024	3-6-7224



FAN PERFORMANCE BY ROOM

ROOM SIZE	SQUARE FEET	ROOM TYPE	FAN SWEEP	CUBIC FEET/MINUTE (CFM)
small	80 sq. ft or less	utility room, bathroom, closet	20" - 28"	1500 - 3500
medium	90-120 sq. ft or less	small bedroom, office, bathroom	38" - 52"	3500 - 5000
large	125-300 sq. ft	kitchen, bedroom, dining room, living room	52" - 56"	5000 - 8000
great	350-400 sq. ft	great room, master suite, outdoor	56" - 99"	7000 - 15000

DIFFUSERS



















FINISHES

























INDEX

item # pg #	item # pg #	item # pg #	item # pg #
2-5170-224 106	3-105-024 15	3-113-1540 09	3-333-22 136
3-100-15 19	3-105-06 15	3-113-24 09	3-333-24 137
3-100-20 18	3-106-22 30	3-113-640 08	3-333-6 137
3-100-22 18	3-106-24 31	3-114-15 05	3-334-15 136
3-100-24 18	3-106-6 31	3-114-24 04	3-334-22 136
3-100-6 18	3-107-15 34	3-114-6 05	3-334-24 136
3-101-15 27	3-107-24 35	3-115-15 07	3-334-6 136
3-101-20 27	3-107-6 35	3-115-24 07	3-36-1540 82
3-101-22 27	3-108-15 23	3-115-640 07	3-36-2440 82
3-101-24 27	3-108-24 23	3-20-1550 60	3-36-5224 82
3-101-40 27	3-108-40 23	3-20-650 60	3-48-1540 83
3-101-6 27	3-1084-15 20, 23	3-21-1550 60	3-48-2440 83
3-102-15 29	3-1084-24 20, 23	3-21-650 60	3-48-5224 83
3-102-20 29	3-1084-40 20, 23	3-22-15 57	3-50-1540
3-102-22 29	3-109-15 25	3-22-6 57	3-50-650
3-102-24 29	3-109-22 25	3-23-15 57	3-500-18 132
3-102-40 29	3-109-24 25	3-23-6 57	3-500-40 133
3-102-6 29	3-109-40 25	3-24-15 39	3-5000-15 131
3-103-15 17	3-109-6 25	3-24-1540 82	3-5000-20 131
3-103-20 17	3-110-15 11	3-24-2440 82	3-5000-24 130
3-103-22 17	3-110-24 11	3-24-40 39	3-5000-40 131
3-103-24 16	3-110-6 11	3-24-5224 82	3-5001-15
3-103-6 17	3-111-15	3-25-15 63	3-5001-20
3-104-15 33	3-111-24 13	3-28-1540 36	3-5001-24
3-104-20 32	3-111-6 13	3-332-15 137	3-5002-15
3-104-22 32	3-112-15 21	3-332-22 137	3-5002-20
3-104-24 32	3-112-24 21	3-332-24 137	3-5002-24
3-104-6 32	3-112-40 21	3-332-6 137	3-5003-15
3-105-022 15	3-113-15 09	3-333-15 137	3-5003-20
	I		

item # pg #	item # pg #	item # pg #	item # pg #
3-5003-24	3-509-24 122	3-563-214 129	3-6-4820 182
3-5010-15 124	3-509-40 122	3-563-224 129	3-6-4822 182
3-5010-20 125	3-51-1540 116	3-584-1540 115	3-6-4824 182
3-5010-24 125	3-51-650 116	3-587-124 118	3-6-6006 182
3-5010-40 125	3-514-14 121	3-587-195 118	3-6-6015 182
3-5011-15 109	3-514-22 121	3-587-224 119	3-6-6020 182
3-5011-20 109	3-514-24 121	3-587-295 119	3-6-6022 182
3-5011-24 109	3-514-40 121	3-6-1206 182	3-6-6024 182
3-5012-15 108	3-52-1540	3-6-1215 182	3-6-7206 182
3-5012-20 108	3-52-650	3-6-1220 182	3-6-7215 182
3-5012-24 108	3-521-14 120	3-6-1222 182	3-6-7220 182
3-5013-15 109	3-521-22 120	3-6-1224 182	3-6-7222 182
3-5013-20 109	3-521-24 120	3-6-1806 182	3-6-7224 182
3-5013-24 109	3-521-40 120	3-6-1815 182	3-60-15 78
3-5020-15 134	3-53-1550 104	3-6-1820 182	3-60-30 78
3-5020-24 135	3-53-650 104	3-6-1822 182	3-60-6 78
3-5020-40 134	3-536-22 107	3-6-1824 182	3-603-24 53
3-5021-15 113	3-536-24 107	3-6-2406 182	3-603-40 53
3-5021-24 113	3-536-40 107	3-6-2415 182	3-605-24 48
3-5022-15 112	3-537-22 106	3-6-2420 182	3-605-40 48
3-5022-24 112	3-537-24 106	3-6-2422 182	3-607-124 90
3-5023-15 113	3-537-40 106	3-6-2424 182	3-607-140 90
3-5023-24 113	3-54-1550 104	3-6-3606 182	3-607-24 91
3-504-14 127	3-54-650 104	3-6-3615 182	3-607-40 91
3-504-15 126	3-555-22 107	3-6-3620 182	3-609-124 85
3-504-24 127	3-555-24 107	3-6-3622 182	3-609-14 85
3-504-25 127	3-555-40 107	3-6-3624 182	3-609-1414 84
3-504-40 127	3-563-114 128	3-6-4806 182	3-61-15 79
3-509-18 123	3-563-124 128	3-6-4815 182	3-61-30 79

INDEX

| item # pg # |
|---------------|---------------|---------------|---------------|
| 3-61-6 79 | 3-636-40 46 | 3-653-114 92 | 3-672-24 89 |
| 3-614-1540 75 | 3-637-24 47 | 3-653-124 92 | 3-672-40 89 |
| 3-614-1624 75 | 3-637-40 47 | 3-653-14 93 | 3-673-20 88 |
| 3-6140-15 55 | 3-64-15 77 | 3-653-140 92 | 3-673-22 88 |
| 3-6140-24 55 | 3-64-24 77 | 3-653-24 93 | 3-673-24 88 |
| 3-6141-15 54 | 3-64-40 77 | 3-653-40 93 | 3-673-40 88 |
| 3-6141-24 55 | 3-64-6 77 | 3-657-15 43 | 3-674-24 71 |
| 3-6142-24 44 | 3-641-1540 58 | 3-657-24 43 | 3-674-40 71 |
| 3-6142-40 44 | 3-641-1624 58 | 3-657-40 42 | 3-68-15 98 |
| 3-6143-24 44 | 3-644-15 138 | 3-66-15 100 | 3-68-24 98 |
| 3-6143-40 45 | 3-644-22 138 | 3-66-24 100 | 3-68-40 98 |
| 3-62-15 96 | 3-644-24 138 | 3-66-40 100 | 3-68-6 98 |
| 3-62-24 96 | 3-644-6 138 | 3-66-6 100 | 3-680-15 67 |
| 3-62-40 96 | 3-645-15 139 | 3-663-1540 64 | 3-680-24 67 |
| 3-62-6 96 | 3-645-22 139 | 3-663-1624 64 | 3-680-40 67 |
| 3-622-15 141 | 3-645-24 139 | 3-67-15 101 | 3-681-15 67 |
| 3-622-24 141 | 3-645-6 139 | 3-67-24 101 | 3-681-24 67 |
| 3-623-14 141 | 3-646-1540 73 | 3-67-40 101 | 3-681-40 67 |
| 3-623-15 141 | 3-647-1540 73 | 3-67-6 101 | 3-684-1540 40 |
| 3-623-24 141 | 3-65-15 76 | 3-670-20 89 | 3-685-1540 40 |
| 3-624-14 140 | 3-65-24 76 | 3-670-22 89 | 3-686-1540 69 |
| 3-624-24 140 | 3-65-40 76 | 3-670-24 89 | 3-69-15 99 |
| 3-626-14 140 | 3-65-6 76 | 3-670-40 89 | 3-69-24 99 |
| 3-626-24 140 | 3-651-1314 80 | 3-671-20 89 | 3-69-40 99 |
| 3-63-15 97 | 3-651-14 81 | 3-671-22 89 | 3-69-6 99 |
| 3-63-24 97 | 3-651-2018 81 | 3-671-24 89 | 3-690-15 102 |
| 3-63-40 97 | 3-652-1314 87 | 3-671-40 89 | 3-690-24 102 |
| 3-63-6 97 | 3-652-14 87 | 3-672-20 89 | 3-690-40 102 |
| 3-636-24 46 | 3-652-2018 86 | 3-672-22 89 | 3-6900-15 94 |
| | | | |

| item # pg # |
|--------------|--------------|--------------|-------------------|
| 3-6900-24 94 | 3-725-24 149 | 3-757-15 144 | 3-9-100 19 |
| 3-6900-40 94 | 3-726-16 161 | 3-758-15 145 | 3-9-101 26, 28 |
| 3-6901-15 94 | 3-726-22 161 | 3-8-61306 15 | 3-9-102 17, 33 |
| 3-6901-24 94 | 3-727-16 160 | 3-8-61322 15 | 3-9-108-1520, 23 |
| 3-6901-40 94 | 3-727-22 160 | 3-8-61324 15 | 3-9-108-2420, 23 |
| 3-6902-15 94 | 3-728-15 170 | 3-8-6314 181 | 3-9-108-4020, 23 |
| 3-6902-24 94 | 3-728-16 171 | 3-8-6318 181 | 3-9-109-2425 |
| 3-6902-40 94 | 3-728-22 171 | 3-8-6324 181 | 3-9-110-15 11, 13 |
| 3-6903-15 95 | 3-732-15 173 | 3-8-6340 181 | 3-9-110-24 11, 13 |
| 3-6903-24 95 | 3-732-16 173 | 3-8-6514 181 | 3-9-110-6 11, 13 |
| 3-6903-40 95 | 3-733-15 159 | 3-8-6518 181 | 32-630-15 142 |
| 3-691-15 103 | 3-733-16 158 | 3-8-6524 181 | 32-630-24 142 |
| 3-691-24 102 | 3-734-15 166 | 3-8-6540 181 | 32-630-40 143 |
| 3-691-40 102 | 3-734-16 167 | 3-8-6714 181 | 32-631-15 143 |
| 3-696-24 51 | 3-735-15 169 | 3-8-6718 181 | 32-631-24 143 |
| 3-696-40 51 | 3-735-16 168 | 3-8-6724 181 | 32-631-40 143 |
| 3-697-24 50 | 3-743-15 165 | 3-8-6740 181 | |
| 3-697-40 51 | 3-744-15 165 | 3-8-7214 181 | |
| 3-707-15 151 | 3-745-15 165 | 3-8-7218 181 | |
| 3-708-15 178 | 3-746-15 175 | 3-8-7224 181 | |
| 3-708-16 178 | 3-746-16 174 | 3-8-7240 181 | |
| 3-720-16 163 | 3-747-15 177 | 3-8-7314 181 | |
| 3-720-22 163 | 3-747-16 176 | 3-8-7318 181 | |
| 3-721-16 163 | 3-748-15 157 | 3-8-7324 181 | |
| 3-721-22 162 | 3-748-16 156 | 3-8-7340 181 | |
| 3-722-15 154 | 3-753-15 153 | 3-8-7514 181 | |
| 3-723-15 154 | 3-754-15 153 | 3-8-7518 181 | |
| 3-724-15 154 | 3-755-15 146 | 3-8-7524 181 | |
| 3-725-15 148 | 3-756-15 147 | 3-8-7540 181 | |

NOTES

2021 ORDERING INFORMATION

phone: 877.607.0202 fax: 877.607.0203 email: customersupport@oxygenlighting.com

HOW TO ORDER

Orders are placed with authorized Oxygen sales representatives.

WAREHOUSE/ORDERING HOURS

Warehouse operations are open from 8:00am - 5:30pm Central Standard Time Monday through Friday.

PRICES

Buyer agrees to pay Company's established prices in effect on date of shipment if shipment is from other persons or firms, or on date of delivery if delivered from Company's stock. Prices are F.O.B. shipping point. Where transportation charges are expressly included, the same are based on present rates, and are subject to adjustment for any increase or decrease in effect at time of shipment. Any direct tax, including sales or use tax, imposed by law with respect to the sale or manufacture of any merchandise sold is to be added.

TERMS

All invoices are due and payable on a net 30-day basis from invoice date unless otherwise stated on the invoice. All past due invoices arising hereunder or otherwise owing to Company by Buyer shall bear interest at the maximum rate per annum provided by law, but in no event any rate in excess of that permitted by law.

CREDIT

All sales are subject to approval by the credit department of Company. If the credit rating of Buyer becomes unsatisfactory in the opinion of the credit department of Company prior to delivery of the merchandise covered by any order, the sale may be cancelled by Company. If Buyer fails to fulfill any terms of the purchase agreed upon in connection with this or any other order, Company may defer delivery until compliance therewith is made, or at its option may cancel any sale. For credit approval of new accounts, a completed and signed Company credit application must be in our possession before credit verification can begin. New accounts normally take 48 hours to process. Company uses the services of Dun & Bradstreet and other credit reporting companies for credit analysis. We report delinquent accounts to those companies. We fill orders only after credit approval. Active accounts will be credit determined the same day the order is received. Orders for past due accounts are not shipped until the account status is current.

DELIVERY

Company shall not be responsible for any delay or failure to make delivery which is occasioned by causes beyond its control, including but not restricted to fires, floods, strikes, labor disputes, accidents, embargoes, delays in transportation, fuel, material or labor shortages, failure to obtain delivery from manufacturers or subcontractors, any ruling, regulation or law of any government bureau or agency, or by any Act of God. Delays so caused shall not release Buyer from his obligation to accept and pay for goods. Company's responsibility ceases upon delivery of the merchandise to the carrier.

SHIPPING POINT FOR ALL PURPOSES

All shipments are FOB Company's warehouse, in Fort Worth, Tarrant County, Texas.

SHIPPING METHOD AND CHARGES

Company ships via the least expensive, not necessarily the fastest, carriers. If Buyer has a preferred carrier and wishes to pay the freight charges directly to the carrier, please provide your account number for the carrier of your choice. For basic ground transportation services, the Buyer may be asked to pay a premium for custom selected carriers. Buyer will be required to pay the entire Freight Services charge for any shipments using expedited ground transport or air transport services. All orders are shipped Prepaid and Add, unless the Customer requests to be billed Third Party. For orders of \$500 or more: Freight charges for standard LTL commercial delivery or parcel delivery will be equal to 10% of the total order amount for shipments in the USA. If the invoice is paid within its dating Terms, the customer may deduct the Freight charges. For orders less than \$500 : Freight charges for Standard LTL commercial delivery or parcel delivery will be equal to 10% of the total order amount for shipments in the USA. Any shipment outside the USA, Buyer should contact Company's Customer Service Department for a freight quote. If any items are backordered, they will also be billed at the same freight rate as the original order, when they ship. Company contracts with LTL Freight carriers for standard commercial delivery only. Residential deliveries

or accessorial services from LTL Carriers will incur additional charges that are in addition to the freight rates stated above. If you advise us that you need such services when you place your order, we will prepay for the services and add them to your invoice. Otherwise, the freight carrier will bill you directly for such additional services. Parcel shipments (such as UPS) will not incur additional charges for residential delivery or accessorial services.

SHORTAGE CLAIMS

Any claim for shortage must be made to Company within 3 days of delivery.

FREIGHT CLAIMS

We assure that products are in good condition prior to packing and shipping. Company is not responsible for shipments after they leave our warehouse. The carrier signs for acceptance at that time. Buyers must examine all arriving shipments for evidence of damage or breakage, and must refuse acceptance or file a claim with the carrier for compensation. UNDER NO CIRCUMSTANCES SHALL OXYGEN BE RESPONSIBLE FOR DAMAGE IN U.P.S./FED EX SHIPMENTS. All shipments are FOB Company's warehouse in Fort Worth, Tarrant County, Texas.

RETURNED GOODS

Merchandise Returned for Credit must be accompanied by a returned merchandise authorization (RMA) number issued by Company within 90 days of our invoice date. Merchandise must be returned; freight prepaid, in its original factory sealed packaging and is subject to a 50% restocking fee. Discontinued, non-standard, modified (CDX) or unsaleable merchandise will not be accepted as returned goods for credit. Merchandise Returned Under Warranty for Credit must be accompanied by a return merchandise authorization (RMA) number issued by us within the warranty period. In addition, ceiling fan warranty claims made by Company dealers on behalf of end users must be accompanied by a copy of the end user's dated proof of purchase as evidence of warranty validity. Merchandise must be returned, freight prepaid, in its original factory packaging. Merchandise that has been modified, or is missing parts, or that is not in its original packaging will be repaired and returned freight prepaid (if the warranty claim is approved). If merchandise cannot be repaired, credit will be issued at the invoiced value, less the value of any missing parts.

CANCELLATION BY BUYER

No merchandise may be returned for credit or replacement except on written approval by Company. Orders placed with and accepted by Company may not be cancelled except with Company's written consent. Purchase orders cancelled more than 5 days after the date of Acknowledgement / Proforma are subject to a 50% cancellation fee.

DROP SHIPMENTS

Company reserves the right to refuse drop shipment or pick-up orders that are bound for destinations outside the Buyer's regular or assigned selling or service area. Drop shipments are subject to additional charges and at Company's discretion.

LIMITED WARRANTY

Company warrants that our products are free of defects in workmanship and materials. Such warranty is in lieu of all other warranties including, without limitation, any implied warranties of merchantability or fitness for a particular purpose. Company will, at our sole option, repair or replace, FOB shipping point, freight prepaid within the Continental U.S., any of our products defective in workmanship or materials. Such repair or replacement is the sole and exclusive remedy against Company and is limited to two (2) years from the date of invoice to the original end user of all lighting, ceiling fan and accessory products (except Energy Star lighting products). Company warrants our Energy Star lighting products for three (3) years from the date of the invoice to the original end user. The Company warrants our integral LED light fixtures for five (5) years from the date of invoice to the original end user on driver and array parts. The Company also offers specific warranty on its ceiling fans directly to the original end users of such products and such warranties will vary between models. Consult the warranty inside each ceiling fan box for further information. The Company's warranties are not applicable to any lighting product that is not installed and operated in accordance with the National Electric Code (NEC) and Company's product instructions, including, but not limited to, lamping requirements and installation instructions. Consult the warranty included inside each light fixture box for further information. Company does not warrant any product which

we promote and sell as "discontinued" or any product which has been altered or repaired outside of our factory or any product which, in our opinion, has been subject to abuse, misuse, negligence, accident or improper installation, maintenance or storage. Company will not be responsible for any costs incurred in the removal or reinstallation of any product nor any consequential or incidental damages arising out of or in connection with product use or performance or any breach of aforementioned warranties. The terms, specifications, and conditions contained herein supersede all previous terms, specifications, and conditions, and are subject to change without notice.

PLACE OF PAYMENT AND APPLICABLE LAW

Buyer agrees to pay all sums which may become due under this order or which he may otherwise owe to Company at the principal office of Company in Fort Worth, Tarrant County, Texas. This agreement shall be governed by and construed in accordance with the laws of the State of Texas. Buyer hereby agrees and consents to the jurisdiction of the Courts of the State of Texas and further consents to the exclusive and mandatory venue in Tarrant County, Texas, for any dispute arising between the Company and Buyer.

FORBEARANCE/NO WAIVER

Forbearance or failure of Company to enforce any of these conditions or to exercise any right accruing from any default of Buyer shall not affect or impair Company's rights should such default continue or in case of any subsequent default of Buyer, nor shall such forbearance or failure be deemed a waiver of Company's rights in case of other or future defaults of Buyer.

SECURITY INTEREST

Buyer grants Company a security interest in all goods purchased from Company, the exact description of which goods is found in each invoice presented to Buyer. Buyer appoints Company, as Buyer's attorney-in-fact for purposes of signing and filing with appropriate authority a Financing Statement (UCC-1) or any modification or extension thereof.

CATXLS21

Oxygen Rev. 5-1-20



