

PLURAL

TECH LIGHTING
MODERN COLLECTION



VISUAL COMFORT & Co.

PLURAL

DESIGNED BY SEAN LAVIN



PLURAL

DESIGNED BY SEAN LAVIN



MULTIPLE OPTIONS TO INSTALL FOR A CLEAN APPEARANCE



The included matte white canopy can be painted to match the wall after mudding or even covered in wall paper.





The Plural also ships with a minimal cover plate in a matching finish that sits completely flush with the wall.



Plural also ships with a larger cover plate that sits on the surface of the wall if mudding is not desired.

HEAD PIVOTS FOR PERFECT ILLUMINATION



Max rotation 0-35°



PLURAL DOME

DESIGNED BY SEAN LAVIN



PLURAL DOME 8" PICTURE LIGHT

700PLUD8Z-LED930 (3000K)
DARK BRONZE

700PLUD8NB-LED930 (3000K)
NATURAL BRASS

700PLUD8B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUD8N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 8" | D: 8.9"

Integrated LED | 120V-277V | 5.9W | 230 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com



PLURAL DOME 12" PICTURE LIGHT

700PLUD12Z-LED930 (3000K)
DARK BRONZE

700PLUD12NB-LED930 (3000K)
NATURAL BRASS

700PLUD12B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUD12N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 12" | D: 8.9"

Integrated LED | 120V-277V | 9.4W | 425 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com



PLURAL DOME

DESIGNED BY SEAN LAVIN



PLURAL DOME 18" PICTURE LIGHT

700PLUD18Z-LED930 (3000K)
DARK BRONZE

700PLUD18NB-LED930 (3000K)
NATURAL BRASS

700PLUD18B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUD18N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 18" | D: 8.9"

Integrated LED | 120V-277V | 14.3W | 717 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com



PLURAL DOME 24" PICTURE LIGHT

700PLUD24Z-LED930 (3000K)
DARK BRONZE

700PLUD24NB-LED930 (3000K)
NATURAL BRASS

700PLUD24B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUD24N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 24" | D: 8.9"

Integrated LED | 120V-277V | 19.2W | 1009 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com

PLURAL DOME

DESIGNED BY SEAN LAVIN



PLURAL DOME 30" PICTURE LIGHT

700PLUD30Z-LED930 (3000K)
DARK BRONZE

700PLUD30NB-LED930 (3000K)
NATURAL BRASS

700PLUD30B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUD30N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 30" | D: 8.9"

Integrated LED | 120V-277V | 24.1W | 1302 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com

PLURAL FACETED

DESIGNED BY SEAN LAVIN



PLURAL FACETED 8" PICTURE LIGHT

700PLUF8Z-LED930 (3000K)
DARK BRONZE

700PLUF8NB-LED930 (3000K)
NATURAL BRASS

700PLUF8B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUF8N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 8" | D: 8.9"

Integrated LED | 120V-277V | 5.9W | 230 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com



PLURAL FACETED 12" PICTURE LIGHT

700PLUF12Z-LED930 (3000K)
DARK BRONZE

700PLUF12NB-LED930 (3000K)
NATURAL BRASS

700PLUF12B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUF12N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 12" | D: 8.9"

Integrated LED | 120V-277V | 9.4W | 425 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com

PLURAL FACETED

DESIGNED BY SEAN LAVIN



PLURAL FACETED 18" PICTURE LIGHT

700PLUF18Z-LED930 (3000K)
DARK BRONZE

700PLUF18NB-LED930 (3000K)
NATURAL BRASS

700PLUF18B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUF18N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 18" | D: 8.9"

Integrated LED | 120V-277V | 14.3W | 717 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com



PLURAL FACETED 24" PICTURE LIGHT

700PLUF24Z-LED930 (3000K)
DARK BRONZE

700PLUF24NB-LED930 (3000K)
NATURAL BRASS

700PLUF24B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUF24N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 24" | D: 8.9"

Integrated LED | 120V-277V | 19.2W | 1002 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com

PLURAL FACETED

DESIGNED BY SEAN LAVIN



PLURAL FACETED 30" PICTURE LIGHT

700PLUF30Z-LED930 (3000K)
DARK BRONZE

700PLUF30NB-LED930 (3000K)
NATURAL BRASS

700PLUF30B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUF30N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 30" | D: 8.9"

Integrated LED | 120V-277V | 24.1W | 1302 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com



REMODEL INSTALLATION PROCESS



Cut hole in desired location.



Connect power to junction box.



Screw junction box to the wall. Junction box will grip the interior wall with two wing brackets.



If you choose to use the minimal cover plate you must install the mud plate.



Mud the wall and plate.



Wire the transformer and junction box.



Connect fixture to junction box.



Attach the minimal cover plate until completely flush with the wall.



If you choose to use the 4" canopy then wire the fixture to the junction box.



Attach the 4" canopy by twisting until completely flush with the wall.

NEW CONSTRUCTION INSTALLATION PROCESS



Install junction box between two joists with supplied hanger bar.



Connect power from conduit to junction box.



Install the drywall.



Install the mud plate.



Screw mud plate and junction box to the wall. Junction box will grip the interior wall with two wing brackets.



Mud the wall and plate.



Wire the transformer and junction box.



Connect fixture to junction box.



The included matte white canopy can be painted to match the wall after mudding or even covered in wall paper.



The Plural also ships with a minimal cover plate in a matching finish that sits completely flush with the wall.

SPECIFICATIONS

PLURAL DOME 8" PICTURE LIGHT

P 4

ITEM NUMBER


- Dark Bronze
- 700PLUD8Z-LED927 (2700K)
- 700PLUD8Z-LED930 (3000K)
- Natural Brass
- 700PLUD8NB-LED927 (2700K)
- 700PLUD8NB-LED930 (3000K)
- Nightshade Black
- 700PLUD8B-LED927 (2700K)
- 700PLUD8B-LED930 (3000K)
- Polished Nickel
- 700PLUD8N-LED927 (2700K)
- 700PLUD8N-LED930 (3000K)

SIZE

H: 2" | W: 8" | D: 8.9"

LAMPING

Integrated LED
 Voltage: 120V-277V
 Total Watts: 5.9W
 Delivered Lumens: 230
 CCT: 2700K or 3000K
 CRI: 95
 Dimmable with most LED compatible
 ELV, Triac and 0-10V dimmers



PLURAL DOME 12" PICTURE LIGHT

P 4

ITEM NUMBER


- Dark Bronze
- 700PLUD12Z-LED927 (2700K)
- 700PLUD12Z-LED930 (3000K)
- Natural Brass
- 700PLUD12NB-LED927 (2700K)
- 700PLUD12NB-LED930 (3000K)
- Nightshade Black
- 700PLUD12B-LED927 (2700K)
- 700PLUD12B-LED930 (3000K)
- Polished Nickel
- 700PLUD12N-LED927 (2700K)
- 700PLUD12N-LED930 (3000K)

SIZE

H: 2" | W: 12" | D: 8.9"

LAMPING

Integrated LED
 Voltage: 120V-277V
 Total Watts: 9.4W
 Delivered Lumens: 425
 CCT: 2700K or 3000K
 CRI: 90
 Dimmable with most LED compatible
 ELV, Triac and 0-10V dimmers



PLURAL DOME 18" PICTURE LIGHT

P 6

ITEM NUMBER


- Dark Bronze
- 700PLUD18Z-LED927 (2700K)
- 700PLUD18Z-LED930 (3000K)
- Natural Brass
- 700PLUD18NB-LED927 (2700K)
- 700PLUD18NB-LED930 (3000K)
- Nightshade Black
- 700PLUD18B-LED927 (2700K)
- 700PLUD18B-LED930 (3000K)
- Polished Nickel
- 700PLUD18N-LED927 (2700K)
- 700PLUD18N-LED930 (3000K)

SIZE

H: 2" | W: 18" | D: 8.9"

LAMPING

Integrated LED
 Voltage: 120V-277V
 Total Watts: 14.3W
 Delivered Lumens: 717
 CCT: 2700K or 3000K
 CRI: 95
 Dimmable with most LED compatible
 ELV, Triac and 0-10V dimmers



PLURAL DOME 24" PICTURE LIGHT

P 6

ITEM NUMBER


- Dark Bronze
- 700PLUD24Z-LED927 (2700K)
- 700PLUD24Z-LED930 (3000K)
- Natural Brass
- 700PLUD24NB-LED927 (2700K)
- 700PLUD24NB-LED930 (3000K)
- Nightshade Black
- 700PLUD24B-LED927 (2700K)
- 700PLUD24B-LED930 (3000K)
- Polished Nickel
- 700PLUD24N-LED927 (2700K)
- 700PLUD24N-LED930 (3000K)

SIZE

H: 2" | W: 24" | D: 8.9"

LAMPING

Integrated LED
 Voltage: 120V-277V
 Total Watts: 19.2W
 Delivered Lumens: 1009
 CCT: 2700K or 3000K
 CRI: 95
 Dimmable with most LED compatible
 ELV, Triac and 0-10V dimmers



PLURAL DOME 30" PICTURE LIGHT

P 7

ITEM NUMBER


- Dark Bronze
- 700PLUD30Z-LED927 (2700K)
- 700PLUD30Z-LED930 (3000K)
- Natural Brass
- 700PLUD30NB-LED927 (2700K)
- 700PLUD30NB-LED930 (3000K)
- Nightshade Black
- 700PLUD30B-LED927 (2700K)
- 700PLUD30B-LED930 (3000K)
- Polished Nickel
- 700PLUD30N-LED927 (2700K)
- 700PLUD30N-LED930 (3000K)

SIZE

H: 2" | W: 30" | D: 8.9"

LAMPING

Integrated LED
 Voltage: 120V-277V
 Total Watts: 24.1W
 Delivered Lumens: 1302
 CCT: 2700K or 3000K
 CRI: 95
 Dimmable with most LED compatible
 ELV, Triac and 0-10V dimmers



PLURAL FACETED 8" PICTURE LIGHT

P 8

ITEM NUMBER


- Dark Bronze
- 700PLUF8Z-LED927 (2700K)
- 700PLUF8Z-LED930 (3000K)
- Natural Brass
- 700PLUF8NB-LED927 (2700K)
- 700PLUF8NB-LED930 (3000K)
- Nightshade Black
- 700PLUF8B-LED927 (2700K)
- 700PLUF8B-LED930 (3000K)
- Polished Nickel
- 700PLUF8N-LED927 (2700K)
- 700PLUF8N-LED930 (3000K)

SIZE

H: 2" | W: 8" | D: 8.9"

LAMPING

Integrated LED
 Voltage: 120V-277V
 Total Watts: 5.9W
 Delivered Lumens: 230
 CCT: 2700K or 3000K
 CRI: 95
 Dimmable with most LED compatible
 ELV, Triac and 0-10V dimmers



PLURAL FACETED 12" PICTURE LIGHT

P 8

ITEM NUMBER


- Dark Bronze
- 700PLUF12Z-LED927 (2700K)
- 700PLUF12Z-LED930 (3000K)
- Natural Brass
- 700PLUF12NB-LED927 (2700K)
- 700PLUF12NB-LED930 (3000K)
- Nightshade Black
- 700PLUF12B-LED927 (2700K)
- 700PLUF12B-LED930 (3000K)
- Polished Nickel
- 700PLUF12N-LED927 (2700K)
- 700PLUF12N-LED930 (3000K)

SIZE

H: 2" | W: 12" | D: 8.9"

LAMPING

Integrated LED
 Voltage: 120V-277V
 Total Watts: 9.4W
 Delivered Lumens: 425
 CCT: 2700K or 3000K
 CRI: 95
 Dimmable with most LED compatible
 ELV, Triac and 0-10V dimmers



PLURAL FACETED 18" PICTURE LIGHT

P 9

ITEM NUMBER


- Dark Bronze
- 700PLUF18Z-LED927 (2700K)
- 700PLUF18Z-LED930 (3000K)
- Natural Brass
- 700PLUF18NB-LED927 (2700K)
- 700PLUF18NB-LED930 (3000K)
- Nightshade Black
- 700PLUF18B-LED927 (2700K)
- 700PLUF18B-LED930 (3000K)
- Polished Nickel
- 700PLUF18N-LED927 (2700K)
- 700PLUF18N-LED930 (3000K)

SIZE

H: 2" | W: 18" | D: 8.9"

LAMPING

Integrated LED
 Voltage: 120V-277V
 Total Watts: 14.3W
 Delivered Lumens: 717
 CCT: 2700K or 3000K
 CRI: 95
 Dimmable with most LED compatible
 ELV, Triac and 0-10V dimmers



PRODUCT SPECIFICATIONS

PICTURE LIGHTS

PLURAL FACETED 24" PICTURE LIGHT

P 9

ITEM NUMBER


Dark Bronze
700PLUF24Z-LED927 (2700K)
700PLUF24Z-LED930 (3000K)
Natural Brass
700PLUF24NB-LED927 (2700K)
700PLUF24NB-LED930 (3000K)
Nightshade Black
700PLUF24B-LED927 (2700K)
700PLUF24B-LED930 (3000K)
Polished Nickel
700PLUF24N-LED927 (2700K)
700PLUF24N-LED930 (3000K)

SIZE

H: 2" | W: 24" | D: 8.9"

LAMPING

Integrated LED
Voltage: 120V-277V
Total Watts: 19.2W
Delivered Lumens: 1009
CCT: 2700K or 3000K
CRI: 95
Dimmable with most LED compatible
ELV, Triac and 0-10V dimmers



PLURAL FACETED 30" PICTURE LIGHT

P 10

ITEM NUMBER


Dark Bronze
700PLUF30Z-LED927 (2700K)
700PLUF30Z-LED930 (3000K)
Natural Brass
700PLUF30NB-LED927 (2700K)
700PLUF30NB-LED930 (3000K)
Nightshade Black
700PLUF30B-LED927 (2700K)
700PLUF30B-LED930 (3000K)
Polished Nickel
700PLUF30N-LED927 (2700K)
700PLUF30N-LED930 (3000K)

SIZE

H: 2" | W: 30" | D: 8.9"

LAMPING

Integrated LED
Voltage: 120V-277V
Total Watts: 24.1W
Delivered Lumens: 1302
CCT: 2700K or 3000K
CRI: 95
Dimmable with most LED compatible
ELV, Triac and 0-10V dimmers



VISUAL COMFORT & Co.

7400 Linder Avenue
Skokie, IL 60077

Phone: 847.410.4400

techlighting.com | [@techlighting_official](https://www.instagram.com/techlighting_official) | [#techlighting](https://www.facebook.com/techlighting)