

# CORDLESS LIGHTING

2023/2024

**zafferano**  
**A M E R I C A**



---

## Cut The Cord. Shine Light Where You Want It!

Zafferano America proudly presents our 2023/2024 Cordless Lighting catalog. Zafferano offers the most extensive collection of rechargeable, battery-operated LED lamps and lighting fixtures in North America. Cordless Lamps allow you to place light wherever you want it, whenever you want it, without being tied down by a cord, a plug, or an electrical outlet. We offer light that travels with you, illuminating spaces that previously required extensive, expensive electrical efforts or be shrouded in darkness.










Our lamps are designed for indoor and outdoor use, from the rooftop to the garden to the deck to the dining room. The revolutionary technology of the rechargeable lamp, like the introduction of the mobile phone or the wireless mic, will profoundly change your view of the lamp as a utilitarian object, elevating it to an essential part of your daily life. See the lamps that have earned rave reviews from Oprah, The New York Times, The Wall Street Journal, and hundreds of restaurants across the country. Many not only use the lamps on their tables, they offer them in their gift shop as well.





Zafferano America was first to the market with Cordless Lamp innovations including contact-charging, multiple color temperatures, and replaceable batteries. We genuinely believe our lights shine brighter than our competitors and imitators. Our 100% US-based sales, shipping, and customer service teams are fluent in English, Spanish, and Portuguese. We are deeply dedicated to quality and customer satisfaction.





As the exclusive North American distributor of the entire award-winning Lampes-à-Porter cordless lamp collection by Zafferano SRL of Treviso, Italy, we invite you to experience our superior design, engineering, and quality. Once you've used one of our lamps, you will understand why Zafferano is the originator and industry leader in battery-operated, rechargeable Cordless Lighting.




# Index of Collections






									
6	8	14	18	24	28	32	36	40	44
<b>Poldina</b>	Table lamp	Lido	Mini	Micro	L Floor Lamp	L Desk Lamp	xxL Floor Lamp	Upside Down	Peg Magnetic








							
48	52	56	62	64	68	70	74
Suspension Magnetic	Wall Magnetic	Lampshades	<b>Theta</b>	Table lamp	<b>Olivia</b>	Table lamp	Mini




					
78	80	84	86	90	94
<b>Ofelia</b>	Table lamp	<b>Pina</b>	Table lamp	Lamp Stand	Ceramic Tray

						
98	100	104	108	112	114	116
<b>Swap</b>	Table lamp	Lampshades	Mini	Mini Shades	<b>PushUp</b>	Table lamp

			
120	122	126	128
<b>Home</b>	Table lamp	<b>Dama</b>	Table lamp

						
132	134	136	140	144	148	150
<b>Olimpia</b>	Table lamp	<b>Sister Light</b>	Table lamp	Mini	Peg	Wall

						
152	154	160	164	166	168	170
<b>Pencil</b>	Lighting module with accessories					

			
178	178	180	182
<b>Accessories</b>	Bases and chargers	Multi-contact charging base	Battery packs

# Poldina





# Poldina Pro




The original Poldina has often been imitated, but never equaled. Poldina has redefined the cordless lamp since its introduction in 2018, elevating indoor and outdoor spaces with style and light. In this catalog we offer many new finishes. Features include touch-dimming control and 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow.

## TECHNICAL DATA

LED 2.2W • 234lm - 251lm - 256lm DIMMABLE  
3-CCT (2200K/2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP65 Rated (Salt Spray Tested 500 hours)




4.3"  
11cm



3.9" x 3.9"  
10 x 10cm

14.9"  
38 cm



3.7" x 3.7"  
9.4 x 9.4cm

Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 12 hours at full charge  
Charging time approximately 6-7 hours  
Polycarbonate light diffuser  
Powder-coated finishes suitable for indoor or outdoor use

Gold Leaf, Silver Leaf, Copper Leaf, Glossy Gold, and Glossy Chrome finishes may tarnish or peel if left outdoors for extended time periods

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adaptor Plug



**LD0340B4**  
White



**LD0340R4**  
Rust



**LD0340N4**  
Dark Grey



**LD0340S4**  
Sand




**LD0340U4**  
Ruby Red

NEW



**LD0340Y4**  
Steel Blue

NEW




**LD0340A4**  
Blue



**LD0340M4**  
Dark Green



**LD0340G4**  
Sage



**LD0340P4**  
Pink



**LD0340F4**  
Red



**LD0340X4**  
Burgundy



**LD0340D4**  
Black


NEW



**LD0340BFO\***  
Gold Leaf  
(hand applied)



**LD0340BFA\***  
Silver Leaf  
(hand applied)



**LD0340RFR\***  
Copper Leaf  
(hand applied)



**LD0340O4\***  
Glossy Gold

NEW



**LD0340C4\***  
Glossy Chrome

NEW

\*Lamps with Gold Leaf, Silver Leaf, Copper Leaf, Glossy Gold, and Glossy Chrome finishes are not suitable for outdoor use



# Poldina Lido

Glass and ceramic items featured are part of  
the Zafferano Tableware Collection



# Poldina Pro Lido

NEW




The Poldina Lido combines our modern cordless lamp with the timeless craftsmanship of Italian ceramics. The partnership with a long-established factory in Civita Castellana—a village near Rome, where the art of ceramics has been practiced since the 10th century BC—allows Zafferano to offer products which are made exclusively in Italy by hand.

## TECHNICAL DATA

LED 2.2W • 234lm - 251lm - 256lm DIMMABLE  
3-CCT (2200K/2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP65 Rated (Salt Spray Tested 500 hours)




4.3"  
11cm



3.9" x 3.9"  
10 x 10cm

14.9"  
38 cm



3.7" x 3.7"  
9.4 x 9.4cm

Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 12 hours at full charge  
Charging time approximately 6-7 hours  
Powder-coated die-cast aluminum components  
Polycarbonate light diffuser  
Suitable for indoor or outdoor use

Ceramic shades can be purchased separately.  
See pages 50-55

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adaptor Plug





**LD0340BC1**  
White Lamp  
Green Striped Shade



**LD0340BC2**  
White Lamp  
Yellow Striped Shade



**LD0340BC3**  
White Lamp  
Blue Striped Shade



**LD0340FC1**  
Red Lamp  
Red Striped Shade



**LD0340AC1**  
Blue Lamp  
Light Blue Fish Shade





# Poldina Pro Mini




At only 12" tall the Poldina Mini allows comfortable conversation across the dining table. Our most popular choice for outdoor dining tables, this battery-operated and rechargeable portable table lamp features touch-dimming control and has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow.

## TECHNICAL DATA

LED 2.2W • 234lm - 251lm - 256lm DIMMABLE  
3-CCT (2200K/2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP65 Rated (Salt Spray Tested 500 hours)




4.3"  
11cm



3.9" x 3.9"  
10 x 10cm

11.8"  
30 cm



3.7" x 3.7"  
9.4 x 9.4cm

Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 12 hours at full charge  
Charging time approximately 6-7 hours  
Polycarbonate light diffuser  
Powder-coated finishes suitable for indoor or outdoor use

Gold Leaf, Silver Leaf, Copper Leaf, Glossy Gold, and Glossy Chrome finishes may tarnish or peel if left outdoors for extended time periods

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adaptor Plug





**LD0320B4**  
White



**LD0320R4**  
Rust



**LD0320N4**  
Dark Grey



**LD0320BFO\***  
Gold Leaf  
(hand applied)



**LD0320BFA\***  
Silver Leaf  
(hand applied)



**LD0320RFR\***  
Copper Leaf  
(hand applied)



**LD0320G4**  
Sage



**LD0320D4**  
Black



**LD0320S4**  
Sand



**LD0320O4\***  
Glossy Gold



**LD0320C4\***  
Glossy Chrome

\*Lamps with Gold Leaf, Silver Leaf, Copper Leaf, Glossy Gold, and Glossy Chrome finishes are not suitable for outdoor use

# Poldina Micro





# Poldina Pro Micro

NEW




The Poldina Micro is a cordless lamp for smaller spaces available in exciting bold colors. The battery-operated and rechargeable portable table lamp features touch-dimming control and has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow.

## TECHNICAL DATA

LED 1.8W - 174lm-177lm-179lm DIMMABLE  
3-CCT (2200K/2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP65 Rated (Salt Spray Tested 500 hours)




2.8"  
7cm



2.8" x 2.8"  
7 x 7cm

10.8"  
27.5 cm



AC Adaptor Plug  
not included

2.6" x 2.6"  
6.7 x 6.7cm

Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 7-8 hours at full charge  
Charging time approximately 3-4 hours  
Polycarbonate light diffuser  
Powder-coated finishes suitable for indoor or outdoor use

Glossy Gold and Glossy Chrome finishes may tarnish or peel if left outdoors for extended time periods

## ACCESSORIES INCLUDED

Contact charging base



**LD0490B3**  
White



**LD0490R3**  
Rust



**LD0490N3**  
Dark Grey



**LD0490D3**  
Black



**LD0490L3**  
Lilac



**LD0490K3**  
Capri Blue



**LD0490V3**  
Apple Green



**LD0490Z3**  
Orange



**LD0490G3**  
Sage



**LD0490P3**  
Pink



**LD0490F3**  
Red



**LD0490S3**  
Sand



**LD049003\***  
Glossy Gold



**LD0490C3\***  
Glossy Chrome

\*Lamps with Glossy Gold and Glossy Chrome finishes are not suitable for outdoor use.



# Poldina Pro L Floor Lamp




Poldina L brings light where you want it for reading or ambience in your living room, bedroom, or patio. Features touch-dimming control and has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow. The center column consists of 3 stems to allow the height to be adjusted from a minimum 20.4 inches to 48 inches.

## TECHNICAL DATA


LED 5.5W • 479lm - 540lm - 550lm DIMMABLE  
3-CCT (2200K/2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP54 Rated (Salt Spray Tested 500 hours)




6.5"  
16.5cm




48"  
122cm



34.2"  
87cm




20.4"  
52cm



13.8"  
35cm

5.9" x 5.9"  
15 x 15cm



6.6" x 6.6"  
17 x 17cm

Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 11 hours at full charge  
Charging time approximately 11 hours  
Powder-coated die-cast aluminum components  
Polycarbonate light diffuser  
Suitable for indoor or outdoor use

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adaptor Plug  
3-Stem Kit



**LD0390B4**  
White



**LD0390R4**  
Rust



**LD0390N4**  
Dark Grey



**LD0390S4**  
Sand



**LD0390D4**  
Black





# Poldina Pro L Desk Lamp


NEW



Poldina L Desk marries the Poldina L Floor lamp head with a heavier, one-piece base to make a larger, more powerful version of our best-selling Poldina Pro Table Lamp. Battery-operated and rechargeable, the Poldina L Desk lamp features dimming touch control and has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow.

## TECHNICAL DATA

LED 5.5W • 479lm - 540lm - 550lm DIMMABLE  
3-CCT (2200K/2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP54 Rated (Salt Spray Tested 500 hours)



Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 11 hours at full charge  
Charging time approximately 11 hours  
Powder-coated die-cast aluminum components  
Polycarbonate light diffuser  
Suitable for indoor or outdoor use

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adaptor Plug

NEW



**LD0395B4**  
White



**LD0395R4**  
Rust



**LD0395N4**  
Dark Grey



**LD0395S4**  
Sand



**LD0395D4**  
Black




# Poldina Pro XXL Floor Lamp



Poldina XXL is designed for grand indoor and outdoor spaces with a distinct profile and ample light output. Features touch-dimming control and has 2-CCT color temperature selection for 2700K (warm white) or 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight. The center column consists of 3 stems to allow the height to be adjusted from a minimum 27.3 inches to 59 inches.

## TECHNICAL DATA

LED 6.5W • 470lm - 500lm DIMMABLE  
2-CCT (2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP54 Rated (Salt Spray Tested 500 hours)



Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 15 hours at full charge  
Charging time approximately 20 hours  
Powder-coated die-cast aluminum components  
Polycarbonate light diffuser  
Suitable for indoor or outdoor use

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adaptor Plug  
3-Stem Kit





**LD0360B3**  
White

**LD0360R3**  
Rust

**LD0360N3**  
Dark Grey

**LD0360S3**  
Sand

**LD0360D3**  
Black

NEW

NEW



# Poldina Pro Upside Down Table Lamp


NEW



The Poldina Pro Upside Down lamp offers the opportunity to create unlimited decorative arrangements in the base of a cordless lamp. The base holds a food-grade removable plastic tray suitable for holding nuts or snack mixes, condiments, amuse-bouches, or dried floral arrangements such as the ones shown in the photograph above. With the tray removed, the base is water-tight and can hold potted succulents or cut fresh flowers.

## TECHNICAL DATA

LED 2.2W • 234lm - 251lm - 256lm DIMMABLE  
3-CCT (2200K/2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP54 Rated (Salt Spray Tested 500 hours)



Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 12 hours at full charge  
Charging time approximately 6-7 hours  
Powder-coated die-cast aluminum components  
Polycarbonate light diffuser  
Suitable for indoor or outdoor use

Flower arrangements and condiments not included

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adaptor Plug



NEW



**LD0420B4**  
White



**LD0420R4**  
Rust



**LD0420N4**  
Dark Grey



**LD0420S4**  
Sand



**LD0420G4**  
Sage



# Poldina Pro Peg Magnetic


NEW



The Poldina Peg Magnetic is a solution for bringing light to gardens, patios, and pathways without costly wires and transformers. The head is attached magnetically and can easily be removed and brought inside for charging. Additional stems (LD0283) can be purchased separately to increase the height of the lamp. Features touch-dimming control and has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow.

## TECHNICAL DATA

LED 2.2W • 234lm - 251lm - 256lm DIMMABLE  
3-CCT (2200K/2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP54 Rated (Salt Spray Tested 500 hours)



Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 10 hours at full charge  
Charging time approximately 6-8 hours  
Powder-coated die-cast aluminum components  
Polycarbonate light diffuser  
Suitable for indoor or outdoor use

The magnetic head can be removed from the stem to allow for convenient charging

For optimum stability of the lamp, we recommend a maximum of three stems. There is no guarantee when using more than 3 stems.

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adaptor Plug  
(1) Stem extension





**LD0682B4**  
White



**LD0682R4**  
Rust



**LD0682N4**  
Dark Grey



**LD0283B3**  
White



**LD0283R3**  
Rust



**LD0283N3**  
Dark Grey



# Poldina Pro Suspension Magnetic


NEW



Hang this versatile fixture from a tree branch, over a covered patio, or from the roof of a gazebo to bring light where you want it. The head is attached magnetically and can easily be removed for charging. Features touch-dimming control and has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow.

## TECHNICAL DATA

LED 2.2W • 234lm - 251lm - 256lm DIMMABLE  
3-CCT (2200K/2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP54 Rated (Salt Spray Tested 500 hours)



Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 10 hours at full charge  
Charging time approximately 6-8 hours  
Powder-coated die-cast aluminum components  
Polycarbonate light diffuser  
Suitable for indoor or outdoor use  
Rope not included

The magnetic head can be removed from the decorative ring to allow for convenient charging

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adaptor Plug





**LD0686B4**  
White



**LD0686R4**  
Rust



**LD0686N4**  
Dark Grey



# Poldina Pro Wall Magnetic


NEW




Poldina Pro Wall Magnetic is a simple solution for walls without wires, indoors or out. The head is attached magnetically and can easily be removed for recharging and the mounting brackets are attached with two hidden screws. Features dimming touch control and has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow.

## TECHNICAL DATA

LED 2.2W • 234lm - 251lm - 256lm  
DIMMABLE  
3-CCT (2200K/2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP54 Rated (Salt Spray Tested 500 hours)



**LD0688**  
Wall sconce with mounting bracket



**LD0689**  
Wall sconce with mounting hook and decorative ring

Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 10 hours at full charge  
Charging time approximately 6-8 hours  
Powder-coated die-cast aluminum components  
Polycarbonate light diffuser  
Suitable for indoor or outdoor use

The magnetic head can be removed from the body to allow for convenient charging

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adaptor Plug





**LD0688B4**  
White



**LD0688R4**  
Rust



**LD0688N4**  
Dark Grey



**LD0689B4**  
White



**LD0689R4**  
Rust



**LD0689N4**  
Dark Grey



# Poldina Lido Shades

NEW




Introducing the Lido line of hand-decorated ceramic accessory shades for the Poldina Pro series. The shades are made specifically to fit over the head of the lamps for a perfect custom fit and are made in Civita Castellana, Italy. The Lido shades add whimsy and flair to the Poldina Pro, Poldina Pro Mini, Poldina Suspension, Poldina Wall, Poldina Peg and Poldina Upside Down.

## TECHNICAL DATA

For Poldina Pro & Poldina Pro Mini,  
Poldina Wall, Poldina Suspension,  
Poldina Peg, and Poldina Upside Down

Lamps to be purchased separately  
Suitable for indoor/outdoor use



**SDZA-340-BC1**  
Lido Green



**SDZA-340-BC2**  
Lido Yellow



**SDZA-340-BC3**  
Lido Blue



**SDZA-340-FC1**  
Lido Red



**SDZA-340-AC1**  
Light Blue Fish

# Poldina Ceramic Shades

NEW




Introducing hand-decorated ceramic accessory shades for the Poldina Pro collection which coordinate with the Perle, Reablu, and Holiday tableware lines by Zafferano. The shades are made in Civita Castellana, Italy to fit over the head of the Poldina, Poldina Wall, Poldina Peg, and Poldina Upside Down.

## TECHNICAL DATA

For Poldina Pro & Poldina Pro Mini, Poldina Wall, Poldina Suspension, Poldina Peg, and Poldina Upside Down

Lamps to be purchased separately  
Suitable for indoor/outdoor use



**SDZA-340-PD02**  
Perle Black



**SDZA-340-PD07**  
Perle Blue



**SDZA-340-PD13**  
Perle Green



**SDZA-340-PD11**  
Perle Red



**SDZA-340-RLB**  
Reablu



**SDZA-340-HL**  
Holiday



# Poldina Wicker Shades


NEW



Introducing wicker shades to accessorize our Poldina collection, created in partnership with Maison Maison. Shades come in three sizes: Poldina Pro/Poldina Pro Mini, Poldina L, and Poldina XXL.


## TECHNICAL DATA

Lamps to be purchased separately  
Suitable for indoor/outdoor use




### Small (SDMM-340)

For Poldina Pro & Poldina Pro Mini, Poldina Wall, Poldina Suspension, Poldina Peg, and Poldina Upside Down



### Large (SDMM-390)

For Poldina L Desk & Poldina L Floor



### XXL (SDMM-360)

For Poldina XXL Floor



**SDMM-340-ESG**  
**SDMM-390-ESG**  
**SDMM-360-ESG**  
Empire Seagrass



**SDMM-340-EWH**  
**SDMM-390-EWH**  
**SDMM-360-EWH**  
Empire Water Hyacinth



**SDMM-340-SWH**  
**SDMM-390-SWH**  
**SDMM-360-SWH**  
Scalloped Water Hyacinth

# Theta





# Theta Pro


NEW



Battery-operated and rechargeable portable table lamp with an elegant profile reminiscent of a hotel call bell. The lamp has a multi-function control knob on top of the metal shade that can be used for dimming and for continuous tunable color temperature from 2200K (candle light) to 3000K (cool white). The integrated LED module and the optical polycarbonate diffuser mounted in the metal shade produce controlled downlight.

## TECHNICAL DATA

LED 2.2W • 214lm - 224lm DIMMABLE  
Tunable CCT from 2200K - 3000K • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP65 Rated (Salt Spray Tested 500 hours)



Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 9 hours at full charge  
Charging time approximately 6-8 hours  
Prismatic polycarbonate light diffuser  
Powder-coated finishes suitable for indoor or outdoor use

Polished Gold, Polished Chrome, and Rose Gold finishes may tarnish or peel if left outdoors for extended time periods

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adaptor Plug



NEW



**LD1000B3**  
Matte White



**LD1000R3**  
Rust



**LD1000D3**  
Matte Black



**LD1000C3\***  
Polished Chrome



**LD1000O3\***  
Polished Gold



**LD1000E3\***  
Rose Gold

\*Lamps with Polished Gold, Polished Chrome and Rose Gold finishes are not suitable for outdoor use





# Olivia

Glass and ceramic items featured are part of  
the Zafferano Tableware Collection



# Olivia Pro



Battery-operated and rechargeable portable table lamp. The lamp features touch-controlled dimming and memory functions, which adjusts the light level and memorizes the most recent settings every time it is switched on. The lamp also has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight.

## TECHNICAL DATA


LED 2.2W • 132/144/150lm DIMMABLE  
3-CCT (2200K/2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP65 Rated (Salt Spray Tested 500 hours)



Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 9 hours at full charge  
Charging time approximately 6-8 hours  
Powder-coated die-cast aluminum components  
Prismatic polycarbonate light diffuser  
Powder-coated finishes suitable for indoor or outdoor use  
ETL Listing Pending

Gold Leaf, Silver Leaf, and Copper Leaf finishes may tarnish or peel if left outdoors for extended time periods

Lamps with Gold Leaf, Silver Leaf, Copper Leaf, and Black finishes are only available in 2-CCT color temperatures: 2700K/3000K



## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adapter Plug





**LD0850B4**  
White



**LD0850R4**  
Rust



**LD0850N4**  
Dark Grey



**LD0850D3**  
Black

NEW



**LD0850BFO\***  
Gold Leaf  
(hand applied)



**LD0850BFA\***  
Silver Leaf  
(hand applied)



**LD0850RFR\***  
Copper Leaf  
(hand applied)

\*Lamps with Gold Leaf, Silver Leaf and Copper Leaf finishes are not suitable for outdoor use



# Olivia Pro Mini


NEW



Olivia Mini is the shorter version of Olivia offered in a selection of bold colors. Features touch-controlled dimming, 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white), and a memory function which adjusts the light level and color temperature to the most recent setting every time it is switched on, and memory function, which adjusts the light level and color temperature to the most recent setting every time it is switched on. The integrated LED module is designed and engineered to produce controlled downlight.

## TECHNICAL DATA

LED 2.2W • 132/144/150lm DIMMABLE  
3-CCT (2200K/2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP65 Rated (Salt Spray Tested 500 hours)



Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 9 hours at full charge  
Charging time approximately 6-8 hours  
Powder-coated die-cast aluminum components  
Polycarbonate light diffuser  
Suitable for indoor or outdoor use

ETL Listing Pending

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adapter Plug



NEW



**LD0860B4**  
White



**LD0860R4**  
Rust



**LD0860N4**  
Dark Grey



**LD0860L4**  
Lilac



**LD0860K4**  
Capri Blue



**LD0860V4**  
Apple Green



**LD0860Z4**  
Orange





# Ofelia






# Ofelia Pro



Battery-operated and rechargeable portable table lamp with a soft square profile and conversation-size height. Features touch-controlled dimming, 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white), and a memory function which adjusts the light level and color temperature to the most recent setting every time it is switched on, and memory function, which adjusts the light level and color temperature to the most recent setting every time it is switched on. The integrated LED module is designed and engineered to produce controlled downlight.

## TECHNICAL DATA

LED 2.2W • 132/144/150lm DIMMABLE  
3-CCT (2200K/2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP65 Rated (Salt Spray Tested 500 hours)



Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts approximately 9 hours at full charge  
Charging time approximately 6-8 hours  
Powder-coated die-cast aluminum components  
Prismatic polycarbonate light diffuser  
Suitable for indoor or outdoor use

ETL Listing Pending

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adapter Plug



**LD0870B4**  
White



**LD0870R4**  
Rust




**LD0870N4**  
Dark Grey



**LD0870S4**  
Sand



**LD0870G4**  
Sage





# Pina






# Pina Pro



The lamp that took over New York and the world, the Pina Pro is our most popular cordless lamp. With brilliant light output large enough for a 5ft diameter table from the tiny cone-shaped head, Pina seems like a magic candle. Features touch-dimming control and 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white) and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight.

## TECHNICAL DATA

LED 2.2W • 185lm DIMMABLE  
3-CCT (2200K/2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP54 Rated (Salt Spray Tested 500 hours)



Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 12 hours at full charge  
Charging time approximately 6-7 hours  
Polycarbonate light diffuser  
Powder-coated finishes suitable for indoor or outdoor use

Gold Leaf, Silver Leaf, Copper Leaf, Glossy Gold, and Glossy Chrome finishes may tarnish or peel if left outdoors for extended time periods

Lamps with leaf finishes are only available in 1-CCT color temperatures: 2700K

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adapter Plug



**LD0650B4**  
White



**LD0650R4**  
Rust



**LD0650N4**  
Dark Grey



**LD0650S4**  
Sand



**LD0650D4**  
Black



**LD0650BFA\***  
Silver Leaf  
(hand applied)



**LD0650BFO\***  
Gold Leaf  
(hand applied)



**LD0650RFR\***  
Copper Leaf  
(hand applied)



**LD065004**  
Glossy Gold



**LD0650C4**  
Glossy Chrome

\*Lamps with Gold Leaf, Silver Leaf, Copper Leaf, Glossy Gold, and Glossy Chrome finishes are not suitable for outdoor use





# Pina Pro Floor Stand

NEW




A special floor stand that turns Pina into a floor lamp or a peg lamp. The bottom section of the stand can be mounted in three different configurations: using the base only, using the peg only, or using both peg and base to increase the stability of the stand when used in the lawn or garden areas. The Pina lamp fits exactly into the tray of the stand for easy removal. The floor stand does not charge the lamp.

## TECHNICAL DATA

Powder coated aluminum components

Lamps to be purchased separately



## ACCESSORIES INCLUDED

(2) Stem extensions

(1) Peg extension

Assembly Kit



NEW



**LD0651B3**  
White

**LD0651D3**  
Black

**LD0651N3**  
Dark Grey

**LD0651S3**  
Sand

**LD0651R3**  
Rust





# Pina Pro Ceramic Tray

NEW




Introducing a unique tray that beautifully marries the sleek design of the Pina lamp with the artistry of our handmade Italian ceramics. The tray can be purely decorative or used as a serving dish that fits the Pina lamp perfectly in the center. Hand-painted in Civita Castellana, Italy.

## TECHNICAL DATA

Food safe, hand-painted stoneware

Lamps to be purchased separately

The tray does not charge the lamp



NEW



**LD065201**  
White/Black



**LD065202**  
Navy Blue/Blue



**LD065203**  
Sand/Light Blue





Swap



# Swap Pro

NEW




This simple rechargeable lamp can be used as shown or accessorized with decorative glass, ceramic, or fabric shades which are sold separately and featured on pages 104-107. Features touch-dimming control at 2700K (warm light). The integrated LED module is designed and engineered to produce controlled downlight.

## TECHNICAL DATA

LED 2.2W • 267lm DIMMABLE  
2700K • CRI>90  
100-240V • 50-60Hz • 5Vdc max 1A  
IP65 Rated (Salt Spray Tested 500 hours)



Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 13 hours at full charge  
Charging time approximately 6 hours  
Powder-coated die-cast aluminum components  
Polycarbonate light diffuser  
Suitable for indoor or outdoor use



## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adapter Plug





**LD1010B3**  
White



**LD1010R3**  
Rust



**LD1010N3**  
Black



# Swap Pro Ceramic & Fabric Shades



NEW



We are pleased to offer ceramic and fabric shades for our Swap lamps. Fabric shades are made with fire-retardant elastic fabric, which is washable and crease-resistant. Ceramic shades are hand-painted in Civita Castellana, Italy. Lampshades fit over the metal top of the lamp using special magnets (included with the shades).

## TECHNICAL DATA

Lamps to be purchased separately



**SDZA-1010-103**  
Ceramic Sand/Light Blue



**SDZA-1010-101**  
Ceramic White/Black



**SDZA-1010-005**  
Handkerchief Black



**SDZA-1010-000**  
Handkerchief White

## ACCESSORIES INCLUDED

Magnet and Cut-Out



# Swap Pro Glass Shades


NEW



We are pleased to offer glass shades for our Swap lamps. Our glass shades are handcrafted, blown borosilicate with large or small colorful hand blown accents. Shades fit over the metal top of the lamp using special magnets (included with the shades).

## TECHNICAL DATA

Lamps to be purchased separately



**SDZA-1010-001**  
25 Dot White



**SDZA-1010-002**  
25 Dot Black



**SDZA-1010-003**  
25 Dot Amber



**SDZA-1010-004**  
25 Dot Blue



**SDZA-1010-011**  
41 Dot White



**SDZA-1010-012**  
41 Dot Black



**SDZA-1010-013**  
41 Dot Amber



**SDZA-1010-014**  
41 Dot Blue

## ACCESSORIES INCLUDED

Magnet and Cut-Out

# Swap Pro Mini

NEW



The Swap Mini offers the same decorative possibilities as its taller counterpart, the Swap Pro, and is offered in bold, cheerful colors and sleek metal finishes. It can be customized using a range of ceramic lampshades which are sold separately and can be found on page 113. Features touch-dimming control at 2700K (warm light). The integrated LED module is designed and engineered to produce controlled downlight.


## TECHNICAL DATA

LED 2.2W • 267lm DIMMABLE  
2700K • CRI>90  
100-240V • 50-60Hz • 5Vdc max 1A  
IP65 Rated (Salt Spray Tested 500 hours)



Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 13 hours at full charge  
Charging time approximately 6 hours  
Polycarbonate light diffuser  
Powder-coated finishes suitable for indoor or outdoor use

**Glossy Gold and Glossy Chrome finishes may tarnish or peel if left outdoors for extended time periods**



## ACCESSORIES INCLUDED

Contact charging base



NEW



**LD1011B3**  
White



**LD1011R3**  
Rust



**LD1011N3**  
Black



**LD1011L3**  
Lilac



**LD1011K3**  
Capri Blue



**LD1011V3**  
Apple Green



**LD1011Z3**  
Orange



**LD101103\***  
Glossy Gold



**LD1011C3\***  
Glossy Chrome

\*Lamps with Glossy Gold and Glossy Chrome finishes are not suitable for outdoor use



# Swap Pro Mini Ceramic Shades


NEW



Swap Mini Ceramic Shades are produced in close partnership with a historic factory in Civita Castellana, Italy. Shades fit over the metal top of the lamp using special magnets (included with the shades).

## TECHNICAL DATA

Lamps to be purchased separately



**SDZA-1011-01**  
White/Black



**SDZA-1011-02**  
Navy Blue/Blue



**SDZA-1011-03**  
Sand/Light Blue



**SDZA-1011-04**  
Light Blue Fish



**SDZA-1011-05**  
Green Dots



**SDZA-1011-06**  
Orange Dots



**SDZA-1011-07**  
Light Blue Dots



**SDZA-1011-08**  
Red Dots



**SDZA-1011-09**  
Black Dots

## ACCESSORIES INCLUDED

Magnet and Cut-Out



# PushUp





# PushUp


NEW



Push down on the top of the PushUp Pro to open the lamp and turn on the light, press down again to close and turn off. This low-profile battery-powered and rechargeable cordless lamp is perfect for outdoor bars, cocktail rooms, and nightclub lounges. The hidden control under the base has three features: on/off, touch-dimming, and 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white).


## TECHNICAL DATA

LED 2.2W • 207lm - 235lm - 248lm DIMMABLE  
3-CCT (2200K/2700K/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP54 Rated (Salt Spray Tested 500 hours)



4.7"  
12cm

3.1 - 3.9"  
8 - 10cm



3.9"  
10cm



AC Adapter Plug  
not included

Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 13 hours at full charge  
Charging time approximately 6-7 hours  
Powder-coated die-cast aluminum components  
Polycarbonate light diffuser  
Suitable for indoor or outdoor use

## ACCESSORIES INCLUDED

Contact charging base





**LD1050B3**  
White



**LD1050R3**  
Rust



**LD1050N3**  
Dark Grey



**LD1050S3**  
Sand





# Home

Glass and ceramic items featured are part of  
the Zafferano Tableware Collection





# Home Pro

NEW



A rechargeable, battery-powered indoor/outdoor cordless lantern that evokes the American Arts & Crafts movement. Home can be converted into a wall lamp with our newly offered Wall Mount Bracket (LD0259, on next page). Features touch-dimming control and a color temperature of 3000K (cool white).


## TECHNICAL DATA

LED 2.2W • 260lm DIMMABLE  
3000K • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP54 Rated (Salt Spray Tested 500 hours)



3.9 x 3.9"  
10 x 10cm

11.6"  
29.4cm




12.9"  
7.5cm

Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 12 hours at full charge  
Charging time approximately 6 hours  
Powder-coated die-cast aluminum components  
Polycarbonate light diffuser  
Suitable for indoor or outdoor use

## HOME WALL MOUNT BRACKET (LD0259)

Wall Mount Bracket must be purchased separately  
Available in White, Rust, Black, Dark Grey, and Sand



1.2"  
3cm

3.8"  
9.7cm

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adapter Plug



NEW



**LD0258B3**  
White



**LD0258R3**  
Rust



**LD0258N3**  
Dark Grey



**LD0258S3**  
Sand



**LD0258D3**  
Black





# Dama




# Dama Pro



The ultra-modern lines of the Dama Pro battery powered rechargeable cordless lamp recall the Starship Enterprise. Features touch-dimming control and 2-CCT color temperature selection for 2700K (warm white) and 3000K (cool white).

## TECHNICAL DATA

LED 2.2W • 166lm-178lm DIMMABLE  
2-CCT (2700/3000K) • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP54 Rated (Salt Spray Tested 500 hours)




Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 9 hours at full charge  
Charging time approximately 6 hours  
Powder-coated die-cast aluminum components  
Polycarbonate light diffuser  
Suitable for indoor or outdoor use

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adapter Plug





**LD0610B3**  
White



**LD0610N3**  
Black



**LD0611B3**  
White with USB Port



**LD0611N3**  
Black with USB Port



# Olimpia





# Olimpia Pro




The glow of a satin opal glass globe brings a festive atmosphere to indoor and outdoor spaces. This battery-powered rechargeable table lamp features touch-dimming control with 3000K (cool white) light. An accessory lens is included to warm the color temperature to 2700K (warm white). The integrated LED module specifically engineered & mounted in the base of the lamp to produce ambient light.

## TECHNICAL DATA

LED 2.2W • 260lm DIMMABLE  
3000K • CRI>80  
100-240V • 50-60Hz • 5Vdc max 1A  
IP54 Rated (Salt Spray Tested 500 hours)




5.9"  
15cm



3"  
8cm

10.2"  
26cm



2.9"  
7.5cm

1.3"  
3.3cm

Rechargeable and replaceable Lithium Ion battery pack  
Contact charging base  
Battery lasts about 9 hours at full charge  
Charging time approximately 6 hours  
Powder-coated die-cast aluminum components  
Satin opal glass globe  
Powder-coated finishes suitable for indoor or outdoor use

Glossy Gold, Glossy Chrome, and Glossy Copper finishes may tarnish or peel if left outdoors for extended time periods

## ACCESSORIES INCLUDED

Contact charging base  
120V AC Adapter Plug  
Lens to change color temperature (2700K)



**LD0900B3**  
White



**LD0900N3**  
Dark Grey



**LD0900R3**  
Rust



**LD090003\***  
Glossy Gold



**LD0900C3\***  
Glossy Chrome



**LD0900E3\***  
Glossy Copper

\*Lamps with Glossy Gold, Glossy Chrome, and Glossy Copper finishes are not suitable for outdoor use





# Sister Light





# Sister Light




Battery-operated and rechargeable portable table lamp with an elegant curved profile. Electronic control system ensures constant luminous output until the battery runs out. A multifunctional touch-control allows 4-step dimming and 3-CCT selection of 2700K (warm white), 3150K (cool white) and 4000K (bright white). The lamp is programmable, allowing the user to fix the CCT and light intensity. The integrated LED module is designed and engineered to produce controlled down light.

The head of the lamp, which is screwed onto the stem, can be converted to magnetic attachment, allowing Sister Light to be used as a flashlight or a portable emergency light. The base of the lamp can be permanently fastened to a desk or table.

## TECHNICAL DATA

LED 3W • 305 -326 -328lm DIMMABLE  
3-CCT (2700K/3150K/4000K) • CRI>90  
100-240V • 50-60Hz • 5Vdc max 1A  
IP65 Rated



Rechargeable and replaceable Lithium Ion battery pack  
Rechargeable with a USB-C cable  
Battery lasts about 8-58 hours at full charge depending on the luminous flux setting  
Charging time approximately 5 hours  
Prismatic polycarbonate light diffuser  
Anodized aluminum components  
Suitable for indoor or outdoor use  
Impact resistant (IK07) and Salt Spray tested 1500 hours

**When using the magnetic feature, the head of the fixture can be removed from the stem for convenient charging.**

## ACCESSORIES INCLUDED

Charging Cable with USB-C input  
120V AC Adapter Plug not included  
Kit for magnetic attachment  
For mounting to desk or table





**LD0300A3**  
Anodized Aluminum



**LD0300B3**  
Anodized Blue



**LD030003**  
Anodized Gold



**LD0300R3**  
Anodized Copper



**LD0300V3**  
Anodized Green



# Sister Light Mini




Battery-operated and rechargeable portable table lamp with an elegant curved profile and shorter stem. Electronic control system ensures constant luminous output until the battery runs out. A multifunctional touch-control allows 4-step dimming and 3-CCT selection of 2700K (warm white), 3150K (cool white) and 4000K (bright white). The lamp is programmable, allowing the user to fix the CCT and light intensity. The integrated LED module is designed and engineered to produce controlled down light.

The head of the lamp, which is screwed onto the stem, can be converted to magnetic attachment, allowing Sister Light to be used as a flashlight or a portable emergency light. The base of the lamp can be permanently fastened to a desk or table.

## TECHNICAL DATA

LED 3W • 305 -326 -328lm DIMMABLE  
3-CCT (2700K/3150K/4000K) • CRI>90  
100-240V • 50-60Hz • 5Vdc max 1A  
IP65 Rated



Rechargeable and replaceable Lithium Ion battery pack  
Rechargeable with a USB-C cable  
Battery lasts about 8-58 hours at full charge depending on the luminous flux setting  
Charging time approximately 5 hours  
Prismatic to Polycarbonate light diffuser  
Anodized aluminum components  
Suitable for indoor or outdoor use  
Impact resistant (IK07) and Salt Spray tested 1500 hours

**When using the magnetic feature, the head of the fixture can be removed from the stem for convenient charging.**

## ACCESSORIES INCLUDED

Charging Cable with USB-C input  
120V AC Adapter Plug not included  
Kit for magnetic attachment  
For mounting to desk or table





**LD030603**  
Anodized Gold



**LD0306R3**  
Anodized Copper



**LD0306V3**  
Anodized Green





# Sister Light Peg



Battery-operated and rechargeable portable stake lamp with an elegant curved profile and shorter stem. Electronic control system ensures constant luminous output until the battery runs out. A multifunctional touch-control allows 4-step dimming and 3-CCT selection of 2700K (warm white), 3150K (cool white) and 4000K (bright white). The lamp is programmable, allowing the user to fix the CCT and light intensity. The integrated LED module is designed and engineered to produce controlled down light.

## TECHNICAL DATA

LED 3W • 305 -326 -328lm DIMMABLE  
 3-CCT (2700K/3150K/4000K) • CRI>90  
 100-240V • 50-60Hz • 5Vdc max 1A  
 IP65 Rated



- Rechargeable and replaceable Lithium Ion battery pack
- Rechargeable with a USB-C cable
- Battery lasts about 8-58 hours at full charge depending on the luminous flux setting
- Charging time approximately 5 hours
- Prismatic polycarbonate light diffuser
- Anodized aluminum components
- Suitable for indoor or outdoor use
- Impact resistant (IK07) and Salt Spray tested 1500 hours

When using the magnetic feature, the head of the fixture can be removed from the stem for convenient charging.

## ACCESSORIES INCLUDED

- Charging Cable with USB-C input
- 120V AC Adapter Plug not included
- Kit for magnetic attachment
- 3-Stem Kit





# Sister Light Wall



Battery-operated and rechargeable wall lamp which mounts with two hidden screws. Electronic control system that ensures constant luminous output until the battery runs out. A multifunctional touch-control allows 4-step dimming and 3-CCT selection of 2700K (warm white), 3150K (cool white) and 4000K (bright white). The lamp is programmable, allowing the user to fix the CCT and light intensity. The integrated LED module is designed and engineered to produce controlled down light.

## TECHNICAL DATA

LED 3W • 305 -326 -328lm DIMMABLE  
3-CCT (2700K/3150K/4000K) • CRI>90  
100-240V • 50-60Hz • 5Vdc max 1A  
IP65 Rated



AC Adaptor Plug  
not included



USB-C cable  
included



**LD0308R3**  
Anodized Copper



**LD0308V3**  
Anodized Green

Rechargeable and replaceable Lithium Ion battery pack  
Rechargeable with a USB-C cable  
Battery lasts about 8-58 hours at full charge depending on the luminous flux setting  
Charging time approximately 5 hours  
Prismatic Polycarbonate light diffuser  
Anodized aluminum components  
Suitable for indoor or outdoor use  
Impact resistant (IK07) and Salt Spray tested 1500 hours

When using the magnetic feature, the head of the fixture can be removed from the stem for convenient charging.

## ACCESSORIES INCLUDED

Charging Cable with USB-C input  
120V AC Adapter Plug not included  
Kit for magnetic attachment  
For mounting to desk or table



# Pencil





# Pencil Lighting Module

NEW



A battery-operated and rechargeable portable lighting system based on a five-sided linear module. Available in three sizes and three finishes. Pencil can become a floor, table, wall, or suspension lamp utilizing dedicated accessories available for each specific application. Equipped with an electronic control system that ensures constant luminous output until the battery runs out, 4-stem touch-dimming control, and a 3-CCT color temperature selection function: 2700K (warm white), 3150K, (cool white), or 4000K (bright white).

## TECHNICAL DATA

### Small



LED • 6W • 530-590-680lm • Dimmable  
3-CCT (2700K/3150K/4000K) • CRI>90  
100-240V • 50-60Hz • 19Vdc max 2.5A

### Medium

LED • 12W • 1050-1180-1350lm • Dimmable  
3-CCT (2700K/3150K/4000K) • CRI>90  
100-240V • 50-60Hz • 19Vdc max 2.5A

### Large

LED • 18W • 1340-1500-1700lm • Dimmable  
3-CCT (2700K/3150K/4000K) • CRI>90  
100-240V • 50-60Hz • 19Vdc max 2.5A



Charging plug and  
cable not included

Rechargeable and replaceable Lithium Ion battery pack  
Battery lasts 8-58 hours, depending on the luminous flux  
setting

Rechargeable with a charging plug & cable or by contact  
(when used with the LD0810 charging base)

Recharging times: 6hrs/9hrs/12hrs (for small/medium/  
large size respectively)

Powder-coated extruded aluminum

Suitable for indoor or outdoor use

Impact resistant (IK07) and salt spray resistant  
(1500 hours)

**With accessories, the lighting module can become a  
floor, table, wall and pendant lamp**

**Charger (LD0800CS) must be purchased separately**



White



Rust



Graphite

Small

**LD0800B3**

**LD0800R3**

**LD0800G3**

Medium

**LD0801B3**

**LD0801R3**

**LD0801G3**

Large

**LD0802B3**

**LD0802R3**

**LD0802G3**

## ACCESSORIES



**LD0800CS**

Charging plug and cable



**LD0813**

Horizontal wall module brackets



**LD0810**

Docking and charging station



**LD0815**

Vertical wall module bracket



**LD0816**

Rotating docking station  
Non-charging



**LD0812**

Vertical suspension bracket



**LD081400**

Table bases



**LD0811**

Horizontal suspension brackets






# Pencil Charging Plug and Cable



Pencil Charging Plug and Cable can recharge Pencil in two ways: either by connecting cable directly to the lighting module (fig. 1); or by connecting the cable to the docking station where the module is placed (fig. 2). The charging plug must be purchased separately from Pencil light modules. Pencil Kits including both light module and charging plug are available (p. 168).

## TECHNICAL DATA

47.5W • 100-240V • 50-60Hz  
19Vdc max 2.5A • IP20 Rated



LD0800CS



# Pencil Docking Station



Docking Station is a dual-function accessory. It is used as a docking station, turning Pencil into a floor or table lamp. It becomes a contact charging base when connected to the charging plug and cable. Pencil is a portable light when removed from the charging base.

Pencil Charging Plug and Cable (LD0800CS) required for charging. The docking station will only charge the lamp if it's connected to the charger.



## TECHNICAL DATA

19Vdc max 2.5A  
IP20 Rated




Powder-coated die-cast aluminum  
May tarnish or peel if left outdoors for extended time periods

Charger not included



7.8"  
23cm



Charging plug and cable  
not included



**LD0810B3**  
White



**LD0810R3**  
Rust



**LD0810G3**  
Graphite



# Pencil Rotating Docking Station (Non-Charging)



The Rotating Docking Base turns Pencil into a floor lamp or table lamp. As opposed to the docking station, this accessory allows the light to rotate 360° degrees in both directions. Depending on the angle, the lighting module can produce direct or indirect light. Pencil can be a portable light when removed from the base.


This docking station does not provide a charging function. Use LD0800CS for charging.

## TECHNICAL DATA



Powder-coated die-cast aluminum

This docking station does not charge the lamp



**LD0816B3**  
White



**LD0816R3**  
Rust



**LD0816G3**  
Graphite

# Pencil Table Bases (Pair)




A pair of acrylic Table Bases turn Pencil into a table/desk lamp. Based on positioning, it gives direct or indirect light. All three sizes of Pencil Modules utilize the same LD081400 bases

## TECHNICAL DATA



Transparent PMMA stands




**LD81400 (Pair)**





# Pencil Wall Brackets (Pair)



Pencil Wall Brackets turn Pencil into a wall mounted lamp. Based on positioning, it gives direct or indirect light. All three sizes of Pencil utilize the same LD0813 brackets.

## TECHNICAL DATA




Powder-coated die-cast aluminum



0.9"  
2.5cm



1.2"  
3cm



3.9"  
10cm



**LD0813B3**  
White



**LD0813R3**  
Rust



**LD0813G3**  
Graphite

# Pencil Vertical Wall Bracket




Vertical Wall Bracket turns Pencil into a vertical wall mounted lamp. This accessory allows the light to rotate 360° degrees in both directions. Depending on the angle, it can produce direct or indirect light. All three sizes of Pencil utilize the same LD0815 bracket.


## TECHNICAL DATA




Powder-coated die-cast aluminum  
with chromed details



1.9"  
4.7cm



1.3"  
3.8cm



2.5"  
6.4cm



**LD0815B3**  
White



**LD0815R3**  
Rust



**LD0815G3**  
Graphite



# Pencil Horizontal Suspension Brackets (Pair)




Horizontal Suspension Brackets and cables turn Pencil into a horizontal suspension lamp. Only downlight is provided. Aircraft cables are adjustable to desired length. All three sizes of Pencil utilize the same LD0812 brackets.

## TECHNICAL DATA



Powder-coated die-cast aluminum  
with chromed details



**LD0812B3**  
White

**LD0812R3**  
Rust

**LD0812G3**  
Graphite

# Pencil Vertical Suspension Bracket




Vertical Suspension Bracket and cable turn Pencil into a vertical suspension lamp. Depending on the angle, it can produce direct or indirect light. Aircraft cable is adjustable to desired length. All three sizes of Pencil utilize the same LD0811 bracket.

## TECHNICAL DATA



Powder-coated die-cast aluminum  
with chromed details



**LD0811B3**  
White

**LD0811R3**  
Rust

**LD0811G3**  
Graphite



# Pencil Kits

To make ordering Pencils easier, we've created specific kits which include: One Pencil Light, one Accessory, and a Charging Plug.

## PENCIL MODULE WITH CHARGING PLUG

Small

**WHITE:** LD0800-CS-B3  
**RUST:** LD0800-CS-R3  
**GRAPHITE:** LD0800-CS-G3

Medium

**WHITE:** LD0801-CS-B3  
**RUST:** LD0801-CS-R3  
**GRAPHITE:** LD0801-CS-G3

Large

**WHITE:** LD0802-CS-B3  
**RUST:** LD0802-CS-R3  
**GRAPHITE:** LD0802-CS-G3



## PENCIL MODULE WITH DOCKING STATION & CHARGING PLUG

Small

**WHITE:** LD0800-DS-B3  
**RUST:** LD0800-DS-R3  
**GRAPHITE:** LD0800-DS-G3

Medium

**WHITE:** LD0801-DS-B3  
**RUST:** LD0801-DS-R3  
**GRAPHITE:** LD0801-DS-G3

Large

**WHITE:** LD0802-DS-B3  
**RUST:** LD0802-DS-R3  
**GRAPHITE:** LD0802-DS-G3



## PENCIL MODULE WITH ROTATING DOCKING STATION & CHARGING PLUG

Small

**WHITE:** LD0800-RS-B3  
**RUST:** LD0800-RS-R3  
**GRAPHITE:** LD0800-RS-G3

Medium

**WHITE:** LD0801-RS-B3  
**RUST:** LD0801-RS-R3  
**GRAPHITE:** LD0801-RS-G3

Large

**WHITE:** LD0802-RS-B3  
**RUST:** LD0802-RS-R3  
**GRAPHITE:** LD0802-RS-G3



## PENCIL MODULE AND TABLE BASES

To order a Pencil table lamp, order one pair LD81400 Table Bases and any of the Pencil Module Kits complete with Charging Plug.

PENCIL MODULE  
WITH VERTICAL  
WALL BRACKET &  
CHARGING PLUG

Small

**WHITE:** LD0800-VW-B3  
**RUST:** LD0800-VW-R3  
**GRAPHITE:** LD0800-VW-G3

Medium

**WHITE:** LD0801-VW-B3  
**RUST:** LD0801-VW-R3  
**GRAPHITE:** LD0801-VW-G3

Large

**WHITE:** LD0802-VW-B3  
**RUST:** LD0802-VW-R3  
**GRAPHITE:** LD0802-VW-G3



PENCIL MODULE  
WITH HORIZONTAL  
WALL BRACKETS &  
CHARGING PLUG

Small

**WHITE:** LD0800-HW-B3  
**RUST:** LD0800-HW-R3  
**GRAPHITE:** LD0800-HW-G3

Medium

**WHITE:** LD0801-HW-B3  
**RUST:** LD0801-HW-R3  
**GRAPHITE:** LD0801-HW-G3

Large

**WHITE:** LD0802-HW-B3  
**RUST:** LD0802-HW-R3  
**GRAPHITE:** LD0802-HW-G3



PENCIL MODULE  
WITH HORIZONTAL  
SUSPENSION  
BRACKETS  
& CABLES &  
CHARGING PLUG

Small

**WHITE:** LD0800-HS-B3  
**RUST:** LD0800-HS-R3  
**GRAPHITE:** LD0800-HS-G3

Medium

**WHITE:** LD0801-HS-B3  
**RUST:** LD0801-HS-R3  
**GRAPHITE:** LD0801-HS-G3

Large

**WHITE:** LD0802-HS-B3  
**RUST:** LD0802-HS-R3  
**GRAPHITE:** LD0802-HS-G3



PENCIL MODULE  
WITH VERTICAL  
SUSPENSION  
BRACKET & CABLE  
& CHARGING PLUG

Small

**WHITE:** LD0800-VS-B3  
**RUST:** LD0800-VS-R3  
**GRAPHITE:** LD0800-VS-G3

Medium

**WHITE:** LD0801-VS-B3  
**RUST:** LD0801-VS-R3  
**GRAPHITE:** LD0801-VS-G3

Large

**WHITE:** LD0802-VS-B3  
**RUST:** LD0802-VS-R3  
**GRAPHITE:** LD0802-VS-G3





# Accessory Contact Charging Bases



LD0350RB (Poldina, Poldina Mini)  
Contact charging base



LD0490RB (Poldina Micro)  
Contact charging base



LD0395RB (Poldina L Desk)  
Contact charging base




LD0390RB (Poldina L)  
Contact charging base



LD0900RB (Olimpia)  
Contact charging base



LD1010RB (Swap)  
Contact charging base



LD1011RB (Swap Mini)  
Contact charging base



LD0258RB (Home)  
Contact charging base



LD0360RB (Poldina XXL)  
Contact charging base



LD0850RB (Olivia, Olivia Mini)  
Contact charging base



LD0870RB (Ofelia)  
Contact charging base



LD0420RB (Poldina  
Upside Down)  
Contact charging base

# Accessory Multi-Contact Charging Bases



LD0350RP  
Multi-contact charging carpet  
6pcs (Poldina, Poldina Mini,  
Pina, Swap, Swap Mini, Home,  
Dama, Olimpia, PushUp)



LD0490RP  
Multi-contact charging carpet  
12pcs (Poldina Micro)



LD0870RP  
Multi-contact charging carpet  
6pcs (Olivia, Olivia Mini, Ofelia)



LD0340RA  
Multi-Port USB charger 8pcs



LD0682RB (Poldina Peg)  
LD0686RB (Poldina Suspension)  
LD0688RB (Poldina Wall Bracket)  
LD0689RB (Poldina Wall Hook)  
Contact charging base



LD1050RB (PushUp)  
Contact charging base



LD0650RB (Pina)  
Contact charging base




LD0610RB (Dama)  
Contact charging base

**6-Lamp Multi-Contact Charging Carpet (Poldina Pro, Poldina Pro Mini, Pina, Swap, Swap Mini, Home, Dama, PushUp, and Olimpia)**





LD0350RP




35W  
6 Lamps  
INPUT: AC  
220

Modular multi-contact charging base: they can be connected in sequence to simultaneously charge multiple set of lamps. Particularly suitable for professional use.




Modular up to 8 carpets (48 lamps)



**12-Lamp Multi-Contact Charging Carpet (Poldina Micro)**





LD0490RP




35W  
12 Lamps  
Input: AC  
220

Modular multi-contact charging base: they can be connected in sequence to simultaneously charge multiple set of lamps. Particularly suitable for professional use.




Modular up to 4 carpets (48 lamps)



**6-Lamp Multi-Contact Charging Carpet (Olivia, Olivia Mini, Ofelia, Theta)**




LD0870RP




45W  
6 Lamps  
Input: AC

Modular multi-contact charging base: they can be stacked (up to 3 levels) to simultaneously charge multiple sets of lamps. Particularly suitable for professional use.




Modular up to 3 levels (18 lamps)



**8-Lamp Multi-Port USB Charger**



LD0340RA



40w  
8 Lamps  
Input: AC

USB multi-socket charger (8 x USB-A). Can charge up to 8 devices simultaneously. A graphic display shows the level of the batteries being charged. Particularly suitable for professional use.



# Rechargeable Batteries

All rechargeable batteries are subject to wear and end of life when used over time.

The life of our batteries is generally 450 charges. This may be reduced by certain factors:

1. Incorrect charging mode (the lamp must be charged when battery is low: about 10% battery life).
2. When lamp is unused for a long period of time.
3. When lamp is on live charging base after lamp is fully charged
4. When lamps are exposed to very high or very low temperatures.

These rules apply when using original or replacement Zafferano battery packs. Only use genuine Zafferano replacement battery packs. The use of any other rechargeable batteries voids the warranty.

When the lamps no longer hold a charge, the batteries must be replaced. Replacement batteries can be ordered by their specific item number on the adjoining page.

**BAT04701906701900S2**  
Single Cell (set of 2)  
replacement battery pack for:  
**Pina, Home, PushUp**

3,7V | 1x2200mA/H



**BAT04701906701900S3**  
Single Cell (set of 3)  
replacement battery pack for:  
**Poldina L floor lamp**

**BAT04704004001000**  
Single Cell replacement  
battery pack for:  
**Poldina Micro**

3,7V | 1x1900mA/H



**BAT04703706701900**  
Dual Cell replacement battery  
pack for:  
**Poldina Pro, Poldina Pro Mini,  
Poldina Upside Down, Poldina  
Pro Peg Magentic, Poldina Pro  
Suspension Magnetic, Poldina  
Pro Wall Magnetic, Olivia,  
Olivia Mini, Ofelia, Dama,  
Olimpia**

3,7V | 2x2200mA/H



**BAT04703706701900S3**  
Dual Cell (set of 3)  
replacement battery pack for:  
**Poldina XXL floor lamp**

**BAT04701906701902S2**  
Single Cell (set of 2) replacement  
battery pack for:  
**Swap, Swap Mini**

3,7V | 1x2600mA/H



**BAT04705506701900**  
Triple Cell replacement  
battery pack for:  
**Sister Light, Sister Light  
Mini, Sister Light Peg,  
Sister Light Wall**

3,7V | 7500mA/H



**BAT04702719700300**  
Triple Cell replacement  
battery pack for **small Pencil  
module**

11,1V | 5000mA/H



**BAT04702739200600**  
Six Cell replacement  
battery pack for **medium  
Pencil module**

11,1V | 10000mA/H



**BAT04702758700900**  
Nine Cell replacement battery  
pack for **large Pencil module**

11,1V | 15000mA/H



# **zafferano**

## **A M E R I C A**

301 Penhorn Avenue, Unit 5  
Secaucus, NJ 07094  
Sales@ZafferanoAmerica.com  
888-744-5277

[ZafferanoAmerica.com](http://ZafferanoAmerica.com)