


MINKA

LIGHTING & FANS

June 2025 Collection





Elavan 36"
Pages 2-3



Elavan 52"
Pages 4-5



Dyno
Pages 6-7



Mortyn
Pages 8-9



Nauticus
Pages 10-11



Simple LED
Pages 12-13



Tempri
Pages 14-15



Ventiara 36"
Pages 16-17



Ventiara 52"
Pages 18-19



Xtreme 72"
Pages 20-21



Xtreme 96"
Pages 22-23

MINKA

LIGHTING & FANS


For over 40 years, Minka Lighting & Fans have set the standard for high-quality craftsmanship – seamlessly blending stylish design with exceptional performance. Made from premium materials like solid brass, wrought iron, and wood, we offer a wide range of traditional and contemporary styles. Our ceiling fans and lights are the perfect choice for homeowners seeking reliable, attractive solutions that enhance both comfort and decor.



COASTLYN | Pg 24



BRISCADE | Pg 26



VAILEN | Pg 28



AISI | Pg 30



STAMFORD | Pg 32



GLINT | Pg 34



F743L-LBR/DO

Legacy Brass Finish

Dark Oak Blades

Etched Lens

ELAVAN 36"

3-Blades, 36" Sweep • 28° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

CFM Range:

Light Source:

Luminous Output:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor/Outdoor Use - Wet Locations

DC 123 x 15mm Motor

High Speed 3,800 • Low Speed 1,200 (Estimated)

20W Dimmable LED

1,650 Delivered Lumens (Estimated)

3,000K

CRI 90

Hand Held Remote Control System (Included)



RC1000 Remote Control

- 6 Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F743L-DB/ASW | Dark Bronze Finish • Ashwood Blades • Etched Lens





F744L-LBR/DO

Legacy Brass Finish
Dark Oak Blades
Etched Lens

ELAVAN 52"

3-Blades, 52" Sweep • 24° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

CFM Range:

Light Source:

Luminous Output:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor/Outdoor Use - Wet Locations
DC 123 x 30mm Motor
High Speed 5,200 • Low Speed 2,400 (Estimated)
20W Dimmable LED
1,650 Delivered Lumens (Estimated)
3,000K
CRI 90
Hand Held Remote Control System (Included)

	RC1000 Remote Control
	• 6 Speed Fan Control in Fwd & Rev • On/Off Plus Full Range Light Dimmer



F744L-DB/ASW | Dark Bronze Finish • Ashwood Blades • Etched Lens





F1000-CL/DTW

Coal Black Finish

Reversible Dark Textured

Walnut/Coal Black Blades

Etched Lens

Shown with Dark Textured Walnut Blades

Reversible to Coal Black Blades

New Finish

DYNO

5-Blades, 52" Sweep • 12° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

CFM Range:

Light Source:

Luminous Output:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - ETL Listed for Dry Locations

AC 153 x 17mm Motor

High Speed 4,509 • Low Speed 1,520


20W Dimmable LED

1,300 Delivered Lumens (Estimated)

3,000K

CRI 90

Hand Held Remote Control System (Included)



F1000-BN | Brushed Nickel Finish • Reversible Medium Maple/Dark Walnut Blades • Etched Lens



*Shown with Dark Walnut Blades
Reversible to Medium Maple Blades*

F1000-WH | White Finish • White Blades • Etched Lens



F1000 | Additional Finishes



F1000-CL

Coal Black Finish
Seashore Grey Blades
Etched Lens



F1000-BN/SL

Brushed Nickel Finish
Reversible Aged
Wood/Silver Blades
Etched Lens



F1000-BNK

Brushed Nickel Finish
Savannah Grey Blades
Etched Lens



F1000-ORB

Oil Rubbed Bronze Finish
Reversible Medium Maple/
Dark Walnut Blades
Etched Lens



F1000-HBZ

Heirloom Bronze Finish
Barnwood Blades
Etched Lens



F698L-LBR/DO

Legacy Brass Finish

Dark Oak Blades

Etched Lens

MORTYN

4-Blades, 60" Sweep • 20° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

CFM Range:

Light Source :

Luminous Output:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor/Outdoor Use - Wet Locations

DC 168 x 15mm Motor

High Speed 7,000 • Low Speed 2,200 (Estimated)

20W Dimmable LED

1,150 Delivered Lumens (Estimated)

3,000K

CRI 90

Hand Held Remote Control System (Included)



RC1000 Remote Control

- 6 Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F698L-DB/ASW | Dark Bronze Finish • Ashwood Blades • Etched Lens





F768L-BNW/NVY

Brushed Nickel Wet Finish

Navy Blades

Clear Glass

NAUTICUS

3-Blades, 65" Sweep • 14° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

CFM Range:

Light Source :

Luminous Output:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor/Outdoor Use - ETL Listed for Wet Locations

DC 120 x 25mm Motor

High Speed 6,882 • Low Speed 2,743 (Estimated)

20W Dimmable LED

1,500 Delivered Lumens (Estimated)

3,000K

CRI 90

Hand Held Remote Control System (Included)



RC1000 Remote Control

- 6 Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F768L-LBR/WCD | Legacy Brass Finish • Warm Coastal Driftwood Blades • Clear Glass



F768L-BNW/DK | Brushed Nickel Wet Finish • Distressed Koa Blades • Clear Glass



F768L-BNW/CL | Brushed Nickel Wet Finish • Coal Black Blades • Clear Glass





F787L-CL

Coal Black Finish
Coal Black Blades
Etched Lens

SIMPLE LED

3-Blades, 52" Sweep • 14° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

CFM Range:

Light Source :

Luminous Output:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor/Outdoor Use - ETL Listed for Wet Locations

DC 123 x 30mm Motor

High Speed 6,231 • Low Speed 2,009


20W Dimmable LED

999 Delivered Lumens (Estimated)

3,000K

CRI 90

Hand Held Remote Control System (Included)



F787L-ORB | Oil Rubbed Bronze Finish • Medium Maple Blades • Etched Lens



F787L-BNW | Brushed Nickel Wet Finish • Silver Blades • Etched Lens



F787L-WHF | Flat White Finish • Flat White Blades • Etched Lens





F669L-CL/ASW

Coal Black Finish
Ashwood Blades
Etched Lens

TEMPRI

3-Blades, 56" Sweep • 12° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

CFM Range:

Light Source :

Luminous Output:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor/Outdoor Use - Wet Locations

DC 125 x 30mm Motor

High Speed 6,000 • Low Speed 2,100 (Estimated)

20W Dimmable LED

1,050 Delivered Lumens (Estimated)

3,000K

CRI 90

Hand Held Remote Control System (Included)



RC1000 Remote Control

- 6 Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F669L-WHF/AO | Flat White Finish • Aged Oak Blades • Etched Lens





F693L-CL/DK

Coal Black Finish
Distressed Koa Blades
Etched Lens

VENTIARA 36"

3-Blades, 36" Sweep • 12° Blade Pitch • Flush Mount



Location Rating:

Motor Type:

CFM Range:

Light Source :

Luminous Output:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor/Outdoor Use - Wet Locations

DC 125 x 20mm Motor

High Speed 3,800 • Low Speed 900 (Estimated)

20W Dimmable LED

1,050 Delivered Lumens (Estimated)

3,000K

CRI 90

Hand Held Remote Control System (Included)

	RC1000 Remote Control
• 6 Speed Fan Control in Fwd & Rev • On/Off Plus Full Range Light Dimmer	

F693L-WHF | Flat White Finish • Flat White Blades • Etched Lens





F694L-CL/DK

Coal Black Finish
Distressed Koa Blades
Etched Lens

VENTIARA 52"

3-Blades, 52" Sweep • 8° Blade Pitch • Flush Mount



Location Rating:

Motor Type:

CFM Range:

Light Source :

Luminous Output:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor/Outdoor Use - Wet Locations

DC 125 x 20mm Motor

High Speed 5,200 • Low Speed 1,300 (Estimated)

20W Dimmable LED

1,050 Delivered Lumens (Estimated)

3,000K

CRI 90

Hand Held Remote Control System (Included)



RC1000 Remote Control

- 6 Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer



F694L-WHF | Flat White Finish • Flat White Blades • Etched Lens





F887-72-CL

Coal Black Finish
Coal Black Blades

New Finish

XTREME 72"

9-Blades, 72" Sweep • 4° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

CFM Range:

Light Source :

Luminous Output:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - ETL Listed for Dry Locations

DC 165 x 25mm Motor

High Speed 10,942 • Low Speed 4,673

N/A

N/A

N/A

N/A

Hand Held Remote Control System (Included)



RC400 Remote Control

- 6 Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F887-72-ORB | Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades



F887-72-BN | Brushed Nickel Finish • Silver Blades





F887-96-CL

Coal Black Finish
Coal Black Blades

New Finish

XTREME 96"

9-Blades, 96" Sweep • 4° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

CFM Range:

Light Source :

Luminous Output:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - ETL Listed for Dry Locations

DC 165 x 25mm Motor

High Speed 13,080 • Low Speed 9,152

N/A

N/A

N/A

N/A

Hand Held Remote Control System (Included)



RC400 Remote Control

- 6 Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F887-96-ORB | Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades



F887-96-BN | Brushed Nickel Finish • Silver Blades





8 LIGHT PENDANT

◀ **N1828-732** - *Legacy Brass*

36" Dia. x 28" H
8-40W E12 Candelabra Base
Dimmable
Ceramic Flowerettes

4 LIGHT SEMI FLUSH

▼ **N1824-732** - *Legacy Brass*

22½" Dia. x 10¾" H
4-40W E12 Candelabra Base
Dimmable
Ceramic Flowerettes



Hand-formed textured ceramic accents add artisanal and coastal charm, each piece uniquely shaped by touch.

6 LIGHT PENDANT
◀ N1826-732 - Legacy Brass
28" Dia. x 24½" H
6-40W E12 Candelabra Base
Dimmable
Ceramic Flowerettes



9 LIGHT PENDANT
◀ 2079-870
Painted Legacy Brass
 28" Dia. x 16" H
 9-60W E12 Candelabra Base
 Dimmable
 Ceramic Panels



Calming sophistication flows through layers of hand-formed ceramics, paired with a matte white finish and porcelain-like presence that is both sculptural and serene.



6 LIGHT SEMI FLUSH
▲ 2076-870
Painted Legacy Brass
 18" Dia. x 16¼" H
 6-60W E12 Candelabra Base
 Dimmable
 Ceramic Panels



1 LIGHT WALL SCNCE
◀ 2071-870
Painted Legacy Brass
 8¼" W x 14¼" H x 5" Ext.
 1-60W E12 Candelabra Base
 Dimmable
 Ceramic Panels





10 LIGHT ISLAND

◀ 1419-897

*Dark Matte Black
& Textured Gold*

48" L x 14" W x 12" H

10-40W E12 Candelabra Base
Dimmable

Delicate yet bold, hand-finished metal disks in matte black with a velvet-smooth finish radiate sculptural elegance.



1 LIGHT WALL SCONE

◀ 1411-897

*Dark Matte Black
& Textured Gold*

9" W x 12" H x 5" Ext.

1-40W E12 Candelabra Base
Dimmable

7 LIGHT SEMI FLUSH

▼ 1417-897

*Dark Matte Black
& Textured Gold*

20" Dia. x 14½" H

7-40W E12 Candelabra Base
Dimmable



12 LIGHT PENDANT

◀ 1418-897

*Dark Matte Black
& Textured Gold*

36" Dia. x 28" H

12-40W E12 Candelabra Base

Dimmable





16 LIGHT PENDANT

◀ **N1957-760** - *Fawn Gold*

37" Dia. x 35¼" H
16-40W E12 Candelabra Base
Dimmable
Clear Sea Glass

12 LIGHT PENDANT

▼ **N1955-760** - *Fawn Gold*

28" Dia. x 30¼" H
12-40W E12 Candelabra Base
Dimmable
Clear Sea Glass

Radiating warmth and elegance, incandescent bulbs meet clear sea glass and steel, anchored by sculptural rods.



NEW!
40 LIGHT CHANDELIER
◀ N1959-760 - Fawn Gold
52" Dia. x 52" H
40-40W E12 Cand. Base
Dimmable
Clear Sea Glass



STAMFORD

DARK MATTE BLACK
& LEGACY BRASS



1 LIGHT PENDANT
◀ 192-876
Dark Matte Black
& Legacy Brass
9" Dia. x 16½" H
1 - 60W E26 Medium Base
Dimmable
Clear Ribbed Glass



1 LIGHT PENDANT
▼ 193-876
Dark Matte Black
& Legacy Brass
13" Dia. x 23¾" H
1 - 60W E26 Medium Base
Dimmable
Clear Ribbed Glass



1 LIGHT PENDANT
▲ 194-876
Dark Matte Black
& Legacy Brass
15" Dia. x 26¾" H
1 - 60W E26 Medium Base
Dimmable
Clear Ribbed Glass

NEW!
3 LIGHT FLUSH MOUNT
◀ 1905-876
Dark Matte Black
& Legacy Brass
15" Dia. x 7" H
3 - 60W E26 Medium Base
Dimmable
Clear Ribbed Glass

Ribbed glass and slender metal accents deliver a clean and sophisticated presence.



NEW!
2 LIGHT WALL SCONCE
◀ 1902-876
*Dark Matte Black
& Legacy Brass*
5" W x 24" H x 5" Ext.
2-60W E26 Medium Base
Dimmable
Clear Ribbed Glass




NEW!
3 LIGHT VANITY
◀ 1903-876
*Dark Matte Black
& Legacy Brass*
24" W x 10" H x 7" Ext.
3-60W E26 Medium Base
Dimmable
Clear Ribbed Glass

CONVERTIBLE
TO SEMI FLUSH



Seeded glass catches light with a playful shimmer, while the legacy brass finish grounds the design in timeless refinement.



NEW!

1 LIGHT CONVERTIBLE PENDANT / SEMI FLUSH

▲ 2725-732 - *Legacy Brass*

12" Dia. x 9¾" H

1-60W E26 Medium Base

Dimmable

Clear & Seeded Glass



1 LIGHT VANITY
◀ 2721-732 - Legacy Brass
 6" W x 8" H x 5¾" Ext.
 1 - 60W E12 Candelabra Base
 Dimmable | Reversible
 Clear & Seeded Glass



2 LIGHT VANITY
▲ 2722-732 - Legacy Brass
 15½" W x 6¾" H x 5¾" Ext.
 2 - 60W E12 Candelabra Base
 Dimmable | Reversible
 Clear & Seeded Glass



3 LIGHT VANITY
◀ 2723-732 - Legacy Brass
 24" W x 6¾" H x 5¾" Ext.
 3 - 60W E12 Candelabra Base
 Dimmable | Reversible
 Clear & Seeded Glass

[illegible]

Headquarters

1151 Bradford Circle
Corona, California 92882

Showroom

Dallas Market Center
2100 Stemmons, Suite 4103
Dallas, Texas 75207

800.221.7977 • sales@minkagroup.net

MINKA.COM



Follow us on Instagram!
@minka_group