

KUZCO



FULL LINE CATALOG

K U Z C O

www.kuzcolighting.com

TABLE OF CONTENTS

KUZCO INTRODUCTION	4-7
VISUAL INDEX	8-26
NEW RELEASES	28
INDOOR LIGHTING	
CHANDELIERS	118
MARQUEE SYSTEM	186
PENDANTS	194
WALL / VANITY	326
CEILING	424
PORTABLE	488
FANS	518
STEP LIGHTING	560
OUTDOOR LIGHTING	568
INDEX	618

About Kuzco



Since the inception of Kuzco Group in 2006, our mission in lighting has been to create cutting-edge design using the latest well-priced LED technology. Our designs begin in our New York City studio with innovation in mind. We work closely with a group of manufacturers and vendors to create the highest quality pieces possible. We pride

ourselves on being a family-owned company that puts care into everything we do. From our first office in Surrey, British Columbia to our current locations spanning from Los Angeles, Las Vegas, Dallas, and New York, we have a dedicated team committed to providing the best products and customer service possible.



Our flagship Dallas showroom
is over 24,000 square feet
and can be viewed online.

*Our goal is to keep bringing the most beautiful
and innovative lighting to the market—great
products are what drive us. Every product we
design is not just about illuminating spaces but
about enhancing experiences and setting new
standards in artistry and function.*

—Paul Sidhu, VP of Brand



Designers

At Kuzco, we believe that great design comes from a variety of perspectives. From hip-hop creatives to European award-winners, our roster of designers create a blend of seamlessly contemporary styles that enhance any space. Explore our impressive collective that comprises the exciting lighting collection from Kuzco.



Branch Creative

Branch Creative designs with intention. Not only do they deeply consider every aspect of a project, but they create products that have a positive and lasting impact on people and the world around them. Their process ensures products are beautifully and deliberately designed, engineered, manufactured, packaged, and branded. They believe in being hands-on, utilizing sketches, models, and prototypes every step of the way. In everything they create, from furniture to electronics, they design by doing. From left to right: Scott Ross (front), Caleb Gess (back), Ben Hoffman (back), Myungjae Park (front), Radley Peschel (front), Nelson Ji (back), Josh Morenstein.




Ryan Pauly

Hailing from New York City, Ryan Pauly is the in-house Design Director for Kuzco. With an award-studded career in modern lighting design, his expertise guides the Kuzco collection in the contemporary space with his clean, sophisticated aesthetic.



Sean Brown

Sean Brown is a home decor designer and creative director at the helm of Curves. Based out of Toronto, Sean and his team create from their love of music, culture, and design in all forms. Sean's work spans across a wide range of disciplines from experiential exhibitions to home design.



Hae-Jung Ro

Hae-Jung Roe is an industrial designer from NYC with a history of artful, elegant lighting design for all Kuzco Group brands. Her Korean culture and love of nature inspire her unique, organic design aesthetic.



Peyton Fox

With a career focused on decorative lighting, Peyton Fox provides an elegant perspective on both contemporary and traditional lighting. With her award-winning design history, Peyton interprets a softer, welcoming side of contemporary living for Kuzco.



Alex Brokamp

Alex Brokamp's practice focuses on bridging a technically refined aesthetic with a lighthearted simplicity that aims to produce objects that are beautifully familiar rather than simply mysterious.



Mark Choi

Mark Choi is an industrial designer with interest in products that have impact in our lives with the help of emerging technologies. He is a problem solver with a holistic systematic approach that creates vision for greater impact.



Hannah Jewett

Hannah Jewett is a NYC based jewelry designer as seen on celebrities and fashion runways. Liquid metal forms inspire her unique table lamp designs for Kuzco.



Tianning Zhao

Tianning Zhao was born in Shenyang, located at the intersection of Northeast Asia. He was influenced by Chinese, Korean, and Japanese culture when growing up. Through this lens, he presents to the audience intuitive, harmonious, and sculptural objects.

CHANDELIERS



Akari
p. 149




Akari
p. 149



Akira
p. 142–143



Amara
p. 132–133




Amara
p. 133



Arena
p. 34–35



Aries
p. 185



Arkell
p. 178



Bell
p. 28–29



Blade
p. 136–137



Blade
p. 137



Bolla
p. 126–129



Bruni
p. 134–135



Cerchio
p. 156–157




Cerchio
p. 156–157



Chute
p. 170



Chute
p. 171



Chute Calypso
p. 176



Chute Motion
p. 177



Ciel
p. 82–83



Cleo
p. 56–57



Collide
p. 130–131



Corda
p. 30–33



Dune
p. 139



Elixir
p. 88–89



Geode
p. 152



Geode
p. 152



Isho
p. 122–123



Jayden
p. 140–141



Juniper
p. 124



Keiko
p. 125



Lanai
p. 602



Lex
p. 48–49



Maestro
p. 148



Magellan
p. 159



Magellan
p. 158



Marquee
p. 186–187



Marquee Linear
p. 188–189



Mobil
p. 184



Monza
p. 172–173



Motif
p. 160



Motif
p. 161



Moto
p. 150



Mulberry
p. 151



Mulberry
p. 151



Nami
p. 121



Nola
p. 182–183



Novel
p. 138




Oros
p. 153



Ovale
p. 205



Piazza
p. 169



Piazza
p. 168–169



Rezz
p. 154–155



Rotaire
p. 162–163




Samar
p. 144–145



Scorpio
p. 38–39



Serif
p. 179



Sirius
p. 180



Sirius Minor
p. 181




Synergy
p. 174



Synergy
p. 175



Tachi
p. 120




Talis
p. 147



Talis
p. 146



Vega
p. 166



Vega
p. 167



Vega Minor
p. 164–165



Victoria
p. 325

PENDANTS



Airen
p. 233



Airen
p. 233



Akari
p. 267



Akari
p. 267



Akira
p. 242–243



Akira
p. 243



Amperсанд
p. 308



Anello Minor
p. 271




Arcadia
p. 256–257



Arena
p. 34



Aries
p. 252–253



Atlas
p. 70–73



Bach
p. 323



Beacon
p. 315



Blade
p. 238–239



Bolla
p. 222–223



Bowery
p. 208–209



Bruni
p. 244–245



Cameo
p. 321



Cerchio
p. 298–299



Champagne
p. 322



Chute
p. 289



Chute
p. 288



Cirque
p. 300–301



Collide
p. 246–247



Collide
p. 247



Corda
p. 30–33



Cortana
p. 293



Cruz
p. 225



Cruz
p. 224–225



Cumulus
p. 296



Cumulus Minor
p. 297



Cursive
p. 262–263



Dakota
p. 76–77



Dalton
p. 312



Disc
p. 311




Domino
p. 40–41



Dune
p. 272



Eerie
p. 291



Elixir
p. 86–87



Elixir
p. 90



Elixir
p. 90



Elixir
p. 90



Elixir
p. 90–91



Enkel
p. 313



Enzo
p. 235



Exo
p. 311



NEW

Floer
p. 42–43



Geode
p. 280–281



Geode
p. 281



Gramercy
p. 286



Gramercy
p. 287



Halo
p. 294–295



NEW

Hayden
p. 78–79



Helena
p. 304



Helena
p. 304



Hilo
p. 234



Hilo
p. 234



NEW

Husk
p. 46–47



Jayden
p. 240–241



Juniper
p. 214



Keiko
p. 212



NEW

Kirby
p. 68–69



Kyoto
p. 206–207



Lanai
p. 602–603



Laurence
p. 200–201



Lena
p. 316



NEW

Lex
p. 50–51



Maestro
p. 273



Magellan
p. 232



Malabar
p. 309



Marco
p. 96–97



Martelo
p. 318



Martelo
p. 318




Mason
p. 196–197



Mason
p. 108–109



Mina
p. 314




Misaki
p. 274–275




Mobil
p. 249



Monae
p. 260–261



Mondrian
p. 292



Morina
p. 236



Morina
p. 237



Morina
p. 237



Motif
p. 221



Motif
p. 219



Motif
p. 220



Mulberry
p. 285



Mulberry
p. 284–285



Novel
p. 278



Novel
p. 278–279



Ovale
p. 202–204



Oxford
p. 320



Pendula
p. 323



Phoenix
p. 226–227



Piazza
p. 302



Piazza
p. 303



Pisces
p. 213



Plaza
p. 266



Pluto
p. 322



Regent
p. 74–75



Rezz
p. 264–265



Rise
p. 254–255



Rise
p. 254



Rise
p. 254



Robson
p. 307



Roda
p. 210



Samar
p. 258



Sampson
p. 315



Samson
p. 317



Scorpio
p. 36–37



Script
p. 248



Serif
p. 216–217



Serif
p. 218



Shift
p. 230



Stephord
p. 62–63



Stylo
p. 316



Synergy
p. 290



Tachi
p. 211



Talis
p. 268–269



Taper
p. 306



Taro
p. 270




Tavira
p. 259



Taurus
p. 66–67



Tetra
p. 198–199



Thread
p. 52–55



Trinity
p. 282



Trinity
p. 282–283



Trinity
p. 282



Twist
p. 305



Ultra
p. 309



Vanier
p. 317



Vega
p. 276



Vega Minor
p. 277



Verona
p. 310



Vesper
p. 228–229



Victoria
p. 324



Victoria
p. 324



Victoria
p. 324



Virgo
p. 250–251



Yukon
p. 215

WALL / VANITY



Airen
p. 356–357



Akari
p. 366



Alberni
p. 392



Anello Minor
p. 367



Arco
p. 98–99

NEW



Arco
p. 100–101



Bengal
p. 413



Bhutan
p. 354



Birch
p. 350–351



Birch
p. 350



Blade
p. 340



Braga
p. 336



Brazen
p. 402



Brazen
p. 402–403



Brio
p. 362



Bute
p. 400



Camden
p. 389



Cedar
p. 345



Cedar
p. 345



Cedar
p. 344–345



Charleston
p. 397



Charlotte
p. 393




Chute
p. 386–387



Ciel
p. 84–85



Ciel
p. 60–61



Cleo
p. 58–59



Cruz
p. 360, p. 436



Cruz
p. 360, p. 436



Cubix
p. 338



Cubix
p. 338–339



Dorchester
p. 421



Dorchester
p. 421



Draven
p. 414



Dresden
p. 419



Dresden
p. 418–419



Dune
p. 377



Dune
p. 377



Edna
p. 375



Elixir
p. 92



Elixir
p. 94–95



Elizabeth
p. 416



Eton
p. 420



Ferguson
p. 404



Flux
p. 361



Fresno
p. 397



Gable
p. 415



Galleria
p. 422



Gramercy
p. 346–347



Guide
p. 412



Harrow
p. 409



Hayden
p. 80–81



Holt
p. 365



Hounslow
p. 409



Hudson
p. 417



Husk
p. 44–45



Jane
p. 406



Jane-Slim
p. 407



Juniper
p. 337



Latitude
p. 398



Latitude-Slim
p. 399



Lever
p. 363



Lighthouse
p. 394



Lochwood
p. 380



Longitude
p. 405



Marlon
p. 374



Martelo
p. 414



Martelo
p. 414



Mason
p. 332–333



Melville
p. 401



Mendocino
p. 389



Milano
p. 411



Milano
p. 411



Motif
p. 368



Motif
p. 368–369



Mulberry
p. 353



Mulberry
p. 353



Nepal
p. 354–355



Nola
p. 331



Nola
p. 331



Nola
p. 113



Nola
p. 330



Norfolk
p. 410



Novel
p. 373



Pandora
p. 370



Pandora
p. 371



Peggy
p. 393



Pluto
p. 395



Pluto
p. 395



Plymouth
p. 390–391



Pondi
p. 417



Preston
p. 378–379



Rezz
p. 359



Rezz
p. 358



Roda
p. 328




Rona
p. 349



Rona
p. 348–349



Rotaire
p. 352



Rotaire
p. 352



Samar
p. 341



Saphir
p. 342–343



Soho
p. 388



NEW

Stephord
p. 64–65



Stratford
p. 416



Swivel
p. 408




Synergy
p. 381



Tachi
p. 329



Tachi
p. 329



Taro
p. 361



Vega
p. 384



Vega
p. 385



Vega Minor
p. 382



Vega Minor
p. 383



Vega Minor Picture
p. 423



Vera
p. 334



Warwick
p. 415

CEILING



Anello Minor
p. 469



Arcadia
p. 452–453



Arnold
p. 485



Aston
p. 437



Beacon
p. 478



Bedford
p. 479



Birch
p. 447



Blade
p. 444–445



Brook
p. 472



Brunswick
p. 455



Calix
p. 462–463



Cayne
p. 459



Cedar
p. 446



Charlie
p. 475



Cleo
p. 60–61



Clover
p. 448–449



Collins
p. 458



Croft
p. 458



Cruz
p. 360, p. 436



Cruz
p. 360, p. 436



Cubix
p. 440–441



Dalton
p. 470–471



Downey
p. 483



Downey
p. 483



Elixir
p. 92



Essex
p. 466–467



Etta
p. 426



Falco
p. 477



Falco
p. 477



Floyd
p. 474



Hampton
p. 455



Hayden
p. 80–81



Holt
p. 454



Jasper
p. 464



Juniper
p. 430



Keiko
p. 431



Lomita
p. 475



Lucci
p. 477



Lyra
p. 486



Lyra
p. 487



Malta
p. 468



Mason
p. 433



Mel
p. 451



Mio
p. 110–111



Monae
p. 456–457



Mousinni
p. 480–481



Nola
p. 432



Novel
p. 438



Novel
p. 438



Parker
p. 473



Regalo
p. 450



Rezz
p. 460–461



Roda
p. 427



Samar
p. 442–443



Savile
p. 434–435



Solo
p. 482



Solo
p. 482



Stockton
p. 478



Synergy
p. 476



Tachi
p. 428–429



Trafalgar
p. 479



Trinity
p. 465



Vega Minor
p. 439

FANS



Archer
p. 538–539



Baylor
p. 525–526



Coronado
p. 521–522



Emiko
p. 540–541



Erikson
p. 548–557



Fremont
p. 544–545



Horizon
p. 546–547



Hugo
p. 116–117



Isla
p. 114–115



Owens
p. 542–543



Rubio
p. 536–537



Thalia
p. 530–534

MIRRORS



Float
p. 102–103



Hillmont
p. 104–105



Seneca
p. 106–107

PORTABLE



Asher
p. 496



Brilla
p. 506–507



Cursive
p. 515



Dario
p. 500



Gypsum
p. 490



Hilo
p. 513



Hilo
p. 513



Hinata
p. 497



Keiko
p. 509



Lanai
p. 511



Lunar
p. 492–493



Maya
p. 508



Miter
p. 517



Miter
p. 517



Nimbus
p. 494–495



Novel
p. 514



Pela
p. 502–503



Roda
p. 504



Roda
p. 504



Septum
p. 491



Setas
p. 498–499



Tachi
p. 505



Tindra
p. 506



Valor
p. 512



Zola
p. 501

OUTDOOR



Alden
p. 591



Aspen
p. 578



Aspen
p. 578–579



Blaine
p. 593



Bravo
p. 584–585



Carson
p. 615



Casa
p. 606–607



Chadworth
p. 592



Claremont
p. 570



Copenhagen
p. 610



Copenhagen
p. 612



Copenhagen
p. 612



Davy
p. 615



Dorian
p. 600–601



Dover
p. 594



Ellis
p. 573



Enzo
p. 577



Estes
p. 580–581



Evans
p. 586



Glen
p. 587



Griffith
p. 574



Hanover
p. 595



Indio
p. 609



Kingsbury
p. 590



Knox
p. 596



Kona
p. 611



Lanai
p. 602



Lanai
p. 602–603



Lanai
p. 511



Lenox
p. 613



Lima
p. 572



Lorna
p. 575



Mavis
p. 614



Mica
p. 604



Moondew
p. 608



Napa
p. 599



Novato
p. 597



Peri
p. 571



Rene
p. 573



Rene
p. 573




Slate
p. 605



Sonoma
p. 598



Suara
p. 510



Tac
p. 613



Vail
p. 582



Vail
p. 582–583



Vesta
p. 616



Vista
p. 614



Windermere
p. 588



Yara
p. 572

STEP LIGHTING



Bristol
p. 564–565



Casa
p. 562



Newport
p. 566–567



Newport
p. 566



Sonic
p. 563

ICONS + SYMBOLS



UP AND DOWN LIGHT CHANDELIER OR PENDANTS



DOWN LIGHT CHANDELIER OR LINEAR PENDANTS



DOWN LIGHT PENDANTS



AMBIENT SUSPENSION LIGHT



AMBIENT FLOOR OR TABLE LIGHT



DOWN LIGHT CEILING



UP AND DOWN LIGHT WALL SCONCES



WALL LIGHT



INDIRECT WALL LIGHT



USB CHARGING



PATENTED LED FILAMENT TECHNOLOGY



TRACK LIGHT



MONOPOINT



DOWN LIGHT WALL SCONCES



LIGHT DIRECTED TOWARD WALL & PLATE



WET LOCATION



READING LIGHT



PORTABLE



SOFT DIRECTIONAL LIGHT




ADJUSTABLE / ROTATIONAL LIGHT




WIRELESS CHARGING






Vintage Brass
option available.
Visit our website.



CH21120-GBK-UNV



BELL - CH21120

FINISH GBK - Gloss Black | VB - Vintage Brass

Adjustable shades
Steel and brass body
Frosted polycarbonate diffuser
Luxe glossy finish
Down light
Universal voltage

WATTAGE: 40W
VOLTAGE: 120-277V
DELIVERED LUMENS: 1360*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available

*Preliminary figures



Style Tip

Each Corda strand size comes with several options. Choose a remote driver for a cleaner, smaller canopy, or choose a standard J box canopy.


Each strand can hang vertically or horizontally and includes the accessories for both options.



PD39317-BK/OP-UNV-010-RT



PD39317-BK/OP-UNV-010



CORDA - PD39317

FINISH BK - Black

GLASS OP - Opal Matte

Customizable strands of illumination
Aluminum and steel frame
Fabric rope detail
Opal glass diffusers
Remote driver and J-box cover options
Universal voltage + 0-10 Dimming
Omni-directional light

WATTAGE: 76W
VOLTAGE: 120-277V
DELIVERED LUMENS: 2430*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC/0-10V (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



PD39317-BK/OP-UNV-010-RT, PD39310-BK/OP-UNV-010-RT, PD39307-BK/OP-UNV-RT





PD39310-BK/OP-UNV-010-RT




PD39310-BK/OP-UNV-010



PD39307-BK/OP-UNV-RT



PD39307-BK/OP-UNV



CORDA - PD39310 / PD39307

FINISH BK - Black

GLASS OP - Opal Matte

Customizable strands of illumination
Aluminum and steel frame
Fabric rope detail
Opal glass diffusers
Remote driver and J-box cover options
Universal voltage + 0-10 Dimming
Omni-directional light

	PD39310	PD39307
WATTAGE:	48W	32W
VOLTAGE:	120-277V	120-277V
DELIVERED LUMENS:	1535*	1025*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC/0-10V (PD39310, not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	




Design Detail



CH73418-BK-UNV



PD73411-BK-UNV



ARENA - CH73418 / PD73411

FINISH BK - Black

Stadium light inspired
Aluminum body
Frosted acrylic diffusers
Luxe painted finish
Down light
Universal voltage
46" max rod included

	CH73418	PD73411
WATTAGE:	80W	36W
VOLTAGE:	120-277V	120-277V
DELIVERED LUMENS:	3560*	1580*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	





CH73418-BK-UNV






PD65116-GBK/OP-UNV



PD65116-MRB/OP-UNV



PD65116-PN/OP-UNV



SCORPIO - PD65116

FINISH GBK - Gloss Black | MRB - Mirrored Brass | PN - Polished Nickel

GLASS OP - Opal Matte

Aluminum and steel frame
Opal glass globe
Luxe plated finishes
Universal voltage
Omni-directional light

WATTAGE: 15W
VOLTAGE: 120-277V
DELIVERED LUMENS: 885*

*All data based on Gloss Black finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS

Custom options available




CH65127-PN/OP-UNV



CH65127-GBK/OP-UNV



CH65127-MRB/OP-UNV



SCORPIO - CH65127

FINISH GBK - Gloss Black | MRB - Mirrored Brass | PN - Polished Nickel

GLASS OP - Opal Matte

Aluminum and steel frame
Opal glass globe
Luxe plated finishes
Universal voltage
Omni-directional light

WATTAGE: 43W
VOLTAGE: 120-277V
DELIVERED LUMENS: 2655*

*All data based on Gloss Black finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS

Custom options available




CH65127-GBK/OP-UNV




NEW

ADJUSTABLE
PANELS



LP17435-BK-UNV
STRAIGHTENED

LP17435-VB-UNV



DOMINO - LP17435

FINISH BK - Black | VB - Vintage Brass

Adjustable shades
Steel frame
Frosted acrylic diffuser
Luxe painted finishes
Universal voltage
Up/Down Light

WATTAGE: 80W
VOLTAGE: 120-277V
DELIVERED LUMENS: 2355*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available






PD94108-MRB/CC-UNV



PD94108-PN/CC-UNV



PD94108-GBK/CC-UNV



FLOE - PD94108

FINISH GBK - Gloss Black | MRB - Mirrored Brass | PN - Polished Nickel

GLASS CC - Clear Crystal

Ice inspired design
Crystal upper shade
Steel body
Luxe painted or plated finishes
Universal voltage
Down light

WATTAGE: 13W
VOLTAGE: 120-277V
DELIVERED LUMENS: 520*
*All data based on Gloss Black finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available









WS89714-GBK



WS89714-MRB



WS89714-PN



HUSK - WS89714

FINISH GBK - Gloss Black | MRB - Mirrored Brass | PN - Polished Nickel

Split pipe design
Stainless steel body
Clear glass diffuser
Luxe plated finishes
Up/Down light
Mounting: horizontal or vertical

WATTAGE: 15W
VOLTAGE: 120V
DELIVERED LUMENS: 910*

*All data based on Gloss Black finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available




PD89709-GBK



PD89709-MRB



PD89709-PN



HUSK - PD89709

FINISH GBK - Gloss Black | MRB - Mirrored Brass | PN - Polished Nickel

Split pipe design
Stainless steel body
Clear glass diffuser
Luxe plated finishes
Down light

WATTAGE: 7W
VOLTAGE: 120V
DELIVERED LUMENS: 450*
*All data based on Gloss Black finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available







NEW


ADJUSTABLE
WIRES



CH68127-UB-UNV



CH68127-VB-UNV




LEX - CH68127

FINISH UB - Urban Bronze | VB - Vintage Brass


Steel body
Opal diffuser
Luxe plated finishes
Universal voltage
Omni-directional light

WATTAGE: 41W
VOLTAGE: 120-277V
DELIVERED LUMENS: 1570*
*All data based on Urban Bronze finish.
See spec sheet for details.


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



LP68124-UB-UNV



LP68124-VB-UNV



LEX - LP68124

FINISH UB - Urban Bronze | VB - Vintage Brass


Steel body
Opal diffuser
Luxe plated finishes
Universal voltage
Omni-directional light

WATTAGE: 15W
VOLTAGE: 120-277V
DELIVERED LUMENS: 550*


*All data based on Urban Bronze finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS


Custom options available




LP68124-UB-UNV



LP17910-BK-UNV-010



LP17910-BK-UNV-010-RT



THREAD - LP17910


FINISH BK - Black

Customizable to fit any space
Aluminum body
Opal silicone diffuser
Universal voltage + 0-10 Dimming
Remote driver and J-box cover options
Down light


WATTAGE: 60W
VOLTAGE: 120-277V
DELIVERED LUMENS: 3060*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV OR TRIAC/0-10V *(not included)*
RATED LIFE 50,000 HOURS
Custom options available






LP17915-BK-UNV-010



LP17915-BK-UNV-010-RT



THREAD - LP17915

FINISH BK - Black

Customizable to fit any space
Aluminum body
Opal silicone diffuser
Universal voltage + 0-10 Dimming
Remote driver and J-box cover options
Down light

WATTAGE: 90W
VOLTAGE: 120-277V
DELIVERED LUMENS: 4590*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV OR TRIAC/0-10V *(not included)*
RATED LIFE 50,000 HOURS
Custom options available






Style Tip

Create your own custom look by connecting 2-3 Thread pendants together at either end of each pendant. Available in remote or standard junction box cover canopies.


Design Detail



LP17905-BK-UNV-010



LP17905-BK-UNV-010-RT



THREAD - LP17905

FINISH BK - Black

Customizable to fit any space
Aluminum body
Opal silicone diffuser
Universal voltage + 0-10 Dimming
Remote driver and J-box cover options
Down light

WATTAGE: 30W
VOLTAGE: 120-277V
DELIVERED LUMENS: 1530*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC/0-10V (*not included*)
RATED LIFE 50,000 HOURS
Custom options available




CH77916-BK/OP-UNV



CH77916-BG/OP-UNV



CH77916-CH/OP-UNV



CLEO - CH77916

FINISH BK - Black | BG - Brushed Gold | CH - Chrome


GLASS OP - Opal Matte

Steel body
Opal glass diffusers
Luxe painted or plated finishes
Omni-directional light
Universal voltage
72" max chain included

WATTAGE: 40W
VOLTAGE: 120-277V
DELIVERED LUMENS: 1660*
*All data based on Black finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available






VL77923-BG/OP



VL77923-BK/OP



VL77923-CH/OP



CLEO - VL77923

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

GLASS OP - Opal Matte

Steel body
Opal glass diffusers
Luxe painted or plated finishes
Omni-directional light
Mounting: horizontal or vertical

WATTAGE: 25W
VOLTAGE: 120V
DELIVERED LUMENS: 840*
*All data based on Black finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS

Custom options available









WS77909-BG/OP



WS77909-BK/OP



WS77909-CH/OP




WS77909-BG/OP
CEILING MOUNTED



WS77909-BK/OP
CEILING MOUNTED



WS77909-CH/OP
CEILING MOUNTED



CLEO - WS77909

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

GLASS OP - Opal Matte

Steel body
Opal glass diffusers
Luxe painted or plated finishes
Omni-directional light
Mounting: wall or ceiling

WATTAGE: 11W
VOLTAGE: 120V
DELIVERED LUMENS: 370*
*All data based on Black finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



PD97204-BK/FR



Style Tip

Mix and match the glass and hardware finishes for a customized look.



PD97204-MRB/FR




PD97204-GBK/CL



PD97204-CH/FR



PD97204-MRB/CL



STEPHORD - PD97204

FINISH GBK - Gloss Black | MRB - Mirrored Brass | CH - Chrome

GLASS CL - Clear | FR - Frosted

Mix and match glass and metal
Aluminum frame
Frosted or clear glass diffuser
Luxe plated finishes
Omni-directional light

WATTAGE: 6W

VOLTAGE: 120-277V

DELIVERED LUMENS: 205*

*All data based on Black/Clear finish.
See spec sheet for details.

COLOR TEMP 3000K

CRI (RA) >90

DIMMING 100%-10%

TYPE OF DIMMER ELV OR TRIAC (*not included*)

RATED LIFE 50,000 HOURS

Custom options available



WS97204-MRB/CL



WS97204-MRB/FR



WS97204-CH/FR




WS97204-CH/CL



WS97204-BK/CL



WS97204-BK/FR



STEPHORD - WS97204


FINISH GBK - Gloss Black | MRB - Mirrored Brass | CH - Chrome

GLASS CL - Clear | FR - Frosted

Mix and match glass and metal
Aluminum frame
Frosted or clear glass diffuser
Luxe plated finishes
Omni-directional light
Mounting: wall or ceiling

WATTAGE: 6W
VOLTAGE: 120-277V
DELIVERED LUMENS: 164*
*All data based on Black/Clear finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available




WS97204-MRB/CL



CH13922-VBCR-UNV



CH13922-UBCR-UNV



TAURUS - CH13922

FINISH UB - Urban Bronze | VB - Vintage Brass

GLASS CR - Clear Ribbed Glass

Ribbed glass shades
Aluminum frame
Luxe painted finishes
Universal voltage
Omni-directional light

WATTAGE: 32W
VOLTAGE: 120-277V
DELIVERED LUMENS: 1170*

*All data based on Urban Bronze finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS

Custom options available



CH13922-VBCR-UNV





PD55922-BGD




PD55922-PEC

PD55922-CER



PD55922-PGN



KIRBY - PD55922

FINISH BGD - Burgundy | CER - Cerulean | PEC - Peach | PGN - Pine Green

Steel body
Opal glass shade
Luxe painted finishes
Down light
E26 Socket based

WATTAGE:
VOLTAGE:

1 X 60W, E26
120V

Custom options available








LP57642-BK/PEC



LP57642-BK/PGN



ATLAS - LP57642

FINISH BK/BGD - Black/Burgundy | BK/CER - Black/Cerulean | BK/PEC - Black/Peach | BK/PGN - Black/Pine Green

Organically curved frame
Steel body
Luxe painted finishes
Down light
E12 socket based

WATTAGE:
VOLTAGE:

7 X 40W, E12
120V

Custom options available






LP57642-BK/BGD



LP57642-BK/CER



ATLAS - LP57642

FINISH BK/BGD - Black/Burgundy | BK/CER - Black/Cerulean | BK/PEC - Black/Peach | BK/PGN - Black/Pine Green

Organically curved frame
Steel body
Luxe painted finishes
Down light
E12 socket based

WATTAGE: 7 X 40W, E12
VOLTAGE: 120V

Custom options available





LP57642-BK/BGD





PD56019-CER




PD56019-BGD



PD56019-PEC



PD56019-PGN



REGENT - PD56019

FINISH BGD - Burgundy | CER - Cerulean | PEC - Peach | PGN - Pine Green

Steel body
Opal glass shade
Luxe painted finishes
Down light
E26 Socket based

WATTAGE: 1 X 60W, E26
VOLTAGE: 120V

Custom options available






LP21647-BW-UNV



LP21647-WT-UNV



DAKOTA - LP21647

FINISH BW - Beach Wood | WT - Walnut

Natural wood body
Steel frame
Frosted acrylic diffuser
Luxe stained finishes
Universal voltage
Down light

WATTAGE: 20W
VOLTAGE: 120-277V
DELIVERED LUMENS: 1275*
*All data based on Walnut finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available








PD68507-AW-UNV



PD68507-GBK-UNV



PD68507-PW-UNV



HAYDEN - PD68507

FINISH AW - Antique White | GBK - Gloss Black | PW - Pearl White

Steel body
Opal glass shade
Luxe painted finishes
Down light

WATTAGE: 9W
VOLTAGE: 120-277V
DELIVERED LUMENS: 355*

*All data based on Gloss Black finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



FM68506-GBK



FM68506-PW




FM68506-AW




FM68506-GBK
WALL MOUNTED



FM68506-PW
WALL MOUNTED



FM68506-AW
WALL MOUNTED



HAYDEN - FM68506

FINISH AW - Antique White | GBK - Gloss Black | PW - Pearl White

Natural wood body
Steel frame
Frosted acrylic diffuser
Luxe stained finishes
Universal voltage
Down light

WATTAGE: 8W
VOLTAGE: 120V
DELIVERED LUMENS: 220*
*All data based on Gloss Black finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available







CH59810-BK/OP




CH59810-BG/OP



CH59810-BK/OP



CH59810-CH/OP



CIEL - CH59810

FINISH BK - Black | BG - Brushed Gold | CH - Chrome


GLASS OP - Opal Matte

Steel body
Opal glass shade
Painted or plated finishes
Up/down light
E26 socket based

WATTAGE:
VOLTAGE:

1 X 60W, E26
120V

Custom options available




WS59810-CH/OP



WS59810-BK/OP



WS59810-BG/OP



CIEL - WS59810

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

GLASS OP - Opal Matte

Steel body
Opal glass shade
Painted or plated finishes
Omni-directional light
Mounting: horizontal or vertical
Candelabra socket based

WATTAGE:
VOLTAGE:

1 X 40W, E12
120V

Custom options available











Design Detail




LP15548-BG-UNV



LP15548-CH-UNV



LP15548-BK-UNV



ELIXIR - LP15548

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Steel body
Opal glass diffusers
Luxe painted or plated finishes
Universal voltage
Omni-directional light
Max. cable length of 120"

WATTAGE: 29W
VOLTAGE: 120-277V
DELIVERED LUMENS: 1505*
*All data based on Black finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



CH15504-BK-UNV




CH15504-BG-UNV



CH15504-BK-UNV



CH15504-CH-UNV




ELIXIR - CH15504

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Steel body
Opal glass diffusers
Luxe painted or plated finishes
Universal voltage
Omni-directional light
46" max rod included

WATTAGE: 13W
VOLTAGE: 120-277V
DELIVERED LUMENS: 710*
*All data based on Black finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



ELIXIR - PD15519 / PD15518 / PD15416 / PD15415

FINISH BK - Black | BG - Brushed Gold

Extruded-aluminum structure
Modern powder-coated or anodized finish
Opal glass globes (PD15518 and PD15519)
Sandblasted acrylic interior (PD15415 and PD15416)

Select variations include polished reflector
Down light or omni-directional light
Max. cable length of 120"

	PD15519	PD15518	PD15416	PD15415	COLOR TEMP	3000K
WATTAGE:	8W	8W	6W	6W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	357*	447*	346*	383*	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
					RATED LIFE	50,000 HOURS

Custom options available








FM15514-BG-UNV



FM15510-BK-UNV



FM15506-CH-UNV



ELIXIR - FM15514 / FM15510 / FM15506

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Steel body
Opal glass diffusers
Luxe painted or plated finishes
Universal voltage
Omni-directional light
Mounting: wall or ceiling

	FM15514	FM15510	FM15506
WATTAGE:	13W	9W	7W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	460*	305*	245*
*All data based on Black finish. See spec sheet for details.			

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	







FM15514-CH-UNV
WALL MOUNTED



FM15510-BK-UNV
WALL MOUNTED



FM15506-BG-UNV
WALL MOUNTED



ELIXIR - FM15514 / FM15510 / FM15506

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Steel body
Opal glass diffusers
Luxe painted or plated finishes
Universal voltage
Omni-directional light
Mounting: wall or ceiling

	FM15514	FM15510	FM15506
WATTAGE:	13W	9W	7W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	460*	305*	245*
*All data based on Black finish. See spec sheet for details.			

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (<i>not included</i>)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	




WS15504-BG-UNV



WS15504-BK-UNV



WS15504-CH-UNV



ELIXIR - WS15504

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Steel body
Opal glass diffusers
Luxe painted or plated finishes
Universal voltage
Omni-directional light
Mounting: up or down


WATTAGE: 3W
VOLTAGE: 120-277V
DELIVERED LUMENS: 150*
*All data based on Black finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available






WS15504-BG-UNV



PD34216-BK/OP
PD34616-BK/OP



PD34212-BK/OP
PD34612-BK/OP



PD34616/PD34216

PD34612/PD34212

MARCO - PD34616 / PD34612 / PD34216 / PD34212

FINISH BK - Black

GLASS OP - Opal Matte

Opal glass globe

Steel frame

Luxe painted finish

Omni-directional light

E26 Socket based

Max. cable length of 120" (PD34216/PD34212)

Max. cable length of 196" (PD34616/PD34612)

	PD34616	PD34612	PD34216	PD34212
WATTAGE:	1 X 60W, E26	1 X 60W, E26	1 X 60W, E26	1 X 60W, E26
VOLTAGE:	120V	120V	120V	120V

Custom options available



NEW


LED

5CCT
SELECTABLE



PD43216-BK/OP-5CCT-UNV
PD43616-BK/OP-5CCT-UNV

PD43212-BK/OP-5CCT-UNV
PD43612-BK/OP-5CCT-UNV



PD43616/PD43216

PD43612/PD43212

MARCO - PD43616 / PD43612 / PD43216 / PD43212

FINISH BK - Black

GLASS OP - Opal Matte

Opal glass globe
Steel frame
Luxe painted finish
Universal voltage
Omni-directional light
5 Color temperature selectable
Max. cable length of 120" (PD43216/PD43212)
Max. cable length of 196" (PD43616/PD43612)

	PD43616	PD43612	PD43216	PD43212
WATTAGE:	20W	15W	20W	15W
VOLTAGE:	120-277V	120-277V	120-277V	120-277V
DELIVERED LUMENS:	980*	740*	980*	740*

COLOR TEMP	2700K/3000K/3500K/4000K/5000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	


*Preliminary figures




WS21305-BK



WS21305-WH



ORGANIC RIDGE DESIGN



ARCO - WS21305

FINISH BK - Black | WH - White


Aluminum body
Frosted acrylic diffuser
Durable powder coated finishes
Omni-directional light
Mounting: Wall or Ceiling


WATTAGE: 7W
VOLTAGE: 120V
DELIVERED LUMENS: 280*
*All data based on Black finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available











VL21332-BK-UNV




VL21332-WH-UNV



VL21324-BK-UNV



VL21324-WH-UNV



ARCO - VL21332 / VL21324

FINISH BK - Black | WH - White

Aluminum body
Frosted acrylic diffuser
Durable powder coated finishes
Omni-directional light
Universal voltage
Mounting: horizontal or vertical

	VL21332	VL21324
WATTAGE:	28W	24W
VOLTAGE:	120-277V	120-277V
DELIVERED LUMENS:	1340*	1150*
*All data based on Black finish. See spec sheet for details.		


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



VM13837-WH-5CCT



VM13837-WH-5CCT



28-3/4"

37-1/8"

3-7/8"

FLOAT - VM13837

FINISH WH - White

Steel frame
Glass and Polymeric diffuser
De-fog and CCT buttons
5 color temperature selectable
Omni-directional light

WATTAGE: 96W
VOLTAGE: 120V
DELIVERED LUMENS: 800*


COLOR TEMP 2700K/3000K/3500K/4000K/5000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER CCT SELECTABLE
RATED LIFE 50,000 HOURS

Custom options available


**Preliminary figures*

FLOAT 103






VM41040-5CCT



VM41032-5CCT



Now available with
de-fogging feature



HILLMONT - VM41040 / VM41032



Simple, sleek design
Touch dimming switch
Front-facing light
Built in adjustable color temperature
(2700K/3000K/3500K/4000K/5000K)


	VM41040	VM41032
WATTAGE:	51W	38W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	550*	450*

COLOR TEMP	2700K/3000K/3500K/4000K/5000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	CCT SELECTABLE
RATED LIFE	50,000 HOURS

Custom options available



VM31160-5CCT




VM31148-5CCT



VM31124-5CCT



Now available with
de-fogging feature



VM31160

VM31148

VM31124

SENECA - VM31160 / VM31148 / VM31124



Simple, sleek design
Touch dimming switch
Front-facing light
Mounting options: horizontal or vertical
Built in adjustable color temperature
(2700K/3000K/3500K/4000K/5000K)

	VM31160	VM31148	VM31124
WATTAGE:	86W	69W	46W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	650*	600*	500*

COLOR TEMP	2700K/3000K/3500K/4000K/5000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	CCT SELECTABLE
RATED LIFE	50,000 HOURS

Custom options available



VM31148-5CCT



PD90420-UB



PD90414-VB



PD90414-UB



PD90420-VB



PD90420-UB

SEE FULL COLLECTION




PENDANT PAGE 196



WALL / VANITY
PAGE 333



CEILING PAGE 433



PD90420

PD90414

MASON - PD90420 / PD90414

FINISH UB - Urban Bronze | VB - Vintage Brass

Sleek, minimal style
Forged-steel and aluminum body
Luxury painted finishes
Down light
Max. cord length 120"

	PD90420	PD90414
WATTAGE:	8W	8W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	420*	420*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	




FM47712-WH-5CCT



FM47707-WH-5CCT



FM47705-WH-5CCT



MIO - FM47712 / FM47707 / FM47705

FINISH WH - White

Steel frame
Frosted acrylic diffuser
Durable painted finish
Down light
5 color temperature selectable
Select SKU's wet rated for outdoor use

	FM47712	FM47707	FM47705
WATTAGE:	22W	15W	12W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1379*	1016*	779*

COLOR TEMP	2700K/3000K/3500K/4000K/5000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available







VL57718-BG/GO



VL57718-CH/GO



VL57718-BG/GO



VL57718-BK/GO

SEE FULL COLLECTION



CHANDELIER
PAGE 183




WALL/VANITY
PAGE 331



WALL/VANITY
PAGE 330



CEILING
PAGE 432



NOLA - VL57718

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

GLASS GO - Glossy Opal

Simple-modern silhouette
Forged-steel body
Metal or glossy opal glass shade option
Sleek painted finish
Omni-directional light
Damp rated for varied usage
Mounting options: up or down

WATTAGE:
VOLTAGE:

3 x 40W, E26
120V

Custom options available



**Preliminary figures*



CF41424-WH/BR-5CCT




CF41424-MB/BR-5CCT



ISLA - CF41424

FINISH MB/BR - Matte Black/Braided Rope | WH/BR - White/ Braided Rope



MODEL		SPECIFICATIONS	
	CF41424-MB/BR	BLADE 3 ABS Blades 6 Speeds, Timer, and Reverse Function	LAMPING 43W 1225*lm 120V 90CRI 2700/3000/3500/4000/5000K LED Remote Smart Control Dimming
	CF41424-WH/BR	INSTALLATION LV DC Motor Up to 18° Sloped Ceiling Adaptable Damp rated	ENERGY GUIDE Airflow Efficiency: 63* CFM/W Maximum CFM: High Speed 1,303*

Fan Includes: Handheld Remote, Wall Holster + Smart Control. Compatible with Alexa, and Google products.
Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control.



CF41424-MB/BR-5CCT



CF92952 with
X-LK-929-WH



CF92952 with
X-LK-929-BK



CF92952-WH



CF92952-MB



CF92952-BG/WH with X-LK-929-BG




CF92952-BG/MB with X-LK-929-BG

HUGO - CF92952 / X-LK-929



FINISH BG - Brushed Gold | BG/MB - Brushed Gold/Matte Black | BG/WH - Brushed Gold/White | MB - Matte Black | WH - White

MODEL		SPECIFICATIONS	
 CF92952	CF92952-MB	BLADE	LAMPING
	CF92952-BG/MB	3 ABS Blades	CF92952: 29W X-LK-929: 18W, 1097*lm
	CF92952-WH	20° Blade Pitch	120V 90CRI 3000K LED
	CF92952-BG/WH	6 Speeds, Timer, and Reverse Function	Dimmable Integrated LED Light Kit with X-LK-929
	X-LK-929 BG FAN		
 X-LK-929	X-LK-929 MB FAN	INSTALLATION	ENERGY GUIDE
	X-LK-929 WH FAN	DC Motor 6" Rod Included	Airflow Efficiency: 183* CFM/W
		Up to 18° Sloped Ceiling Adaptable	Maximum CFM: High Speed 5,476*
		Wet rated for exterior or interior use	

Fan Includes: Handheld Remote, Wall Holster + Smart Control. Compatible with iHome, Alexa, and Google products.

Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control.



CF92942-WH



CF92942 with
X-LK-929-WH



CF92942-MB



CF92942 with
X-LK-929-BK



CF92942-BG/WH with X-LK-929-BG




CF92942-BG/MB with X-LK-929-BG



HUGO - CF92942 / X-LK-929



FINISH BG - Brushed Gold | BG/MB - Brushed Gold/Matte Black | BG/WH - Brushed Gold/White | MB - Matte Black | WH - White

MODEL		SPECIFICATIONS	
 CF92952	CF92942-MB	BLADE	LAMPING
	CF92942-BG/MB	3 ABS Blades	CF92942: 32W X-LK-929: 18W, 1097*lm
	CF92942-WH	20° Blade Pitch	120V 90CRI 3000K LED
	CF92942-BG/WH	6 Speeds, Timer, and Reverse Function	Dimmable Integrated LED Light Kit with X-LK-929
	X-LK-929 BG FAN		
 X-LK-929	X-LK-929 MB FAN	INSTALLATION	ENERGY GUIDE
	X-LK-929 WH FAN	DC Motor 6" Rod Included	Airflow Efficiency: 208* CFM/W
		Up to 18° Sloped Ceiling Adaptable	Maximum CFM: High Speed 6,172*
		Wet rated for exterior or interior use	

Fan Includes: Handheld Remote, Wall Holster + Smart Control. Compatible with iHome, Alexa, and Google products.
Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control.

*Preliminary figures. **Visit our site for Color Temperature options.



CHANDELIERS.

CHANDELIER.



CH64242-VB-UNV-010



CH64242-UB-UNV-010

SEE FULL COLLECTION



PENDANT
PAGE 211




CEILING
PAGE 428-429



WALL / VANITY
PAGE 329



PORTABLE
PAGE 505



TACHI - CH64242

FINISH UB - Urban Bronze | VB - Vintage Brass

Unique geometric profile
Steel body
Frosted light guide diffusers
Down light
Quality plated finishes

WATTAGE: 49W
VOLTAGE: 120-277V
DELIVERED LUMENS: 2335*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC/0-10V (*not included*)
RATED LIFE 50,000 HOURS
Custom options available




CHANDELIER.



CH18035-AW



CH18035-GBK



NAMI - CH18035

FINISH AW - Antique White | GBK - Glossy Black

Unique organic, layered structure
Forged-steel body
Sleek glossy or textural painted finish
Frosted acrylic diffuser
Omni-directional light
Max. cable length 120"

WATTAGE: 39W
VOLTAGE: 120V
DELIVERED LUMENS: 2118*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



*Preliminary figures




CHANDELIER.




CH17703-BK



CH17702-BK



CH17703



CH17702

ISHO - CH17703 / CH17702

FINISH BK - Black

Forged-aluminum frame
Modern painted finish
Frosted silicone diffusers
Unique, organic cluster shape
Omni-directional light
Max. cable length 120"

	CH17703	CH17702
WATTAGE:	64W	41W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1500*	980*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	





CH17702-BK



CHANDELIER.



CH55530-BK/OP



CH55524-BG/OP

SEE FULL COLLECTION




PENDANT
PAGE 214




CEILING
PAGE 430



WALL / VANITY
PAGE 337



CH55530



CH55524

JUNIPER - CH55530 / CH55524

FINISH BK - Black | BG - Brushed Gold

GLASS OP - Opal Matte

Adjustable arms for varied styling
Forged-steel and aluminum body
Matte opal glass shades
Sleek plated or painted finishes
Omni-directional light
Max. rod length 46"

	CH55530	CH55524
WATTAGE:	54W	32W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	4175*	2370*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
CEILING ADAPTOR	YES, UP TO 45°
RATED LIFE	50,000 HOURS

Custom options available



CHANDELIER.



CH58830-BK



CH58830-BG

SEE FULL COLLECTION




PENDANT
PAGE 212



CEILING
PAGE 431



PORTABLE
PAGE 509



KEIKO - CH58830

FINISH BK - Black | BG - Brushed Gold

Asymmetrical vintage-inspired style
Forged-steel and aluminum body
Sleek plated or painted finishes
Up and down light
Max. rod length 46"
Non-adjustable metal shades

WATTAGE: 6 X 60W, E26
VOLTAGE: 120V

CEILING ADAPTOR YES, UP TO 45°
Custom options available



**Preliminary figures*

CHANDELIER.



CH3128-OP



CH3128-BG/OP



CH3128-BK/OP



CH3128



CH3128-BG




CH3128-BK

SEE FULL COLLECTION



PENDANT
PAGE 222-223



BOLLA - CH3128

FINISH BK - Black | BG - Brushed Gold | CH - Chrome
GLASS OP - Matte Opal

Modern cluster design
Omni-directional light
Clear or opal glass globes
Quality painted or plated finish options
Max. rod length 78"

WATTAGE: 55W
VOLTAGE: 120V
DELIVERED LUMENS: 3325*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS

Custom options available







CHANDELIER.



CH3117-BG/OP



CH3117-BK/OP



CH3117-OP



CH3117-BG



CH3117-BK




CH3117

SEE FULL COLLECTION



PENDANT
PAGE 222-223



BOLLA - CH3117

FINISH BG - Brushed Gold | BK - Black | CH - Chrome

GLASS OP - Matte Opal

Modern cluster design
Omni-directional light
Clear or opal glass globes
Quality painted or plated finish options
Max. rod length 78"

WATTAGE: 20W
VOLTAGE: 120V
DELIVERED LUMENS: 1225*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available

*Preliminary figures

BOLLA 129

CHANDELIER.



CH96442-BK

SEE FULL COLLECTION



PENDANT
PAGE 246-247

COLLIDE - CH96442


FINISH BK - Black

Forged aluminum and steel frame
Modern powder-coated finish
Frosted silicone diffusers
Uniquely crafted organic shapes
Up and down light
Max. cable length 120"

WATTAGE: 100W
VOLTAGE: 120V
DELIVERED LUMENS: 5540*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS


Custom options available








CHANDELIER.



CH89854-BK/GO



CH89832-BG/GO



AMARA - CH89854 / CH89832

FINISH BK - Black | BG - Brushed Gold

GLASS GO - Glossy Opal

Forged steel body
Glossy opal glass accents
Stunning organic configurations
Modern brushed or powder-coated finish options
Max. cable length of 120"

	CH89854	CH89832
WATTAGE:	33W	21W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1760*	1225*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



CHANDELIER.



CH24755-BG




CH24755-BK

SEE FULL COLLECTION



PENDANT
PAGE 244-245



BRUNI - CH24755

FINISH BK - Black | BG - Brushed Gold

Forged aluminum and steel accents
Modern brushed or powder-coated finish options
Unique ribbed acrylic diffuser
Circular silhouette with rectangular profile
Easily powered from central hub
Adjustable rings for varied styling
Up and down light
Max. cable length of 120"

WATTAGE: 115W
VOLTAGE: 120V
DELIVERED LUMENS: 4650*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available






CH24755-BK



Design Detail

The glow of the ribbed diffusers create added depth and warmth to the Blade Collection.



CH23534-BK




CH23532-BG


SEE FULL COLLECTION


 PENDANT
 PAGE 238-239

 WALL / VANITY
 PAGE 340

 CEILING
 PAGE 444-445


CH23534



CH23532

BLADE - CH23534 / CH23532

FINISH BK - Black | BG - Brushed Gold

Forged aluminum and steel accents
 Modern brushed or powder-coated finish options
 Unique ribbed acrylic diffuser
 Up and down light
 Max. cable length of 120" (CH23534)
 Max. rod length of 46" (CH23532)

	CH23534	CH23532
WATTAGE:	29W	20W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1926*	1320*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (<i>not included</i>)
CEILING ADAPTOR	YES, UP TO 45° (CH23532)
RATED LIFE	50,000 HOURS

Custom options available





CHANDELIER.



CH72225-BK

SEE FULL COLLECTION



PENDANT
PAGE 278-279




WALL / VANITY
PAGE 372-373



CEILING
PAGE 438



PORTABLE
PAGE 514



NOVEL - CH72225

FINISH BK - Black

Modern powder-coated finish with cast-aluminum frame
Frosted acrylic cover and light guide
Rotational up and down light
Adjustable 350° disks for a variety of styles and directional illumination
Max. cable length of 120"

WATTAGE: 82W
VOLTAGE: 120V
DELIVERED LUMENS: 5500*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS

Custom options available



CHANDELIER.



CH19933-BN-UNV



CH19933-BK


SEE FULL COLLECTION



PENDANT
PAGE 272



WALL / VANITY
PAGE 376-377



DUNE - CH19933

FINISH BK - Black | BN - Brushed Nickel

Spun-aluminum crafted frame
Modern powder-coated or anodized finish
Spun-aluminum shades and metalized
Polished chrome interior reflectors
Down light
Max. cable length of 120"

WATTAGE: 41W
VOLTAGE: 120-227V
DELIVERED LUMENS: 3650*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



CH96840-BK/BG




CH96840-BK/BG



CH96840-BK

SEE FULL COLLECTION

PENDANT
PAGE 240-241

JAYDEN - CH96840

FINISH BK - Black | BK/BG - Black/Brushed Gold

Forged aluminum and steel body
Modern painted or powder-coated finish options
Frosted acrylic diffusers
Adjustable arms for varied styling
Down light
Max. rod length of 46"

WATTAGE: 57W
VOLTAGE: 120V
DELIVERED LUMENS: 1815*


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
CEILING ADAPTOR YES, UP TO 45°
RATED LIFE 50,000 HOURS
Custom options available





CH58040-BK/GD

CHANDELIER.



CH58040-BK/GD



CH58030-BK/GD


SEE FULL COLLECTION



PENDANT
PAGE 243



PENDANT
PAGE 243



CH58040

CH58030

AKIRA - CH58040 / CH58030

FINISH BK/GD - Black/Gold

Uniquely textured steel body
Modern duo-toned finish
Up and down light
Max. cable length of 120"

	CH58040	CH58030
LAMPING:	12 x 60W, E26	7 x 60W, E26
VOLTAGE:	120V	120V

Custom options available





CHANDELIER.



CH57514-BG/CP



CH57514-BK/SM



CH57514-CH/OP

SEE FULL COLLECTION



PENDANT
PAGE 258



WALL / VANITY
PAGE 341



CEILING
PAGE 442-443


SAMAR - CH57514

FINISH BK - Black | BG - Brushed Gold | CH - Chrome
GLASS CP - Copper | OP - Opal Matte | SM - Smoked

Forged steel accents
Plated, brushed, and powder-coated finish options
Ombre smoked, ombre copper, and opal glass options
Adjustable wires for varied styling
Central-canopy powered
Down light
Max. cable length of 120"

LAMPING: 3 x 60W, E26
VOLTAGE: 120V

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available





CHANDELIER.

Style Tip

Configure the Talis in any way you like, using its adjustable mounting cables.




MP89370-BN

MP89390-BG

SEE FULL COLLECTION



PENDANT
PAGE 268-269



MP89390

MP89370

TALIS - MP89390 / MP89370

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel

Forged aluminum body
Modern powder-coated and anodized finishes
Easily powered from central hub
Silicone diffuser
Down light
Max. cable length of 120"

	MP89390	MP89370
WATTAGE:	70W	56W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	4432*	3200*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	




Style Tip

Configure the Talis in any way you like, using its adjustable mounting cables.



MP89590-BK-UNV




MP89570-BN

SEE FULL COLLECTION



PENDANT
PAGE 268-269



MP89590

MP89570

TALIS - MP89590 / MP89570

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel

Forged aluminum body
Modern powder-coated and anodized finishes
Easily powered from central hub
Silicone diffuser
Down light
Max. cable length of 120"

	MP89590	MP89570
WATTAGE:	118W	80W
VOLTAGE:	120-277V	120-277V
DELIVERED LUMENS:	7386*	4924*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

CHANDELIER.



CH90833-BK/GD




CH90826-BK

SEE FULL COLLECTION



PENDANT
PAGE 273



CH90833

CH90826

MAESTRO - CH90833 / CH90826

FINISH BK - Black | BK/GD - Black/Gold

Cast-aluminum and steel rings
Modern powder-coated finish
Duo-tone options
Frosted polycarbonate diffuser
Down light
Max. rod length of 46"

	CH90833	CH90826
WATTAGE:	86W	58W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	3485*	2100*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available






CH18537-BK



CH18548-BN

SEE FULL COLLECTION

PENDANT
PAGE 267WALL / VANITY
PAGE 366

CH18548

CH18537

AKARI - CH18548 / CH18537

FINISH BK - Black | BN - Brushed Nickel


Anodized extruded-aluminum frame
Sleek, modern powder-coated finish
Frosted acrylic diffuser
Up and down light
Max. cable length of 120"

	CH18548	CH18537
WATTAGE:	60W	48W
VOLTAGE:	120-277V	120V
DELIVERED LUMENS:	3600*	2700*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	




CHANDELIER.



CH97358-BK

CH97139-BK



CH97358

CH97139

MOTO - CH97358 / CH97139

FINISH BK - Black

Multiple aluminum cross-shape arms spread outward by steel tubing
Etched opal glass globes
Modern powder-coated finish
Cylindrical central enclosure with stem suspension
Max. rod length of 46"

	CH97358	CH97139
WATTAGE:	70W	52W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	3720*	2790*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



CHANDELIER.

ADJUSTABLE
ARMS
CH62737

Design Detail

The Mulberry lightguide creates a unique glow, using edge-lit technology throughout each shade.



CH62628-BG/LG



CH62737-BK/LG


SEE FULL COLLECTION



PENDANT
PAGE 284-285



WALL / VANITY
PAGE 353



CH62737

CH62628

MULBERRY - CH62737 / CH62628

FINISH BK/LG - Black/Lightguide | BG/LG - Brushed Gold/Lightguide

Forged iron body
Modern powder-coated and anodized finishes
Innovative clear acrylic lightguide technology
Omni-directional light
Max. rod length of 46"

	CH62737	CH62628
WATTAGE:	67W	67W
VOLTAGE:	120-277V	120-277V
DELIVERED LUMENS:	2803*	2803*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (<i>not included</i>)
CEILING ADAPTOR	YES, UP TO 45°
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures. **Visit our site for Universal Voltage options.

CHANDELIER.



CH50848-BK




CH50825-BG

SEE FULL COLLECTION



PENDANT
PAGE 280-281



CH50848

CH50825

GEODE - CH50848 / CH50825

FINISH BK - Black | BG - Brushed Gold

Extruded-aluminum frame and base
Modern powder-coated or anodized finish
Sandblasted acrylic interior
Omni-directional gems of light
Max. rod length of 46"


	CH50848	CH50825
WATTAGE:	124W	62W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	8175*	4670*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



CHANDELIER.




CH94829-BK



CH94824-AN



CH94829-AS



CH94829

CH94824

OROS - CH94829 / CH94824

FINISH AN - Antique Brass | AS - Antique Silver | BK - Black

Die-cast aluminum rings
Translucent acrylic diffusers
Metallic brushed or matte modern
powder-coated finish
Outward emitting light
Max. cable length of 120"

	CH94829	CH94824
WATTAGE:	100W	78W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	5288*	3902*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures

CHANDELIER.



CH63436-BN



PD63428-BK-UNV

SEE FULL COLLECTION



PENDANT
PAGE 264-265




WALL / VANITY
PAGE 358




WALL / VANITY
PAGE 359



CEILING
PAGE 460-461



CH63436



PD63428

REZZ - CH63436 / PD63428

FINISH BK - Black | BN - Brushed Nickel

Forged iron and aluminum circular body
Frosted opal glass diffusers
Modern powder-coated and anodized finishes
Direct light
Max. cable length of 72"

	CH63436	PD63428
WATTAGE:	90W	41W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2000*	1000*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (<i>not included</i>)
CEILING ADAPTOR	YES, UP TO 45°
RATED LIFE	50,000 HOURS

Custom options available





CHANDELIER.



CH87232-WH
DOWN LIGHT



CH87332-BK
DOWN LIGHT




CH87224-BG
DOWN LIGHT


SEE FULL COLLECTION



PENDANT
PAGE 298-299




1-1/2" 120" Max.




31-1/2"

CH87332




1-1/2" 120" Max.




31-1/2"

CH87232



1-3/8" 120" Max.



23-5/8"

CH87224

CERCHIO - CH87332 / CH87232 / CH87224

FINISH BK - Black | BG - Brushed Gold | WH - White

Extruded-aluminum frame
Rectangular profile forged into circular silhouette
Dual flush polymeric diffuser sets per tier
Modern powder-coated finish
Down light
Max. cable length of 120"


	CH87332	CH87232	CH87224	COLOR TEMP	3000K
WATTAGE:	150W	113W	87W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	4700*	3420*	2775*	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
				RATED LIFE	50,000 HOURS
				<i>Custom options available</i>	



CHANDELIER.



CH87832-BG
UP AND DOWN LIGHT



CH87932-WH
UP AND DOWN LIGHT




CH87824-BK
UP AND DOWN LIGHT


SEE FULL COLLECTION




PENDANT
PAGE 298-299




1-1/2" 120" Max.




1-1/2" 120" Max.




1-1/2" 120" Max.



31-1/2"



31-1/2"



23-5/8"

CH87932

CH87832

CH87824

CERCHIO - CH87932 / CH87832 / CH87824

FINISH BK - Black | BG - Brushed Gold | WH - White

Extruded-aluminum frame
Rectangular profile forged into circular silhouette
Dual flush polymeric diffuser sets per tier
Modern powder-coated finish
Up and down light
Max. cable length of 120"

	CH87932	CH87832	CH87824
WATTAGE:	188W	138W	113W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	5170*	4600*	3450*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



reddot winner 2020
best of the best lighting design

**Most Innovative Product
of the Year**



CHANDELIER.




CH51224-BK/WH

SEE FULL COLLECTION



PENDANT
PAGE 232



CH51224



MAGELLAN - CH51224

FINISH BK/WH - Black/White

Large-scale statement piece
Multiple spun-aluminum shades clad a hollow core
Fine textured black exterior and white or gold interior finish
Indirect reflected ambient glow
Max. rod length of 46"
Patent pending*

CH51224
WATTAGE: 95W
VOLTAGE: 120V
DELIVERED LUMENS: 2124*


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available

CHANDELIER.



CH51825-BK

CH51818-BK



CH51825

CH51818

MAGELLAN - CH51825 / CH51818

FINISH BK - Black

Aluminum body
Modern powder-coated finish
Frosted acrylic diffuser
Omni-directional light
Max. rod length of 46"
Patent pending*

	CH51825	CH51818
WATTAGE:	145W	100W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	6750*	5400*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
CEILING ADAPTOR	YES, UP TO 45°
RATED LIFE	50,000 HOURS

Custom options available



CHANDELIER.

ADJUSTABLE
WIRES

PATENTED
LED
TECHNOLOGY



MP75127-CH



MP75121-BG



MP75113-BK


SEE FULL COLLECTION



PENDANT
PAGE 219



WALL / VANITY
PAGE 368-369



MOTIF - MP75127 / MP75121 / MP75113

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Patented LED filament technology
Extruded-aluminum frame and clear glass tubing
Adjustable wires for a range of design styles
Modern powder-coated and anodized finish
Omni-directional light
Max. cable length of 120"

	MP75127	MP75121	MP75113
WATTAGE:	115W	80W	53W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	11710	9165	6115

COLOR TEMP	2700K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available




CHANDELIER.

ADJUSTABLE
WIRES

PATENTED
LED
TECHNOLOGY

Design Detail


The Mulberry lightguide creates a unique glow, using edge-lit technology throughout each shade.



MP75227-BK



MP75221-CH



MP75213-BG-UNV


SEE FULL COLLECTION



PENDANT
PAGE 219



WALL / VANITY
PAGE 368-369



MP75227

MP75221

MP75213

MOTIF - MP75227 / MP75221 / MP75213

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Patented LED filament technology
Extruded-aluminum accompaniments
Adjustable wires for a range of design styles
Modern powder-coated and anodized finish
Clear glass tubing
Omni-directional light
Max. cable length of 120"

	MP75227	MP75221	MP75213
WATTAGE:	26W	21W	14W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2700	2115	1410

COLOR TEMP	2700K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (<i>not included</i>)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



CHANDELIER.

ROTATIONAL
HEADS

ADJUSTABLE
ARMS



CH90136-BK-UNV




CH90132-BK

SEE FULL COLLECTION



WALL / VANITY
PAGE 352

WALL / VANITY
PAGE 352



CH90136

CH90132

ROTAIRE - CH90136 / CH90132

FINISH BK - Black

Cast-aluminum body
Modern powder-coated finish
Frosted acrylic diffuser
Directional light and up or down light
Adjustable 350° heads for directional illumination
Max. cable length of 120" (CH90136)
Max. rod length of 46" (CH90132)

	CH90136	CH90132
WATTAGE:	43W	21W
VOLTAGE:	120-277V	120-277V
DELIVERED LUMENS:	1875*	935*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available






CH90136-BK-UNV



CHANDELIER.



SEE FULL COLLECTION



PENDANT
PAGE 277




WALL / VANITY
PAGE 382-383



WALL / VANITY
PAGE 423



CEILING
PAGE 439



VEGA MINOR - MP18205

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile linear aluminum with thin cables
Inset opal polymeric diffuser
Finely textured plate or modern powder-coated finish
Down light
Max. cable length of 120"

WATTAGE: 122W
VOLTAGE: 120-277V
DELIVERED LUMENS: 5795*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



CHANDELIER.

ADJUSTABLE
WIRES



MP18203-BG



MP18203-WH



MP18203-BK-UNV



MP18203-BN

SEE FULL COLLECTION



PENDANT
PAGE 277




WALL / VANITY
PAGE 382-383



WALL / VANITY
PAGE 423



CEILING
PAGE 439



VEGA MINOR - MP18203

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile linear aluminum with thin cables
Inset opal polymeric diffuser
Finely textured plate or modern powder-coated finish
Down light
Max. cable length of 120"

WATTAGE: 69W
VOLTAGE: 120V
DELIVERED LUMENS: 3477*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



*Preliminary figures. **Visit our site for Universal Voltage options.


CHANDELIER.



CH10356-BG



CH10356-BN



CH10345-WH



CH10345-BK


SEE FULL COLLECTION




PENDANT
PAGE 276



WALL / VANITY
PAGE 384-385



CH10356



CH10345

VEGA - CH10356 / CH10345

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Machined aluminum body
Modern powder-coated or electroplated finish options
Trio of linear lights, suspended from a central spindle
Down light


	CH10356	CH10345
WATTAGE:	72W	56W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	5333*	3345*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
CEILING ADAPTOR	YES, UP TO 45°
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



CHANDELIER.

ADJUSTABLE
WIRES



MP10305-WH



MP10305-BK



MP10303-BN



MP10303-BG



SEE FULL COLLECTION





PENDANT
PAGE 276



WALL / VANITY
PAGE 384-385



MP10305



MP10303

VEGA - MP10305 / MP10303

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Machined aluminum body
Modern powder-coated or electroplated finish options
Adjustable wires for varied styling
Central canopy powering
Down light


	MP10305	MP10303
WATTAGE:	158W	92W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	7755*	4653*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
CEILING ADAPTOR	YES, UP TO 45°
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	





CHANDELIER.



CH88332-BG



CH88232-BK





CH88224-WH



SEE FULL COLLECTION





PENDANT
PAGE 302



CH88332



CH88232



CH88224

120" Max.
1-3/8"

31-1/2"

120" Max.
1-3/8"

31-1/2"

120" Max.
1-3/8"

23-5/8"

PIAZZA - CH88332 / CH88232 / CH88224

FINISH BK - Black | BG - Brushed Gold | WH - White

Extruded-aluminum rectangle profiles
form perfect squares
Dual polymeric diffusers (per tier)
Three tiers (CH88332)
Two tiers (CH88232 / CH88224)
Modern powder-coated finish
Up and down light
Max. cable length of 120"

	CH88332	CH88232	CH88224
WATTAGE:	149W	112W	87W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	4700*	3420*	2775*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures



CHANDELIER.




MP14850-BK



MP14850-WH

SEE FULL COLLECTION



PENDANT
PAGE 288-289



WALL / VANITY
PAGE 386-387


CHUTE - MP14850

FINISH BK - Black | WH - White

Extruded circular aluminum diagonal lamp rods
Flexible silicone-rubber diffusers
Finely textured powder-coated colors
Max. cable length of 120"

WATTAGE: 260W
VOLTAGE: 120V
DELIVERED LUMENS: 10575*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available





MP14932-WH





MP14924-BK




MP14919-WH


SEE FULL COLLECTION

PENDANT
PAGE 288-289WALL / VANITY
PAGE 386-387

MP14932



MP14924



MP14919

CHUTE - MP14932 / MP14924 / MP14919

FINISH BK - Black | WH - White

Extruded circular aluminum vertical lamp rods
Flexible silicone-rubber diffusers
Lightly textured powder-coated colors
Outward emitting light
Max. cable length of 120"

	MP14932	MP14924	MP14919	COLOR TEMP	3000K
WATTAGE:	195W	135W	72W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	8145*	5220*	3060*	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
				RATED LIFE	50,000 HOURS

Custom options available

CHANDELIER.




CH19234-BK/AN



CH19220-BK/AN



CH19226-BK/AN



MONZA - CH19234 / CH19226 / CH19220

FINISH BK/AN - Black/Antique Brass

Interconnected aluminum globe
Steel-framed cube
Finely textured metallic
Modern powder-coated finishes
Opal silicone circular diffusers
Up and down light
Max. rod length of 46"

	CH19234	CH19226	CH19220
WATTAGE:	111W	84W	59W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	4700*	3720*	2860*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	





CHANDELIER.



CH93941-BK



CH93934-AN



CH93934-AS

SEE FULL COLLECTION



PENDANT
PAGE 290




WALL / VANITY
PAGE 381



CEILING
PAGE 476



CH93941



CH93934

SYNERGY - CH93941 / CH93934

FINISH AN - Antique Brass | AS - Antique Silver | BK - Black

Intersecting rolled rectangular aluminum helixes
Flexible silicone-rubber diffuser
Metallic brushed or modern powder-coated finish
Up and down light
Max. rod length of 46"

	CH93941	CH93934
WATTAGE:	200W	107W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	7514*	3955*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



CHANDELIER.



CH93824-BK



CH93834-AS



CH93824-AN

SEE FULL COLLECTION



PENDANT
PAGE 290



WALL / VANITY
PAGE 381



CEILING
PAGE 476



CH93834



CH93824

SYNERGY - CH93834 / CH93824

FINISH AN - Antique Brass | AS - Antique Silver | BK - Black


Extruded and rolled rectangular aluminum helix ring
Flexible silicone-rubber diffuser
Metallic brushed finish or matte powder-coated
Up and down light
Max. cable length of 120"

	CH93834	CH93824
WATTAGE:	100W	78W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	3758*	2570*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



CHANDELIER.




MP14956-BK



MP14956-WH


SEE FULL COLLECTION



PENDANT
PAGE 288-289



WALL / VANITY
PAGE 386-387



CHUTE CALYPSO - MP14956

FINISH BK - Black | WH - White

Extruded-aluminum cylinders and rings
Finely textured modern powder-coated finish
Rounded opal silicone diffusers
Up and down lights
Max. cable length of 120"

WATTAGE: 72W
VOLTAGE: 120V
DELIVERED LUMENS: 3428*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available







MP14970-WH



MP14960-BK

SEE FULL COLLECTION

PENDANT
PAGE 288-289WALL / VANITY
PAGE 386-387

MP14970

MP14960

CHUTE MOTION - MP14970 / MP14960


FINISH BK - Black | WH - White

Extruded circular aluminum horizontal lamp rods
Flexible silicone-rubber diffusers
Lightly textured powder-coated colors
Outward emitting light
Max. cable length of 120"

	MP14970	MP14960
WATTAGE:	95W	70W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	4095*	2925*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (<i>not included</i>)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	


CHANDELIER.



MP28356-BN



MP28356-BK



ARKELL - MP28356

FINISH BK - Black | BN - Brushed Nickel

Square profile linear aluminum frames with thin cables
Inset opal polymeric diffuser
Finely textured plate or modern powder-coated finish
Down light
Max. cable length of 120"

WATTAGE: 90W
VOLTAGE: 120V
DELIVERED LUMENS: 2351*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



CHANDELIER.




MP84483-BK

SEE FULL COLLECTION



PENDANT
PAGE 218



SERIF - MP84483

FINISH BK - Black

Aluminum extrusion interconnected circular frame
Modern powder-coated finish
Easily powered from central hub
Frosted silicone diffuser
Up and down light
Max. cable length of 120"
Patent pending*

WATTAGE: 90W
VOLTAGE: 120V
DELIVERED LUMENS: 4625*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS

Custom options available



*Preliminary figures

CHANDELIER.



CH14356-BG




CH14356-BK



CH14348-BN



CH14348-WH



SIRIUS - CH14356 / CH14348

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Machined aluminum body
Powder-coated or electroplated finish
Array of elements emanate from a single point in a starburst of light
Up and down light

	CH14356	CH14348
WATTAGE:	67W	48W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	4091*	3794*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS


Custom options available




CHANDELIER.




CH14232-BG




CH14232-BK



CH14220-BN



CH14220-WH



CH14232

CH14220

SIRIUS MINOR - CH14232 / CH14220

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Machined aluminum body
Powder-coated or electroplated finish
Multiple miniature illuminated arms attached to central core
Up and down light
Max. stem length 46"

	CH14232	CH14220
WATTAGE:	65W	48W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1834*	1670*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	





CHANDELIER.



CH57731-BK



CH57731-BK/GO

SEE FULL COLLECTION




WALL / VANITY
PAGE 331



WALL / VANITY
PAGE 113, PAGE 330



CEILING
PAGE 432



NOLA - CH57731

FINISH BK - Black | BK/GO - Black/Glossy Opal
GLASS OP - Opal Matte

Simple-modern silhouette
Forged-steel body
Metal or glossy opal glass shade option
Sleek painted finish
Up and down light
Max. rod length 46"

WATTAGE:
VOLTAGE:

5 x 40W, E26
120V

CEILING ADAPTOR YES, UP TO 45°
Custom options available



**Preliminary figures*

NOLA 183

CHANDELIER.




CH81527-BK

SEE FULL COLLECTION



PENDANT
PAGE 249



MOBIL - CH81527


FINISH BK - Black

Forged aluminum and steel body
Modern powder-coated finish
Frosted polycarbonate diffuser
Unique wishbone-silhouette pendant design
Down light
Max. cable length of 120"


WATTAGE: 25W
VOLTAGE: 120V
DELIVERED LUMENS: 850*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available




 ADJUSTABLE
WIRES


CH76728-BK




CH76718-CH



CH76718-BG

SEE FULL COLLECTION

PENDANT
PAGE 252-253

CH76728

CH76718

ARIES - CH76728 / CH76718

FINISH BK - Black | BG - Brushed Gold | CH - Chrome



Forged aluminum and steel body
 Clear external glass
 Frosted glass internal accents
 Wires adjustable for varied styling
 Modern brushed or powder-coated finish options
 Single-canopy powered
 Max. cable length of 120"

	CH76728	CH76718
WATTAGE:	37W	29W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2890*	2245*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

CHOOSE YOUR
PENDANT
ON PAGE 190-193

UP TO
13
HEADS



MARQUEE - CNM13AC

FINISH BK - Black | GH - Graphite | WH - White

The Marquee transforms single pendants into a choreographed statement piece
Simple forms combine to make complex and unique multi-pendant arrangements
Up to 13 pendants
Black, graphite or matte white powder-coated finish
Available to use with Marquee Multi-Pendant Selection; see page 44–45
Dimming options depends on choice of pendant
Custom options available






CNM13AC-BK & DOROTHY PENDANTS



CNL3AC-WH & HELENA PENDANTS



MARQUEE LINEAR - CNL5AC / CNL3AC

FINISH BK - Black | GH - Graphite | WH - White

The Marquee transforms single pendants into a choreographed statement piece
Compatible with a range of fixtures, a customized piece can be created by combining three or five pendants and installing them in a linear arrangement
Black, graphite or matte white powder-coated finish
Available to use with Marquee Multi-Pendant Selection; see page 96-99
Dimming options depends on choice of pendant
Custom options available

SUGGESTED PENDANTS TO WORK WITH MARQUEE CANOPY SYSTEM

Canopy system allows the combination of selected line voltage pendants on one canopy.

Accommodates the following types of wire:

- SVT 120V Wire for incandescent and some LED fixtures
- SSL 120V Kuzco LED wire



492316-BK/GD
BK/GD - BLACK/GOLD DETAIL



492316-BN/BK
BN/BK - BRUSHED NICKEL/
BLACK DETAIL



492316-WH/GD
WH/GD - WHITE/GOLD DETAIL



492324-BK/GD
BK/GD - BLACK/GOLD DETAIL



492324-BN/BK
BN/BK - BRUSHED NICKEL/
BLACK DETAIL



492324-WH/GD
WH/GD - WHITE/GOLD DETAIL



492332-BK/GD
BK/GD - BLACK/GOLD DETAIL



492332-BN/BK
BN/BK - BRUSHED NICKEL/
BLACK DETAIL



492332-WH/GD
WH/GD - WHITE/GOLD DETAIL



PD1706-BK
BK - BLACK



PD1706-BN
BN - BRUSHED NICKEL



PD1706-CH
CH - CHROME



PD1709-BK
BK - BLACK



PD1709-BN
BN - BRUSHED NICKEL



PD1709-CH
CH - CHROME



PD1712-BK
BK - BLACK



PD1712-BN
BN - BRUSHED NICKEL



PD1712-CH
CH - CHROME



494213-BK
BK - BLACK



494213-GY
GY - GRAY



494213-WH
WH - WHITE



494216-BK
BK - BLACK



494216-GY
GY - GRAY



494216-WH
WH - WHITE



494224-BK
BK - BLACK



494224-GY
GY - GRAY



494224-WH
WH - WHITE



493513-BK
BK - BLACK



493513-IB
IB - INDIGO BLUE



493513-WH
WH - WHITE



493516-BK
BK - BLACK



493516-IB
IB - INDIGO BLUE



493516-WH
WH - WHITE



493522-BK
BK - BLACK



493522-IB
IB - INDIGO BLUE



493522-WH
WH - WHITE



492116-BK
BK - BLACK



492122-BK
BK - BLACK



493210-BK/GD
BK/GD - BLACK/GOLD DETAIL



493210-WH/GD
WH/GD - WHITE/GOLD DETAIL



493216-BK/GD
BK/GD - BLACK/GOLD DETAIL



493216-WH/GD
WH/GD - WHITE/GOLD DETAIL



494412-BK
BK - BLACK



494412-BK/GD
BK/GD - BLACK/GOLD



494418-BK
BK - BLACK



494418-BK/GD
BK/GD - BLACK/GOLD



492208-BK
BK - BLACK



492208-BN
BN - BRUSHED NICKEL



492208-GD
GD - GOLD



492208-GY
GY - GRAY



492208-IB
IB - INDIGO BLUE



492208-WH
WH - WHITE



494016-BK
BK - BLACK



494016-GY
GY - GRAY



494016-WH
WH - WHITE



494024-BK
BK - BLACK



494024-GY
GY - GRAY



494024-WH
WH - WHITE



PD9108-BK/BK
49108-BK/BK
BK/BK - BLACK/BLACK



PD9108-BK/GD
49108-BK/GD
BK/GD - BLACK/GOLD



PD9108-WH/GD
49108-WH/GD
WH/GD - WHITE/GOLD



PD9108-WH/SV
49108-WH/SV
WH/SV - WHITE/SILVER



PD9117-BK/BK
49117-BK/BK
BK/BU - BLACK/BLACK



PD9117-BK/GD
49117-BK/GD
BK/GD - BLACK/GOLD



PD9117-WH/GD
49117-WH/GD
WH/GD - WHITE/GOLD



PD9117-WH/SV
49117-WH/SV
WH/SV - WHITE/SILVER



492710-BK/GD
BK/GD - BLACK/GOLD



492710-BN/BK
BN/BK - BRUSHED NICKEL/BLACK



492710-WH/GD
WH/GD - WHITE/GOLD



492716-BK/GD
BK/GD - BLACK/GOLD



492716-BN/BK
BN/BK - BRUSHED NICKEL/BLACK



492716-WH/GD
WH/GD - WHITE/GOLD



492814-BK/GD
BK/GD - BLACK/GOLD



492814-BN/BK
BN/BK - BRUSHED NICKEL/BLACK



492814-WH/GD
WH/GD - WHITE/GOLD



492824-BK/GD
BK/GD - BLACK/GOLD



492824-BN/BK
BN/BK - BRUSHED NICKEL/BLACK



492824-WH/GD
WH/GD - WHITE/GOLD



493118-BK/GD
BK/GD - BLACK/GOLD



493118-BN/BK
BN/BK - BRUSHED NICKEL/BLACK



493118-WH/GD
WH/GD - WHITE/GOLD



493126-BK/GD
BK/GD - BLACK/GOLD



493126-BN/BK
BN/BK - BRUSHED NICKEL/BLACK




493126-WH/GD
WH/GD - WHITE/GOLD



PENDANTS.

PENDANT.



Design Detail

The Mason is painted in luxe Vintage Brass and Urban Bronze finishes, giving it a timeless allure.



LP90404-VB



LP90404-UB

SEE FULL COLLECTION




PENDANT
PAGE 108-109



WALL / VANITY
PAGE 332-333



CEILING
PAGE 433



MASON - LP90404

FINISH UB - Urban Bronze | VB - Vintage Brass

Sleek, minimal style
Forged-steel and aluminum body
Luxury painted finishes
Down light
Electrical strap technology with 120" max. length
Place pendants anywhere on strap to fit your space
Canopy offset or center option

WATTAGE: 42W
VOLTAGE: 120V
DELIVERED LUMENS: 1870*

*All data based on Urban Bronze finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
CEILING ADAPTOR YES, UP TO 45°
RATED LIFE 50,000 HOURS

Custom options available





LP90404-VB




KUZCO x Curves



PD20616-CH-UNV



PD20616-WH-UNV



TETRA - PD20616

FINISH CH - Chrome | WH - White

Curves by Sean Brown Design
Steel body
Frosted acrylic lens
Painted or plated finish
144" gray or white braided cord


WATTAGE: 33W
VOLTAGE: 120-277V
DELIVERED LUMENS: 1440*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
CEILING ADAPTOR YES, UP TO 45° *(CH55530/CH55524)*
RATED LIFE 50,000 HOURS
Custom options available


PENDANT.



LP46841-UB



LP46841-VB



LAURENCE - LP46841

FINISH UB - Urban Bronze | VB - Vintage Brass

Sleek, minimal style
Forged-steel and brass body
Luxury painted finishes
Down light
Electrical strap technology with 120" max. length

WATTAGE: 28W
VOLTAGE: 120V
DELIVERED LUMENS: 1260*

*All data based on Urban Bronze finish.
See spec sheet for details.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
CEILING ADAPTOR YES, UP TO 45°
RATED LIFE 50,000 HOURS
Custom options available





LP46841-VB



PENDANT.




LP79153-BK



LP79153-BG



LP79153-WH



OVALE - LP79153

FINISH BK - Black | BG - Brushed Gold | WH - White

Forged-aluminum body
Sleek plated or painted finishes
Frosted silicone diffusers
Down light
Max. cable length 120"

WATTAGE: 37W
VOLTAGE: 120V
DELIVERED LUMENS: 1280*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available

*Preliminary figures

PENDANT.




LP79140-BG



LP79140-BK



LP79140-WH



OVALE - LP79140

FINISH BK - Black | BG - Brushed Gold | WH - White

Forged-aluminum body
Sleek plated or painted finishes
Frosted silicone diffusers
Down light
Max. cable length 120"

WATTAGE: 28W
VOLTAGE: 120V
DELIVERED LUMENS: 1000*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS

Custom options available



PENDANT.




CH79253-BK



CH79253-BG



CH79253-WH



OVALE - CH79253

FINISH BK - Black | BG - Brushed Gold | WH - White

Forged-aluminum body
Sleek plated or painted finishes
Frosted silicone diffusers
Down light
Max. cable length 120"

WATTAGE: 72W
VOLTAGE: 120V
DELIVERED LUMENS: 2480*


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available





PENDANT.

3WCCT
SELECTABLE



PD37018-VB/SM-3WCCT-UNV




PD37018-BK/GO-3WCCT-UNV



PD37018-VB/GO-3WCCT-UNV



PD37018-BK/SM-3WCCT-UNV



KYOTO - PD37018

FINISH BK - Black | VB - Vintage Brass

GLASS GO - Glossy Opal Glass | SM - Smoked

Japandi-inspired shape
Aluminum frame
Omni-directional light
Smoke or opal glass diffuser
Imported European glass
Quality painted finishes
3-color temperature switch:
2700/3000/4000

WATTAGE: 20W
VOLTAGE: 120-277V
DELIVERED LUMENS: 900*

COLOR TEMP 2700K/3000K/4000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS

Custom options available

*Preliminary figures

KYOTO 207


PENDANT.



PD20716-VB-UNV



PD20716-UB-UNV



BOWERY - PD20716

FINISH UB - Urban Bronze | VB - Vintage Brass

Mid-century shape made modern
Steel and clear glass body
Omni-directional light
Max. rod length 46"

WATTAGE: 29W
VOLTAGE: 120-277V
DELIVERED LUMENS: 700*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available





PENDANT.



PD27731-BK-3WCCT-UNV



PD27731-WH-3WCCT-UNV

SEE FULL COLLECTION




PENDANT
PAGE 427



WALL/VANITY
PAGE 328



CEILING
PAGE 504



31-1/2"



RODA - PD27731

FINISH BK - Black | WH - White

Sleek circular design
Aluminum body
Up/down light
Frosted acrylic diffuser
Quality painted finishes
3-color temperature switch: 2700/3000/4000

WATTAGE: 50W
VOLTAGE: 120-277V
DELIVERED LUMENS: 1410*

COLOR TEMP 2700K/3000K/4000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available

PENDANT.



PD64231-VB-UNV-010



PD64231-UB-UNV-010

SEE FULL COLLECTION



CHANDELIER
PAGE 120




CEILING
PAGE 428-429



WALL / VANITY
PAGE 329



PORTABLE
PAGE 505



31-1/8"

TACHI - PD64231

FINISH UB - Urban Bronze | VB - Vintage Brass

Unique geometric profile
Steel body
Frosted light guide diffusers
Down light
Quality plated finishes

WATTAGE: 31W
VOLTAGE: 120-277V
DELIVERED LUMENS: 1460*


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC/0-10V (*not included*)
RATED LIFE 50,000 HOURS
Custom options available

*Preliminary figures

PENDANT.



PD58814-BK



PD58814-BG

SEE FULL COLLECTION




CHANDELIER
PAGE 125



CEILING
PAGE 431



PORTABLE
PAGE 509



KEIKO - PD58814

FINISH BK - Black | BG - Brushed Gold

Asymmetrical vintage-inspired style
Forged-steel and aluminum body
Sleek plated or painted finishes
Up and down light
Max. rod length 46"
Non-adjustable metal shades


WATTAGE: 2 x 60W, E26
VOLTAGE: 120V

CEILING ADAPTOR YES, UP TO 45° (PD58814)
Custom options available




PENDANT.


3CCT
SELECTABLE



PD75912-BG/LG-3CCT



PD75912-BK/LG-3CCT



PISCES - PD75912

FINISH BK - Black | BG - Brushed Gold

Unique take on a classic shape
Forged-steel body
Light guide technology
Etched acrylic shades
Omni-directional light
Max. cable length 120"
Built in adjustable color temperature
(2700K/3000K/4000K)

WATTAGE: 41W
VOLTAGE: 120V
DELIVERED LUMENS: 1500*

COLOR TEMP 2700K/3000K/4000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available

*Preliminary figures



PENDANT.



PD55520-BG/OP



PD55520-BK/OP

SEE FULL COLLECTION




CHANDELIER
PAGE 124



CEILING
PAGE 430



WALL/VANITY
PAGE 337



JUNIPER - PD55520

FINISH BK - Black | BG - Brushed Gold

GLASS OP - Opal Matte

Adjustable arms for varied styling
Forged-steel and aluminum body
Matte opal glass shades
Sleek plated or painted finishes
Omni-directional light
Max. rod length 46"

WATTAGE: 22W
VOLTAGE: 120V
DELIVERED LUMENS: 1910*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



PENDANT.




PD78040-VB



PD78031-UB



PD78019-PN



YUKON - PD78040 / PD78031 / PD78019

FINISH PN - Polished Nickel | UB - Urban Bronze | VB - Vintage Brass

Sleek, minimal style
Forged-aluminum body
Luxury painted and plated finishes
White silicone diffuser
Center or offset canopy option
Max. cable length 120"

	PD78040	PD78031	PD78019
WATTAGE:	41W	29W	20W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2525*	1825*	1345*

*All data based on Polished Nickel finish.
See spec sheet for details.

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



LP84457-BK

PENDANT.

ADJUSTABLE
RINGS

2
MOUNTING
OPTIONS



LP84457-BK
CENTER CANOPY MOUNTING

Style Tip

Easily fit the Serif into your space by mounting with an offset canopy or center canopy.


SEE FULL COLLECTION




CHANDELIER
PAGE 179



LP84434-BK
OFFSET CANOPY MOUNTING



LP84434



LP84457

SERIF - LP84457 / LP84434

FINISH BK - Black

Interconnected extruded-aluminum circular frame
Modern powder-coated finish
Frosted silicone diffuser
Up and down light
Adjustable 350° rings for directional illumination
Mounting options: center or offset canopy
Max. cable length of 120"
Patent pending*

	LP84457	LP84434
WATTAGE:	37W	22W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2035*	1190*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	







reddot winner 2021
lighting design



PENDANT.



PD84336-BK



SEE FULL COLLECTION



CHANDELIER
PAGE 179

SERIF - PD84336

FINISH BK - Black

Interconnected extruded-aluminum circular frame
Modern powder-coated finish
Frosted silicone diffuser
Up and down light
Adjustable 350° rings for directional illumination
Max. cable length of 120"
Patent pending*

WATTAGE: 62W
VOLTAGE: 120V
DELIVERED LUMENS: 4150*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS

Custom options available




PENDANT.

PATENTED
LED
TECHNOLOGY

Design Detail

The Motif features the latest in modern LED filament technology, creating a warm glow of light.



LP74626-BK


SEE FULL COLLECTION



CHANDELIER
PAGE 160-161



WALL / VANITY
PAGE 368-369




MOTIF - LP74626

FINISH BK - Black

Patented LED filament technology
Extruded-aluminum accompaniments
Modern powder-coated and anodized finish
Clear glass tubing
Omni-directional light
Max. rod length of 46"

WATTAGE: 55W
VOLTAGE: 120V
DELIVERED LUMENS: 5645

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
CEILING ADAPTOR YES, UP TO 45°
RATED LIFE 50,000 HOURS
Custom options available



PENDANT.



PD74746-BK



PD74738-BK


SEE FULL COLLECTION



CHANDELIER
PAGE 160-161



WALL / VANITY
PAGE 368-369



PD74746

PD74738

MOTIF - PD74746 / PD74738

FINISH BK - Black

Patented LED filament technology
Extruded-aluminum accompaniments
Modern powder-coated and anodized finish
Clear glass tubing
Omni-directional light
Max. wire length of 120"

	PD74746	PD74738
WATTAGE:	26W	17W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2820	1880

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



PENDANT.

PATENTED
LED
TECHNOLOGY



PD75027-BK



PD75027-BG



PD75021-CH


SEE FULL COLLECTION



CHANDELIER
PAGE 160-161



WALL / VANITY
PAGE 368-369



PD75027

PD75021

MOTIF - PD75027 / PD75021

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Patented LED filament technology
Extruded-aluminum accompaniments
Modern powder-coated and anodized finish
Clear glass tubing
Omni-directional light
Max. wire length of 120"

	PD75027	PD75021
WATTAGE:	9W	8W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	900*	705

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (<i>not included</i>)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

PENDANT.



SEE FULL COLLECTION



CHANDELIER
PAGE 126-129

BOLLA - PD3106

FINISH BK - Black | BG - Brushed Gold | CH - Chrome


GLASS OP - Opal Matte

Modern design
Omni-directional light
Clear or opal glass globes
Quality painted or plated finish options

WATTAGE: 3W
VOLTAGE: 120V
DELIVERED LUMENS: 175*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS

Custom options available





PD3106-BG/OP



PENDANT.



PD22907-BK/WH



PD22907-GY



PD22824-GY




PD22824-BK/WH

SEE FULL COLLECTION



CEILING
PAGE 360, PAGE 436



PD22907

PD22824



CRUZ - PD22907 / PD22824

FINISH BK/WH - Black/White | GY - Gray


Cast and spun aluminum or felt textile body
Powder-coated finish
Spun-aluminum (BK/WH) or gray felt textile (GY)
reflector with frosted acrylic cover or opal glass
Down light or down and omni-directional light
Max. cable length of 120"

	PD22907	PD22824
WATTAGE:	34W	13W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	605*	781*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS
Custom options available	




PENDANT.



LP73536-BK/WH-UNV



LP73510-BK/WH



PHOENIX - LP73536 / LP73510

FINISH BK/WH - Black/White

Forged aluminum and steel body
Modern duo-tone finish
Frosted acrylic diffuser
Adjustable shades for directional illumination
Up and down light
Max. cable length of 120"

	LP73536	LP73510
WATTAGE:	25W	13W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1901*	741*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available






LP73536-BK/WH




PENDANT.




LP73073-BG



LP73048-BK



LP73073



LP73048

VESPER - LP73073 / LP73048

FINISH BK - Black | BG - Brushed Gold

Forged aluminum and steel body
Modern brushed or powder-coated finish options
Frosted polycarbonate diffuser
Unique U-shaped frame
Max. cable length of 120"

*Patent pending

	LP73073	LP73048
WATTAGE:	43W	35W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2795*	2255*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (<i>not included</i>)
RATED LIFE	50,000 HOURS

Custom options available

*Preliminary figures


VESPER 229




PENDANT.



LP28760-BK



LP28748-BG-UNV



SHIFT - LP28760 / LP28748

FINISH BK - Black | BG - Brushed Gold | BK/BG - Black/Brushed Gold

Forged aluminum and steel frame
Modern brushed or powder-coated finish options
Frosted acrylic diffusers
Adjustable bars of illumination for varied directional light
Down light
Max. rod length of 46"

	LP28760	LP28748
WATTAGE:	48W	36W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1475*	1213*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
CEILING ADAPTOR	YES, UP TO 45°
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	





LP28760-BK/BG


PENDANT.



PD51212-BK/GD



PD51212-BK/WH




PD51612-BK/LG

SEE FULL COLLECTION



CHANDELIER
PAGE 158-159



PD51612

PD51212

MAGELLAN - PD51612 / PD51212

FINISH BK/GD - Black/Gold | BK/WH - Black/White | BK/LG - Black/Lightguide (PD51612 only)

Solid machined-aluminum base
Modern powder-coated finish with duo-toned options
Frosted acrylic diffuser (PD51212)
Spun-aluminum reflector (PD51212)
Innovative clear acrylic light guide technology (PD51612)
Down light
Max. cable length of 120"
Patent pending*

	PD51612	PD51212
WATTAGE:	13W	17W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	692*	431*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



PENDANT.



PD92615-BK




LP92636-BK

SEE FULL COLLECTION



WALL / VANITY
PAGE 356-357



LP92636

PD92615

AIREN - LP92636 / PD92615

FINISH BK - Black

Forged aluminum and steel body
Frosted silicone diffusers
Modern powder-coated finish
Up and down light
Max. cable length of 120"

	LP92636	PD92615
WATTAGE:	41W	20W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2130*	1161*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available


*Preliminary figures

AIREN 233

PENDANT.



PD28515-BK




LP28543-BG


SEE FULL COLLECTION



PORTABLE
PAGE 513



LP28543



PD28515

HILO - LP28543 / PD28515

FINISH BK - Black | BG - Brushed Gold

Forged aluminum and steel frame
Modern brushed or powder-coated finish options
Light guide technology
Clear glass shades
Omni-directional light
Max. cable length of 120"

	LP28543	PD28515
WATTAGE:	29W	11W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1885*	655*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



PENDANT.




LP29560-BK

LP29548-BK

SEE FULL COLLECTION



OUTDOOR
PAGE 577



LP29560

LP29548

ENZO - LP29560 / LP29548

FINISH BK - Black

Forged aluminum and steel body
Frosted acrylic diffusers
Modern duo-toned finish
Up and down light
Max. rod length of 46"


	LP29560	LP29548
WATTAGE:	62W	40W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	3317*	2310*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
CEILING ADAPTOR	YES, UP TO 45°
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures

ENZO 235


PENDANT.



LP32942-WK



LP32942-WT



MORINA - LP32942

FINISH WK - White Oak | WT - Walnut

Forged steel body
Unique wood veneer finish options
Frosted silicone diffuser
Up and down light
Max. cable length of 120"

WATTAGE: 57W
VOLTAGE: 120V
DELIVERED LUMENS: 2528*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



PENDANT.



PD32901-WT




PD32912-WT



PD32901-WK



PD32912-WK



MORINA - PD32912 / PD32901

FINISH WK - White Oak | WT - Walnut

Forged steel body
Unique wood veneer finish options
Frosted silicone diffuser
Up and down light
Max. cable length of 120"

	PD32912	PD32901
WATTAGE:	20W	20W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	700*	700*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	


*Preliminary figures



PENDANT.




LP23532-BK



LP23532-BG

SEE FULL COLLECTION




CHANDELIER
PAGE 136-137



WALL / VANITY
PAGE 340



CEILING
PAGE 444-445



BLADE - LP23532

FINISH BK - Black | BG - Brushed Gold

Forged aluminum and steel accents
Modern brushed or powder-coated finish options
Unique ribbed acrylic diffuser
Up and down light
Max. rod length of 46"

WATTAGE: 15W
VOLTAGE: 120V
DELIVERED LUMENS: 1073*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
CEILING ADAPTOR YES, UP TO 45°
RATED LIFE 50,000 HOURS
Custom options available



*Preliminary figures

PENDANT.



LP96840-BK-UNV




LP96840-BK/BG-UNV

SEE FULL COLLECTION



CHANDELIER
PAGE 141



JAYDEN - LP96840

FINISH BK - Black | BK/BG - Black/Brushed Gold

Forged aluminum and steel body
Modern painted or powder-coated finish options
Frosted acrylic diffusers
Down light
Max. rod length of 46"

WATTAGE: 28W
VOLTAGE: 120V
DELIVERED LUMENS: 909*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
CEILING ADAPTOR YES, UP TO 45°
RATED LIFE 50,000 HOURS
Custom options available








PENDANT.



LP58042-BK/GD



PD58014-BK/GD

SEE FULL COLLECTION



CHANDELIER
PAGE 142-143

AKIRA - LP58042 / PD58014

FINISH BK/GD - Black/Gold


Uniquely textured steel body
Modern duo-toned finish
Up and down light
Max. rod length of 46" (LP58042)
Max. cable length of 120" (PD58014)

LAMPING:
VOLTAGE:

LP58042
6 x 60W, E26
120V

PD58014
2 x 60W, E26
120V

CEILING ADAPTOR YES, UP TO 18° (LP58042)
Custom options available



PENDANT.



PD24724-BK



PD24716-BG



PD24748-BK




PD24732-BG

SEE FULL COLLECTION



CHANDELIER
PAGE 134-135



PD24748

PD24732

PD24724

PD24716

BRUNI - PD24748 / PD24732 / PD24724 / PD24716

FINISH BK - Black | BG - Brushed Gold

Forged aluminum and steel accents
Modern brushed or powder-coated finish options
Unique ribbed acrylic diffuser
Circular silhouette with rectangular profile
Up and down light
Max. cable length of 120"

	PD24748	PD24732	PD24724	PD24716
WATTAGE:	53W	45W	33W	22W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	3593*	2820*	1964*	1315*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available







PENDANT.



PD96416-BK




PD96424-BK

SEE FULL COLLECTION



CHANDELIER
PAGE 130-131



PD96424

PD96416



COLLIDE - PD96424 / PD96416


FINISH BK - Black

Forged aluminum and steel frame
Modern powder-coated finish
Frosted silicone diffusers
Uniquely crafted organic shapes
Up and down light
Max. rod length of 46" (PD96424)
Max. cable length of 120" (PD96416)


	PD96424	PD96416
WATTAGE:	41W	50W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2519*	2804*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
CEILING ADAPTOR	YES, UP TO 45° (PD96424)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

PENDANT.



PD29226-BK-UNV



SCRIPT - PD29226

FINISH BK - Black

Forged aluminum and steel frame
Sculptural curved frosted acrylic diffuser
Metal tubes forged into cubic frame
Up and down light
Max. rod length of 46"

WATTAGE: 27W
VOLTAGE: 120V
DELIVERED LUMENS: 1980*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
CEILING ADAPTOR YES, UP TO 45°
RATED LIFE 50,000 HOURS
Custom options available

PENDANT.




PD81511-BK

SEE FULL COLLECTION



CHANDELIER
PAGE 184



MOBIL - PD81511

FINISH BK - Black

Forged aluminum and steel body
Modern powder-coated finish
Frosted polycarbonate diffuser
Unique wishbone silhouette pendant design
Down light
Max. rod length of 46"

WATTAGE: 11W
VOLTAGE: 120V
DELIVERED LUMENS: 542*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
CEILING ADAPTOR YES, UP TO 45°
RATED LIFE 50,000 HOURS
Custom options available

*Preliminary figures


MOBIL 249

PENDANT.



PD76316-BK/OP-UNV

PD76312-BG/OP



PD76316

PD76312

VIRGO - PD76316 / PD76312

FINISH BK - Black | BG - Brushed Gold

GLASS OP - Opal Matte

Forged aluminum and steel frame
Modern brushed or powder-coated finish options
Clear glass external shade
Frosted internal diffuser
Up and down light
Max. cable length of 120"

	PD76316	PD76312
WATTAGE:	37W	29W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1745*	1283*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available





PD76316-BK/OP-UNV



PENDANT.

2
MOUNTING
OPTIONS



PD76716-CH
SINGULAR WIRE MOUNTING



PD76712-BK-UNV
DUAL WIRE MOUNTING




PD76708-BG
DUAL WIRE MOUNTING

SEE FULL COLLECTION



CHANDELIER
PAGE 185



ARIES - PD76716 / PD76712 / PD76708

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Forged aluminum and steel body

Clear external glass

Frosted glass internal accents

Modern brushed or powder-coated finish options

Omni-directional light

Mounting options: dual or singular wire


Max. cable length of 120"

	PD76716	PD76712	PD76708	COLOR TEMP	3000K
WATTAGE:	21W	15W	11W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	1672*	1124*	803*	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
				RATED LIFE	50,000 HOURS
				<i>Custom options available</i>	

*Preliminary figures. **Visit our site for Universal Voltage options.

ARIES 253

PENDANT.



RISE - PD30505 / PD30502 / PD30501

FINISH BK - Black | BG - Brushed Gold
GLASS CL - Clear

Forged aluminum and steel body
 Modern brushed or powder-coated finish options
 Opal orb-shaped diffusers
 Clear glass shade
 Up and down light
 Max. cable length of 120"

	PD30505	PD30502	PD30501
WATTAGE:	13W	13W	13W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	480*	480*	480*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available







PENDANT.



PD59708-BG/OP



PD59708-BK/OP




PD59708-BK/SM

SEE FULL COLLECTION



CEILING
PAGE 453



ARCADIA - PD59708

FINISH BK - Black | BG - Brushed Gold

GLASS SM - Smoked | OP - Opal Matte

Forged steel accompaniments
Opal or smoked glass options
Modern brushed or powder-coated finish options
Hourglass-inspired shape
Max. rod length of 46"

LAMPING: 1 x 60W, E26
VOLTAGE: 120V

CEILING ADAPTOR YES, UP TO 45°
Custom options available

PENDANT.



PD57508-BG/CP



PD57508-BK/SM



PD57508-CH/OP

SEE FULL COLLECTION




CHANDELIER
PAGE 144-145



WALL / VANITY
PAGE 341



CEILING
PAGE 442-443



SAMAR - PD57508

FINISH BK - Black | BG - Brushed Gold | CH - Chrome
GLASS CP - Copper | SM - Smoked | OP - Opal Matte

Forged steel accents
Plated, brushed, and powder-coated finish options
Ombre smoked, ombre copper, and opal glass options
Down light
Max. cable length of 120"

LAMPING: 1 x 60W, E26
VOLTAGE: 120V

Custom options available




PENDANT.



PD29806-BG

PD29806-BK



TAVIRA - PD29806

FINISH BK - Black | BG - Brushed Gold

Forged aluminum and steel body
Modern brushed or powder-coated finish options
Organically shaped opal glass diffuser
Up and down light
Max. cable length of 120"

WATTAGE: 11W
VOLTAGE: 120V
DELIVERED LUMENS: 488*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



PENDANT.



PD11710-BG-5CCT


PD11708-BK

PD11706-BG

SEE FULL COLLECTION



CEILING
PAGE 456-457



PD11710

PD11708

PD11706

MONAE - PD11710 / PD11708 / PD11706

FINISH BK - Black | BG - Brushed Gold

Spherical design
White opal glass hemispheres
Modern brushed or powder-coated finish options
Max. cable length of 120"
Down light

	PD11710	PD11708	PD11706	COLOR TEMP	3000K
WATTAGE:	26W	17W	13W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	1135*	660*	383*	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
				RATED LIFE	50,000 HOURS
				<i>Custom options available</i>	







LP95354-BK

PENDANT.




LP95354-BK

SEE FULL COLLECTION



PORTABLE
PAGE 515



CURSIVE - LP95354

FINISH BK - Black

Organic acrylic form suspended with aluminum rod
Modern powder-coated finish
Frosted acrylic diffuser
Handcrafted to make a unique shape
Max. cable length of 120"
Off-center junction box required

WATTAGE: 27W
VOLTAGE: 120V
DELIVERED LUMENS: 2358*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (not included)
RATED LIFE 50,000 HOURS
Custom options available



*Preliminary figures.

PENDANT.



LP63436-BK



LP63436-BN

SEE FULL COLLECTION



CHANDELIER
PAGE 154-155




WALL / VANITY
PAGE 358



WALL / VANITY
PAGE 359



CEILING
PAGE 460-461



REZZ - LP63436

FINISH BK - Black | BN - Brushed Nickel

Forged iron and aluminum body
Frosted opal glass diffusers
Modern powder-coated and anodized finishes
Direct light
Max. cable length of 120"

WATTAGE: 41W
VOLTAGE: 120V
DELIVERED LUMENS: 1000*


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS

Custom options available







PENDANT.




LP45560-BN-UNV




LP45560-WH-UNV



LP45548-BK-UNV



LP45548-BG-UNV



PLAZA - LP45560 / LP45548

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile aluminum frame
Inset opal polymeric diffusers
Finely textured plate or powder-coated finish
Up and down light

	LP45560	LP45548
WATTAGE:	80W	65W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2800*	2275*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



PENDANT.




SEE FULL COLLECTION



CHANDELIER
PAGE 149

WALL / VANITY
PAGE 366



LP18648

LP18537

AKARI - LP18648 / LP18537

FINISH BK - Black | BN - Brushed Nickel

Anodized extruded-aluminum frame
Sleek powder-coated finish
Frosted acrylic diffuser
Down light
Max. cable length of 120" (LP18648)
Max. rod length of 46" (LP18537)

	LP18648	LP18537
WATTAGE:	40W	25W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2160*	1500*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
CEILING ADAPTOR	YES, UP TO 45° <i>(LP18537)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures



LP89048-BK

PENDANT.


2
MOUNTING
OPTIONS

Style Tip

Easily fit the Talis into your space by mounting with an offset canopy or center canopy.



LP89048-BN
OFFSET CANOPY MOUNTING




LP89036-BG
CENTER CANOPY MOUNTING

SEE FULL COLLECTION



CHANDELIER
PAGE 146-147



TALIS - LP89048 / LP89036

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel


Forged aluminum body
Modern powder-coated and anodized finishes
Silicone diffuser
Down light
Mounting options: center or offset canopy
Max. cable length of 120"

	LP89048	LP89036
WATTAGE:	24W	20W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1477*	1231*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	


*Preliminary figures. **Visit our site for Universal Voltage options.

PENDANT.




LP70548-BK/WH

SEE FULL COLLECTION



WALL / VANITY
PAGE 361



TARO - LP70548

FINISH BK/WH - Black/White

Extruded-aluminum body and aluminum reflector
Modern duo-toned powder-coated finish
Concealed LED without diffusion
Down light
Concealed linear LED off-sloped reflector
Max. cable length of 120"

WATTAGE: 41W
VOLTAGE: 120V
DELIVERED LUMENS: 1350*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (not included)
RATED LIFE 50,000 HOURS
Custom options available



PENDANT.



PD52732-BK



PD52719-WT



PD52724-BN


SEE FULL COLLECTION



WALL / VANITY
PAGE 367



CEILING
PAGE 469



PD52732

PD52724

PD52719

ANELLO MINOR - PD52732 / PD52724 / PD52719

FINISH BK - Black | BN - Brushed Nickel | WT - Walnut

Cylindrical segments with polymeric diffuser
Up and down light
Max. cable length of 120"

	PD52732	PD52724	PD52719
WATTAGE:	80W	58W	50W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2775*	2049*	1835*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	TRIAC (not included)
RATED LIFE	50,000 HOURS
Custom options available	

*Preliminary figures

PENDANT.



LP19947-BK



LP19937-BN


SEE FULL COLLECTION




CHANDELIER
PAGE 139



WALL / VANITY
PAGE 376-377



LP19947



LP19937

DUNE - LP19947 / LP19937

FINISH BK - Black | BN - Brushed Nickel

Extruded rectangular profile with conical shades
Spot optical acrylic lenses
Brushed plated finishes or satin coating
Down lights
Max. cable length of 120"


	LP19947	LP19937
WATTAGE:	26W	21W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1250*	1000*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



PENDANT.



LP90838-BK




LP90838-BK/GD

SEE FULL COLLECTION



CHANDELIER
PAGE 148



MAESTRO - LP90838

FINISH BK - Black | BK/GD - Black/Gold

Cast-aluminum and steel rings
Modern powder-coated finish featuring duo-tone options
Frosted polycarbonate diffuser
Down light
Max. cable length of 120"

WATTAGE: 35W
VOLTAGE: 120V
DELIVERED LUMENS: 965*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available

*Preliminary figures


MAESTRO 273



PD14740-BK

PENDANT.


2
MOUNTING
OPTIONS




PD14760-BK
OFFSET CANOPY MOUNTING

Style Tip

Easily fit the Misaki into your space by mounting with an offset canopy or side canopy.



PD14740-BK
OFFSET CANOPY MOUNTING



MISAKI - PD14760 / PD14740

FINISH BK - Black

Extruded-aluminum frame
Modern powder-coated finish
Frosted acrylic diffuser
Omni-directional light
Max. cable length of 120"
Optional side canopy install

	PD14760	PD14740
WATTAGE:	35W	25W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1645*	1100*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (<i>not included</i>)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures


PENDANT.




LP10356-BG



LP10356-BK



LP10345-WH



LP10345-BN


SEE FULL COLLECTION




CHANDELIER
PAGE 166



WALL / VANITY
PAGE 384-385



LP10356



LP10345

VEGA - LP10356 / LP10345

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Machined aluminum with powder-coated or electroplated finish
Frosted acrylic diffuser
Max. cable length 120"

	LP10356	LP10345
WATTAGE:	38W	32W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1313	1013*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (<i>not included</i>)
RATED LIFE	50,000 HOURS

Custom options available




PENDANT.



LP18260-BN



LP18248-BK



LP18260-BG

SEE FULL COLLECTION



CHANDELIER
PAGE 164-165




WALL / VANITY
PAGE 382-383




WALL / VANITY
PAGE 423



CEILING
PAGE 439



LP18248



LP18260

VEGA MINOR - LP18260 / LP18248

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile linear aluminum with thin cables
Inset opal polymeric diffuser
Finely textured plate or powder-coated finish
Down light
Max. cable length of 120"

	LP18260	LP18248
WATTAGE:	42W	35W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1625*	1821*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures. **Visit our site for Universal Voltage options.

PENDANT.

ADJUSTABLE
DISKS


2
MOUNTING
OPTIONS
LP72237

Style Tip

Easily fit the Novel (LP72237)
into your space by mounting
with an offset canopy
or center canopy.



LP72237-BK
CENTER CANOPY MOUNTING



PD72208-BK-UNV

SEE FULL COLLECTION



CHANDELIER
PAGE 138




WALL / VANITY
PAGE 372-373




CEILING
PAGE 438



PORTABLE
PAGE 514



LP72237



PD72208

NOVEL - LP72237 / PD72208

FINISH BK - Black

Modern powder-coated finish with cast-aluminum frame
Frosted acrylic cover and light guide
Rotational up and down light
Mounting options: center or offset canopy (LP72237)
Adjustable 350° disks for directional illumination
Max. cable length of 120" (LP72237)
Max. rod length of 46" (PD72208)

	LP72237	PD72208
WATTAGE:	42W	15W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2859*	1040*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available





PD72208-BK



PENDANT.



LP50851-BG



LP50851-BK

SEE FULL COLLECTION




CHANDELIER
PAGE 152




PD50852-BG

PD50852-BK



LP50851



PD50852

GEODE - LP50851 / PD50852

FINISH BK - Black | BG - Brushed Gold

Extruded-aluminum frame and base
Modern powder-coated or anodized finish
Sandblasted acrylic interior
Omni-directional gems of light
Max. rod length of 46" (LP50851)
Max. cable length of 120" (PD50852)

	LP50851	PD50852
WATTAGE:	41W	26W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2920*	1750*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (<i>not included</i>)
CEILING ADAPTOR	YES, UP TO 45°
RATED LIFE	50,000 HOURS

Custom options available

PENDANT.



PD62014-BK/SM



PD62013-BK/CH




PD62012-BK/CP

SEE FULL COLLECTION



CEILING
PAGE 465



PD62014

PD62013

PD62012



TRINITY - PD62014 / PD62013 / PD62012

FINISH BK - Black

GLASS CH - Chrome | CP - Copper | SM - Smoked

Cast-aluminum accompaniments
Clear glass with painted gradient detailing
Modern powder-coated finish
Frosted acrylic diffuser
Down light
Max. rod length of 46"

	PD62014	PD62013	PD62012
WATTAGE:	21W	21W	21W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	970*	1186*	1000*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available





PENDANT.

Design Detail

The Mulberry lightguide creates a unique glow, using edge-lit technology throughout each shade.



PD62622-BK/LG



PD62511-BG/LG


SEE FULL COLLECTION




CHANDELIER
PAGE 151



WALL / VANITY
PAGE 353



PD62622



PD62511



MULBERRY - PD62622 / PD62511

FINISH BK/LG - Black/Lightguide | BG/LG - Brushed Gold/Lightguide


Forged iron body
Modern powder-coated and anodized finishes
Innovative clear acrylic light guide technology
Omni-directional light
Max. rod length of 46"

	PD62622	PD62511
WATTAGE:	44W	44W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1682*	1682*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
CEILING ADAPTOR	YES, UP TO 45°
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

2
MOUNTING
OPTIONS

PENDANT.



LP70130-BK
CENTER CANOPY MOUNTING

Style Tip

Easily fit the Gramercy into your space by mounting with an offset canopy or center canopy.




LP70148-BK-UNV
OFFSET CANOPY MOUNTING

SEE FULL COLLECTION



WALL / VANITY
PAGE 346-347



GRAMERCY - LP70148 / LP70130

FINISH BK - Black


Glass cylinder with frosted white interior coating and aluminum die-cast body
Matte powder-coated finish
Max. cable length of 120"
Mounting options: center or offset canopy

	LP70148	LP70130
WATTAGE:	40W	30W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	3384*	2338*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



PENDANT.




MP70308-BK

SEE FULL COLLECTION



WALL / VANITY
PAGE 346-347



GRAMERCY - MP70308

FINISH BK - Black

An elegant cascade of glass cylinders with frosted white interior coating and aluminum die-cast body
Matte powder-coated finish
Max. rod length of 46"

WATTAGE: 60W
VOLTAGE: 120V
DELIVERED LUMENS: 3600*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available

PENDANT.



LP14840-WH



LP14840-BK-UNV-010


SEE FULL COLLECTION



CHANDELIER
PAGE 170



WALL / VANITY
PAGE 386-387



CHUTE - LP14840

FINISH BK - Black | WH - White


Extruded circular aluminum diagonal lamp rods
Flexible silicone-rubber diffusers
Finely textured powder-coated colors
Max. cable length of 120"

WATTAGE: 96W
VOLTAGE: 120V
DELIVERED LUMENS: 4140*


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



PENDANT.



LP14947-WH



LP14935-BK


SEE FULL COLLECTION




CHANDELIER
PAGE 170



WALL / VANITY
PAGE 386-387



LP14947



LP14935

CHUTE - LP14947 / LP14935

FINISH BK - Black | WH - White

Extruded-aluminum cylinder with welded capped ends
Finely textured powder-coated finish
Rounded opal silicone diffuser
Down light
Max. cable length of 120"

	LP14947	LP14935
WATTAGE:	23W	21W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1070*	784*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures. **Visit our site for Universal Voltage options.

CHUTE 289

PENDANT.



LP93742-AS



LP93742-BK



LP93742-AN

SEE FULL COLLECTION




CHANDELIER
PAGE 174-175



WALL / VANITY
PAGE 381



CEILING
PAGE 476



SYNERGY - LP93742

FINISH AN - Antique Brass | AS - Antique Silver | BK - Black

Extruded and rolled rectangular aluminum helix
Flexible silicone-rubber diffuser
Metallic brushed finish or matte powder-coated
Up and down light
Max. cable length of 120"

WATTAGE: 56W
VOLTAGE: 120V
DELIVERED LUMENS: 2057*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS

Custom options available




PENDANT.



PD19359-AN



PD19347-BK



PD19359

PD19347

EERIE - PD19359 / PD19347


FINISH AN - Antique Brass | BK - Black

Extruded rectangular aluminum rolled into stadium shape
Matte powder-coated or plated brushed finish
Flexible silicone opal diffuser
Up and down light
Max. cable length of 120"


	PD19359	PD19347	COLOR TEMP	3000K
WATTAGE:	88W	58W	CRI (RA)	>90
VOLTAGE:	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	3733*	2581*	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
			RATED LIFE	50,000 HOURS
			<i>Custom options available</i>	

*Preliminary figures







PENDANT.




LP16248-BK




PD16320-BK




LP16236-BK



LP16248



LP16236



PD16320

MONDRIAN - LP16248 / LP16236 / PD16320

FINISH BK - Black

Powder-coated finish
Adjustable frames for a range of design styles
Frosted acrylic diffuser
Adjustable multi-directional light
Max. cable length 120"

	LP16248	LP16236	PD16320
WATTAGE:	100W	60W	84W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	3290*	2000*	2940*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



PENDANT.



CORTANA - PD82732 / PD82724

FINISH BK - Black | WH - White

Curved aluminum profile rolled into complete ring
Inner perimeter opal diffuser
Powder-coated finish
Up and down light
Max. cable length of 120"

	PD82732	PD82724
WATTAGE:	55W	42W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2280*	1520*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures

CORTANA 293

PENDANT.




PD22772-BK



PD22772-BS



PD22753-WH



HALO - PD22772 / PD22753

FINISH BK - Black | BS - Brushed Silver | WH - White

Rolled aluminum ring with inner diffuser
Three aircraft cables
Up and down light
Max. cable length of 120"

	PD22772	PD22753
WATTAGE:	185W	118W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	5594	2433

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (PD22753 – not included) ELV (PD22772 – not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



PENDANT.




PD22735-BK



PD22723-BS



PD22723-WH



HALO - PD22735 / PD22723

FINISH BK - Black | BS - Brushed Silver | WH - White

Rolled aluminum ring with inner diffuser
Three aircraft cables
Up and down light
Max. cable length of 120"

	PD22735	PD22723
WATTAGE:	83W	62W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1652	1221

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (PD22735 – not included) ELV (PD22723 – not included)
RATED LIFE	50,000 HOURS
Custom options available	

PENDANT.


PD80736-UNV-010

PD80730

PD80724

PD80718

PD80712



CUMULUS - PD80736 / PD80730 / PD80724 / PD80718 / PD80712



FINISH WH - White

Extruded-aluminum fixture
Molded polymeric diffuser
Powder-coated formed steel canopy
Braided coaxial cable suspension – 120" max.
Up and down light

	PD80736	PD80730	PD80724	PD80718	PD80712	COLOR TEMP	3000K
WATTAGE:	90W	78W	41W	24W	21W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	120V	120V	DIMMING	100%–10%
DELIVERED LUMENS:	6900	4800	2700	1800	1200	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
						RATED LIFE	50,000 HOURS
						<i>Custom options available</i>	

PENDANT.



CUMULUS MINOR - PD80340 / PD80332 / PD80324

FINISH WH - White


Circular translucent polymeric diffuser ring
Powder-coated white heatsink cap and canopy
Down light
Max. cable length of 120"

	PD80340	PD80332	PD80324
WATTAGE:	82W	65W	42W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	7542*	6070*	3976*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures. **Visit our site for Universal Voltage options.

PENDANT.



PD87172-BK-UNV-010



PD87160-WH



PD87148-BG-UNV-010



PD87136-BK



PD87132-WH



PD87124-BG




PD87118-BK-UNV-010


SEE FULL COLLECTION




CHANDELIER
PAGE 156-157




PD87172




PD87160




PD87148



PD87136



PD87132



PD87124



PD87118

CERCHIO - PD87172 / PD87160 / PD87148 / PD87136 PD87132 / PD87124 / PD87118



FINISH BK - Black | BG - Brushed Gold | WH - White


Extruded and rolled loops with rectangular profile
Dual flush polymeric diffuser sets per tier
Matte powder-coated finish
Down light
Max. cable length of 120"

	PD87172	PD87160	PD87148	PD87136
WATTAGE:	160W	126W	100W	78W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	4405*	3995*	3150*	2270*

	PD87132	PD87124	PD87118
WATTAGE:	64W	51W	37W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1920*	1500*	1280*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

PENDANT.



PD87772-BG



PD87760-BK-UNV-010



PD87748-WH



PD87736-WH



PD87732-BK-UNV-010



PD87724-WH




PD87718-BG

SEE FULL COLLECTION



CHANDELIER
PAGE 156-157



CERCHIO - PD87772 / PD87760 / PD87748 / PD87736 PD87732 / PD87724 / PD87718

FINISH BK - Black | BG - Brushed Gold | WH - White

Extruded and rolled loops with rectangular profile
Dual flush polymeric diffuser sets per tier
Matte powder-coated finish
Up and down light
Max. cable length of 120"



	PD87772	PD87760	PD87748	PD87736
WATTAGE:	185W	158W	125W	84W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	5150*	4700*	4350*	2750*
	PD87732	PD87724	PD87718	
WATTAGE:	78W	63W	51W	
VOLTAGE:	120V	120V	120V	
DELIVERED LUMENS:	2270*	1920*	1500*	

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures. **Visit our site for Universal Voltage options.



PENDANT.



CIRQUE - PD82572 / PD82560 / PD82548 / PD82536 / PD82524

FINISH BK - Black | BN - Brushed Nickel | WH - White (Available in 24", 36", 48", 60")

Aluminum ring with circular ceiling mount
Circular profile
Flexible silicone-rubber diffuser
Metallic & matte powder-coated finishes
Up and down light
Max. rod length of 46"

	PD82572	PD82560	PD82548	PD82536	PD82524	COLOR TEMP	3000K
WATTAGE:	94W	70W	56W	46W	35W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	4185*	3240*	2520*	2115*	1490*	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
						RATED LIFE	50,000 HOURS
						<i>Custom options available</i>	

*Preliminary figures. **Visit our site for Universal Voltage options.


PENDANT.



PD88172-BK




PD88160-BG



PD88148-WH-UNV-010



PD88136-BK



PD88132-BG



PD88124-BK




PD88118-WH


SEE FULL COLLECTION




CHANDELIER
PAGE 168-169




PD88172




PD88160




PD88148



PD88136



PD88132



PD88124



PD88118

PIAZZA - PD88172 / PD88160 / PD88148 / PD88136 PD88132 / PD88124 / PD88118



FINISH BK - Black | BG - Brushed Gold | WH - White

Extruded and rolled loops with rectangular profile
Dual flush polymeric diffuser sets per tier
Matte powder-coated finish
Down light
Max. cable length of 120"


	PD88172	PD88160	PD88148	PD88136
WATTAGE:	161W	126W	100W	78W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	4405*	3955*	3422*	2270*
	PD88132	PD88124	PD88118	
WATTAGE:	62W	50W	37W	
VOLTAGE:	120V	120V	120V	
DELIVERED LUMENS:	1920*	1500*	1280*	

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	


PENDANT.



PD88530-WH



PD88548-BK




PD88530-BG

SEE FULL COLLECTION



CHANDELIER
PAGE 168-169



PD88548

PD88530



PIAZZA - PD88548 / PD88530

FINISH BK - Black | BG - Brushed Gold | WH - White

Extruded-aluminum body
Rectangular profile metal formed into square silhouettes
Dual polymer diffusers
Matte powder-coated finish
Up and down light
Max. cable length of 120"

	PD88548	PD88530
WATTAGE:	63W	36W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1920*	1280*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures

PENDANT.



PD9117-WH/GD
WITH GOLD INTERIOR




PD9117-BK/BK
WITH BLACK INTERIOR



PD9108-WH/SV
WITH SILVER INTERIOR



PD9108-BK/GD
WITH GOLD INTERIOR



HELENA - PD9117 / PD9108

FINISH BK - Black | WH - White

INTERIOR BK - Black | GD - Gold | SV - Silver

Spun metal shade

Interior finishes: Silver, Copper, Gold or Blue

Exterior finishes: Black, Graphite and White

Powder-coated interior and exterior

Down light

	PD9117	PD9108
WATTAGE:	38W	13W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1169*	204*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



PENDANT.




PD11119-AS




PD11119-AN



PD11132-BK



PD11132



PD11119



TWIST - PD11132 / PD11119

FINISH AN - Antique Brass | AS - Antique Silver | BK - Black

Extruded and rolled rectangular aluminum loop
Flexible silicone-rubber diffuser
Metallic brushed or matte powder-coated finish
Up and down light
Max. cable length of 120"

	PD11132	PD11119
WATTAGE:	59W	28W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2168*	1084*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures

PENDANT.




PD15832-BK PD15832-WH PD15832-CH



PD15816-BK PD15816-WH PD15816-CH



PD15824-BK PD15824-WH PD15824-CH



TAPER - PD15832 / PD15824 / PD15816

FINISH BK - Black | CH - Chrome | WH - White

Die-cast conical aluminum lamp head with continuous long stem
Powder-coated or plated finish
Inset optical spot reflector
Down light
Max. cable length of 120"

	PD15832	PD15824	PD15816
WATTAGE:	7W	7W	7W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	417*	417*	417*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



PENDANT.



PD42502-WH




PD42502-BK



PD42502-BN



PD42502-CH



ROBSON - PD42502

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome | WH - White

Formed aluminum hourglass shade
Dual translucent acrylic diffusers
Matte powder-coated or plated finish
Up and down light
Max. cable length of 120"

WATTAGE: 14W
VOLTAGE: 120V
DELIVERED LUMENS: 726*


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



PENDANT.



PD22339-BG




PD22339-WH



PD22332-BK



PD22332-BN



PD22339

PD22332

AMPERSAND - PD22339 / PD22332

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Extruded-aluminum body
Rolled diamond-shaped profile
Flexible silicone diffuser
Modern brushed or powder-coated finish options
Up and down light
Max. cable length of 120"

	PD22339	PD22332
WATTAGE:	94W	67W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	4763*	3344*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



PENDANT.




402501CH-LED



402501BG-LED



402501BK-LED



ULTRA - 402501-LED

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Slender cone-shaped electroplated or powder-coated formed steel with acrylic details and diffuser
Max. cable length of 72"
Top and bottom acrylic diffuser

WATTAGE: 6W
VOLTAGE: 120V
DELIVERED LUMENS: 265


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



402401BG-LED



402401CH-LED



MALABAR - 402401-LED

FINISH BG - Brushed Gold | CH - Chrome

Encased bubble crystal in a clear glass shade with electroplated steel accents
Down light
Max. cable length of 72"

WATTAGE: 6W
VOLTAGE: 120V
DELIVERED LUMENS: 200

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available


PENDANT.



PD41305-BN



PD41304-BN



PD41305

PD41304

VERONA - PD41305 / PD41304

FINISH BN - Brushed Nickel

Clear outer glass with diffused inner glass shades
SVT power cable, machined steel housing
Shade support pins
Formed steel anodic-coated canopy
Max. length of 120"
Down light

	PD41305	PD41304
WATTAGE:	16W	11W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	850	523

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



PENDANT.




PD15302-BK



PD15302-CH



PD15302-WH



EXO - PD15302

FINISH BK - Black | CH - Chrome | WH - White

Die-cast spherical aluminum lamp head
Powder-coated or plated finish
Inset optical spot reflector
Down light
Max. cable length of 120"

WATTAGE: 7W
VOLTAGE: 120V
DELIVERED LUMENS: 417*


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



PD46216-WH-UNV



PD46216-BK-UNV



DISC - PD46216

FINISH BK - Black | WH - White

Formed revolved-steel lamp head
Powder-coated or plated finish
Flat circular opal acrylic diffuser
Down light
Max. cable length of 120"

WATTAGE: 33W
VOLTAGE: 120V
DELIVERED LUMENS: 2422*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



2
MOUNTING
OPTIONS

PENDANT.



PD7920-WH
AS SEMI-FLUSH



PD7920-GY



PD7920-BOR



PD7916-BE



PD7916-BK




PD7916-WOR

SEE FULL COLLECTION



CEILING
PAGE 470



DALTON - PD7920 / PD7916

FINISH BE - Beige | BK - Black | BOR - Black Organza | GY - Gray | WH - White | WOR - White Organza

Textured black, gray or white fabric shade
White acrylic diffuser. Brushed nickel rod and canopy
Max. rod length of 46"
Mounting options: pendant or semi-flush

	PD7920	PD7916
WATTAGE:	30W	24W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1565*	1355*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (<i>not included</i>)
RATED LIFE	50,000 HOURS

Custom options available




PENDANT.



PD70615-SM/BN



PD70610-CL/BG



PD70615

PD70610

ENKEL - PD70615 / PD70610

FINISH SM/BN - Smoked/Brushed Nickel | CL/BG - Clear/Brushed Gold

Electroplated steel and aluminum body
Smoked or clear glass shades
Interior opal glass diffuser
Down light
Max. rod length of 46"

	PD70615	PD70610
WATTAGE:	39W	29W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2736*	1848*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available


PENDANT.

401216BK-LED

401215BN-LED

401214BG-LED

401215WH-LED



MINA - 401216-LED / 401215-LED / 401214-LED

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Conical shape formed steel with clear acrylic diffuser

Canopy finish paired with lamp body

Max. cable length of 120"

Down light

	401216-LED	401215-LED	401214-LED
WATTAGE:	9W	9W	9W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	390*	368*	339*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



PENDANT.

SEE FULL COLLECTION




CEILING
PAGE 478




PD13124-BK



PD13120-WH-5CCT



PD13120



PD13124

BEACON - PD13124 / PD13120

FINISH BK - Black | WH - White

Formed aluminum and steel
Max. stem length of 52"
SVT power cord, matching color braid
Down light

	PD13124	PD13120
WATTAGE:	60W	24W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2672*	1277*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



401207WH-LED



401207BK-LED



SAMPSON - 401207-LED

FINISH BK - Black | WH - White

Truncated-conical cylinder powder-coated and
brushed nickel details with acrylic diffuser
Max. cable length of 72"

WATTAGE:	26W
VOLTAGE:	120V
DELIVERED LUMENS:	957*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



PENDANT.




PD21703-BK



PD21703-BN



PD21703-CH



LENA - PD21703

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Clear glass cylindrical shade envelops tubular aluminum core
Brushed plated finishes or satin coating
Down light
Max. cable length of 120"

WATTAGE: 9W
VOLTAGE: 120V
DELIVERED LUMENS: 211*
*All data based on Black finish.
See spec sheet for detail.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available




PD19804-BK



PD19804-BN-UNV



PD19804-CH



STYLEO - PD19804

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Clear glass cylindrical shade rests on opal acrylic diffuser globe
Brushed plated finishes or satin coating
Down light
Max. cable length of 120"


WATTAGE: 8W
VOLTAGE: 120V
DELIVERED LUMENS: 521*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available

PENDANT.



PD11612-BN



VANIER - PD11612

FINISH BN - Brushed Nickel

Conical clear glass with electroplated steel details
Down light
Max. cable length of 120"

WATTAGE: 9W
VOLTAGE: 120V
DELIVERED LUMENS: 440


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



PD12506-CL



PD12506-SM



SAMSON - PD12506

FINISH CL - Clear | SM - Smoked

Clear glass with white powder-coated steel housing
or smoked glass with concrete finish metal housing
Down light
Max. cable length of 72"

WATTAGE: 9W
VOLTAGE: 120V
DELIVERED LUMENS: 297*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available

PENDANT.



PD53330-CH




PD53305-CH

SEE FULL COLLECTION



WALL / VANITY
PAGE 414



PD53330

PD53305

MARTELO - PD53330 / PD53305

FINISH CH - Chrome

Electroplated aluminum
Clear acrylic with frosted interior
Down light
Max. cable length of 120" (PD53305)
Max. rod length of 52" (PD53330)

	PD53330	PD53305
WATTAGE:	56W	6W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1770*	177

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



PENDANT.




PD1712-BK



PD1709-BN



PD1706-CH



CHROMA - PD1712 / PD1709 / PD1706

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Formed steel shade with electroplated
or powder-coated finishes
Max. cable length of 72"
Down light

	PD1712	PD1709	PD1706
WATTAGE:	13W	11W	9W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	635*	549	338*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



PENDANT.




PD6705-WH-UNV



PD6705-BK-UNV



PD6705-BN-UNV



OXFORD - PD6705

FINISH BK - Black | BN - Brushed Nickel | WH - White

Cylindrical aluminum pendant with electroplated or powder-coated finish
Down light
Max. cable length of 120"

WATTAGE: 19W
VOLTAGE: 120V
DELIVERED LUMENS: 1197*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available

PENDANT.



401432WH-LED



401432BK-LED



401432BN-LED




401431WH-LED



401431BK-LED



401431BN-LED



CAMEO - 401432-LED / 401431-LED

FINISH BK - Black | BN - Brushed Nickel | WH - White

Formed cylindrical steel with electroplated or powder-coated finish
Canopy finish paired with lamp body
Machined acrylic diffuser
Down light
Max. cable length of 72"

	401432	401431
WATTAGE:	11W	9W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	520*	388*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



PENDANT.



PD4401-CH



CHAMPAGNE - PD4401

FINISH CH - Chrome

Encased bubble crystal in a clear glass shade with chrome accents
Down light
Max. cable length of 72"

WATTAGE: 9W
VOLTAGE: 120V
DELIVERED LUMENS: 431*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available

SEE FULL COLLECTION



WALL / VANITY
PAGE 395




402801BG-LED



402801CH-LED



402801BC-LED



PLUTO - 402801-LED

FINISH BC - Black Chrome | BG - Brushed Gold | CH - Chrome

Spherical design with hemispherical frosted acrylic diffuser
Down light
Max. cable length of 72"

WATTAGE: 9W
VOLTAGE: 120V
DELIVERED LUMENS: 564*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available


PENDANT.



402601BG-LED



402601CH-LED



BACH - 402601-LED

FINISH BG - Brushed Gold | CH - Chrome

Slender trumpet-shaped electroplated formed steel with frosted diffuser
Down light
Max. cable length of 72"

WATTAGE: 9W
VOLTAGE: 120V
DELIVERED LUMENS: 497*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



PD7716-CH




PD7716-BN




PD7721-CH



PD7721-BN



PD7721



PD7716

PENDULA - PD7721 / PD7716

FINISH BN - Brushed Nickel | CH - Chrome

Electroplated formed steel and clear encased bubble crystals
Max. cable length of 72"
Down light

	PD7721	PD7716
WATTAGE:	6W	6W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	127*	154*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



PENDANT.




PD3007



PD3004



PD3005



VICTORIA - PD3007 / PD3005 / PD3004

FINISH CH - Chrome

Clear round drop, slender drop or pear-shaped outer glass with frosted inner glass
Max. cable length of 120"
Down light

	PD3007	PD3005	PD3004	COLOR TEMP	3000K
WATTAGE:	3W	3W	3W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	171	193	181	TYPE OF DIMMER	ELV <i>(not included)</i>
				RATED LIFE	50,000 HOURS



Custom options available







MP3012



PENDANT.





MP3003



MP3006



MP3009



MP3012

Round Multi-Pendant Models



MP3003
3 Light



MP3006
6 Light



MP3009
9 Light



MP3012
12 Light

VICTORIA - MP3012 / MP3009 / MP3006 / MP3003

FINISH CH - Chrome

Clear round drop, slender drop or pear-shaped outer glass with frosted inner glass

Max. cable length of 120"

Down light

	MP3012	MP3009	MP3006	MP3003
WATTAGE:	34W	25W	17W	8W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	2180*	1635*	1090*	545*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS


Custom options available



WALL / VANITY.



WALL / VANITY.



WS27713-WH-3WCCT-UNV
FRONT VIEW



WS27713-BK-3WCCT-UNV
FRONT VIEW



WS27713-WH-3WCCT-UNV
SIDE VIEW



WS27713-BK-3WCCT-UNV
SIDE VIEW

SEE FULL COLLECTION




PENDANT
PAGE 210



CEILING
PAGE 427



PORTABLE
PAGE 504



RODA - WS27713

FINISH BK - Black | WH - White

Sleek circular design
Aluminum body
Up/down Light
Frosted acrylic diffuser
Any orientation mounting
Quality painted finishes
3-color temperature switch:
2700/3000/4000

WATTAGE: 15W
VOLTAGE: 120-277V
DELIVERED LUMENS: 410*

COLOR TEMP 2700K/3000K/4000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV OR TRIAC (not included)
RATED LIFE 50,000 HOURS
Custom options available



VL64225-UB



VL64225-VB



WS64215-UB



WS64215-VB

SEE FULL COLLECTION



CHANDELIER
PAGE 120




PENDANT
PAGE 211




CEILING
PAGE 428-429



PORTABLE
PAGE 505



VL64225



WS64215

TACHI - VL64225 / WS64215

FINISH UB - Urban Bronze | VB - Vintage Brass

Unique geometric profile
Steel body
Frosted light guide diffusers
Omni-directional light
Quality plated finishes
Mounting options: horizontal or vertical

	VL64225	WS64215
WATTAGE:	20W	15W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	920*	620*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	




WALL / VANITY.



VL57732-BK/GO



VL57732-BG/GO



VL57732-CH/GO



VL57732-BK

SEE FULL COLLECTION



CHANDELIER
PAGE 182-183




WALL / VANITY
PAGE 330-331



WALL/VANITY
PAGE 112-113



CEILING
PAGE 432



NOLA - VL57732

FINISH BK - Black | BK/GO - Black/Glossy Opal | BG/GO - Brushed Gold/Glossy Opal | CH/GO - Chrome/Glossy Opal
GLASS GO - Glossy Opal

Simple-modern silhouette
Forged-steel body
Metal or glossy opal glass shade option
Sleek painted or plated finish
Up or down light (metal shade)
Omni-directional light (glass)
Mounting options: up or down

WATTAGE: 5 x 40W, E26
VOLTAGE: 120V

Custom options available

WALL / VANITY.



WS57704-BK/GO



WS57712-BK/GO



WS57704-BG/GO



WS57712-BG/GO



WS57704-BK



WS57712-BK



WS57704-CH/GO



WS57712-CH/GO

SEE FULL COLLECTION



CHANDELIER
PAGE 182-183




WALL/VANITY
PAGE 112-113



WALL/VANITY
PAGE 330



CEILING
PAGE 432



WS57712

WS57704

NOLA - WS57712 / WS57704

FINISH BK - Black | BK/GO - Black/Glossy Opal | BG/GO - Brushed Gold/Glossy Opal | CH/GO - Chrome/Glossy Opal
GLASS GO - Glossy Opal

Simple-modern silhouette
Forged-steel body
Metal or glossy opal glass shade option
Sleek painted or plated finish
Up or down light (metal shade)
Omni-directional light (glass)
Mounting options: up or down

WATTAGE:
VOLTAGE:

WS57712	WS57704
2 x 40W, E26	1 x 40W, E26
120V	120V

Custom options available







WS90432-VB WS90432-UB



WS90424-VB WS90424-UB



WS90416-VB WS90416-UB

SEE FULL COLLECTION




CHANDELIER
PAGE 196-197



PENDANT
PAGE 108-109



CEILING
PAGE 433



MASON - WS90432 / WS90424 / WS90416

FINISH UB - Urban Bronze | VB - Vintage Brass

Sleek, minimal style
Forged-steel and aluminum body
Luxury painted finishes
Up and down light
Mounting options: horizontal or vertical

	WS90432	WS90424	WS90416
WATTAGE:	15W	15W	15W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1319*	1319*	1271*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (not included)
RATED LIFE	50,000 HOURS
Custom options available	

*Preliminary figures



WALL / VANITY.



VL20353-BG



VL20338-BG



VL20323-BG




VL20323-BK




VL20338-BK




VL20353-BK



VL20353



VL20338



VL20323

VERA - VL20353 / VL20338 / VL20323

FINISH BK - Black | BG - Brushed Gold

Sleek, minimal style
Forged-aluminum body
Painted or plated finishes
Up and down light
Mounting options: horizontal or vertical

	VL20353	VL20338	VL20323
WATTAGE:	44W	38W	26W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1990*	1710*	1220*

*All data based on Black finish.
See spec sheet for details.

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available






VL28028-BK



VL28028-BK



BRAGA - VL28028


FINISH BK - Black

Unique dual shade design
Forged-steel body
Clear acrylic outer shade
Sleek painted body
Mounting options: horizontal or vertical


WATTAGE: 24W
VOLTAGE: 120V
DELIVERED LUMENS: 966*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available





VL55529-BG/OP



VL55529-BK/OP

SEE FULL COLLECTION




CHANDELIER
PAGE 124



PENDANT
PAGE 214



CEILING
PAGE 430



JUNIPER - VL55529

FINISH BG - Brushed Gold | BK - Black
GLASS OP - Opal Matte


Adjustable arms for varied styling
Forged-steel and aluminum body
Matte opal glass shades
Sleek plated or painted finishes
Omni-directional light
Horizontal or vertical mounting (VL55529)

WATTAGE: 22W
VOLTAGE: 120V
DELIVERED LUMENS: 1677*


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available




*Preliminary figures



VL31224-BK/WH



VL31218-BK/WH




WS31205-BK/WH

SEE FULL COLLECTION



CEILING
PAGE 440-441



CUBIX - VL31224 / VL31218 / WS31205

FINISH BK/WH - Black/White

Forged aluminum and steel frame

Modern duo-toned finish

Frosted acrylic diffuser

Up and down light

Mounting options: up or down (WS31205)

Mounting options: horizontally or vertically
(VL31218 & VL31224)

Damp rated for varied usage

	VL31224	VL31218	WS31205
WATTAGE:	42W	32W	11W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1950*	1470*	490*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available








VL31224-BK/WH

Design Detail

The glow of the ribbed diffusers create added depth and warmth to the Blade Collection.




VL23524-BK



VL23532-BG-UNV


SEE FULL COLLECTION




CHANDELIER
PAGE 136-137



PENDANT
PAGE 238-239



CEILING
PAGE 444-445



VL23532

VL23524

BLADE - VL23532 / VL23524

FINISH BK - Black | BG - Brushed Gold


Forged aluminum and steel accents
Modern brushed or powder-coated finish options
Unique ribbed acrylic diffuser
Up and down light
Damp rated for varied usage
Mounting options: horizontally or vertically

	VL23532	VL23524
WATTAGE:	15W	12W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1073*	914*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



WALL / VANITY.



VL57532-BG/CP



VL57532-BK/SM



VL57532-CH/OP

SEE FULL COLLECTION




CHANDELIER
PAGE 144-145



PENDANT
PAGE 258



CEILING
PAGE 442-443



SAMAR - VL57532

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

GLASS CP - Copper | SM - Smoked | OP - Opal Matte

Forged steel accents

Plated, brushed, and powder-coated finish options

Ombre smoked, ombre copper, and opal glass options

Forward-facing light

Mounting options: horizontally or vertically


Damp rated for varied usage

LAMPING: 3 x 60W, E26
VOLTAGE: 120V

Custom options available




VL27534-BK



VL27523-BG



VL27523-CH



SAPHIR - VL27534 / VL27523

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Forged aluminum and steel body
Modern brushed or powder-coated finish options
Unique ribbed diffuser provides warmth and depth
Forward-facing light
Mounting options: horizontally or vertically
Damp rated for varied usage

	VL27534	VL27523
WATTAGE:	30W	22W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2833*	1986*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	





VL27523-BG



VL52520-BK/CL



VL52520-BK/CL



VL52512-BG/CL



WS52505-BK/CL




WS52511-BG/CL

SEE FULL COLLECTION



CEILING
PAGE 446



CEDAR - VL52520 / VL52512 / WS52511 / WS52505

FINISH BK - Black | BG - Brushed Gold

GLASS CL - Clear

Forged aluminum and steel body
Modern brushed or powder-coated finish
Clear glass shades
Frosted glass diffusers
Up and down light
Damp rated for varied usage
Mounting options: up or down (VL52512 & VL52520)
Mounting options: horizontally or vertically (WS52511)

	VL52520	VL52512	WS52511	WS52505
WATTAGE:	25W	21W	15W	11W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	1500*	1275*	1120*	639*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



WS70136-BK-UNV



WS70130-BK



WS70124-BK


SEE FULL COLLECTION



PENDANT
PAGE 286



PENDANT
PAGE 287



GRAMERCY - WS70136 / WS70130 / WS70124

FINISH BK - Black

Glass cylinder with frosted white interior coating and aluminum die-cast body
Matte powder-coated finish
Wall light
Mounting options: horizontally or vertically

	WS70136	WS70130	WS70124	COLOR TEMP	3000K
WATTAGE:	33W	29W	20W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	2266	2188	1692	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
				RATED LIFE	50,000 HOURS
				<i>Custom options available</i>	





WS70136-BK-UNV



WALL / VANITY.



VL17024-BK



VL17024-BG



VL17024-BN



VL17024-CH



WS17014-BK




WS17014-BG




WS17014-BN



WS17014-CH



WS17014



VL17024

RONA - VL17024 / WS17014

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | CH - Chrome

Electroplated steel backplate and turned aluminum body

Extruded opal glass diffuser

Up and down light (VL17024)

Up light (WS17014)

Mounting options: horizontally or vertically (VL17024)

	VL17024	WS17014	COLOR TEMP	3000K
WATTAGE:	31W	15W	CRI (RA)	>90
VOLTAGE:	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	1672	850	TYPE OF DIMMER	ELV <i>(not included)</i>
			RATED LIFE	50,000 HOURS
			<i>Custom options available</i>	





VL53519-BG/CL



VL53511-BK/CL




WS53505-BG/CL

SEE FULL COLLECTION



CEILING
PAGE 447



BIRCH - VL53519 / VL53511 / WS53505

FINISH BK - Black | BG - Brushed Gold
GLASS CL - Clear

Forged aluminum and steel body
Modern brushed or powder-coated finish
Clear glass shades
Frosted glass diffusers
Up and down light
Damp rated for varied usage
Mounting options: up or down

	VL53519	VL53511	WS53505
WATTAGE:	25W	21W	11W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1635*	1395*	735*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS
Custom options available	



WALL / VANITY.

ROTATIONAL
HEADS

ADJUSTABLE
ARMS



VL90133-BK



WS90102-BK




WS90101-BK


SEE FULL COLLECTION




CHANDELIER
PAGE 162-163



VL90133



WS90102



WS90101

ROTAIRE - VL90133 / WS90102 / WS90101

FINISH BK - Black

Cast-aluminum body
Modern powder-coated finish
Frosted acrylic diffuser
Directional light and up or down light
Adjustable 350° heads for a variety of
styles and directional illumination

	VL90133	WS90102	WS90101
WATTAGE:	13W	13W	8W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	626*	625*	350*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



WALL / VANITY.




WS62524-BK/LG



WS62629-BG/LG

Design Detail

The Mulberry Lightguide creates a unique glow using edge lit technology throughout each shade.




SEE FULL COLLECTION



CHANDELIER
PAGE 151



PENDANT
PAGE 284-285



MULBERRY - WS62629 / WS62524

FINISH BK/LG - Black/Lightguide | BG/LG - Brushed Gold/Lightguide

Forged iron body
Modern powder-coated and anodized finishes
Innovative clear acrylic light guide technology
Omni-directional light
Mounting options: horizontally or vertically

	WS62629	WS62524
WATTAGE:	27W	17W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1121*	654*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures




WS83218-CH
BHUTAN



WS84218-BK
NEPAL



WS84218-BG
NEPAL



WS84218

WS83218

NEPAL / BHUTAN - WS84218 / WS83218

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Round or square plated or painted steel frame and wall plate
Rectilinear opal glass diffuser
Outward emitting wall light
Mounting options: horizontally or vertically

	WS84218	WS83218
WATTAGE:	18W	18W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	885*	1126*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (<i>not included</i>)
RATED LIFE	50,000 HOURS

Custom options available







WS92617-BK

WALL / VANITY.



WS92617-BK

SEE FULL COLLECTION



PENDANT
PAGE 233

AIREN - WS92617


FINISH BK - Black


Forged aluminum and steel body
Frosted silicone diffusers
Modern powder-coated finish
Up and down light
Down configuration only

WATTAGE: 20W
VOLTAGE: 120V
DELIVERED LUMENS: 1161*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (not included)
RATED LIFE 50,000 HOURS

Custom options available





WS63424-BN



WS63424-BK

SEE FULL COLLECTION




CHANDELIER
PAGE 154-155



PENDANT
PAGE 264-265



CEILING
PAGE 460-461



REZZ - WS63424

FINISH BK - Black | BN - Brushed Nickel

Forged iron and aluminum frame
Frosted opal glass diffusers
Modern powder-coated and anodized finishes
Direct light
Mounting options: horizontally or vertically

WATTAGE: 21W
VOLTAGE: 120V
DELIVERED LUMENS: 400*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available

WALL / VANITY.




VL63436-BK




VL63425-BN




VL63416-CH



VL63416



VL63425




VL63436

SEE FULL COLLECTION



CHANDELIER
PAGE 154-155



PENDANT
PAGE 264-265



CEILING
PAGE 460-461

REZZ - VL63436 / VL63425 / VL63416

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Steel and aluminum frame
Sandblasted glass diffuser
Modern powder-coated or anodized finish
Direct light
Mounting options: horizontally or vertically


	VL63436	VL63425	VL63416
WATTAGE:	23W	17W	11W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	735*	610*	490*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available

2
MOUNTING
OPTIONS

WALL / VANITY.



WS22915-GY
AS WALL LIGHT



WS22915-BK/WH
AS SEMI-FLUSH



FM22815-BK/WH
AS SEMI-FLUSH




FM22815-GY
AS WALL LIGHT

SEE FULL COLLECTION



PENDANT
PAGE 224-225



CRUZ - WS22915 / FM22815

FINISH BK/WH - Black/White | GY - Gray

Cast- and spun-aluminum or felt textile body
Modern powder-coated finish
Spun aluminum (BK/WH) or gray felt textile (GY)
reflector with frosted acrylic cover (WS22915)
Spun aluminum (BK/WH) or gray felt textile (GY)
reflector with opal glass (FM22815)
Down light (WS22915)
Direct omni-directional light (FM22815)
Mounting options: wall or ceiling

	WS22915	FM22815
WATTAGE:	13W	13W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	237*	781*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available




WALL / VANITY.


SEE FULL COLLECTION




CEILING
PAGE 270



WS70410-BK



WS70410-WH



TARO - WS70410

FINISH BK - Black | WH - White

Cast-aluminum construction
Modern powder-coated finish
Concealed LED without diffusion
Wall light

WATTAGE: 8W
VOLTAGE: 120V
DELIVERED LUMENS: 94


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



WS46604-GWH



WS46604-GBK



FLUX - WS46604

FINISH GBK - Gloss Black | GWH - Gloss White

Aluminum body with circular wall plate
Frosted lens with clear perimeter to eliminate glare
Cap ring diffuser
Adjustable directional spot and ambient light


WATTAGE: 10W
VOLTAGE: 120V
DELIVERED LUMENS: 210*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER TOUCH DIMMING
RATED LIFE 50,000 HOURS
Custom options available

WALL / VANITY.




VL63636-BN
SHOWN WITH BACKPLATE ACCESSORY




VL63624-CH



VL63624-BK
SHOWN WITH BACKPLATE ACCESSORY



VL63624



VL63636

BRIO - VL63636 / VL63624

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome


Extruded-aluminum frame
Powder-coated or anodized finish
Innovative acrylic light guide technology
Up and down light

	VL63636	VL63624
WATTAGE:	33W	22W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1630*	923*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



WALL / VANITY.



WS13760-BG-UNV




WS13760-BK



WS13748-BN



WS13748-WH



LEVER - WS13760 / WS13748

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile linear aluminum with rectangular wall mount

Inset opal polymeric diffuser

Finely textured plate or powder-coated finish

Wall emitting light with 15° tilt adjustment

UNV available: WS13748-WH-UNV, WS13760-BG-UNV

	WS13760	WS13748
WATTAGE:	22W	15W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	906*	878*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available

*Preliminary figures. **Visit our site for Universal Voltage options.




VL45730-BK/GO




VL45730-BG/GO



VL45730-BK/GO



VL45721-BG/GO




VL45721-BK/GO

SEE FULL COLLECTION



CEILING
PAGE 454



VL45730

VL45721



HOLT - VL45730 / VL45721

FINISH BK - Black | BG - Brushed Gold


GLASS GO - Glossy Opal

Plated Steel Accents
Modern plated finishes
Glossy opal glass diffusers
Up and down light
Mounting options: horizontally or vertically
Damp rated for varied usage


	VL45730	VL45721
WATTAGE:	34W	26W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	900*	639*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	


WALL / VANITY.




VL18536-BN




VL18532-BK




VL18524-BN



VL18524



VL18532



VL18536

SEE FULL COLLECTION



CHANDELIER
PAGE 149

PENDANT
PAGE 267

AKARI - VL18536 / VL18532 / VL18524

FINISH BK - Black | BN - Brushed Nickel

Anodized extruded-aluminum frame
Sleek powder-coated finish
Frosted acrylic diffuser
Direct light
Mounting options: horizontally or vertically

	VL18536	VL18532	VL18524
WATTAGE:	24W	23W	13W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1365*	1160*	735*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



WALL / VANITY.




VL52738-BN




VL52727-BK




VL52718-WT



VL52718



VL52727



VL52738

SEE FULL COLLECTION



PENDANT
PAGE 271



CEILING
PAGE 469


ANELLO MINOR - VL52738 / VL52727 / VL52718

FINISH BK - Black | BN - Brushed Nickel | WT - Walnut

Linear segments with polymeric diffuser
Up and down light
Mounting options: horizontally or vertically

	VL52738	VL52727	VL52718
WATTAGE:	29W	20W	13W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1056*	740*	515*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



WALL / VANITY.



WS74226-CH



WS74122-BK



WS74114-BG


SEE FULL COLLECTION



CHANDELIER
PAGE 160-161



PENDANT
PAGE 219



MOTIF - WS74226 / WS74122 / WS74114

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

- Patented LED filament technology
- Extruded-aluminum accompaniments
- Modern powder-coated and anodized finish
- Clear glass tubing
- Omni-directional light
- Mounting options: horizontally or vertically (WS74226)


	WS74226	WS74122	WS74114
WATTAGE:	9W	8W	5W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	940*	705	402

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	





WS74226-BK



WALL / VANITY.



WS25350-BN
FACE DOWN
SHOWN WITH BACKPLATE ACCESSORY




WS25350-BG
FACE DOWN




WS25336-BK
FACE OUT



WS25336-WH
FACE DOWN



WS25336



WS25350

PANDORA - WS25350 / WS25336

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile aluminum body
Rectangular wall mount canopy
Inset opal polymeric diffusers
Finely textured plate or powder-coated finish
Wall emitting lights with 360° rotational adjustment


	WS25350	WS25336
WATTAGE:	41W	26W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1628*	650*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



WALL / VANITY.



WS25125-WH-UNV
FACE OUT




WS25125-BN-UNV
FACE IN
SHOWN WITH BACKPLATE ACCESSORY



WS25118-BK
FACE OUT



WS25118-BG
FACE OUT



PANDORA - WS25125 / WS25118

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile aluminum body
Rectangular wall mount canopy
Inset opal polymeric diffuser
Finely textured plate or powder-coated finish
Wall emitting light with 360° rotational adjustment

	WS25125	WS25118
WATTAGE:	20W	15W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	867*	710*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available





VL72237-BK

WALL / VANITY.

ADJUSTABLE
DISKS




VL72237-BK-UNV




VL72221-BK-UNV




VL72213-BK



VL72213



VL72221



VL72237

SEE FULL COLLECTION



CHANDELIER
PAGE 138



PENDANT
PAGE 278-279



CEILING
PAGE 438



PORTABLE
PAGE 514



NOVEL - VL72237 / VL72221 / VL72213

FINISH BK - Black

Cast-aluminum frame and base
Modern powder-coated finish
Frosted acrylic cover and light guide
Up and down direct light and rotational light
Adjustable 350° disks for a variety of styles
and directional illumination
Mounting options: horizontally or vertically

	VL72237	VL72221	VL72213
WATTAGE:	42W	25W	14W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2859*	1715*	1040*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (<i>not included</i>)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures. **Visit our site for Universal Voltage options.


WALL / VANITY.



VL63736-BK




VL63736-BN




VL63736-CH




VL63724-BK




VL63724-CH-UNV



VL63724-BN-UNV



VL63724



VL63736

MARLON - VL63736 / VL63724

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome


Extruded-aluminum base and frame
Modern powder-coated or anodized finish
Innovative clear acrylic light guide technology
Up and down light

	VL63736	VL63724
WATTAGE:	30W	22W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	924*	835*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	




WALL / VANITY.




VL63336-CH




VL63325-BK




VL63316-BN



VL63316



VL63325



VL63336

EDNA - VL63336 / VL63325 / VL63316

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Solid machined aluminum and steel frame
Modern powder-coated or anodized finish
Frosted polycarbonate diffusers
Wall light
Mounting options: horizontally or vertically

	VL63336	VL63325	VL63316
WATTAGE:	23W	17W	11W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	700*	528*	348*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



WALL / VANITY.

ADJUSTABLE
HEADS

WS19914



VL19941-BN-UNV



VL19931-BK-UNV



WS19914-BK




WS19914-BN

SEE FULL COLLECTION




CHANDELIER
PAGE 139


PENDANT
PAGE 272



VL19941



VL19931



WS19914

DUNE - VL19941 / VL19931 / WS19914

FINISH BK - Black | BN Brushed Nickel

Spun-aluminum arm and base
Modern powder-coated or anodized finish
Spun-aluminum shade and metalized polished chrome interior reflector
Down light
Adjustable 90° head for directional illumination (WS19914)

	VL19941	VL19931	WS19914
WATTAGE:	21W	16W	5W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1834*	1375*	438

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures. **Visit our site for Universal Voltage options.

DUNE 377


WALL / VANITY.



601471BK-LED



601471WH-LED



PRESTON - 601471-LED

FINISH BK - Black | WH - White

Bi-color powder-coated formed steel
Black with Gold interior or White with Silver interior
Up and down light
Mounting options: horizontally or vertically

	BK	WH
WATTAGE:	9W	9W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	103	153


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



WALL / VANITY.




WS83427-BK




WS83427-GD



WS83421-BK



WS83421-GD



LOCHWOOD - WS83427 / WS83421

FINISH BK - Black | GD - Gold

Square powder-coated steel frame
Extruded-aluminum heatsink mounted to square wall plate
Cylindrical opal glass diffuser
Outward emitting wall light
Mounting options: horizontally or vertically

	WS83427	WS83421
WATTAGE:	31W	22W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1499*	1180*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (<i>not included</i>)
RATED LIFE	50,000 HOURS

Custom options available





WS93736-AN



WS93730-BK



WS93724-AS

SEE FULL COLLECTION




CHANDELIER
PAGE 174-175




PENDANT
PAGE 290




CEILING
PAGE 476



WS93724



WS93730



WS93736

SYNERGY - WS93736 / WS93730 / WS93724

FINISH AN - Antique Brass | AS - Antique Silver | BK - Black

Extruded and rolled rectangular aluminum helix
Flexible silicone-rubber diffuser
Metallic brushed finish or matte powder-coated
Multi-directional lighting from wall
Mounting options: horizontally or vertically

	WS93736	WS93730	WS93724
WATTAGE:	47W	36W	28W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2430	1878	1224

*All data based on Antique Silver finish.
See spec sheet for detail.

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available


WALL / VANITY.



WS18248-BG
SHOWN WITH BACKPLATE ACCESSORY



WS18236-BN-UNV



WS18224-WH



WS18224-BK-UNV

SEE FULL COLLECTION



CHANDELIER
PAGE 164-165






PENDANT
PAGE 277



WALL / VANITY
PAGE 423



CEILING
PAGE 439



VEGA MINOR - WS18248 / WS18236 / WS18224

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile linear aluminum body
Rectangular wall mount canopy
Optional adapter plate for larger junction box
Inset opal polymeric diffuser
Finely textured plate or powder-coated finish
Outward emitting light
Mounting options: horizontally or vertically


	WS18248	WS18236	WS18224
WATTAGE:	47W	31W	18W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2515*	1561*	838*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

WALL / VANITY.



VL18248-BN
SHOWN WITH BACKPLATE ACCESSORY



VL18236-BG



VL18224-WH-UNV



VL18224-BK

SEE FULL COLLECTION



CHANDELIER
PAGE 164-165




PENDANT
PAGE 277




WALL / VANITY
PAGE 423




CEILING
PAGE 439



VL18224



VL18236



VL18248

VEGA MINOR - VL18248 / VL18236 / VL18224

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square profile linear aluminum body
Rectangular wall mount canopy
Optional adapter plate for larger junction box
Inset opal polymeric diffuser
Finely textured plate or powder-coated finish
Down light

	VL18248	VL18236	VL18224
WATTAGE:	47W	31W	18W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2132*	1561*	838*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



WS10336-BG



WS10336-BK



WS10324-WH



WS10324-BN


SEE FULL COLLECTION



CHANDELIER
PAGE 166-167



PENDANT
PAGE 276



WS10336

WS10324

VEGA - WS10336 / WS10324

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Machined aluminum with powder-coated or electroplated finish

Die-cast aluminum backplate with concealed fasteners

Mounting options: horizontally or vertically

	WS10336	WS10324
WATTAGE:	26W	16W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1405*	832

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



WALL / VANITY.



VL10323-BG


VL10323-BN




VL10337-BK



VL10337-WH



VL10323




VL10337

SEE FULL COLLECTION



CHANDELIER
PAGE 166-167



PENDANT
PAGE 276

VEGA - VL10337 / VL10323

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Machined aluminum with powder-coated or electroplated finish

Machined die-cast aluminum backplate with concealed fasteners

Mounting options: horizontally or vertically

	VL10337	VL10323
WATTAGE:	26W	16W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1405*	832*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available

*Preliminary figures

VEGA 385





WS14947-WH-UNV



WS14935-BK-UNV



WS14923-WH-UNV


SEE FULL COLLECTION



CHANDELIER
PAGE 170-171



PENDANT
PAGE 288-289



WS14947

WS14935

WS14923

CHUTE - WS14947 / WS14935 / WS14923

FINISH BK - Black | WH - White

Extruded-aluminum body
Cylindrical shape with welded capped ends
Circular wall mount
Finely textured powder-coated finish
Rounded opal silicone diffuser
Outward emitting light
Mounting options: horizontally or vertically

	WS14947	WS14935	WS14923
WATTAGE:	21W	15W	13W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	975*	784*	642*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

WALL / VANITY.




VL13424-BK



VL13424-BN



VL13424-CH



SOHO - VL13424

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome


Square polymeric diffuser with
electroplated formed steel details
Up and down light

WATTAGE: 31W
VOLTAGE: 120V
DELIVERED LUMENS: 1923


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS

Custom options available





VL17124-CH



MENDOCINO - VL17124

FINISH CH - Chrome


Cylindrical white opal glass with
electroplated formed steel detail
Up and down light
Mounting options: horizontally or vertically

WATTAGE: 31W
VOLTAGE: 120V
DELIVERED LUMENS: 1633*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



VL17324-CH



CAMDEN - VL17324

FINISH CH - Chrome

Cylindrical white opal glass with square-section
single formed steel detail
Up and down light
Mounting options: horizontally or vertically


WATTAGE: 31W
VOLTAGE: 120V
DELIVERED LUMENS: 1800

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



VL60624-CH-UNV


WALL / VANITY.




VL60637-CH
SHOWN WITH BACKPLATE ACCESSORY



VL60624-BK-UNV



VL60624



VL60637

PLYMOUTH - VL60637 / VL60624

FINISH BK - Black | CH - Chrome


Aluminum base and frame
Powder-coated and anodized finish
Frosted polycarbonate diffuser
Direct light
Mounting options: horizontally or vertically

	VL60637	VL60624
WATTAGE:	29W	26W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1278*	1173*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available

WALL / VANITY.



VL61650-CH




VL61638-CH




VL61626-BK




VL61620-BK




VL61620



VL61626



VL61638



VL61650

ALBERNI - VL61650 / VL61638 / VL61626 / VL61620

FINISH BK - Black | CH - Chrome

Electroplated orthogonal steel structure

and details

Rectangular opal acrylic diffuser

Wall light

Mounting options: horizontally or vertically

	VL61650	VL61638	VL61626	VL61620
WATTAGE:	62W	45W	31W	22W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	3210*	2477*	1541*	1104*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	


WALL / VANITY.




601465CH-LED



601464CH-LED



601464-LED



601465-LED

CHARLOTTE - 601465-LED / 601464-LED

FINISH CH - Chrome

Semi-cylindrical opal diffuser with
electroplated formed steel detail
Metal side covers
Up and down light
Mounting options: horizontally or vertically

	601465CH-LED	601464CH-LED
WATTAGE:	41W	31W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1548	1526


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	




601004CH-LED



601003CH-LED



601003LED



601004-LED

PEGGY - 601004-LED / 601003-LED

FINISH CH - Chrome


Semi-cylindrical white opal glass with
electroplated, formed steel detail
Frosted side diffusers
Up and down light
Mounting options: horizontally or vertically

	601004CH-LED	601003CH-LED
WATTAGE:	46W	31W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2459	1259


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	




WALL / VANITY.



601002BK-LED




601002BG-LED




601001BN-LED




VL0118-CH



VL0118



601001-LED



601002-LED

LIGHTHOUSE - 601002-LED / 601001-LED / VL0118

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | CH - Chrome


Extruded opal glass arc diffuser
Frosted glass end caps
Steel backplate with optional square junction
box cover plate included
Matte painted, brushed or plated finish
Wall light
Mounting options: horizontally or vertically

	601002-LED	601001-LED	VL0118
WATTAGE:	45W	31W	21W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2610	1740	1101

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



WALL / VANITY.



VL47321-BG



VL47321-CH



WS47305-BG




WS47305-CH


SEE FULL COLLECTION



PENDANT
PAGE 322



WS47305



VL47321



PLUTO - VL47321 / WS47305

FINISH BG - Brushed Gold | CH - Chrome

Die-cast aluminum dome and formed steel mount with plated finish
Clear polymeric diffuser with offset etched interior surface
Up or down light

	VL47321	WS47305
WATTAGE:	17W	6W
VOLTAGE:	120V	120V
TOTAL LUMENS:	1200	400
DELIVERED LUMENS:	810*	270*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS


Custom options available




701314BK-LED



701313CH-LED



701314-LED



701313-LED

WATFORD - 701314-LED / 701313-LED

FINISH BK - Black | CH - Chrome

Rectangular frosted glass diffuser
Orthogonal formed steel details and backplate
Matte painted or plated finish
Up and down wall light

	701314-LED	701313-LED
WATTAGE:	41W	31W
VOLTAGE:	120V	120
DELIVERED LUMENS:	2094	1604


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS
Custom options available	



WALL / VANITY.



VL17224-CH



FRESNO - VL17224

FINISH CH - Chrome


Electroplated steel body and extruded-aluminum housing
Extruded opal glass diffuser of 24" length
May be mounted horizontally or vertically
Up and down light

WATTAGE: 31W
VOLTAGE: 120V
DELIVERED LUMENS: 1690

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



VL7524-CH



CHARLESTON - VL7524

FINISH CH - Chrome

Cylindrical white frosted glass with
electroplated, formed steel detail
Up and down light

WATTAGE: 24W
VOLTAGE: 120V
DELIVERED LUMENS: 1367

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available






VL47237-CH




VL47225-BK




VL47221-BG



VL47221



VL47225



VL47237

LATITUDE - VL47237 / VL47225 / VL47221

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Rectangular white acrylic with
electroplated formed steel detail
Up and down light
Mounting options: horizontally or vertically

	VL47237	VL47225	VL47221
WATTAGE:	45W	31W	22W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	3041*	2021*	1256*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



WALL / VANITY.




VL4737-CH



VL4725-CH



VL4721-CH



VL4721



VL4725



VL4737

LATITUDE-SLIM - VL4737 / VL4725 / VL4721

FINISH CH - Chrome

Rectangular white acrylic with
electroplated formed steel detail
Up and down light
Mounting options: horizontally or vertically

	VL4737	VL4725	VL4721
WATTAGE:	49W	31W	21W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2331	1502	1195

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	






WS8332-BN




WS8324-CH




WS8318-BK



WS8332



WS8324



WS8318

BUTE - WS8332 / WS8324 / WS8318

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Cylindrical white opal glass with electroplated steel details
Up and down light
Mounting options: horizontally or vertically

	WS8332	WS8324	WS8318
WATTAGE:	41W	31W	22W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2404	1857	1302

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



WALL / VANITY.




WS8432-BN



WS8424-CH



WS8418-BK



WS8432

WS8424

WS8418

MELVILLE - WS8432 / WS8424 / WS8418

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Rectangular white opal glass with electroplated steel details

Up and down light

Mounting options: horizontally or vertically

	WS8432	WS8424	WS8418
WATTAGE:	41W	31W	21W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2614	1811	1215

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (<i>not included</i>)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

WALL / VANITY.



VL16727-BK




VL16720-CH




WS16705-CH




WS16705-BK



WS16705



VL16720



VL16727

BRAZEN - VL16727 / VL16720 / WS16705

FINISH BK - Black | CH - Chrome

Extruded-aluminum quatrefoil lamps on rectangular wall mount
Finely textured powder-coated or plated finish
Opal diffuser caps
Up and down light

	VL16727	VL16720	WS16705
WATTAGE:	44W	33W	11W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	824*	527*	206*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available





VL16720-BK




VL60236-CH




VL60224-BK




VL60220-CH



VL60220



VL60224



VL60236

FERGUSON - VL60236 / VL60224 / VL60220

FINISH BK - Black | CH - Chrome

Rounded - rectangular acrylic diffuser with
electroplated formed steel detail
Up and down light
Mounting options: horizontally or vertically

	VL60236	VL60224	VL60220
WATTAGE:	46W	31W	22W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2493	1553	1226

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



WALL / VANITY.




VL61236-CH




VL61224-BK




VL61220-BG



VL61220



VL61224



VL61236

LONGITUDE - VL61236 / VL61224 / VL61220

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Obround white acrylic diffuser with
electroplated formed steel detail
Up and down light
Mounting options: horizontally or vertically

	VL61236	VL61224	VL61220
WATTAGE:	45W	31W	22W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2918*	1884*	1275*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



WALL / VANITY.



VL62236-CH



VL62236-BK



VL62224-CH



VL62224-BK




VL62220-CH




VL62220-BK



VL62220



VL62224



VL62236

JANE - VL62236 / VL62224 / VL62220

FINISH BK - Black | CH - Chrome

Rectangular white acrylic diffuser with
electroplated formed steel detail

Up and down light

Mounting options: horizontally or vertically

	VL62236	VL62224	VL62220
WATTAGE:	45W	31W	22W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2958*	1918*	1189*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



WALL / VANITY.




VL6236-CH




VL6224-CH




VL6220-CH



VL6220



VL6224



VL6236

JANE-SLIM - VL6236 / VL6224 / VL6220


FINISH CH - Chrome

Rectangular white acrylic diffuser with
electroplated formed steel detail
Up and down light
Mounting options: horizontally or vertically

	VL6236	VL6224	VL6220
WATTAGE:	49W	31W	21W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2179	1457	1066

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	





WALL / VANITY.




WS24324-BK



WS24332-BN



WS24348-WH



SWIVEL - WS24348 / WS24332 / WS24324

FINISH BK - Black | BN - Brushed Nickel | WH - White

Rectangular machined aluminum heatsink
Lightly textured powder-coated finish
Inset opal polymeric diffuser
Adjustable directional light with 350° rotational arm
Mounting options: horizontally or vertically

	WS24348	WS24332	WS24324
WATTAGE:	52W	38W	26W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2741	2207	1623*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (<i>not included</i>)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



WALL / VANITY.




WS3413-CH



WS3413-BK



WS3413-BG



HARROW - WS3413

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Semi-cylindrical white opal glass
with electroplated steel details
Up and down light
Mounting options: horizontally or vertically

WATTAGE: 16W
VOLTAGE: 120V
DELIVERED LUMENS: 866


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



WS3909-BN



WS3909-CH



HOUNSLOW - WS3909

FINISH BN - Brushed Nickel | CH - Chrome

Rectangular white opal glass
with electroplated steel details
Up and down light

WATTAGE: 13W
VOLTAGE: 120V
DELIVERED LUMENS: 665

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available





601432BN-LED



601432BG-LED



601432CH-LED



601432BK-LED



601431BN-LED




601431BG-LED




601431CH-LED



601431BK-LED



601432-LED



601431-LED



NORFOLK - 601432-LED / 601431-LED

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | CH - Chrome

Formed steel with electroplated or powder-coated finish
Machined acrylic lens
Up and down light
Mounting options: horizontally or vertically

	601432	601431	COLOR TEMP	3000K
WATTAGE:	17W	17W	CRI (RA)	>90
VOLTAGE:	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	705*	705*	TYPE OF DIMMER	ELV (<i>not included</i>)
			RATED LIFE	50,000 HOURS

Custom options available

WALL / VANITY.



WS9809-BN



WS9809-CH



WS9809-BG




WS9815-BN



WS9815-CH



WS9815-BG



MILANO - WS9815 / WS9809

FINISH BG - Brushed Gold | BN - Brushed Nickel | CH - Chrome

White opal glass cylinder with electroplated steel details
Available in two sizes and three finishes

	WS9815	WS9809	COLOR TEMP	3000K
WATTAGE:	17W	9W	CRI (RA)	>90
VOLTAGE:	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	837*	390*	TYPE OF DIMMER	ELV <i>(not included)</i>
			RATED LIFE	50,000 HOURS
			<i>Custom options available</i>	

*Preliminary figures



WS33407-BN




WS33407-BK



WS33407-BG



WS33407-WH



GUIDE - WS33407

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Solid machined aluminum body
Rectangular wall mount canopy
Edge-lit translucent panel
Finely brushed finish
Ambient wall light
Mounting options: up or down

WATTAGE: 7W
VOLTAGE: 120V
DELIVERED LUMENS: 275*


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



WALL / VANITY.




WS39210-CH



WS39210-BG



WS39210-BK



BENGAL - WS39210

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Vertical plated or painted steel accent and wall plate
Extruded rectangular opal glass diffuser
Outward emitting wall light
Mounting options: horizontally or vertically

WATTAGE: 13W
VOLTAGE: 120V
DELIVERED LUMENS: 694*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available

WALL / VANITY.

SEE FULL COLLECTION




PENDANT PAGE 318




WS53322-CH



WS53318-CH



WS53318



WS53322

MARTELO - WS53322 / WS53318

FINISH CH - Chrome

Electroplated steel

Mounting options: horizontally or vertically

	WS53322	WS53318
WATTAGE:	22W	12W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	660	358

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS


Custom options available




WS19707-BK



WS19705-BK



WS19705



WS19707

DRAVEN - WS19707 / WS19705

FINISH BK - Black

Cylindrical aluminum body

Square wall mount canopy

Finely textured powder-coated finish

Tapered round translucent diffusers

Plated brushed gold accent rings

Up and down light

Mounting options: horizontally or vertically

	WS19707	WS19705
WATTAGE:	23W	14W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	901*	853

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available



WALL / VANITY.




WS2812-BN



WS2812-BK



WS2812-CH



GABLE - WS2812

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Rectangular clear crystal with bubbles
Electroplated steel details
Up light
Mounting options: up or down

WATTAGE: 6W
VOLTAGE: 120V
DELIVERED LUMENS: 252*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



WS54615-CH




WS54615-BN



WS54615-BZ



WS54615-BK



WARWICK - WS54615

FINISH BK - Black | BN - Brushed Nickel | BZ - Bronze | CH - Chrome

Slender hexagonal crystal column encased bubbles
with electroplated formed steel detail
Up and down light
Mounting options: up or down

WATTAGE: 11W
VOLTAGE: 120V
TOTAL LUMENS: 800
DELIVERED LUMENS: 354*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



WALL / VANITY.




601484BK-LED



601484BN-LED



601484CH-LED



ELIZABETH - 601484-LED

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Opal glass with electroplated steel details
Up light
Mounting options: up or down

WATTAGE: 11W
VOLTAGE: 120V
DELIVERED LUMENS: 616*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available




601485BK-LED



601485BN-LED



601485CH-LED



STRATFORD - 601485

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Opal glass with electroplated steel details
Up light

WATTAGE: 11W
VOLTAGE: 120V
DELIVERED LUMENS: 597*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available




WALL / VANITY.




WS3313



WS3309



WS3309



WS3313



HUDSON - WS3313 / WS3309

FINISH BN - Brushed Nickel | CH - Chrome

Semi-cylindrical white opal glass
Includes both brushed nickel
and chrome decorative nuts
Up and down light

	WS3313	WS3309
WATTAGE:	16W	11W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	691	575*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	




WS63209-BG



WS63209-BK



WS63209-CH



PONDI - WS63209

FINISH BK - Black | BG - Brushed Gold | CH - Chrome

Horizontal plated or painted steel accent and wall plate
Extruded semi-circular opal glass diffuser
Outward emitting wall light
Mounting options: horizontally or vertically

WATTAGE:	13W
VOLTAGE:	120V
DELIVERED LUMENS:	679*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



WS16907-WH


WALL / VANITY.




WS16907-BK
USB CHARGING CAPABILITY



WS16912-WH
USB CHARGING CAPABILITY



WS16907



WS16912

DRESDEN - WS16912 / WS16907

FINISH BK - Black | WH - White

Steel and cast-aluminum
Modern powder-coated finish
Frosted acrylic diffuser
Direct light or rotational down light
Backplate features USB charging capability

	WS16912	WS16907
WATTAGE:	7W	7W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	408	329

COLOR TEMP	3000K
CRI (RA)	>90
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	






WALL / VANITY.



WS18901-WH



WS18901-BK



ETON - WS18901

FINISH BK - Black | WH - White

Die-cast aluminum lamp head with flexible rubberized stem
Circular wall mount attachment
Finely textured powder-coated finish
Adjustable direction spot light
Rocker on/off switch


WATTAGE: 3W
VOLTAGE: 120V
DELIVERED LUMENS: 190

COLOR TEMP 3000K
CRI (RA) >90
RATED LIFE 50,000 HOURS

Custom options available




WALL / VANITY.



WS16811L-BK
USB CHARGING PORT




WS16806-WH



WS16811R-WH
USB CHARGING PORT



WS16806-BK



DORCHESTER - WS16811L / WS16811R / WS16806

FINISH BK - Black | WH - White

Adjustable cylindrical aluminum spot light attached to rectangular wall mount

Finely textured achromatic powder-coated finish

Frosted acrylic ambient light

On/off switches control two light sources

USB charging port (WS16811)

	WS16811L/R	WS16806	COLOR TEMP	3000K
WATTAGE:	16W	12W	CRI (RA)	>90
VOLTAGE:	120V	120V	RATED LIFE	50,000 HOURS
DELIVERED LUMENS:	811*	550*	<i>Custom options available</i>	

*Preliminary figures

DORCHESTER 421

WALL / VANITY.



WS10437-BK



WS10437-WH



WS10423-BK




WS10423-WH




WS10415-BK




WS10415-WH



WS10415



WS10423



WS10437

GALLERIA - WS10437 / WS10423 / WS10415

FINISH BK - Black | WH - White

Extruded aluminum with powder-coated finish
Die-cast aluminum wall plate with concealed fasteners
Down light

	WS10437	WS10423	WS10415
WATTAGE:	25W	16W	11W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	712*	432*	279*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available



WALL / VANITY.


ADJUSTABLE
HEADS




PL18217-BK



PL18234-BN



PL18217



PL18234

SEE FULL COLLECTION



CHANDELIER
PAGE 164-165



PENDANT
PAGE 277



CEILING
PAGE 439

VEGA MINOR PICTURE - PL18234 / PL18217

FINISH BK - Black | BN - Brushed Nickel

Solid machined- and extruded-aluminum frame
Modern powder-coated or anodized finish
Frosted acrylic diffuser
Rotational down light
Adjustable 90° head for directional illumination

	PL18234	PL18217
WATTAGE:	31W	14W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	900*	400*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC (<i>not included</i>)
RATED LIFE	50,000 HOURS

Custom options available

*Preliminary figures. **Visit our site for Universal Voltage options.

VEGA MINOR PICTURE 423



CEILING.



CEILING.



FM16520-PW-3WCCT-UNV




FM16520-JB-3WCCT-UNV



FM16512-PW-3WCCT-UNV



FM16512-JB-3WCCT-UNV



ETTA - FM16520 / FM16512

FINISH JB - Jet Black | PW - Pearl White

Steel body
Down light
Quality painted finishes
Polymeric diffuser
3-color temperature switch:
(2700/3000/4000)


	FM16520	FM16512
WATTAGE:	37W	25W
VOLTAGE:	120-277V	120-277V
DELIVERED LUMENS:	1765*	1195*

COLOR TEMP	2700K/3000K/4000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



CEILING.

3WCCT
SELECTABLE



SF27731-WH-3WCCT-UNV



SF27724-BK-3WCCT-UNV



SF27716-WH-3WCCT-UNV

SEE FULL COLLECTION




PENDANT
PAGE 210



WALL / VANITY
PAGE 328



PORTABLE
PAGE 504



RODA - SF27731 / SF27724 / SF27716

FINISH BK - Black | WH - White

Sleek circular design
Aluminum body
Up/down light
Frosted acrylic diffuser
Quality painted finishes
3-color temperature switch:
2700/3000/4000

	SF27731	SF27724	SF27716
WATTAGE:	50W	41W	28W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	1410*	1170*	820*


COLOR TEMP	2700K/3000K/4000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available

*Preliminary figures

RODA 427

CEILING.



FM64218-UB



FM64218-VB



FM64215-UB



FM64215-VB

SEE FULL COLLECTION



CHANDELIER
PAGE 120




PENDANT
PAGE 211




CEILING
PAGE 329



PORTABLE
PAGE 505



FM64218



FM64215

TACHI - FM64218 / FM64215

FINISH UB - Urban Bronze | VB - Vintage Brass

Unique geometric profile
Steel body
Frosted light guide diffusers
Down light
Quality plated finishes

	FM64218	FM64215
WATTAGE:	25W	15W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1170*	645*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	





FM64215-VB



CEILING.



SF55525-BK/OP



SF55525-BG/OP

SEE FULL COLLECTION




CHANDELIER
PAGE 124



PENDANT
PAGE 214



WALL / VANITY
PAGE 337



JUNIPER - SF55525

FINISH BK - Black | BG - Brushed Gold
GLASS OP - Opal Matte

Adjustable arms for varied styling
Forged-steel and aluminum body
Matte opal glass shades
Sleek plated or painted finishes
Omni-directional light

WATTAGE: 22W
VOLTAGE: 120V
DELIVERED LUMENS: 1670*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available





SF58814-BK



SF58814-BG

SEE FULL COLLECTION




CHANDELIER
PAGE 125



WALL / VANITY
PAGE 212



PORTABLE
PAGE 509



KEIKO - SF58814

FINISH BK - Black | BG - Brushed Gold

Asymmetrical vintage-inspired style
Forged-steel and aluminum body
Sleek plated or painted finishes
Up and down light
Non-adjustable metal shades

WATTAGE:
VOLTAGE:

2 x 60W, E26
120V

Custom options available





SF57704-BK



SF57704-BK/GO

SEE FULL COLLECTION




CHANDELIER
PAGE 182-183



WALL / VANITY
PAGE 330-331



WALL / VANITY
PAGE 112-113



NOLA - SF57704

FINISH BK - Black | BK/GO - Black/Glossy Opal

FINISH GO - Glossy Opal

Simple-modern silhouette
Forged-steel body
Metal or glossy opal glass shade option
Sleek painted finish
Down light (metal shade)
Omni-directional light (glass)

WATTAGE: 1 x 40W, E26
VOLTAGE: 120V

Custom options available





SF90406-VB



SF90406-UB

SEE FULL COLLECTION




CHANDELIER
PAGE 196-197



PENDANT
PAGE 108-109



WALL / VANITY
PAGE 332-333



MASON - SF90406

FINISH UB - Urban Bronze | VB - Vintage Brass

Sleek, minimal style
Forged-steel and aluminum body
Luxury painted finishes
Down light

WATTAGE: 7W
VOLTAGE: 120V
DELIVERED LUMENS: 375*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available

*Preliminary figures

CEILING.



FM82106-WH




FM82104-WH



FM82106-BK



FM82104-BK



SAVILE - FM82106 / FM82104

FINISH BK - Black | WH - White

- Simple, modern design
- Forged-aluminum body
- Sleek painted finish
- Frosted acrylic diffuser
- Down light
- Damp rated

	FM82106	FM82104
WATTAGE:	16W	9W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	760*	430*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	







CEILING.



WS22915-GY
AS WALL LIGHT



WS22915-BK/WH
AS SEMI-FLUSH



FM22815-GY
AS WALL LIGHT




FM22815-BK/WH
AS SEMI-FLUSH

SEE FULL COLLECTION



PENDANT
PAGE 224-225



CRUZ - WS22915 / FM22815

FINISH BK/WH - Black/White | GY - Gray

Cast- and spun-aluminum or felt textile body
Modern powder-coated finish
Spun aluminum (BK/WH) or gray felt textile (GY)
reflector with frosted acrylic cover (WS22915)
Spun aluminum (BK/WH) or gray felt textile (GY)
reflector with opal glass (FM22815)
Down light (WS22915)
Direct omni-directional light (FM22815)
Mounting options: wall or ceiling
436 CRUZ

	WS22915	FM22815
WATTAGE:	13W	13W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	237*	781*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS
Custom options available	



*Preliminary figures

CEILING.

5CCT
SELECTABLE




FM48618-5CCT



FM48614-5CCT



FM48610



ASTON - FM48618 / FM48614 / FM48610

GLASS CL - Clear

Clear round aesthetic glass
Opal glass cylindrical diffuser
Powder-coated white steel ceiling plate
Down light
5CCT: FM48618/FM48614

	FM48618	FM48614	FM48610
WATTAGE:	30W	24W	13W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1731*	1020*	528*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



*Preliminary figures. **Visit our site for Color Temperature options.



CEILING.



FM72205-BK



SF72205-BK-UNV

SEE FULL COLLECTION



CHANDELIER
PAGE 138




PENDANT
PAGE 278-279




WALL / VANITY
PAGE 372-373



PORTABLE
PAGE 514



SF72205



FM72205

NOVEL - SF72205 / FM72205

FINISH BK - Black


Cast-aluminum frame and base
Modern powder-coated finish
Frosted acrylic cover and light guide
Down light or rotational up or down light
Adjustable 350° disks for a variety of styles and directional illumination (SF72205)

	SF72205	FM72205
WATTAGE:	8W	8W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	492*	492*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	




CEILING.




FM18247-BN



FM18247-BG



FM18232-WH



FM18232-BK

SEE FULL COLLECTION



CHANDELIER
PAGE 164-165




PENDANT
PAGE 277




WALL / VANITY
PAGE 382-383



WALL / VANITY
PAGE 423



FM18232



FM18247

VEGA MINOR - FM18247 / FM18232

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White


Overlapping square profile linear aluminum with square ceiling mount
Removable lamp arms for multiple configurations
Inset opal polymeric diffuser
Finely textured plate or powder-coated finish
Down light

	FM18247	FM18232
WATTAGE:	61W	46W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2240*	2177*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



CEILING.



FM31205-BK/WH

SEE FULL COLLECTION



WALL / VANITY
PAGE 338-339


CUBIX - FM31205

FINISH BK/WH - Black/White

Forged steel frame
Modern duo-toned finish
Frosted acrylic diffuser
Down light

WATTAGE: 9W
VOLTAGE: 120V
DELIVERED LUMENS: 440*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



*Preliminary figures

CUBIX 441

CEILING.



FM57508-BG/CP



FM57508-CH/OP



FM57508-BK/SM

SEE FULL COLLECTION




CHANDELIER
PAGE 144-145



PENDANT
PAGE 258



WALL / VANITY
PAGE 341



SAMAR - FM57508

FINISH BK - Black | BG - Brushed Gold | CH - Chrome
GLASS CP - Copper | SM - Smoked | OP - Opal Matte

Forged steel accents
Plated, brushed, and powder-coated finish options
Ombre smoked, ombre copper, and opal glass options
Down light


LAMPING: 1 x 60W, E26
VOLTAGE: 120V

Custom options available






CEILING.




FM23534-BK



FM23534-BG

SEE FULL COLLECTION




CHANDELIER
PAGE 136-137



PENDANT
PAGE 238-239



WALL / VANITY
PAGE 340



BLADE - FM23534

FINISH BK - Black | BG - Brushed Gold

Forged aluminum and steel accents
Modern brushed or powder-coated finish options
Unique ribbed acrylic diffuser
Down light

WATTAGE: 29W
VOLTAGE: 120V
DELIVERED LUMENS: 1926*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



FM52508-BK/CL



FM52508-BG/CL



FM52512-BK/CL



FM52512-BG/CL

SEE FULL COLLECTION



WALL / VANITY
PAGE 344-345


CEDAR - FM52512 / FM52508

FINISH BK - Black | BG - Brushed Gold
GLASS CL - Clear

Forged aluminum and steel body
Modern brushed or powder-coated finish options
Clear glass shades
Frosted glass diffusers
Down light
Damp rated for varied usage

	FM52512	FM52508
WATTAGE:	13W	13W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1036*	993*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



CEILING.




FM53509-BG/CL



FM53512-BG/CL



FM53509-BK/CL




FM53512-BK/CL

SEE FULL COLLECTION



WALL / VANITY
PAGE 350-351



FM53512

FM53509

BIRCH - FM53512 / FM53509

FINISH BK - Black | BG - Brushed Gold

GLASS CL - Clear

Forged aluminum and steel body
Modern brushed or powder-coated finish
Clear glass shades
Frosted glass diffusers
Down light

	FM52512	FM53509
WATTAGE:	13W	13W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1235*	1208*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	


*Preliminary figures



FM54809-BK/OP



FM54809-BG/OP



CLOVER - FM54809

FINISH BK - Black | BG - Brushed Gold
GLASS OP - Opal Matte

Cast aluminum accompaniments
Modern brushed or powder-coated finish options
Unique clover-shaped glass
Opal glass shade
Down light
Damp rated for varied usage

WATTAGE: 13W
VOLTAGE: 120V
DELIVERED LUMENS: 998*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



FM54809-BK/OP

CEILING.



FM45907-BK/OP




FM45910-BK/OP



FM45907-BG/OP



FM45910-BG/OP



FM45910

FM45907



REGALO - FM45910 / FM45907

FINISH BK - Black | BG - Brushed Gold

GLASS OP - Opal Matte

Forged aluminum and steel frame
Modern brushed or powder-coated finish options
Opal glass shade
Down light

	FM45910	FM45907
WATTAGE:	16W	13W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	878*	690*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available


CEILING.



FM53005-BG/OP



FM53005-BK/OP



MEL - FM53005

FINISH BK - Black | BG - Brushed Gold

GLASS OP - Opal Matte

Cast aluminum body
Modern brushed or powder-coated finish options
Opal glass shade
Frosted acrylic diffuser
Down light
Damp rated for varied usage

WATTAGE: 13W
VOLTAGE: 120V
DELIVERED LUMENS: 860*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



CEILING.



SF59706-BK/OP



SF59706-BK/SM



SF59706-BG/OP



SF59708-BK/OP



SF59708-BK/SM




SF59708-BG/OP

SEE FULL COLLECTION



PENDANT
PAGE 256-257



ARCADIA - SF59708 / SF59706

FINISH BK - Black | BG - Brushed Gold

GLASS OP - Opal Matte | SM - Smoked

Forged steel accompaniments
Opal or smoked glass options
Hourglass-inspired shape
Modern brushed or powder-coated finish options

WATTAGE:
VOLTAGE:

1 x 60W
120V

Custom options available

CEILING.



FM45707-BG/GO



FM45707-BN/GO



FM45710-BG/GO




FM45710-BN/GO

SEE FULL COLLECTION



WALL / VANITY
PAGE 364-465



HOLT - FM45710 / FM45707

FINISH BG - Brushed Gold | BN - Brushed Nickel
GLASS GO - Glossy Opal

Plated Steel Accents
Modern plated finishes
Glossy opal glass diffusers
Down light

	FM45710	FM45707
WATTAGE:	16W	13W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	687*	574*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	




CEILING.




FM43121-BK-5CCT



FM43117-CL-5CCT



FM43117



FM43121



HAMPTON - FM43121 / FM43117

FINISH BK - Black | CL - Clear

Steel base with polymeric body
Frosted acrylic lens
Down light

	FM43121	FM43117
WATTAGE:	42W	30W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1769*	1184*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	




FM43518-WH-5CCT



FM43522-BK-5CCT



FM43518



FM43522



BRUNSWICK - FM43522 / FM43518

FINISH BK - Black | WH - White

Circular steel base with polymeric body
Frosted acrylic lens
Glossy body and matte painted base
Down light

	FM43522	FM43518
WATTAGE:	42W	30W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2275*	1426*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



FM58306-BK/OP



FM58306-BG/OP



FM58306-BK/OP



FM58310-BG/OP




FM58310-BK/OP

SEE FULL COLLECTION



PENDANT
PAGE 260-261



MONAE - FM58310 / FM58306

FINISH BK - Black | BG - Brushed Gold

GLASS OP - Opal Matte

Forged steel body
Modern brushed or powder-coated finish options
Opal glass shade
Socket-based configuration
Bulb not included

WATTAGE:
VOLTAGE:

FM58310	FM58306
1 X 60W	1 X 60W
120V	120V

Custom options available




CEILING.



FM9714-WH-5CCT



FM9711-WH-5CCT



COLLINS - FM9714 / FM9711

FINISH WH - White


Round white opal acrylic diffuser with powder-coated matte black, silver or white formed steel canopy
Down light
Dimmable with ELV dimmer (not included)
Custom options available

	FM9714	FM9711
WATTAGE:	20W	17W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1056*	868*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
RATED LIFE	50,000 HOURS
Custom options available	



FM44614-BK/WH



CROFT - FM44614

FINISH BK/WH - Black/White

Forged iron body
Modern powder-coated finish
Trendy duo-tone design
Acrylic diffuser
Down light

WATTAGE:	17W
VOLTAGE:	120V
DELIVERED LUMENS:	604*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS
Custom options available	






FM44912-BK/WH



FM44912-BK/WH



CAYNE - FM44912

FINISH BK/WH - Black/White

Forged iron body
Modern powder-coated finish
Trendy duo-tone design
Acrylic diffuser
Down light

WATTAGE: 17W
VOLTAGE: 120V
DELIVERED LUMENS: 713*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available

*Preliminary figures

CAYNE 459




FM63432-BK

Style Tip

This configuration easily mounts to wall or ceiling to create a custom look.



FM63432-BK



FM63432-BN

SEE FULL COLLECTION



CHANDELIER
PAGE 154-155




PENDANT
PAGE 264-265



WALL / VANITY
PAGE 358



WALL / VANITY
PAGE 359



REZZ - FM63432

FINISH BK - Black | BN - Brushed Nickel

Forged iron and aluminum frame
Frosted opal glass diffusers
Modern powder-coated and anodized finishes
Direct light
Mounting options: horizontally or vertically


WATTAGE: 51W
VOLTAGE: 120V
DELIVERED LUMENS: 1100*

*All data based on Black finish.
See spec sheet for details.


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available




CEILING.



FM46116-BK-3CCT-UNV



FM46116-BG-3CCT-UNV



CALIX - FM46116



FINISH BK - Black | BG - Brushed Gold

Forged aluminum and steel body
Modern brushed or powder-coated finish options
Unique ribbed polycarbonate diffuser
Down light
Built in adjustable color temperature (3000K/3500K/4000K)

WATTAGE: 28W
VOLTAGE: 120V
DELIVERED LUMENS: 1786*

COLOR TEMP 3000K/3500K/4000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS

Custom options available



FM45316-BK



CEILING.



FM43423-BK/GD-5CCT



FM43423-WH/GD-5CCT



FM43419-WH/GD-5CCT




FM43419-BK/GD-5CCT



FM43414-WH/GD



FM43414-BK/GD



JASPER - FM43423 / FM43419 / FM43414

FINISH BK/GD - Black/Gold | WH/GD - White/Gold

Spun-aluminum base
Modern duo-tone powder-coated finish
Frosted acrylic diffuser
Down light

	FM43423	FM43419	FM43414
WATTAGE:	45W	30W	17W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2231*	1555*	775*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



CEILING.



SF62014-BK/CH



SF62014-BK/CP




SF62014-BK/SM

SEE FULL COLLECTION



PENDANT
PAGE 282-283



TRINITY - SF62014

FINISH BK - Black

GLASS CH - Chrome | CP - Copper | SM - Smoked

Cast-aluminum accompaniments
Clear glass with painted gradient detailing
Modern powder-coated finish
Frosted acrylic diffuser
Down light

WATTAGE: 21W

VOLTAGE: 120V

DELIVERED LUMENS: 970*

*All data based on Black/Smoked finish.
See spec sheet for details.

COLOR TEMP 3000K

CRI (RA) >90

DIMMING 100%-10%

TYPE OF DIMMER ELV (*not included*)

RATED LIFE 50,000 HOURS

Custom options available

CEILING.



FM43920-WH/GD-5CCT



FM43920-WH/BK-5CCT



FM43920-WH/WT-5CCT




FM43916-BK/WT-5CCT



FM43916-BK/GD-5CCT



FM43916-BK/WH-5CCT



FM43920

FM43916



ESSEX - FM43920 / FM43916

FINISH BK - Black | WH - White
INTERIOR BK - Black | WH - White | WT - Walnut | GD - Gold

Steel and acrylic body
Modern powder-coated finish
Frosted acrylic diffuser
Down and ceiling light
Intentional frame gap creating decorative halo of illumination

	FM43920	FM43916
WATTAGE:	42W	30W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1690*	1180


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS
Custom options available	



FM43916-BK/WH



CEILING.



FM1515-BG-5CCT



FM1515-WH




FM1512-CH



FM1515-BK-5CCT



FM1512-BN



MALTA - FM1515 / FM1512

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | CH - Chrome | WH - White

Circular opal white glass dome
Formed steel trim ring
Matte painted, brushed or plated finish
Down light

	FM1515	FM1512
WATTAGE:	19W	13W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	840*	570*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



CEILING.



FM52719-WT



FM52719-BN



FM52719-BK


SEE FULL COLLECTION



PENDANT
PAGE 271



WALL / VANITY
PAGE 367



ANELLO MINOR - FM52719

FINISH BK - Black | BN - Brushed Nickel | WT - Walnut

Cylindrical segments with polymeric diffuser
Up and down light

WATTAGE: 50W
VOLTAGE: 120V
DELIVERED LUMENS: 1139

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



CEILING.



FM7920-BOR-5CCT



FM7920-BE-5CCT



FM7920-GY-5CCT



FM7916-WH-5CCT



FM7916-BK-5CCT




FM7916-WOR-5CCT

SEE FULL COLLECTION



PENDANT
PAGE 312



FM7920

FM7916

DALTON - FM7920 / FM7916

FINISH BE - Beige | BK - Black | BOR - Black Organza | GY - Gray | WH - White | WOR - White Organza

Textured beige, black, white, gray, white organza and black organza fabric shade with formed steel frame and white acrylic diffuser
Down light

	FM7920	FM7916	COLOR TEMP	3000K
WATTAGE:	30W	24W	CRI (RA)	>90
VOLTAGE:	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	1270*	1100*	TYPE OF DIMMER	ELV (not included)
			RATED LIFE	50,000 HOURS
			Custom options available	





FM7920-WH



CEILING.




FM43315-CH-5CCT




FM43313-WH-5CCT




FM43311-BK-5CCT



FM43311



FM43313



FM43315

BROOK - FM43315 / FM43313 / FM43311

FINISH BK - Black | CH - Chrome | WH - White

Circular steel base with polymeric body
Frosted acrylic lens
Chrome plated finish
Down light

	FM43315	FM43313	FM43311
WATTAGE:	30W	24W	17W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1463*	1176*	800*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available



CEILING.

5CCT
SELECTABLE




FM7620-BK



FM7616-BN-5CCT



FM7610-BK



PARKER - FM7620 / FM7616 / FM7610

FINISH BK - Black | BN - Brushed Nickel (FM7616 only)

Circular frosted glass, with clear edges
and electroplated, formed steel center
section and canopy
Down light

	FM7620	FM7616	FM7610
WATTAGE:	45W	30W	19W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	2182	1589	802*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



CEILING.



501122-LED-5CCT



501122BG-LED-5CCT



501112-LED-5CCT




501112BG-LED-5CCT



501102-LED



501102BG-LED



FLOYD - 501122-LED / 501112-LED / 501102-LED

FINISH BG - Brushed Gold | BN - Brushed Nickel

Circular, domed white opal glass with
electroplated formed steel detail
Down light


	501122	501112	501102	COLOR TEMP	3000K
WATTAGE:	24W	20W	17W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	1323	1040	860	TYPE OF DIMMER	ELV (not included)
				RATED LIFE	50,000 HOURS
				Custom options available	



CEILING.



FM2011-CH



LOMITA - FM2011

FINISH CH - Chrome

Round white opal glass with electroplated
formed steel detail
Down light

WATTAGE: 19W
VOLTAGE: 120V
DELIVERED LUMENS: 948

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available




FM6012-BK-5CCT



FM6012-BN-5CCT



FM6012-CH-5CCT



CHARLIE - FM6012

FINISH BK - Black | BN - Brushed Nickel | CH - Chrome

Round white opal acrylic diffuser with electroplated
formed steel canopy
Down light

WATTAGE: 24W
VOLTAGE: 120V
DELIVERED LUMENS: 1085*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available

*Preliminary figures

CEILING.



FM93820-AN-UNV



FM93820-BK-UNV



FM93820-AS-UNV

SEE FULL COLLECTION




CHANDELIER
PAGE 174-175



PENDANT
PAGE 290



WALL / VANITY
PAGE 381



SYNERGY - FM93820


FINISH AN - Antique Brass | AS - Antique Silver | BK - Black

Extruded and rolled rectangular aluminum helix ring
Flexible silicone-rubber diffuser
Metallic brushed finish or matte powder-coated
Multi-directional lighting from ceiling


WATTAGE: 38W
VOLTAGE: 120V
DELIVERED LUMENS: 1236*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (not included)
RATED LIFE 50,000 HOURS
Custom options available


CEILING.



FM10205-BK



FM10205-WH



LUCCI - FM10205

FINISH BK - Black | WH - White


Shallow cylinder-shaped flush mount
White or black powder-coated detail

WATTAGE: 15W
VOLTAGE: 120V
DELIVERED LUMENS: 750*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



FM10705-BK-UNV




FM10705-WH-UNV



FM10605-WH-UNV



FM10605-WH-UNV



FALCO - FM10705 / FM10605

FINISH BK - Black | WH - White


Square- and cylinder-shaped flush mounts
White or black powder-coated detail

	FM10705	FM10605
WATTAGE:	15W	16W
VOLTAGE:	120-277V	120-277V
DELIVERED LUMENS:	1139	717

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



CEILING.



STOCKTON - FM42706

FINISH BK - Black | WH - White

Slim die-cast aluminum body with powder-coated finish
Cylindrical polymeric diffuser
Down light

WATTAGE: 14W
VOLTAGE: 120V
DELIVERED LUMENS: 910*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV (not included)
RATED LIFE 50,000 HOURS
Custom options available



SEE FULL COLLECTION




PENDANT
PAGE 315




FM13120-BK-5CCT



FM13124-WH



FM13120



FM13124

BEACON - FM13124 / FM13120

FINISH BK - Black | WH - White

Formed aluminum and steel
Available in black or white finish

	FM13124	FM13120
WATTAGE:	60W	24W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2840*	1277

*All data based on Black finish. See spec sheet for detail.

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV (not included)
RATED LIFE 50,000 HOURS
Custom options available



CEILING.



FM3511-BN-5CCT




FM3511-BK-5CCT




FM3511-CH/FR-5CCT



FM3506-BN



FM3506



FM3511



BEDFORD - FM3511 / FM3506

FINISH BK - Black/Frosted | BN - Brushed Nickel/Frosted | CH/FR - Chrome/Frosted (FM3511 only)

Round frosted or clear outer glass surface
Cylindrical steel ceiling mount
Matte painted, brushed or plated finish
Down light
5CCT available: FM3511 all finishes

	FM3511	FM3506
WATTAGE:	20W	13W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	989*	518*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (<i>not included</i>)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



FM11015-WH-5CCT



FM11011-WH



FM11011

FM11015

TRAFALGAR - FM11015 / FM11011

FINISH WH - White

Circular domed white opal glass diffuser with
powder-coated white formed steel canopy
Down light

	FM11015	FM11011
WATTAGE:	22W	17W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1242*	745

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (<i>not included</i>)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures. **Visit our site for Color Temperature options.



CEILING.



FM11418-BK



FM11418-WH



FM11414-WH-5CCT




FM11414-BK-5CCT



FM11410-WH



FM11410-BK



FM11418

FM11414

FM11410

MOUSINNI - FM11418 / FM11414 / FM11410

FINISH BK - Black | WH - White

Gold interior with black metal details
or silver interior with white metal details
White acrylic diffuser

	FM11418	FM11414	FM11410
WATTAGE:	48W	20W	17W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1890*	737*	365*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS

Custom options available





CEILING.



FM9405-WH-UNV




FM9304-WH-UNV



FM9304-BK-UNV



FM9405-BK-UNV



SOLO - FM9405 / FM9304

FINISH BK - Black | WH - White

Square or cylindrical adjustable flush mount
Bi-color powder-coated machined and die-cast aluminum
Set and forget aiming
Down light

	FM9405	FM9304	COLOR TEMP	3000K
WATTAGE:	20W	20W	CRI (RA)	>90
VOLTAGE:	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	1980*	1382*	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
			RATED LIFE	50,000 HOURS
			<i>Custom options available</i>	

CEILING.



SF15001-BK



SF15101-WH



SF15701-WH




SF15002-WH



SF15102-BK



SF15702-BK



DOWNEY - SF15702 / SF15701 / SF15102 SF15101 / SF15002 / SF15001

FINISH BK - Black | WH - White

Cylindrical lamp heads with recessed reflectors
Powder-coated finish
Adjustable directional lights
Fixed stem length

	SF15702	SF15701		
WATTAGE:	11W	7W		
VOLTAGE:	120V	120V		
DELIVERED LUMENS:	548*	274*		
	SF15102	SF15101	SF15002	SF15001
WATTAGE:	11W	7W	6W	4W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	548*	274*	356*	178*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures





TR19035-5CCT-UNV-010

CEILING.



5CCT
SELECTABLE



TR19035-5CCT-UNV-010



TR19021-5CCT-UNV-010



ARNOLD - TR19035 / TR19021

FINISH BK - Black

Sleek, modern design
Adjustable heads
Matte black finish
Integrated LED

	TR19035	TR19021
WATTAGE:	50W	30W
VOLTAGE:	120-277V	120-277V
DELIVERED LUMENS:	3665*	2244*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV OR TRIAC (<i>not included</i>)
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



*Preliminary figures

CEILING.




TR10022-BK




TR10015-BN




TR10006-BK



TR10006



TR10015



TR10022

LYRA - TR10022 / TR10015 / TR10006

FINISH BK - Black | BN - Brushed Nickel

Machined steel with frosted glass diffuser
Electroplated formed steel detail
Down light

	TR10022	TR10015	TR10006
WATTAGE:	17W	11W	6W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	900*	600*	300*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS
Custom options available	



CEILING.






TR10044-BN



TR10036-BK



TR10031-BN



LYRA - TR10044 / TR10036 / TR10031

FINISH BK - Black | BN - Brushed Nickel

Machined steel with frosted glass diffuser
Electroplated formed steel detail
Down light

	TR10044	TR10036	TR10031
WATTAGE:	33W	27W	22W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1800*	1500*	1200*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

*Preliminary figures



PORTABLE.


KUZCO x Curves



TL82412-PB



TL82412-WH



GYPSUM - TL82412

FINISH PB - Polished Brass | WH - White

Curves by Sean Brown Design
Steel body
Frosted acrylic lens
Painted or plated finish
72" black or white cord included

WATTAGE: 20W
VOLTAGE: 120V
DELIVERED LUMENS: 750*

COLOR TEMP 2700K
CRI (RA) >90
RATED LIFE 50,000 HOURS
Custom options available




TL73708-MB/CH



TL73708-CH



VIEW IN YOUR SPACE



SEPTUM - TL73708

FINISH CH - Chrome | MB/CH - Matte Black/Chrome

Unique jewelry-inspired design
Forged-steel body
Sleek painted or plated finishes
Matte opal glass globe
Easy on/off switch on body
Black braided cord 96" Length


WATTAGE: 7W
VOLTAGE: 120V
DELIVERED LUMENS: 400*

COLOR TEMP 3000K
CRI (RA) >90
RATED LIFE 50,000 HOURS
Custom options available






KUZCO x Curves



TL81020-GB
FRONT VIEW



TL81020-GB
SIDE VIEW



LUNAR - TL81020

FINISH GB - Glacier Blue

Curves by Sean Brown design
Steel body
Glacier Blue painted finish
On/off switch on power cord
72" white cord included

WATTAGE: 82W
VOLTAGE: 120V
DELIVERED LUMENS: 2350*

COLOR TEMP 2700K
CRI (RA) >90
RATED LIFE 50,000 HOURS
Custom options available



PORTABLE.



TL12413-BK/OP




TL12413-VB/OP



TL12409-BK/OP



TL12409-VB/OP



TL12413

TL12409

NIMBUS - TL12413 / TL12409

FINISH BK - Black | VB - Vintage Brass

GLASS OP - Opal Matte

- Opal glass shade
- Imported European glass
- Aluminum accents
- Omni-directional light
- Quality painted finishes
- Tap-to-dim feature
- Black 72" cord

	TL12413	TL12409
WATTAGE:	16W	9W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	755*	410*

COLOR TEMP	2700K
CRI (RA)	>90
TYPE OF DIMMER	3-STEP TOUCH DIMMING
RATED LIFE	50,000 HOURS
Custom options available	





PORTABLE.



TL64108-CM



TL64108-GN



TL64108-SY




TL64108-NV



TL64108-BK



Power button



ASHER - TL64108

FINISH BK - Black | CM - Cream | GN - Sage Green | NV - Navy Blue | SY - Sky Blue

Steel and acrylic body
Down light
Frosted acrylic lens
Tap-to-dim feature
Array of painted finish options
Rechargeable (120V charger included)
5-hour battery life
Black wire


WATTAGE: 3W
VOLTAGE: 120V
DELIVERED LUMENS: 110*

COLOR TEMP 2700K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER TOUCH DIMMING
RATED LIFE 50,000 HOURS

Custom options available



PORTABLE.



TL63812-SY



TL63812-MN



TL63812-GN




TL63812-NV



TL63812-BK



Power button



HINATA - TL63812

FINISH BK - Black | MN - Moonstone Gray | GN - Sage Green | NV - Navy Blue | SY - Sky Blue

Steel and acrylic body
Down light
Frosted acrylic lens
Hold-to-dim feature
Array of painted finish options
Rechargeable (120V charger included)
5-hour battery life
Black wire

WATTAGE: 2W
VOLTAGE: 120V
DELIVERED LUMENS: 110*

COLOR TEMP 2700K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER TOUCH DIMMING
RATED LIFE 50,000 HOURS
Custom options available



*Preliminary figures



TL65210-CM

PORTABLE.



TL65210-CM



TL65210-SY



TL65210-GN




TL65210-BK



TL65210-NV



Power button



SETAS - TL65210

FINISH BK - Black | CM - Cream | GN - Sage Green | NV - Navy Blue | SY - Sky Blue

Steel and acrylic body
Down light
Adjustable shade up to 45 degrees
Frosted acrylic lens
Tap-to-dim feature
Array of painted finish options
Rechargeable (120V charger included)
5-hour battery life
Black wire

WATTAGE: 3W
VOLTAGE: 120V
DELIVERED LUMENS: 110*

COLOR TEMP 2700K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER TOUCH DIMMING
RATED LIFE 50,000 HOURS
Custom options available



*Preliminary figures

PORTABLE.



TL65614-GN



TL65614-BK




TL65614-MN



TL65614-WH



Power button



DARIO - TL65614

FINISH BK - Black | GN - Sage Green | MN - Moonstone Gray | WH - White

Steel and acrylic body
Omni-directional light
Frosted acrylic lens
Hold-to-dim feature
Painted finish options
Rechargeable (120V charger included)
5-hour battery life
Black wire

WATTAGE: 3W
VOLTAGE: 120V
DELIVERED LUMENS: 125*

COLOR TEMP 2700K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER TOUCH DIMMING
RATED LIFE 50,000 HOURS
Custom options available



PORTABLE.



TL67914-GN



TL67914-BK




TL67914-MN



TL67914-WH



Power button



ZOLA - TL67914

FINISH BK - Black | GN - Sage Green | MN - Moonstone Gray | WH - White

Steel and acrylic body
Down light
Frosted acrylic lens
Hold-to-dim feature
Painted finish options
Rechargeable (120V charger included)
5-hour battery life
Black wire

WATTAGE: 3W
VOLTAGE: 120V
DELIVERED LUMENS: 125*

COLOR TEMP 2700K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER TOUCH DIMMING
RATED LIFE 50,000 HOURS

Custom options available



*Preliminary figures

ZOLA 501



TL66714-BK


PORTABLE.



TL66714-GN



TL66714-BK




TL66714-MN



TL66714-WH



Power button



PELA - TL66714

FINISH BK - Black | GN - Sage Green | MN - Moonstone Gray | WH - White

Steel and acrylic body
Down light
Frosted acrylic lens
Hold-to-dim feature
Painted finish options
Rechargeable (120V charger included)
5-hour battery life
Black wire

WATTAGE: 3W
VOLTAGE: 120V
DELIVERED LUMENS: 125*


COLOR TEMP 2700K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER TOUCH DIMMING
RATED LIFE 50,000 HOURS
Custom options available



*Preliminary figures

PELA 503

PORTABLE.




TL27715-BK



TL27715-WH



FL27766-BK



FL27766-WH

SEE FULL COLLECTION




PENDANT
PAGE 210




CEILING
PAGE 427



WALL/VANITY
PAGE 328



FL27766



TL27715

RODA - FL27766 / TL27715

FINISH BK - Black | WH - White

Sleek circular design
Aluminum body
Up/down Light
Hold-to-dim feature
Frosted acrylic diffuser
Quality painted finishes
72" cord included

	FL27766	TL27715
WATTAGE:	25W	16W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	745*	450*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	




PORTABLE.



TL64222-UB



TL64222-VB



Power button in the back

SEE FULL COLLECTION



CHANDELIER
PAGE 120




PENDANT
PAGE 211



CEILING
PAGE 428-429



CEILING
PAGE 329



TACHI - TL64222

FINISH UB - Urban Bronze | VB - Vintage Brass

Unique geometric profile
Steel body
Frosted light guide diffusers
Omni-directional light
Quality plated finishes
Hold-to-dim feature
72" black cord included

WATTAGE: 12W
VOLTAGE: 120V
DELIVERED LUMENS: 520*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



*Preliminary figures

PORTABLE.



TL68211-BK



TL68211-WH



TL62114-BK




TL62114-WH



Brilla
power button



Tindra
power button



TL68211

TL62114

BRILLA/TINDRA - TL68211 / TL62114

FINISH BK - Black | WH - White

GLASS OP - Opal Matte

Steel and acrylic body
Down light
Opal acrylic lens
Hold-to-dim feature
Painted finish options
Rechargeable (120V charger included)
5-hour battery life on 100% brightness
Black wire

	TL62114	TL68211
WATTAGE:	3W	3W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	180*	180*

COLOR TEMP	2700K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	TOUCH DIMMING
RATED LIFE	50,000 HOURS

Custom options available





Life
ASSOCIINE
TASCHEN
A
ABRIMS

KERRY JOYCE THE INTANGIBLE
of 100
A
F&M


PORTABLE.



FL83818-BK/WT
SIDE VIEW



FL83818-BK/WT
FRONT VIEW



MAYA - FL83818

FINISH BK/WT - Black/Walnut

Unique leaning design
Forged-steel frame
Wood table top in walnut
Down light
Easy on/off switch
Wall mount accessories included

WATTAGE: 14W
VOLTAGE: 120V
DELIVERED LUMENS: 300*

COLOR TEMP 3000K
CRI (RA) >90
RATED LIFE 50,000 HOURS
Custom options available



PORTABLE.



TL58814-BK



TL58814-BG

SEE FULL COLLECTION




CHANDELIER
PAGE 125



PENDANT
PAGE 212



CEILING
PAGE 431



KEIKO - TL58814

FINISH BG - Brushed Gold | BK - Black

Asymmetrical vintage-inspired style
Forged-steel and aluminum body
Sleek plated or painted finishes
Black braided cord
Easy on/off switch
Non-adjustable metal shades

WATTAGE:
VOLTAGE:

2 x 60W, E26
120V

Custom options available

**Preliminary figures*

KEIKO 509



PORTABLE.

Design Detail


The Suara Collection can be powered with solar energy. Place the Suara in direct sunlight to charge with green energy.



EL17610-BK



EL17614-BK



SUARA - EL17614 / EL17610

FINISH BK - Black

- Forged aluminum body
- Frosted acrylic diffuser
- Stunning clear glass details
- Plug-in 120V wall charger or solar charge options
- Touch on/off and dimmer
- Handle for easy moving (EL17614)

	EL17614	EL17610
WATTAGE:	3W	3W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	150*	150*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	TOUCH DIMMING
RATED LIFE	50,000 HOURS

Custom options available



PORTABLE.




TL20616-BK/OP

TL20610-BK/OP

SEE FULL COLLECTION



OUTDOOR
PAGE 602-603



LANAI - TL20616 / TL20610

FINISH BK - Black

GLASS OP - Opal Matte

Textural rattan caning shades
Forged-steel body
Matte opal glass globes
Sleek painted finish
Omni-directional light
Rechargeable w/120V charging cable included

	TL20616	TL20610
WATTAGE:	5W	3W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	225*	150*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	3-STEP DIMMING
TYPE OF DIMMER	TOUCH DIMMER
RATED LIFE	50,000 HOURS

Custom options available




*Preliminary figures

PORTABLE.



FL12168-BK



VALOR - FL12168

FINISH BK - Black

Simple, classic design
Forged-aluminum and steel body
Sleek painted finish
Up light
72" black wire length

WATTAGE: 15W
VOLTAGE: 120V
DELIVERED LUMENS: 1180*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER TOUCH DIMMER
RATED LIFE 50,000 HOURS

Custom options available


PORTABLE.



FL28563-BK



FL28563-BG



TL28518-BG



TL28518-BK


SEE FULL COLLECTION



PENDANT
PAGE 234



PENDANT
PAGE 234



HILO - FL28563 / TL28518

FINISH BK - Black | BG - Brushed Gold

Forged aluminum and steel frame
Modern brushed or powder-coated finish options
Light guide technology
Clear glass shades
Black wire
Omni-directional light
Easy on/off switch on base


	FL28563	TL28518
WATTAGE:	17W	9W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1025*	514*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	TOUCH DIMMING
RATED LIFE	50,000 HOURS

Custom options available

*Preliminary figures

PORTABLE.



FL72268-BK

SEE FULL COLLECTION



CHANDELIER
PAGE 138




PENDANT
PAGE 278-279



WALL / VANITY
PAGE 372-373



CEILING
PAGE 438



NOVEL - FL72268

FINISH BK - Black

Cast-aluminum frame and base
Modern powder-coated finish
Frosted acrylic cover and light guide
Rotational up and down light
Adjustable 350° disks for directional illumination

WATTAGE: 18W
VOLTAGE: 120V
DELIVERED LUMENS: 1000*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS

Custom options available



PORTABLE.





FL95360-BK

SEE FULL COLLECTION



PENDANT
PAGE 262-263



CURSIVE - FL95360

FINISH BK - Black

An effortless acrylic form dancing around a center aluminum rod
Frosted acrylic tube and matte powder-coated finish
Each fixture is handcrafted to make a unique shape

WATTAGE: 20W
VOLTAGE: 120V
DELIVERED LUMENS: 1691

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available


PORTABLE.



FL46748-BK



FL46748-WH



FL46748



REEDS - FL46748

FINISH BK - Black | WH - White

Single, elegantly minimal aluminum wand, casting a soft directional glow with minimal hardware
Repositionable and smooth swivel wand
Black or white textured powder-coated finish
Soft directional light

WATTAGE: 12W
VOLTAGE: 120V
DELIVERED LUMENS: 800*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER TOUCH DIMMER
RATED LIFE 50,000 HOURS

Custom options available

PORTABLE.

ADJUSTABLE
ARM



FL25558-WH




FL25558-BG



TL25517-BK



TL25517-BN



FL25558

TL25517



MITER - FL25558 / TL25517

FINISH BK - Black | BG - Brushed Gold | BN - Brushed Nickel | WH - White

Square-profile linear aluminum with weighted base
Inset opal polymeric diffuser
Finely textured plate or powder-coated finish
Down light with adjustable position
Touch switch with three brightness settings

	FL25558	TL25517
WATTAGE:	11W	12W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	367*	522

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	TOUCH DIMMER
RATED LIFE	50,000 HOURS

Custom options available



FANS.



CF90960-WH



CF90960-MB
D59-5/8" x H15-7/8"




CF90960-WH
D59-5/8" x H15-7/8"

CORONADO - CF90960

FINISH MB - Matte Black | WH - White



MODEL		SPECIFICATIONS	
	CF90960-MB	BLADE 6 ABS Blades 36° Blade Pitch 6 Speeds, Timer, and Reverse Function	LAMPING 18W 1097*lm 120V 90CRI 3000K LED Dimmable Integrated LED Light Kit
	CF90960-WH	INSTALLATION DC Motor 6" Rod Included Up to 20° Sloped Ceiling Adaptable	ENERGY GUIDE Airflow Efficiency: 234* CFM/W Maximum CFM: High Speed 7939*

Fan Includes: Handheld Remote, Wall Holster + Smart Control. Compatible with iHome, Alexa, and Google products.
Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control.

Additional specifications upon request. *Estimated figures.



FANS.



CF90955-WH
D55-5/8" x H15-1/4"




CF90955-MB
D55-5/8" x H15-1/4"

CORONADO - CF90955

FINISH MB - Matte Black | WH - White



MODEL		SPECIFICATIONS	
	CF90955-MB	BLADE 4 ABS Blades 36° Blade Pitch 6 Speeds, Timer, and Reverse Function	LAMPING 18W 1097*lm 120V 90CRI 3000K LED Dimmable Integrated LED Light Kit
	CF90955-WH	INSTALLATION DC Motor 6" Rod Included Up to 20° Sloped Ceiling Adaptable	ENERGY GUIDE Airflow Efficiency: 207* CFM/W Maximum CFM: High Speed 6,662*



CF90955-MB



CF97860-MB/DW



CF97860-MB/NW
D60" x H15"




CF97860-MB/DW
D60" x H15"



BAYLOR - CF97860

FINISH MB/DW - Matte Black/Dark Walnut | MB/NW - Matte Black/Natural Oak Wood



MODEL		SPECIFICATIONS	
	CF97860-MB/DW	BLADE 3 Wood Blades 16° Blade Pitch 6 Speeds, Timer, and Reverse Function	LAMPING 18W 1011*lm 120V 90CRI 3000K LED Dimmable Integrated LED Light Kit
	CF97860-MB/NW	INSTALLATION DC Motor 6" Rod Included Up to 20° Sloped Ceiling Adaptable	ENERGY GUIDE Airflow Efficiency: 208* CFM/W Maximum CFM: High Speed 6,172*

Fan Includes: Handheld Remote, Wall Holster + Smart Control. Compatible with iHome, Alexa, and Google products.
Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control.

Additional specifications upon request. *Estimated figures.



FANS.



CF77860-MB/DW
D60" x H15"




CF77860-MB/NW
D60" x H15"

BAYLOR - CF77860

FINISH MB/DW - Matte Black/Dark Walnut | MB/NW - Matte Black/Natural Oak Wood



MODEL		SPECIFICATIONS	
	CF77860-MB/DW	BLADE 3 Wood Blades 16° Blade Pitch 6 Speeds, Timer, and Reverse Function	LAMPING 32W 940*lm 120V 90CRI 3000K LED Dimmable Integrated LED Light Kit
	CF77860-MB/NW	INSTALLATION DC Motor 6" Rod Included Up to 18° Sloped Ceiling Adaptable	ENERGY GUIDE Airflow Efficiency: 208* CFM/W Maximum CFM: High Speed 6,172*

Fan Includes: Handheld Remote, Wall Holster + Smart Control. Compatible with iHome, Alexa, and Google products.
Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control.



CF77860-MB/NW



FANS.



CF92952-WH
D52" x H12-7/8"

CF92952-MB
D52" x H12-7/8"



CF92952-WH with X-LK-929 WH FAN
D52" x H12-7/8"


CF92952-MB with X-LK-929 MB FAN
D52" x H12-7/8"



HUGO - CF92952 / X-LK-929

FINISH MB - Matte Black | WH - White



MODEL		SPECIFICATIONS	
 CF92952	CF92952-MB	BLADE 3 ABS Blades 20° Blade Pitch 6 Speeds, Timer, and Reverse Function	LAMPING CH92952: 29W X-LK-929: 18W, 1020*lm 120V 90CRI 3000K LED Dimmable Integrated LED Light Kit with X-LK-929
	CF92952-WH		
	X-LK-929 MB FAN	INSTALLATION DC Motor 6" Rod Included Up to 18° Sloped Ceiling Adaptable Wet rated for exterior or interior use	ENERGY GUIDE Airflow Efficiency: 208* CFM/W Maximum CFM: High Speed 6,172*
	X-LK-929 WH FAN		

Fan Includes: Handheld Remote, Wall Holster + Smart Control. Compatible with iHome, Alexa, and Google products.
Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control.

*Preliminary figures. **Visit our site for Color Temperature options.



FANS.



CF91954-BG/MB
D54" x H16-1/8"



CF91954-MB
D54" x H16-1/8"




CF91954-BN/MB
D54" x H16-1/8"

THALIA - CF91954

FINISH BG/MB - Brushed Gold/Matte Black | BN/MB - Brushed Nickel/Matte Black | MB - Matte Black
BG/WH - Brushed Gold/White | BN/WH - Brushed Nickel/White



MODEL		SPECIFICATIONS	
	CF91954-BG/MB	BLADE	LAMPING
	CF91954-BN/MB	3 ABS Blades	18W 1191*lm
	CF91954-MB	30° Blade Pitch	120V 90CRI 3000K LED
	CF91954-BG/WH	3 Speeds and Reverse Function	Dimmable Integrated LED Light Kit
	CF91954-BN/WH		
		INSTALLATION	ENERGY GUIDE
		AC Motor 6" Rod Included	Airflow Efficiency: 74* CFM/W
		Up to 18° Sloped Ceiling Adaptable	Maximum CFM: High Speed 4,414*

Fan Includes: Handheld Remote, Wall Holster + Smart Control. Compatible with iHome, Alexa, and Google products.
Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control.



CF91954-MB



CF91954-BG/WH




CF91954-BN/WH
D54" x H16-1/8"



CF91954-BG/WH
D54" x H16-1/8"

THALIA - CF91954

FINISH BG/MB - Brushed Gold/Matte Black | BN/MB - Brushed Nickel/Matte Black | MB - Matte Black
BG/WH - Brushed Gold/White | BN/WH - Brushed Nickel/White

MODEL		SPECIFICATIONS	
	CF91954-BG/MB	BLADE	LAMPING
	CF91954-BN/MB	3 ABS Blades	18W 1191*lm
	CF91954-MB	30° Blade Pitch	120V 90CRI 3000K LED
	CF91954-BG/WH	3 Speeds and Reverse Function	Dimmable Integrated LED Light Kit
	CF91954-BN/WH	INSTALLATION	ENERGY GUIDE
		AC Motor 6" Rod Included	Airflow Efficiency: 74* CFM/W
		Up to 18° Sloped Ceiling Adaptable	Maximum CFM: High Speed 4,414*

Fan Control Parts Includes: Handheld Remote, Wall Holster + Smart Control. Compatible with iHome, Alexa, and Google products.
Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control.

Additional specifications upon request. *Estimated figures.



FANS.



HF91954-MB
D54" x H14-1/8"



HF91954-BN/MB
D54" x H14-1/8"




HF91954-BG/MB
D54" x H14-1/8"

THALIA - HF91954

FINISH BG/MB - Brushed Gold/Matte Black | BN/MB - Brushed Nickel/Matte Black | MB - Matte Black
BG/WH - Brushed Gold/White | BN/WH - Brushed Nickel/White



MODEL		SPECIFICATIONS	
	HF91954-BG/MB	BLADE	LAMPING
	HF91954-BN/MB	3 ABS Blades	18W 1191*lm
	HF91954-MB	30° Blade Pitch	120V 90CRI 3000K LED
		3 Speeds and Reverse Function	Dimmable Integrated LED Light Kit
		INSTALLATION	ENERGY GUIDE
		DC Motor 6" Rod Included	Airflow Efficiency: 74* CFM/W
		Up to 18° Sloped Ceiling Adaptable	Maximum CFM: High Speed 4,324*

Fan Includes: Handheld Remote, Wall Holster + Smart Control. Compatible with iHome, Alexa, and Google products.
Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control.



HF91954-BG/MB



HF522054MB



HF522054MB
D54" x H13-3/8"




HF522054WH
D54" x H13-3/8"

RUBIO - HF522054

FINISH MB - Matte Black | WH - White



MODEL		SPECIFICATIONS	
	HF522054MB	BLADE 3 ABS Blades 18° Blade Pitch, 54" Sweep 6 Speeds and Reverse Function	LAMPING 33W 1422*lm 120V 90CRI 3000K LED Dimmable Integrated with Remote
	HF522054WH	INSTALLATION DC Motor 6" Rod Included Up to 18° Sloped Ceiling Adaptable	ENERGY GUIDE Airflow Efficiency: 749* CFM/W Maximum CFM: High Speed 5,500*

Fan Includes: Handheld Remote + Wall Holster. Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control.
Fan Function Memory: Fan memory saves last used lighting and speed settings when turned off.


Additional specifications upon request. *Estimated figures.



ARCHER - CF584054

FINISH MB - Matte Black



MODEL		SPECIFICATIONS	
	CF584054MB	BLADE 3 Plywood Blades 16° Blade Pitch, 54" Sweep 6 Speeds and Reverse Function	LAMPING 20W 1206*lm 120V 90CRI 3000K LED Dimmable Integrated with Remote
		INSTALLATION DC Motor 6" Rod Included Up to 25° Sloped Ceiling Adaptable	ENERGY GUIDE Airflow Efficiency: 704* CFM/W Maximum CFM: High Speed 5,700*



CE584054MB



HF523056MB




CF523056MB
D56" x H14-1/8"



CF523056WH
D56" x H14-1/8"



HF523056MB
D56" x H10-3/4"





HF523056WH
D56" x H10-3/4"

EMIKO - HF523056 / CF523056

FINISH MB - Matte Black | WH - White



MODEL		SPECIFICATIONS	
 CF523056		BLADE 3 ABS Blades 23° Blade Pitch, 56" Sweep 6 Speeds and Reverse Function	LAMPING 20W 1114*lm 120V 90CRI 3000K LED Dimmable Integrated with Remote
	 CF523056WH		
		INSTALLATION DC Motor 6" Rod Included Up to 25° Sloped Ceiling Adaptable	ENERGY GUIDE Airflow Efficiency: 750* CFM/W Maximum CFM: High Speed 6,000*
	HF523056MB		

Fan Includes: Handheld Remote + Wall Holster. Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control.
Fan Function Memory: Fan memory saves last used lighting and speed settings when turned off.



CF94956-MG
D56" x H14 5/8"




CF94956-MB
D56" x H14 5/8"

OWENS - CF94956

FINISH MB - Matte Black | MG - Mahogany



MODEL		SPECIFICATIONS	
	CF94956-MB	BLADE	LAMPING
	CF94956-MG	3 Plywood Blades 13° Blade Pitch, 56" Sweep 6 Speeds and Reverse Function	20W 1308*lm 120V 90CRI 3000K LED Dimmable Integrated with Remote
		INSTALLATION	ENERGY GUIDE
		DC Motor 6" Rod Included Up to 25° Sloped Ceiling Adaptable	Airflow Efficiency: 723* CFM/W Maximum CFM: High Speed 6,500*

Fan Includes: Handheld Remote + Wall Holster. Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control.

Fan Function Memory: Fan memory saves last used lighting and speed settings when turned off.







CF95960-MB
D60" x H13-7/8"



CF95960-BG
D60" x H13-7/8"




CF95960-BN
D60" x H13-7/8"

FREMONT - CF95960

FINISH BG - Brushed Gold | BN - Brushed Nickel | MB - Matte Black



MODEL		SPECIFICATIONS	
	CF95960-BG	BLADE 3 ABS Blades 13° Blade Pitch, 60° Sweep 6 Speeds and Reverse Function	LAMPING 33W 1201*lm 120V 90CRI 3000K LED Dimmable Integrated with Remote
	CF95960-BN	INSTALLATION DC Motor 6" Rod Included Up to 25° Sloped Ceiling Adaptable	ENERGY GUIDE Airflow Efficiency: 993* CFM/W Maximum CFM: High Speed 7,000*
	CF95960-MB		

Fan Includes: Handheld Remote + Wall Holster. Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control.
Fan Function Memory: Fan memory saves last used lighting and speed settings when turned off.


Additional specifications upon request. *Estimated figures.



HORIZON - CF96956

FINISH BG - Brushed Gold | BN - Brushed Nickel | MB - Matte Black



MODEL		SPECIFICATIONS	
	CF96956-BG	BLADE	LAMPING
	CF96956-BN	4 ABS Blades	20W 1082*lm
	CF96956-MB	14.5° Blade Pitch, 56" Sweep 6 Speeds and Reverse Function	120V 90CRI 3000K LED Dimmable Integrated with Remote
		INSTALLATION	ENERGY GUIDE
		DC Motor 6" Rod Included Up to 25° Sloped Ceiling Adaptable	Airflow Efficiency: 815* CFM/W Maximum CFM: High Speed 6,500*

Fan Includes: Handheld Remote + Wall Holster. Control Options: 6 fan speeds, Light On/Off, Illumination dimmable via remote control.
Fan Function Memory: Fan memory saves last used lighting and speed settings when turned off.







CF78752-MB-NLW
with Black Fan Blades



Wall Control

FANS.



CF78752-BN-NLP
with Black Fan Blades
D52" x H12-5/8"



CF78752-MB-NLP
with Black Fan Blades
D52" x H12-5/8"




CF78752-MB-NLW
Wall Control with No Light Kit



CF78752-MB-NLW
with Hickory Fan Blades
D52" x H12-5/8"

ERIKSON - CF78752-NLP / CF78752-NLW



FINISH BN - Brushed Nickel | MB - Matte Black | WH - White

MODEL		SPECIFICATIONS	
	CF78752-BN-NLP	BLADE 5 MDF Blades 12° Blade Pitch 3 Speeds and Reverse Function	MOTOR 65W 120V
	CF78752-MB-NLP		
	CF78752-WH-NLP		
	CF78752-BN-NLW	INSTALLATION AC Motor 6" Rod Included Up to 18° Sloped Ceiling Adaptable	ENERGY GUIDE Airflow Efficiency: 85* CFM/W Maximum CFM: High Speed 4,165*
	CF78752-MB-NLW		
	CF78752-WH-NLW		

Fan Includes: Pull Chain Control (CF78752-NLP). Wall Control (CF78752-NLW).
Control Options: 3 fan speeds.

*Preliminary figures

FANS.



Wall Control



CF78752-BN-NLW
with Brown Oak Fan Blades
D52" x H12-5/8"




CF78752-WH-NLP
with Natural Chestnut Fan Blades
D52" x H12-5/8"



CF78752-WH-NLP
with White Maple Fan Blades
D52" x H12-5/8"

ERIKSON - CF78752-NLP / CF78752-NLW

FINISH BN - Brushed Nickel | MB - Matte Black | WH - White



	MODEL	SPECIFICATIONS	
	CF78752-BN-NLP	BLADE	MOTOR
	CF78752-MB-NLP	5 MDF Blades	65W
	CF78752-WH-NLP	12° Blade Pitch	120V
	CF78752-BN-NLW	3 Speeds and Reverse Function	
	CF78752-MB-NLW	INSTALLATION	ENERGY GUIDE
	CF78752-WH-NLW	AC Motor 6" Rod Included Up to 18° Sloped Ceiling Adaptable	Airflow Efficiency: 85* CFM/W Maximum CFM: High Speed 4,165*

Fan Includes: Pull Chain Control (CF78752-NLP). Wall Control (CF78752-NLW).
Control Options: 3 fan speeds.



CF78752-BN-NLW
with White Maple Fan Blades

FANS.



CF78752-BN-LKP
with Black Fan Blades
D52" x H12-5/8"



CF78752-MB-LKP
with Black Fan Blades
D52" x H12-5/8"



CF78752-MB-LKW
Wall Control with Light Kit



Wall Control




CF78752-MB-LKP
with Hickory Fan Blades
D52" x H12-5/8"

ERIKSON - CF78752-LKP / CF78752-LKW

FINISH BN - Brushed Nickel | MB - Matte Black | WH - White



	MODEL	SPECIFICATIONS	
	CF78752-BN-LKP	BLADE	LAMPING
	CF78752-MB-LKP	5 MDF Blades	2 x 9W, E26
	CF78752-WH-LKP	12° Blade Pitch	120V
	CF78752-BN-LKW	3 Speeds and Reverse Function	Recomm. Bulb: A19
	CF78752-MB-LKW	INSTALLATION	ENERGY GUIDE
	CF78752-WH-LKW	AC Motor 6" Rod Included	Airflow Efficiency: 85* CFM/W
		Up to 18° Sloped Ceiling Adaptable	Maximum CFM: High Speed 4,165*

Fan Includes: 2 x A19, E26 LED Blubs. Wall Control (CF78752-LKW). Pull Chain Control (CF78752-LKP).
Control Options: 3 fan speeds.

FANS.



Wall Control



CF78752-BN-LKP
with Brown Oak Fan Blades
D52" x H12-5/8"



CF78752-WH-LKP
with Natural Chestnut Fan Blades
D52" x H12-5/8"




CF78752-WH-LKW
with White Maple Fan Blades
D52" x H12-5/8"

ERIKSON - CF78752-LKP / CF78752-LKW

FINISH BN - Brushed Nickel | MB - Matte Black | WH - White




MODEL		SPECIFICATIONS	
	CF78752-BN-LKP	BLADE	LAMPING
	CF78752-MB-LKP	5 MDF Blades	2 x 9W, E26
	CF78752-WH-LKP	12° Blade Pitch	120V
	CF78752-BN-LKW	3 Speeds and Reverse Function	Recomm. Bulb: A19
	CF78752-MB-LKW	INSTALLATION	ENERGY GUIDE
	CF78752-WH-LKW	AC Motor 6" Rod Included Up to 18° Sloped Ceiling Adaptable	Airflow Efficiency: 85* CFM/W Maximum CFM: High Speed 4,165*

Fan Includes: 2 x A19, E26 LED Bulbs. Wall Control (CF78752-LKW). Pull Chain Control (CF78752-LKP).
Control Options: 3 fan speeds.

*Preliminary figures

FANS.



CF97552-BN-NLP
with Black Fan Blades
D52" x H12-5/8"



CF97552-MB-NLP
with Black Fan Blades
D52" x H12-5/8"



CF97552-MB-NLW
Wall Control with No Light Kit




Wall Control



CF97552-MB-NLW
with Hickory Fan Blades
D52" x H12-5/8"

ERIKSON - CF97552-NLP / CF97552-NLW

FINISH BN - Brushed Nickel | MB - Matte Black | WH - White

	MODEL	SPECIFICATIONS	
	CF97552-BN-NLP	BLADE	LAMPING
	CF97552-MB-NLP	5 MDF Blades	32W
	CF97552-WH-NLP	12° Blade Pitch	120V
	CF97552-BN-NLW	3 Speeds and Reverse Function	
	CF97552-MB-NLW	INSTALLATION	ENERGY GUIDE
	CF97552-WH-NLW	DC Motor 6" Rod Included Up to 18° Sloped Ceiling Adaptable	Airflow Efficiency: 85* CFM/W Maximum CFM: High Speed 4,165*

Fan Includes: Pull Chain Control (CF78752-NLP). Wall Control (CF78752-NLW).
Control Options: 3 fan speeds.

FANS.



Wall Control



CF97552-BN-NLP
with Brown Oak Fan Blades
D52" x H12-5/8"




CF97552-WH-NLW
with Natural Chestnut Fan Blades
D52" x H12-5/8"



CF97552-WH-NLP
with White Maple Fan Blades
D52" x H12-5/8"

ERIKSON - CF97552-NLP / CF97752-NLW


FINISH BN - Brushed Nickel | MB - Matte Black | WH - White

MODEL		SPECIFICATIONS	
	CF97552-BN-NLP	BLADE	LAMPING
	CF97552-MB-NLP	5 MDF Blades	32W
	CF97552-WH-NLP	12° Blade Pitch	120V
	CF97552-BN-NLW	3 Speeds and Reverse Function	
	CF97552-MB-NLW	INSTALLATION	ENERGY GUIDE
	CF97552-WH-NLW	DC Motor 6" Rod Included	Airflow Efficiency: 85* CFM/W
		Up to 18° Sloped Ceiling Adaptable	Maximum CFM: High Speed 4,165*

Fan Includes: Pull Chain Control (CF78752-NLP). Wall Control (CF78752-NLW).
Control Options: 3 fan speeds.

*Preliminary figures

FANS.



CF97552-BN-LKW
with Black Fan Blades
D52" x H12-5/8"



CF97552-MB-LKW
Wall Control with Light Kit



CF97552-MB-LKP
with Black Fan Blades
D52" x H12-5/8"



Wall Control



CF97552-MB-LKP
with Hickory Fan Blades
D52" x H12-5/8"

ERIKSON - CF97552-LKP / CF97552-LKW

FINISH BN - Brushed Nickel | MB - Matte Black | WH - White



	MODEL	SPECIFICATIONS	
	CF97552-BN-LKP	BLADE	5 MDF Blades
	CF97552-MB-LKP		12° Blade Pitch
	CF97552-WH-LKP		3 Speeds and Reverse Function
	CF97552-BN-LKW	LAMPING	2 x 9W, E26
	CF97552-MB-LKW		120V
	CF97552-WH-LKW		Recomm. Bulb: A19
		INSTALLATION	DC Motor 6" Rod Included Up to 18° Sloped Ceiling Adaptable
		ENERGY GUIDE	Airflow Efficiency: 85* CFM/W Maximum CFM: High Speed 4,165*

Fan Includes: 2 x A19, E26 LED Bulbs. Wall Control (CF97552-LKW). Pull Chain Control (CF97552-LKP).
Control Options: 3 fan speeds.

FANS.



Wall Control



CF97552-BN-LKP
with Brown Oak Fan Blades
D52" x H12-5/8"



CF97552-WH-LKP
with Natural Chestnut Fan Blades
D52" x H12-5/8"




CF97552-WH-LKW
with White Maple Fan Blades
D52" x H12-5/8"

ERIKSON - CF97552-LKP / CF97552-LKW

FINISH BN - Brushed Nickel | MB - Matte Black | WH - White



	MODEL	SPECIFICATIONS	
	CF97552-BN-LKP	BLADE	LAMPING
	CF97552-MB-LKP	5 MDF Blades	2 x 9W, E26
	CF97552-WH-LKP	12° Blade Pitch	120V
	CF97552-BN-LKW	3 Speeds and Reverse Function	Recomm. Bulb: A19
	CF97552-MB-LKW	INSTALLATION	ENERGY GUIDE
	CF97552-WH-LKW	DC Motor 6" Rod Included Up to 18° Sloped Ceiling Adaptable	Airflow Efficiency: 85* CFM/W Maximum CFM: High Speed 4,165*

Fan Includes: 2 x A19, E26 LED Bulbs. Wall Control (CF97552-LKW). Pull Chain Control (CF97552-LKP).
Control Options: 3 fan speeds.

*Preliminary figures

ACCESSORIES

SLOPED CEILING ADAPTOR, LIGHT KIT, DOWNROD, REMOTE CONTROL

Kuzco Group fan accessories can be ordered in addition to your base fan model accessories. The chart below illustrates all available accessories and compatible models.

	MODEL	DESCRIPTION	FINISH
	X-ADP 34 BG FAN	Sloped Ceiling Adaptor Accessory • Canopy allows any downrod fan to accommodate sloped ceilings up to 45° • Compatible with all CF item codes	BG - BRUSHED GOLD
	X-ADP 34 BN FAN		BN - BRUSHED NICKEL
	X-ADP 34 MB FAN		MB - MATTE BLACK
	X-ADP 34 WH FAN		WH - WHITE
	X-LK-929 MB FAN	Light Kit Accessory - HUGO • 18W • 1020*lm • LED	MB - MATTE BLACK
	X-LK-929 WH FAN		WH - WHITE
	X-RD34-06BG FAN	6" Downrod • Compatible with all CF item codes	BG - BRUSHED GOLD
	X-RD34-06BN FAN		BN - BRUSHED NICKEL
	X-RD34-06MB FAN		MB - MATTE BLACK
	X-RD34-06WH FAN		WH - WHITE
	X-RD34-12BG FAN	12" Downrod • Compatible with all CF item codes	BG - BRUSHED GOLD
	X-RD34-12BN FAN		BN - BRUSHED NICKEL
	X-RD34-12MB FAN		MB - MATTE BLACK
	X-RD34-12WH FAN		WH - WHITE
	X-RD34-18BG FAN	18" Downrod • Compatible with all CF item codes	BG - BRUSHED GOLD
	X-RD34-18BN FAN		BN - BRUSHED NICKEL
	X-RD34-18MB FAN		MB - MATTE BLACK
	X-RD34-18WH FAN		WH - WHITE
	X-RD34-24BG FAN	24" Downrod • Compatible with all CF item codes	BG - BRUSHED GOLD
	X-RD34-24BN FAN		BN - BRUSHED NICKEL
	X-RD34-24MB FAN		MB - MATTE BLACK
	X-RD34-24WH FAN		WH - WHITE
	X-RD34-36BG FAN	36" Downrod • Compatible with all CF item codes	BG - BRUSHED GOLD
	X-RD34-36BN FAN		BN - BRUSHED NICKEL
	X-RD34-36MB FAN		MB - MATTE BLACK
	X-RD34-36WH FAN		WH - WHITE

	MODEL	DESCRIPTION	FINISH
	X-RD34-48BG FAN X-RD34-48BN FAN X-RD34-48MB FAN X-RD34-48WH FAN	48" Downrod • Compatible with all CF item codes	BG - BRUSHED GOLD BN - BRUSHED NICKEL MB - MATTE BLACK WH - WHITE
	X-RD34-60BG FAN X-RD34-60BN FAN X-RD34-60MB FAN X-RD34-60WH FAN	60" Downrod • Compatible with all CF item codes	BG - BRUSHED GOLD BN - BRUSHED NICKEL MB - MATTE BLACK WH - WHITE
	X-SPD CTRL-CF77860-SP6	Baylor 60" Fan Remote Control Accessory • 6 Speeds Fan Remote w/Reverse Function • On/Off Switch w/Light Dimmer • Accessory includes remote control and wall holster	N/A
	X-SPD CTRL-CF97860-SP6	Baylor 60" Fan Remote Control Accessory • 6 Speeds Fan Remote w/Reverse Function • On/Off Switch w/Light Dimmer • Accessory includes remote control and wall holster	N/A
	X-SPD CTRL-CF90955-SP6	Coronado 55" Fan Remote Control Accessory • 6 Speeds Fan Remote w/Reverse Function • On/Off Switch w/Light Dimmer • Accessory includes remote control and wall holster	N/A
	X-SPD CTRL-CF90960-SP6	Coronado 60" Fan Remote Control Accessory • 6 Speeds Fan Remote w/Reverse Function • On/Off Switch w/Light Dimmer • Accessory includes remote control and wall holster	N/A
	X-SPD CTRL-CF92952-SP6	Hugo 52" Fan Remote Control Accessory • 6 Speeds Fan Remote w/Reverse Function • On/Off Switch w/Light Dimmer • Accessory includes remote control and wall holster	N/A
	X-SPD CTRL-CF91954-SP3	Thalia 54" Downrod Fan Remote Control Accessory • 3 Speeds Fan Remote w/Reverse Function • On/Off Switch w/Light Dimmer • Accessory includes remote control and wall holster	N/A
	X-SPD CTRL-HF91954-SP3	Thalia 54" Flush Mount Fan Remote Control Accessory • 3 Speeds Fan Remote w/Reverse Function • On/Off Switch w/Light Dimmer • Accessory includes remote control and wall holster	N/A



STEP LIGHTING.

INDOOR / OUTDOOR

STEP LIGHTING.





EW71311-BK




EW71311-GY




EW71412-GY



EW71311



EW71412-BK



EW71412

CASA - EW71412 / EW71411

FINISH BK - Black | GY - Gray

Die-cast aluminum housing with powder-coated finish and glass diffuser
Light directed downwards from a recess
Down light

	EW71412	EW71411
WATTAGE:	21W	31W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	825*	936*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



STEP LIGHTING.



ER3003-WH



ER3005-BK-12V




ER3005-BZ




ER3003-BN



ER3003-GY



ER3003 / ER3003-12V



ER3005 / ER3005-12V

SONIC - ER3005 / ER3005-12V / ER3003 / ER3003-12V

FINISH BK - Black | BN - Brushed Nickel | BZ - Bronze | GY - Gray | WH - White

Die-cast aluminum housing with powder-coated or cast stainless steel for marine-grade

Down light

Optically designed housing for glare-free illumination

	ER3005	ER3005-12V	ER3003	ER3003-12V
WATTAGE:	4W	4W	4W	4W
VOLTAGE:	120V	12V	120V	12V
DELIVERED LUMENS:	23*	23*	26*	26*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	




STEP LIGHTING.



ER95610-GY



ER95610-BK



BRISTOL - ER95610

FINISH BK - Black | GY - Gray

Die-cast aluminum with powder-coated finish and combination glass and polymeric diffuser
Interior wiring galvanized back-box or die-cast concrete box (sold separately)
Wet listed with die-cast concrete box

WATTAGE: 8W
VOLTAGE: 120V
DELIVERED LUMENS: 343*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS

Custom options available






ER95610-BK

BRISTOL - ER95610

ORDER INFORMATION

ER95610

DRY LOCATION




INTERIOR WIRING
GALVANIZED BACK-BOX
ER95610-MBOX

WET LOCATION




DIE-CAST WET LOCATION BOX
ER95610-CBOX


STEP LIGHTING.



ER72410-GY



ER72420-BK



NEWPORT - ER72420 / ER72410
FINISH BK - Black | GY - Gray



Die-cast aluminum with powder-coated finish and polymeric lens
Interior wiring galvanized back-box or die-cast concrete box (sold separately)
Wet listed with die-cast concrete box
Details on the order information, page 451

	ER72420	ER72410
WATTAGE:	16W	9W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	335*	200*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV (not included)
RATED LIFE	50,000 HOURS
Custom options available	



ER7110-BK

NEWPORT - ER72420 / ER72410

ORDER INFORMATION

ER72420

DRY LOCATION



INTERIOR WIRING
GALVANIZED BACK-BOX
ER72420-MBOX

WET LOCATION



DIE-CAST WET LOCATION BOX
ER72420-CBOX

ER72410

DRY LOCATION



INTERIOR WIRING
GALVANIZED BACK-BOX
ER72410-MBOX

WET LOCATION



DIE-CAST WET LOCATION BOX
ER72410-CBOX




OUTDOOR LIGHTING.



EW78513-BK/OP

EW78513-BK/CR



CLAREMONT - EW78513

FINISH BK - Black

GLASS CR - Clear Ribbed | OP - Opal Matte

Classic lamp post made modern
Forged-aluminum body
Matte opal glass or clear ribbed glass
Sleek painted finish
Omni-directional light
Mounting options: up or down

WATTAGE: 6W
VOLTAGE: 120V
DELIVERED LUMENS: 180*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS

Custom options available




OUTDOOR LIGHTING.



EW77209-BK/OP



EW77209-BK/CR



PERI - EW77209

FINISH BK - Black

GLASS CR - Clear Ribbed | OP - Opal Matte

Minimal modern design
Forged-aluminum body
Matte opal or clear ribbed glass
Sleek painted finish
Omni-directional light
Wet rated
Mounting orientation: horizontal or vertical

WATTAGE: 11W
VOLTAGE: 120V
DELIVERED LUMENS: 300*


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available

*Preliminary figures

OUTDOOR LIGHTING.



EW73210-BK/WC



LIMA - EW73210

FINISH BK - Black

GLASS WC - Water Glass


Modern pill shape
Forged-aluminum body
Water-glass shade
Sleek painted finish
Omni-directional light
Wet rated
Mounting options: up or down

WATTAGE: 1 x 60W, E26
VOLTAGE: 120V

Custom options available



EW38504-BK/CL



YARA - EW38504

FINISH BK - Black

Modern pill shape
Forged-aluminum body
Clear acrylic accents
Sleek painted finish
Omni-directional light
Wet rated
Mounting options: up or down

WATTAGE: 9W
VOLTAGE: 120V
DELIVERED LUMENS: 320*


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS

Custom options available

OUTDOOR LIGHTING.




Light Pattern



EW33806-WH-UNV-010



EW33806-BK-UNV-010



ELLIS - EW33806

FINISH BK - Black | WH - White

Sleek, modern silhouette
Aluminum body
Clear glass lens
Up/down light
IP65 rated for outdoor use

WATTAGE: 12W
VOLTAGE: 120-277V
DELIVERED LUMENS: 620*


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



EW39005-BK-UNV



EW39506-BK-UNV



RENE - EW39506 / EW39005

FINISH BK - Black

Cast-aluminum body
Modern powder-coated finish
Up and down light
Wet rated for outdoor usage

	EW39506	EW39005
WATTAGE:	11W	11W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	604*	519*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS
Custom options available




OUTDOOR LIGHTING.



EW44206-BK-UNV



EW44204-BK-UNV



GRIFFITH - EW44206 / EW44204

FINISH BK - Black

Die-cast aluminum cylindrical wall mount
Narrow beam reflector
High-impact clear glass diffuser
Black textured powder-coated finish
Up and down light (EW44206)
Down light (EW44204)
High-pressure die-cast aluminum
Non-dimmable

	EW44206	EW44204
WATTAGE:	11W	8W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	903*	646*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



OUTDOOR LIGHTING.



EW47512-BK-UNV



LORNA - EW47512

FINISH BK - Black

Die-cast cylindrical aluminum body
Clear glass cover
Black powder-coated finish
Custom options available
Wet, IP65 rated

WATTAGE: 41W
VOLTAGE: 120V
DELIVERED LUMENS: 3131*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV OR TRIAC (*not included*)
RATED LIFE 50,000 HOURS

Custom options available






EW48006-BK-UNV



EW48003-BK-UNV



EW48006

EW48003

HELSINKI - EW48006 / EW48003

FINISH BK - Black

Die-cast cubic aluminum body
Clear glass diffuser
Adjustable beam angle
Up and down light
Wet, IP65 rated

	EW48006	EW48003
WATTAGE:	12W	12W
VOLTAGE:	120-277V	120-277V
DELIVERED LUMENS:	642	626

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



OUTDOOR LIGHTING.




EW29548-BK-UNV

EW29560-BK-UNV

SEE FULL COLLECTION



PENDANT
PAGE 235



ENZO - EW29560 / EW29548

FINISH BK - Black

Forged aluminum and steel body
Frosted acrylic diffusers
Modern duo-toned finish
Omni-directional light
Mounting options: horizontally or vertically
Wet rated for outdoor use

	EW29560	EW29548
WATTAGE:	62W	40W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	3317*	2310*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	


OUTDOOR LIGHTING.



EW72560-BK



EW72533-BK



EW72560

EW72533

ASPEN - EW72560 / EW72533

FINISH BK - Black

Forged aluminum and steel body
Unique glossed glass diffusers
Mounting options: horizontally or vertically
Omni-directional light
Wet rated for outdoor use

	EW72560	EW72533
WATTAGE:	43W	22W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1580*	750*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (<i>not included</i>)
RATED LIFE	50,000 HOURS

Custom options available






EW72560-BK



OUTDOOR LIGHTING.



EW72724-BK



ESTES - EW72724

FINISH BK - Black

Forged aluminum and steel body
Opal glass diffuser
Modern powder-coated finish
Omni-directional light
Mounting options: horizontally or vertically
Wet rated for outdoor use

WATTAGE: 21W
VOLTAGE: 120V
DELIVERED LUMENS: 1100*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available


OUTDOOR LIGHTING.



EW72332-BK



EW72355-BK



EW72355

EW72332

VAIL - EW72355 / EW72332

FINISH BK - Black

Forged aluminum and steel body
Unique glossed glass diffusers
Omni-directional light
Wet rated for outdoor use
Mounting options: horizontally or vertically


	EW72355	EW72332
WATTAGE:	47W	31W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1700*	1140*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS


Custom options available









EW70714-BK



EW70720-BK



EW70714



EW70720

BRAVO - EW70720 / EW70714

FINISH BK - Black

Cast-aluminum body
Frosted polycarbonate diffuser
Modern powder-coated finish
Diffused omni-directional light
Wet rated for outdoor use
Mounting options: horizontally or vertically

	EW70720	EW70714
WATTAGE:	30W	21W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1330*	901*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available





2
8
7


OUTDOOR LIGHTING.



EB45636-BK-UNV



EB45624-BK-UNV



EVANS - EB45636 / EB45624

FINISH BK - Black

Modern, timeless design
Heavy cast-aluminum body
T2 Illumination
IP65 compliant
Wet rated for exterior use

	EB45636	EB45624
WATTAGE:	24W	24W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1270*	1270*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available






EB82229-BK-UNV

EB82239-BK-UNV



EB82217-BK-UNV



GLEN - EB82239 / EB82229 / EB82217

FINISH BK - Black

Cast-aluminum body
Modern powder-coated finish
Diffused omni-directional light
Three base sizes with
interchangeable head options
Wet rated for all climates

	EB82239	EB82229	EB82217
WATTAGE:	24W	24W	24W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	1009*	1009*	1009*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



OUTDOOR LIGHTING.




EB48538-BK-UNV



EB48528-BK-UNV



EB48516-BK-UNV



WINDERMERE - EB48538 / EB48528 / EB48516

FINISH BK - Black

Cast-aluminum body
Frosted polycarbonate diffuser
Modern powder-coated finish
Diffused omni-directional light
Wet rated for all climates

	EB48538	EB48528	EB48516
WATTAGE:	24W	24W	24W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	1085*	1085*	1085*

COLOR TEMP	3000K
CRI (RA)	>80
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available





OUTDOOR LIGHTING.




EB48941-BK



EB48931-BK



EB48919-BK



KINGSBURY - EB48941 / EB48931 / EB48919

FINISH BK - Black

Cast-aluminum body
Clear polycarbonate diffuser
Modern powder-coated finish
Diffused omni-directional light
Three base sizes with interchangeable head options
Wet rated for all climates

	EB48941	EW48931	EB48919
WATTAGE:	24W	24W	24W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	1450*	1450*	1450*

COLOR TEMP	3000K
CRI (RA)	>80
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



OUTDOOR LIGHTING.




EB49041-BK-UNV



EB49031-BK-UNV



EB49020-BK-UNV



ALDEN - EB49041 / EB49031 / EB49020

FINISH BK - Black

Cast-aluminum body
Frosted polycarbonate diffuser
Modern powder-coated finish
Diffused omni-directional light
Three base sizes with interchangeable head options
Wet rated for all climates

	EB49041	EB49031	EB49020
WATTAGE:	24W	24W	24W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	839*	839*	839*

COLOR TEMP	3000K
CRI (RA)	>80
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



*Preliminary figures

OUTDOOR LIGHTING.




EB46440-BK-UNV



EB46430-BK-UNV



EB46418-BK-UNV



CHADWORTH - EB46440 / EB46430 / EB46418

FINISH BK - Black

Cast-aluminum body
Frosted polycarbonate diffuser
Modern powder-coated finish
Diffused omni-directional light
Three base sizes with interchangeable
head options
Wet rated for all climates

	EB46440	EB46430	EB46418
WATTAGE:	24W	24W	24W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	1212*	1212*	1212*

COLOR TEMP	3000K
CRI (RA)	>80
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



OUTDOOR LIGHTING.




EB47837-BK-UNV



EB47829-BK-UNV



EB47818-BK-UNV



BLAINE - EB47837 / EB47829 / EB47818

FINISH BK - Black

Cast-aluminum body
Frosted polycarbonate diffuser
Modern powder-coated finish
Diffused omni-directional light
Three base sizes with interchangeable head options
Wet rated for all climates

	EB47837	EB47829	EB47818
WATTAGE:	24W	24W	24W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	524*	524*	524*

COLOR TEMP	3000K
CRI (RA)	>80
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



*Preliminary figures

OUTDOOR LIGHTING.




EB83339-BK-UNV



EB83329-BK-UNV



EB83317-BK-UNV



DOVER - EB83339 / EB83329 / EB83317

FINISH BK - Black

Cast-aluminum body
Modern powder-coated finish
Diffused omni-directional light
Three base sizes with interchangeable head options
Wet rated for all climates

	EB83339	EB83329	EB83317
WATTAGE:	24W	24W	24W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	1063*	1063*	1063*

COLOR TEMP	3000K
CRI (RA)	>80
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



OUTDOOR LIGHTING.




EB49740-BK-UNV



EB49718-BK-UNV



EB49730-BK-UNV



HANOVER - EB49740 / EB49730 / EB49718

FINISH BK - Black

Cast-aluminum body
Modern powder-coated finish
Diffused omni-directional light
Three base sizes with interchangeable head options
Wet rated for all climates

	EB49740	EB49730	EB49718
WATTAGE:	24W	24W	24W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	1659*	1659*	1659*

COLOR TEMP	3000K
CRI (RA)	>80
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available




*Preliminary figures


OUTDOOR LIGHTING.



EB41924-BK-UNV



EB41936-BK-UNV



KNOX - EB41936 / EB41924

FINISH BK - Black

Cast-aluminum body
Modern powder-coated finish
Down light
Wet rated for all climates

	EB41936	EB41924
WATTAGE:	24W	24W
VOLTAGE:	120-277V	120-277V
DELIVERED LUMENS:	1499*	1372*

COLOR TEMP	3000K
CRI (RA)	>80
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available



OUTDOOR LIGHTING.




EB40936-BK-UNV



EB40924-BK-UNV



EB40910-BK-UNV



NOVATO - EB40936 / EB40924 / EB40910

FINISH BK - Black

Cast-aluminum body
Modern powder-coated finish
Down light
Wet rated for all climates

	EB40936	EB40924	EB40910
WATTAGE:	24W	24W	24W
VOLTAGE:	120-277V	120-277V	120-277V
DELIVERED LUMENS:	1353*	1353*	884*

COLOR TEMP	3000K
CRI (RA)	>80
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available






EB43024-BK-UNV



EB43036-BK-UNV



SONOMA - EB43036 / EB43024

FINISH BK - Black

Extruded and formed aluminum
Powder-coated finish
Clear glass diffuser
Down light

	EB43036	EB43024
WATTAGE:	24W	24W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1376*	1350*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS


Custom options available




OUTDOOR LIGHTING.



EB42924-BK-UNV



EB42936-BK-UNV



EB42936

EB42924



NAPA - EB42936 / EB42924

FINISH BK - Black

Extruded and formed aluminum
Powder-coated finish
Clear glass diffuser
Down light

	EB42936	EB42924
WATTAGE:	24W	24W
VOLTAGE:	120-277V	120-277V
DELIVERED LUMENS:	1350*	1350*

COLOR TEMP	3000K
CRI (RA)	>80
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	

**Preliminary figures. **Visit our site for Universal Voltage options.*

NAPA 599






EG26724-BK



EG26730-BK



EG26718-BK



DORIAN - EG26730 / EG26724 / EG26718

FINISH BK - Black


Cast-aluminum body
Modern powder-coated finish
Frosted acrylic diffuser
Direct light
Compatible with all outdoor 12V AC
Transformers and anchorage (not included)
Garden mounting spike included; additional hardscape
mounting base options available (sold separately)

	EG26730	EG26724	EG26718
WATTAGE:	7W	6W	5W
VOLTAGE:	12V	12V	12V
DELIVERED LUMENS:	275*	230*	180*

COLOR TEMP	3000K
CRI (RA)	>90
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



OUTDOOR LIGHTING.



CH20625-BK/OP




PD20602-BK/OP


SEE FULL COLLECTION



PORTABLE
PAGE 511



CH20625



PD20602

LANAI - CH20625 / PD20602

FINISH BK - Black

GLASS OP - Opal Matte

Textural rattan caning shades

Forged-steel body

Matte opal glass globes

Sleek painted finish

Omni-directional light

Max. rod length 46"

	CH20625	PD20602
WATTAGE:	21W	15W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	1150*	780*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
CEILING ADAPTOR	YES, UP TO 45°
RATED LIFE	50,000 HOURS

Custom options available





PD20602-BK/OP

OUTDOOR LIGHTING.



AT67006-BK-UNV
Down light




AT6606-BG-UNV
Up and down light



AT67010-BN
Down light



AT6610-WH
Up and down light



MICA - AT67010 / AT67006 / AT6610 / AT6606

FINISH BK - Black | BN - Brushed Nickel | BG - Brushed Gold | WH - White

Machined aluminum body
Modern powder-coated finish
Frosted glass diffuser
Up and down light (AT6610 & AT6606)
Down light (AT67010 & AT67006)

	AT67010	AT67006	AT6610	AT6606	COLOR TEMP	3000K
WATTAGE:	13W	8W	26W	15W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	612*	400*	1103*	840*	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
					RATED LIFE	50,000 HOURS
					<i>Custom options available</i>	



OUTDOOR LIGHTING.



AT6506-BG-UNV
Up and down light




AT6510-BK
Up and down light



AT68006-WH-UNV
Down light



AT68010-BN
Down light



AT68010 / AT6510

AT68006 / AT6506

SLATE - AT68010 / AT68006 / AT6510 / AT6506

FINISH BK - Black | BN - Brushed Nickel | BG - Brushed Gold | WH - White

Machined aluminum body

Modern powder-coated finish

Frosted glass diffuser

Up and down light (AT6510 & AT6506)

Down light (AT68010 & AT68006)


	AT68010	AT68006	AT6510	AT6506	COLOR TEMP	3000K
WATTAGE:	13W	8W	26W	15W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	120V	DIMMING	100%-10%
DELIVERED LUMENS:	608*	406*	1103	840	TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
					RATED LIFE	50,000 HOURS
					<i>Custom options available</i>	

*Preliminary figures. **Visit our site for Universal Voltage options.


SLATE 605

OUTDOOR LIGHTING.


Design Detail




EW27912-GY




EW27909-BK



EW27907-GY



EW27905-BK



CASA - EW27912 / EW27909 / EW27907 / EW27905

FINISH BK - Black | GY - Gray


Die-cast aluminum housing
Powder-coated finish
Frosted glass diffuser
Down light

	EW27912	EW27909	EW27907	EW27905
WATTAGE:	21W	25W	21W	11W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	931*	1030*	854*	366*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



OUTDOOR LIGHTING.



EW71412-BK




EW71412-GY



EW71311-BK



EW71311-GY



EW71412

EW71311

CASA - EW71412 / EW71311

FINISH BK - Black | GY - Gray

Die-cast aluminum housing
Powder-coated finish
Frosted glass diffuser
Down light

	EW71412	EW71311
WATTAGE:	21W	31W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	659*	936*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



OUTDOOR LIGHTING.




EW75724-GH-UNV




EW75718-GH-UNV




EW75712-GH-UNV



EW75724



EW75718



EW75712

MOONDEW - EW75724 / EW75718 / EW75712

FINISH GH - Graphite

Formed aluminum with powder-coated finish
Art-glass shadow and 4x-sealed glass diffuser
Up and down light
Mounting options: horizontally or vertically

	EW75724	EW75718	EW75712
WATTAGE:	31W	25W	21W
VOLTAGE:	120V	120V	120V
DELIVERED LUMENS:	1400*	1100*	800*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV (<i>not included</i>)
RATED LIFE	50,000 HOURS


Custom options available




OUTDOOR LIGHTING.



EW60307-BN




EW60307-WH




EW60312-BZ



EW60312-BK



EW60312



EW60307

INDIO - EW60312 / EW60307

FINISH BK - Black (EW60312 only) | BN - Brushed Nickel | BZ - Bronze | WH - White

Machined, extruded-aluminum with electroplated or powder-coated finish
Up and down light

	EW60312	EW60307
WATTAGE:	11W	7W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	172*	219*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



OUTDOOR LIGHTING.



EP48232-BK




EP48224-BK


SEE FULL COLLECTION



OUTDOOR
PAGE 612



EP48232



EP48224

COPENHAGEN - EP48232 / EP48224

FINISH BK - Black

Powder-coated die-cast aluminum and tube steel
Cast clear textured glass diffusers
Up and down light
Max. stem length 52"

	EP48232	EP48224
WATTAGE:	59W	36W
VOLTAGE:	120V	120V
DELIVERED LUMENS:	2780*	2070*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV OR TRIAC <i>(not included)</i>
RATED LIFE	50,000 HOURS
<i>Custom options available</i>	



OUTDOOR LIGHTING.



EP56913-BK/OP



KONA - EP56913

FINISH BK - Black

GLASS OP - Opal Matte

Mesh steel shade
Opal glass diffuser
Modern powder-coated finish
Up and down light
Max. cable length of 120"
Wet rated for outdoor use

LAMPING: 1 X 60W
VOLTAGE: 120V

Custom options available

OUTDOOR LIGHTING.



EW48218-BK




EW48212-BK




EW48208-BK




EW48205-BK




EW48218



EW48212



EW48205



EW48208

SEE FULL COLLECTION



OUTDOOR
PAGE 610

COPENHAGEN - EW48218 / EW48212 / EW48208 / EW48205

FINISH BK - Black

Powder-coated die-cast aluminum and
formed steel

Cast clear textured glass diffusers

Up and down light (EW48218/EW48212/EW48208)

Down light (EW48205)

	EW48218	EW48212	EW48208	EW48205
WATTAGE:	16W	11W	11W	5W
VOLTAGE:	120V	120V	120V	120V
DELIVERED LUMENS:	661	372	474	288

COLOR TEMP

CRI (RA)

DIMMING

TYPE OF DIMMER

RATED LIFE

Custom options available

3000K

>90

100%-10%

ELV (not included)

50,000 HOURS






EW46308-BK-UNV-3CCT



EW46308-BK-UNV-3CCT
SIDE VIEW



LENOX - EW46308

FINISH BK - Black

Powder-coated die-cast aluminum
Polymeric diffuser
Down light

WATTAGE: 20W
VOLTAGE: 120V
DELIVERED LUMENS: 1060*


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV OR TRIAC *(not included)*
RATED LIFE 50,000 HOURS
Custom options available



EW4306-BK



EW4306-WH



TAC - EW4306

FINISH BK - Black | WH - White

Die-cast aluminum with powder-coated finish
Available in two finishes
Light-emitting surface

WATTAGE: 13W
VOLTAGE: 120V
DELIVERED LUMENS: 40

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
TYPE OF DIMMER ELV *(not included)*
RATED LIFE 50,000 HOURS
Custom options available

OUTDOOR LIGHTING.




EW22109-BK



EW22109-BN



EW22109-WH



VISTA - EW22109

FINISH BK - Black | BN - Brushed Nickel | WH - White

Machined aluminum with powder-coated or electroplated finish
Frosted glass diffuser
Up and down light
Wet location
Mounting options: horizontally or vertically

WATTAGE: 7W
VOLTAGE: 120V
DELIVERED LUMENS: 293*


COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



EW4405-BK



EW4405-WH



MAVIS - EW4405

FINISH BK - Black | WH - White

Machined, extruded-aluminum with electroplated or powder-coated finish and glass diffuser
Up and down light


WATTAGE: 17W
VOLTAGE: 120V
DELIVERED LUMENS: 696*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available

OUTDOOR LIGHTING.



EW17627-BK



DAVY - EW17627

FINISH BK - Black


Cast-aluminum body
Modern powder-coated finish
Clear glass accents and with polycarbonate protective cover
Down light

WATTAGE: 16W
VOLTAGE: 120V
DELIVERED LUMENS: 602*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
TYPE OF DIMMER ELV (*not included*)
RATED LIFE 50,000 HOURS
Custom options available



EW61806-BK-UNV



CARSON - EW61806

FINISH BK - Black

Exterior wall sconce with truncated conical die-cast shade
Curved glossy white interior
White polycarbonate diffuser
Down light
High-pressure die-cast aluminum

WATTAGE: 11W
VOLTAGE: 120-277V
DELIVERED LUMENS: 741

COLOR TEMP 3000K
CRI (RA) >90
RATED LIFE 50,000 HOURS
Custom options available

OUTDOOR LIGHTING.



AT7972-BK



AT7950-BN




AT7935-WH




AT7924-BN




AT7928-BK




AT7972




AT7950



AT7935



AT7928



AT7924

VESTA - AT7972 / AT7950 / AT7935 / AT7928 / AT7924

FINISH BK - Black | BN - Brushed Nickel | WH - White

Machined aluminum body
Modern powder-coated or
electroplated finish
Mounting options: vertically
or horizontally
Up and down light

	AT7972	AT7950	AT7935	AT7928	AT7924
WATTAGE:	88W	58W	40W	30W	23W
VOLTAGE:	120V	120V	120V	120V	120V
DELIVERED LUMENS:	5175*	3226	2116	1725	1247

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
TYPE OF DIMMER	ELV <i>(not included)</i>
RATED LIFE	50,000 HOURS

Custom options available





1534

INDEX

401207BK-LED	315	601432BN-LED	410	AT7928-BN	616	CF96956-MB	546
401207WH-LED	315	601432CH-LED	410	AT7928-WH	616	CF97552-BN-LKP	557
401214BG-LED	314	601464CH-LED	393	AT7935-BK	616	CF97552-BN-LKW	556
401214BK-LED	314	601465CH-LED	393	AT7935-BN	616	CF97552-BN-NLP	554-555
401214BN-LED	314	601471BK-LED	378	AT7935-WH	616	CF97552-MB-LKP	556
401214WH-LED	314	601471WH-LED	378	AT7950-BK	616	CF97552-MB-NLP	554
401215BG-LED	314	601484BK-LED	416	AT7950-BN	616	CF97552-MB-NLW	554
401215BK-LED	314	601484BN-LED	416	AT7950-WH	616	CF97552-WH-LKP	557
401215BN-LED	314	601484CH-LED	416	AT7972-BK	616	CF97552-WH-LKW	557
401215WH-LED	314	601485BK-LED	416	AT7972-BN	616	CF97552-WH-NLP	555
401216BG-LED	314	601485BN-LED	416	AT7972-WH	616	CF97552-WH-NLW	555
401216BK-LED	314	601485CH-LED	416	CF41424-MB/BR-5CCT	114	CF97860-MB/DW	525
401216BN-LED	314	701313BK-LED	396	CF41424-WH/BR-5CCT	114	CF97860-MB/NW	525
401216WH-LED	314	701313CH-LED	396	CF523056MB	541	CH10345-BG	166
401431BK-LED	321	701314BK-LED	396	CF523056WH	541	CH10345-BK	166
401431BN-LED	321	701314CH-LED	396	CF584054MB	538	CH10345-BN	166
401431WH-LED	321	AT6506-BG-UNV	605	CF77860-MB/DW	526	CH10345-WH	166
401432BK-LED	321	AT6506-BK-UNV	605	CF77860-MB/NW	526	CH10356-BG	166
401432BN-LED	321	AT6506-BN-UNV	605	CF78752-BN-LKP	552-553	CH10356-BK	166
401432WH-LED	321	AT6506-WH-UNV	605	CF78752-BN-NLP	549	CH10356-BN	166
402401BG-LED	309	AT6510-BG	605	CF78752-BN-NLW	550	CH10356-WH	166
402401CH-LED	309	AT6510-BK	605	CF78752-MB-LKP	552	CH13922-UBCR-UNV	66
402501BG-LED	309	AT6510-BN	605	CF78752-MB-NLP	549	CH13922-VBCR-UNV	66
402501BK-LED	309	AT6510-WH	605	CF78752-MB-NLW	549	CH14220-BG	181
402501CH-LED	309	AT6606-BG-UNV	604	CF78752-WH-LKP	553	CH14220-BK	181
402601BG-LED	323	AT6606-BK-UNV	604	CF78752-WH-LKW	553	CH14220-BN	181
402601CH-LED	323	AT6606-BN-UNV	604	CF78752-WH-NLP	550	CH14220-WH	181
402801BC-LED	322	AT6606-WH-UNV	604	CF78752-WH-NLW	550	CH14232-BG	181
402801BG-LED	322	AT6610-BG	604	CF90955-MB	522	CH14232-BK	181
402801CH-LED	322	AT6610-BK	604	CF90955-WH	522	CH14232-BN	181
501102BG-LED	474	AT6610-BN	604	CF90960-MB	521	CH14232-WH	181
501102-LED	474	AT6610-WH	604	CF90960-WH	521	CH14348-BG	180
501112BG-LED-5CCT	474	AT67006-BG-UNV	604	CF91954-BG/MB	530	CH14348-BK	180
501112-LED-5CCT	474	AT67006-BK-UNV	604	CF91954-BG/WH	533	CH14348-BN	180
501122BG-LED-5CCT	474	AT67006-BN-UNV	604	CF91954-BN/MB	530	CH14348-WH	180
501122-LED-5CCT	474	AT67006-WH-UNV	604	CF91954-BN/WH	533	CH14356-BG	180
601001BG-LED	394	AT67010-BG	604	CF91954-MB	530	CH14356-BK	180
601001BK-LED	394	AT67010-BK	604	CF92942-BG/MB	117	CH14356-BN	180
601001BN-LED	394	AT67010-BN	604	CF92942-BG/WH	117	CH14356-WH	180
601001CH-LED	394	AT67010-WH	604	CF92942-MB	117	CH15504-BG-UNV	89
601002BG-LED	394	AT68006-BG-UNV	605	CF92942-WH	117	CH15504-BK-UNV	89
601002BK-LED	394	AT68006-BK-UNV	605	CF92952-BG/MB	116	CH15504-CH-UNV	89
601002BN-LED	394	AT68006-BN-UNV	605	CF92952-BG/WH	116	CH17702-BK	122
601002CH-LED	394	AT68006-WH-UNV	605	CF92952-MB	529	CH17703-BK	122
601003CH-LED	393	AT68010-BG	605	CF92952-WH	529	CH18035-AW	121
601004CH-LED	393	AT68010-BK	605	CF94956-MB	542	CH18035-GBK	121
601431BG-LED	410	AT68010-BN	605	CF94956-MG	542	CH18537-BK	149
601431BK-LED	410	AT68010-WH	605	CF95960-BG	545	CH18537-BN	149
601431BN-LED	410	AT7924-BK	616	CF95960-BN	545	CH18548-BK	149
601431CH-LED	410	AT7924-BN	616	CF95960-MB	545	CH18548-BN	149
601432BG-LED	410	AT7924-WH	616	CF96956-BG	546	CH19220-BK/AN	172
601432BK-LED	410	AT7928-BK	616	CF96956-BN	546	CH19226-BK/AN	172

INDEX

CH19234-BK/AN	172	CH63436-BN	154	CH89854-BG/GO	132	EB46430-BK-UNV	592
CH19933-BK	139	CH64242-UB-UNV-010	120	CH89854-BK/GO	133	EB46440-BK-UNV	592
CH19933-BN-UNV	139	CH64242-VB-UNV-010	120	CH90132-BK	162	EB47818-BK-UNV	593
CH20625-BK/OP	602	CH65127-GBK/OP-UNV	38	CH90136-BK-UNV	162	EB47829-BK-UNV	593
CH21120-GBK-UNV	29	CH65127-MRB/OP-UNV	38	CH90826-BK	148	EB47837-BK-UNV	593
CH21120-VB-UNV	29	CH65127-PN/OP-UNV	38	CH90826-BK/GD	148	EB48516-BK-UNV	588
CH23532-BG	137	CH68127-UB-UNV	49	CH90833-BK	148	EB48528-BK-UNV	588
CH23532-BK	137	CH68127-VB-UNV	49	CH90833-BK/GD	148	EB48538-BK-UNV	588
CH23534-BG	137	CH72225-BK	138	CH93824-AN 65	175	EB48919-BK	590
CH23534-BK	137	CH73418-BK-UNV	34	CH93824-AS 65	175	EB48931-BK	590
CH24755-BG	134	CH76718-BG	185	CH93824-BK 65	175	EB48941-BK	590
CH24755-BK	134	CH76718-BK	185	CH93834-AN 65	175	EB49020-BK-UNV	591
CH3117	129	CH76718-CH	185	CH93834-AS 65	175	EB49031-BK-UNV	591
CH3117-BG	129	CH76728-BG	185	CH93834-BK 65	175	EB49041-BK-UNV	591
CH3117-BG/OP	129	CH76728-BK	185	CH93934-AN 64	174	EB49718-BK-UNV	595
CH3117-BK	129	CH76728-CH	185	CH93934-AS 64	174	EB49730-BK-UNV	595
CH3117-BK/OP	129	CH77916-BG/OP-UNV	56	CH93934-BK 64	174	EB49740-BK-UNV	595
CH3117-OP	129	CH77916-BK/OP-UNV	56	CH93941-AN 64	174	EB82217-BK-UNV	587
CH3128	126	CH77916-CH/OP-UNV	56	CH93941-AS 64	174	EB82229-BK-UNV	587
CH3128-BG	126	CH79253-BG	205	CH93941-BK	174	EB82239-BK-UNV	587
CH3128-BG/OP	126	CH79253-BK	205	CH94824-AN	153	EB83317-BK-UNV	594
CH3128-BK	126	CH79253-WH	205	CH94824-AS	153	EB83329-BK-UNV	594
CH3128-BK/OP	126	CH81527-BK	184	CH94824-BK	153	EB83339-BK-UNV	594
CH3128-OP	126	CH87224-BG	156	CH94829-AN	153	EG26718-BK	601
CH50825-BG	152	CH87224-BK	156	CH94829-AS	153	EG26724-BK	601
CH50825-BK	152	CH87224-WH	156	CH94829-BK	153	EG26730-BK	601
CH50848-BG	152	CH87232-BG	156	CH96442-BK	130	EL17610-BK	510
CH50848-BK	152	CH87232-BK	156	CH96840-BK	141	EL17614-BK	510
CH51224-BK/WH	158	CH87232-WH	156	CH96840-BK/BG	141	EP48224-BK	610
CH51818-BK	159	CH87332-BG	156	CH97139-BK	150	EP48232-BK	610
CH51825-BK	159	CH87332-BK	156	CH97358-BK	150	EP56913-BK/OP	611
CH55524-BG/OP	124	CH87332-WH	156	CNL3AC-BK	189	ER3003-BK	563
CH55524-BK/OP	124	CH87824-BG	157	CNL3AC-GH	189	ER3003-BK-12V	563
CH55530-BG/OP	124	CH87824-BK	157	CNL3AC-WH	189	ER3003-BN	563
CH55530-BK/OP	124	CH87824-WH	157	CNL5AC-BK	189	ER3003-BN-12V	563
CH57514-BG/CP	144	CH87832-BG	157	CNL5AC-GH	189	ER3003-BZ	563
CH57514-BK/SM	144	CH87832-BK	157	CNL5AC-WH	189	ER3003-BZ-12V	563
CH57514-CH/OP	144	CH87832-WH	157	CNM13AC-BK	186	ER3003-GY	563
CH57731-BK	183	CH87932-BG	157	CNM13AC-GH	186	ER3003-GY-12V	563
CH57731-BK/GO	183	CH87932-BK	157	CNM13AC-WH	186	ER3003-WH	563
CH58030-BK/GD	143	CH87932-WH	157	EB40910-BK-UNV	597	ER3003-WH-12V	563
CH58040-BK/GD	143	CH88224-BG	169	EB40924-BK-UNV	597	ER3005-BK	563
CH58830-BG	125	CH88224-BK	169	EB40936-BK-UNV	597	ER3005-BK-12V	563
CH58830-BK	125	CH88224-WH	169	EB41924-BK-UNV	596	ER3005-BN	563
CH59810-BG/OP	83	CH88232-BG	169	EB41936-BK-UNV	596	ER3005-BN-12V	563
CH59810-BK/OP	83	CH88232-BK	169	EB42924-BK-UNV	599	ER3005-BZ	563
CH59810-CH/OP	83	CH88232-WH	169	EB42936-BK-UNV	599	ER3005-BZ-12V	563
CH62628-BG/LG	151	CH88332-BG	169	EB43024-BK-UNV	598	ER3005-GY	563
CH62628-BK/LG	151	CH88332-BK	169	EB43036-BK-UNV	598	ER3005-GY-12V	563
CH62737-BG/LG	151	CH88332-WH	169	EB45624-BK-UNV	586	ER3005-WH	563
CH62737-BK/LG	151	CH89832-BG/GO	133	EB45636-BK-UNV	586	ER3005-WH-12V	563
CH63436-BK	154	CH89832-BK/GO	133	EB46418-BK-UNV	592	ER72410-BK	566

INDEX

ER72410-CBOX	567	EW70714-BK	584	FM1512-BK	468	FM43313-WH-5CCT	472
ER72410-GY	566	EW70720-BK	584	FM1512-BN	468	FM43315-BK-5CCT	472
ER72410-MBOX	567	EW71311-BK	562, 607	FM1512-CH	468	FM43315-CH-5CCT	472
ER72420-BK	566	EW71311-GY	562, 607	FM1512-WH	468	FM43315-WH-5CCT	472
ER72420-CBOX	567	EW71412-BK	562, 607	FM1515-BG-5CCT	468	FM43414-BK/GD	464
ER72420-GY	566	EW71412-GY	562, 607	FM1515-BK-5CCT	468	FM43414-WH/GD	464
ER72420-MBOX	567	EW72332-BK	582	FM1515-BN	468	FM43419-BK/GD-5CCT	464
ER95610-BK	564	EW72355-BK	582	FM1515-CH	468	FM43419-WH/GD-5CCT	464
ER95610-CBOX	565	EW72533-BK	578	FM1515-WH	468	FM43423-BK/GD-5CCT	464
ER95610-GY	564	EW72560-BK	578	FM15506-BG-UNV	92	FM43423-WH/GD-5CCT	464
ER95610-MBOX	565	EW72724-BK	581	FM15506-BK-UNV	92	FM43518-BK-5CCT	455
EW17627-BK	615	EW73210-BK/WC	572	FM15506-CH-UNV	92	FM43518-WH-5CCT	455
EW22109-BK	614	EW75712-BK	608	FM15510-BG-UNV	92	FM43522-BK-5CCT	455
EW22109-BN	614	EW75718-BK	608	FM15510-BK-UNV	92	FM43522-WH-5CCT	455
EW22109-WH	614	EW75724-BK	608	FM15510-CH-UNV	92	FM43916-BK/GD-5CCT	466
EW27905-BK	606	EW77209-BK/CR	571	FM15514-BG-UNV	92	FM43916-BK/WH-5CCT	466
EW27905-GY	606	EW77209-BK/OP	571	FM15514-BK-UNV	92	FM43916-BK/WT-5CCT	466
EW27907-BK	606	EW78513-BK/CR	570	FM15514-CH-UNV	92	FM43916-WH/BK-5CCT	466
EW27907-GY	606	EW78513-BK/OP	570	FM16512-JB-3WCCT-UNV	426	FM43916-WH/GD-5CCT	466
EW27909-BK	606	FL12168-BK	512	FM16512-PW-3WCCT-UNV	426	FM43916-WH/WT-5CCT	466
EW27909-GY	606	FL25558-BG	517	FM16520-JB-3WCCT-UNV	426	FM43920-BK/GD-5CCT	466
EW27912-BK	606	FL25558-BK	517	FM16520-PW-3WCCT-UNV	426	FM43920-BK/WH-5CCT	466
EW27912-GY	606	FL25558-BN	517	FM18232-BG	439	FM43920-BK/WT-5CCT	466
EW29548-BK-UNV	577	FL25558-WH	517	FM18232-BK	439	FM43920-WH/BK-5CCT	466
EW29560-BK-UNV	577	FL27766-BK	504	FM18232-BN	439	FM43920-WH/GD-5CCT	466
EW33806-BK-UNV-010	573	FL27766-WH	504	FM18232-WH	439	FM43920-WH/WT-5CCT	466
EW33806-WH-UNV-010	573	FL28563-BG	513	FM18247-BG	439	FM44614-BK/WH	458
EW38504-BK/CL	572	FL28563-BK	513	FM18247-BK	439	FM44912-BK/WH	459
EW39005-BK-UNV	573	FL46748-BK	516	FM18247-BN	439	FM45707-BG/GO	454
EW39506-BK-UNV	573	FL46748-WH	516	FM18247-WH	439	FM45707-BN/GO	454
EW4306-BK	613	FL72268-BK	514	FM2011-CH	475	FM45710-BG/GO	454
EW4306-WH	613	FL83818-BK/WT	508	FM22815-BK/WH	360, 436	FM45710-BN/GO	454
EW4405-BK	614	FL95360-BK	515	FM22815-GY	360, 436	FM45907-BG/OP	450
EW4405-WH	614	FM10205-BK	477	FM23534-BG	445	FM45907-BK/OP	450
EW44204-BK-UNV	574	FM10205-WH	477	FM23534-BK	445	FM45910-BG/OP	450
EW44206-BK-UNV	574	FM10605-WH-UNV	477	FM31205-BK/WH	441	FM45910-BK/OP	450
EW46308-BK-UNV-3CCT	613	FM10605-WH-UNV	477	FM3506-BK	479	FM46116-BG-3CCT-UNV	462
EW47512-BK-UNV	575	FM10705-BK-UNV	477	FM3506-BN	479	FM46116-BK-3CCT-UNV	462
EW48003-BK-UNV	576	FM10705-WH-UNV	477	FM3511-BK-5CCT	479	FM47705-WH-5CCT	110
EW48006-BK-UNV	576	FM11011-WH	479	FM3511-BN-5CCT	479	FM47707-WH-5CCT	110
EW48205-BK	612	FM11015-WH-5CCT	479	FM3511-CH/FR-5CCT	479	FM47712-WH-5CCT	110
EW48208-BK	612	FM11410-BK	480	FM42706-BK	478	FM48610	437
EW48212-BK	612	FM11410-WH	480	FM42706-WH	478	FM48614-5CCT	437
EW48218-BK	612	FM11414-BK-5CCT	480	FM43117-BK-5CCT	455	FM48618-5CCT	437
EW60307-BN	609	FM11414-WH-5CCT	480	FM43117-CL-5CCT	455	FM52508-BG/CL	446
EW60307-BZ	609	FM11418-BK	480	FM43121-BK-5CCT	455	FM52508-BK/CL	446
EW60307-WH	609	FM11418-WH	480	FM43121-CL-5CCT	455	FM52512-BG/CL	446
EW60312-BK	609	FM13120-BK-5CCT	478	FM43311-BK-5CCT	472	FM52512-BK/CL	446
EW60312-BN	609	FM13120-WH-5CCT	478	FM43311-CH-5CCT	472	FM52719-BK	469
EW60312-BZ	609	FM13124-BK	478	FM43311-WH-5CCT	472	FM52719-BN	469
EW60312-WH	609	FM13124-WH	478	FM43313-BK-5CCT	472	FM52719-WT	469
EW61806-BK-UNV	615	FM1512-BG	468	FM43313-CH-5CCT	472	FM53005-BG/OP	451

INDEX

FM53005-BK/OP	451	FM9405-BK-UNV	482	LP19937-BK	272	LP79140-BG	204
FM53509-BG/CL	447	FM9405-WH-UNV	482	LP19937-BN	272	LP79140-BK	204
FM53509-BK/CL	447	FM9711-WH-5CCT	458	LP19947-BK	272	LP79140-WH	204
FM53512-BG/CL	447	FM9714-WH-5CCT	458	LP19947-BN	272	LP79153-BG	203
FM53512-BK/CL	447	HF522054MB	537	LP21647-BW-UNV	76	LP79153-BK	203
FM54809-BG/OP	448	HF522054WH	537	LP21647-WT-UNV	76	LP79153-WH	203
FM54809-BK/OP	448	HF523056MB	541	LP23532-BG	239	LP84434-BK	217
FM57508-BG/CP	442	HF523056WH	541	LP23532-BK	239	LP84457-BK	217
FM57508-BK/SM	442	HF91954-BG/MB	534	LP28543-BG	234	LP89036-BG	269
FM57508-CH/OP	442	HF91954-BN/MB	534	LP28543-BK	234	LP89036-BK	269
FM58306-BG/OP	457	HF91954-MB	534	LP28748-BG	230	LP89036-BN	269
FM58306-BK/OP	457	LP10345-BG	276	LP28748-BK	230	LP89048-BG	269
FM58310-BG/OP	457	LP10345-BK	276	LP28748-BK/BG	230	LP89048-BK	269
FM58310-BK/OP	457	LP10345-BN	276	LP28760-BG	230	LP89048-BN	269
FM6012-BK-5CCT	475	LP10345-WH	276	LP28760-BK	230	LP90404-UB	196
FM6012-BN-5CCT	475	LP10356-BG	276	LP28760-BK/BG	230	LP90404-VB	196
FM6012-CH-5CCT	475	LP10356-BK	276	LP29548-BK	235	LP90838-BK	273
FM63432-BK	461	LP10356-BN	276	LP29560-BK	235	LP90838-BK/GD	273
FM63432-BN	461	LP10356-WH	276	LP32942-WK	236	LP92636-BK	233
FM64215-UB	428	LP14840-BK	288	LP32942-WT	236	LP93742-AN	290
FM64215-VB	428	LP14840-WH	288	LP45548-BG	266	LP93742-AS	290
FM64218-UB	428	LP14935-BK	289	LP45548-BK	266	LP93742-BK	290
FM64218-VB	428	LP14935-WH	289	LP45548-BN	266	LP95354-BK	263
FM68506-AW	80	LP14947-BK	289	LP45548-WH	266	LP96840-BK/BG-UNV	240
FM68506-GBK	80	LP14947-WH	289	LP45560-BG	266	LP96840-BK-UNV	240
FM68506-PW	80	LP15548-BG-UNV	87	LP45560-BK	266	MP10303-BG	167
FM72205-BK	438	LP15548-BK-UNV	87	LP45560-BN	266	MP10303-BK	167
FM7610-BK	473	LP15548-CH-UNV	87	LP45560-WH	266	MP10303-BN	167
FM7616-BK	473	LP16236-BK	292	LP46841-UB	200	MP10303-WH	167
FM7616-BN-5CCT	473	LP16236-BN	292	LP46841-VB	200	MP10305-BG	167
FM7620-BK	473	LP16248-BK	292	LP50851-BG	281	MP10305-BK	167
FM7916-BE-5CCT	470	LP16248-BN	292	LP50851-BK	281	MP10305-BN	167
FM7916-BK-5CCT	470	LP17435-BK-UNV	41	LP57642-BK/BGD	72	MP10305-WH	167
FM7916-BOR-5CCT	470	LP17435-VB-UNV	41	LP57642-BK/CER	72	MP14850-BK	170
FM7916-GY-5CCT	470	LP17905-BK-UNV-010	55	LP57642-BK/PEC	71	MP14850-WH	170
FM7916-WH-5CCT	470	LP17905-BK-UNV-010-RT	55	LP57642-BK/PGN	71	MP14919-BK	171
FM7916-WOR-5CCT	470	LP17910-BK-UNV-010	52	LP58042-BK/GD	243	MP14919-WH	171
FM7920-BE-5CCT	470	LP17910-BK-UNV-010-RT	52	LP63436-BK	264	MP14924-BK	171
FM7920-BK-5CCT	470	LP17915-BK-UNV-010	54	LP63436-BN	264	MP14924-WH	171
FM7920-BOR-5CCT	470	LP17915-BK-UNV-010-RT	54	LP68124-UB-UNV	50	MP14932-BK	171
FM7920-GY-5CCT	470	LP18248-BG	277	LP68124-VB-UNV	50	MP14932-WH	171
FM7920-WH-5CCT	470	LP18248-BK	277	LP70130-BK	286	MP14956-BK	176
FM7920-WOR-5CCT	470	LP18248-BN	277	LP70148-BK-UNV	286	MP14956-WH	176
FM82104-BK	434	LP18248-WH	277	LP70548-BK/WH	270	MP14960-BK	177
FM82104-WH	434	LP18260-BG	277	LP72237-BK	278	MP14960-WH	177
FM82106-BK	434	LP18260-BK	277	LP73048-BG	229	MP14970-BK	177
FM82106-WH	434	LP18260-BN	277	LP73048-BK	229	MP14970-WH	177
FM9304-BK-UNV	482	LP18260-WH	277	LP73073-BG	229	MP18203-BG	165
FM9304-WH-UNV	482	LP18537-BK	267	LP73073-BK	229	MP18203-BK	165
FM93820-AN-UNV	476	LP18537-BN	267	LP73510-BK/WH	226	MP18203-BN	165
FM93820-AS-UNV	476	LP18648-BK	267	LP73536-BK/WH-UNV	226	MP18203-WH	165
FM93820-BK-UNV	476	LP18648-BN	267	LP74626-BK	219	MP18205-BG	164

INDEX

MP18205-BK	164	PD11710-BG	260	PD20616-CH-UNV	199	PD30502-BK/CL	254
MP18205-BN	164	PD11710-BK	260	PD20616-WH-UNV	199	PD30505-BG/CL	254
MP18205-WH	164	PD12506-CL	317	PD20716-UB-UNV	208	PD30505-BK/CL	254
MP28356-BK	178	PD12506-SM	317	PD20716-VB-UNV	208	PD3106	222
MP28356-BN	178	PD13120-BK	315	PD21703-BK	316	PD3106-BG	222
MP3003	325	PD13120-WH	315	PD21703-BN	316	PD3106-BG/OP	222
MP3006	325	PD13124-BK	315	PD21703-CH	316	PD3106-BK	222
MP3009	325	PD13124-WH	315	PD22332-BG	308	PD3106-BK/OP	222
MP3012	325	PD14740-BK	275	PD22332-BK	308	PD3106-OP	222
MP70308-BK	287	PD14760-BK	275	PD22332-BN	308	PD32901-WK	237
MP75113-BG	160	PD15302-BK	311	PD22332-WH	308	PD32901-WT	237
MP75113-BK	160	PD15302-CH	311	PD22339-BG	308	PD32912-WK	237
MP75113-CH	160	PD15302-WH	311	PD22339-BK	308	PD32912-WT	237
MP75121-BG	160	PD15415-BG	90	PD22339-BN	308	PD34212-BK/OP	96
MP75121-BK	160	PD15415-BK	90	PD22339-WH	308	PD34216-BK/OP	96
MP75121-CH	160	PD15416-BG	90	PD22723-BK	295	PD34612-BK/OP	96
MP75127-BG	160	PD15416-BK	90	PD22723-BS	295	PD34616-BK/OP	96
MP75127-BK	160	PD15518-BG	90	PD22723-WH	295	PD37018-BK/GO-3WCCT-UNV	207
MP75127-CH	160	PD15518-BK	90	PD22735-BK	295	PD37018-BK/SM-3WCCT-UNV	207
MP75213-BG	161	PD15519-BG	90	PD22735-BS	295	PD37018-VB/GO-3WCCT-UNV	207
MP75213-BK	161	PD15519-BK	90	PD22735-WH	295	PD37018-VB/SM-3WCCT-UNV	207
MP75213-CH	161	PD15816-BK	306	PD22753-BK	294	PD39307-BK/OP-UNV	33
MP75221-BG	161	PD15816-CH	306	PD22753-BS	294	PD39307-BK/OP-UNV-RT	33
MP75221-BK	161	PD15816-WH	306	PD22753-WH	294	PD39310-BK/OP-UNV-010	33
MP75221-CH	161	PD15824-BK	306	PD22772-BK	294	PD39310-BK/OP-UNV-010-RT	33
MP75227-BG	161	PD15824-CH	306	PD22772-BS	294	PD39317-BK/OP-UNV-010	30
MP75227-BK	161	PD15824-WH	306	PD22772-WH	294	PD39317-BK/OP-UNV-010-RT	30
MP75227-CH	161	PD15832-BK	306	PD22824-BK/WH	225	PD41304-BN	310
MP84483-BK	179	PD15832-CH	306	PD22824-GY	225	PD41305-BN	310
MP89370-BG	146	PD15832-WH	306	PD22907-BK/WH	225	PD42502-BK	307
MP89370-BK	146	PD16320-BK	292	PD22907-GY	225	PD42502-BN	307
MP89370-BN	146	PD16320-BN	292	PD24716-BG	244	PD42502-CH	307
MP89390-BG	146	PD1706-BK	319	PD24716-BK	244	PD42502-WH	307
MP89390-BK	146	PD1706-BN	319	PD24724-BG	244	PD43212-BK/OP-5CCT-UNV	97
MP89390-BN	146	PD1706-CH	319	PD24724-BK	244	PD43216-BK/OP-5CCT-UNV	97
MP89570-BG	147	PD1706-WH	319	PD24732-BG	244	PD43612-BK/OP-5CCT-UNV	97
MP89570-BK	147	PD1709-BK	319	PD24732-BK	244	PD43616-BK/OP-5CCT-UNV	97
MP89570-BN	147	PD1709-BN	319	PD24748-BG	244	PD4401-CH	322
MP89590-BG	147	PD1709-CH	319	PD24748-BK	244	PD46216-BK-UNV	311
MP89590-BK-UNV	147	PD1709-WH	319	PD27731-BK-3WCCT-UNV	210	PD46216-WH-UNV	311
MP89590-BN	147	PD1712-BK	319	PD27731-WH-3WCCT-UNV	210	PD50852-BG	281
PD11119-AN	305	PD1712-BN	319	PD28515-BG	234	PD50852-BK	281
PD11119-AS	305	PD1712-CH	319	PD28515-BK	234	PD52719-BK	271
PD11119-BK	305	PD1712-WH	319	PD29226-BK-UNV	248	PD52719-BN	271
PD11132-AN	305	PD19347-AN	291	PD29806-BG	259	PD52719-WT	271
PD11132-AS	305	PD19347-BK	291	PD29806-BK	259	PD52724-BK	271
PD11132-BK	305	PD19359-AN	291	PD3004	324	PD52724-BN	271
PD11612-BN	317	PD19359-BK	291	PD3005	324	PD52724-WT	271
PD11706-BG	260	PD19804-BK	316	PD3007	324	PD52732-BK	271
PD11706-BK	260	PD19804-BN	316	PD30501-BG/CL	254	PD52732-BN	271
PD11708-BG	260	PD19804-CH	316	PD30501-BK/CL	254	PD52732-WT	271
PD11708-BK	260	PD20602-BK/OP	602	PD30502-BG/CL	254	PD53305-CH	318

INDEX

PD53330-CH	318	PD74738-BK	220	PD80718	296	PD87732-BG	299
PD55520-BK/OP	214	PD74746-BK	220	PD80724	296	PD87732-BK	299
PD55520-BK/OP	214	PD75021-BG	221	PD80730	296	PD87732-WH	299
PD55922-BGD	69	PD75021-BK	221	PD80736	296	PD87736-BG	299
PD55922-CER	69	PD75021-CH	221	PD81511-BK	249	PD87736-BK	299
PD55922-PEC	69	PD75027-BG	221	PD82524-BK	301	PD87736-WH	299
PD55922-PGN	69	PD75027-BK	221	PD82524-BN	301	PD87748-BG	299
PD56019-BGD	75	PD75027-CH	221	PD82524-WH	301	PD87748-BK	299
PD56019-CER	75	PD75912-BG/LG-3CCT	213	PD82536-BK	301	PD87748-WH	299
PD56019-PEC	75	PD75912-BK/LG-3CCT	213	PD82536-BN	301	PD87760-BG	299
PD56019-PGN	75	PD76312-BG/OP	250	PD82536-WH	301	PD87760-BK	299
PD57508-BG/CP	258	PD76312-BK/OP	250	PD82548-BK	301	PD87760-WH	299
PD57508-BK/SM	258	PD76316-BG/OP	250	PD82548-BN	301	PD87772-BG	299
PD57508-CH/OP	258	PD76316-BK/OP	250	PD82548-WH	301	PD87772-BK	299
PD58014-BK/GD	243	PD76708-BG	253	PD82560-BK	301	PD87772-WH	299
PD58814-BG	212	PD76708-BK	253	PD82560-BN	301	PD88118-BG	302
PD58814-BK	212	PD76708-CH	253	PD82560-WH	301	PD88118-BK	302
PD59708-BG/OP	257	PD76712-BG	253	PD82572-BK	301	PD88118-WH	302
PD59708-BK/OP	257	PD76712-BK	253	PD82572-BN	301	PD88124-BG	302
PD59708-BK/SM	257	PD76712-CH	253	PD82572-WH	301	PD88124-BK	302
PD62012-BK/CH	282	PD76716-BG	253	PD82724-BK	293	PD88124-WH	302
PD62012-BK/CP	282	PD76716-BK	253	PD82724-WH	293	PD88132-BG	302
PD62012-BK/SM	282	PD76716-CH	253	PD82732-BK	293	PD88132-BK	302
PD62013-BK/CH	282	PD7716-BN	323	PD82732-WH	293	PD88132-WH	302
PD62013-BK/CP	282	PD7716-CH	323	PD84336-BK	218	PD88136-BG	302
PD62013-BK/SM	282	PD7721-BN	323	PD87118-BG	298	PD88136-BK	302
PD62014-BK/CH	282	PD7721-CH	323	PD87118-BK	298	PD88136-WH	302
PD62014-BK/CP	282	PD78019-PN	215	PD87118-WH	298	PD88148-BG	302
PD62014-BK/SM	282	PD78019-UB	215	PD87124-BG	298	PD88148-BK	302
PD62511-BG/LG	285	PD78019-VB	215	PD87124-BK	298	PD88148-WH	302
PD62511-BK/LG	285	PD78031-PN	215	PD87124-WH	298	PD88160-BG	302
PD62622-BG/LG	285	PD78031-UB	215	PD87132-BG	298	PD88160-BK	302
PD62622-BK/LG	285	PD78031-VB	215	PD87132-BK	298	PD88160-WH	302
PD63428-BK-UNV	154	PD78040-PN	215	PD87132-WH	298	PD88172-BG	302
PD63428-BN	154	PD78040-UB	215	PD87136-BG	298	PD88172-BK	302
PD64231-UB-UNV-010	211	PD78040-VB	215	PD87136-BK	298	PD88172-WH	302
PD64231-VB-UNV-010	211	PD7916-BE	312	PD87136-WH	298	PD88530-BG	303
PD65116-GBK/OP-UNV	37	PD7916-BK	312	PD87148-BG	298	PD88530-BK	303
PD65116-MRB/OP-UNV	37	PD7916-BOR	312	PD87148-BK	298	PD88530-WH	303
PD65116-PN/OP-UNV	37	PD7916-GY	312	PD87148-WH	298	PD88548-BG	303
PD6705-BK-UNV	320	PD7916-WH	312	PD87160-BG	298	PD88548-BK	303
PD6705-BN-UNV	320	PD7916-WOR	312	PD87160-BK	298	PD88548-WH	303
PD6705-WH-UNV	320	PD7920-BE	312	PD87160-WH	298	PD89709-GBK	46
PD68507-AW-UNV	79	PD7920-BK	312	PD87172-BG	298	PD89709-MRB	46
PD68507-GBK-UNV	79	PD7920-BOR	312	PD87172-BK	298	PD89709-PN	46
PD68507-PW-UNV	79	PD7920-GY	312	PD87172-WH	298	PD90414-UB	109
PD70610-CL/BG	313	PD7920-WH	312	PD87718-BG	299	PD90414-VB	109
PD70610-SM/BN	313	PD7920-WOR	312	PD87718-BK	299	PD90420-UB	109
PD70615-CL/BG	313	PD80324-WH	297	PD87718-WH	299	PD90420-VB	109
PD70615-SM/BN	313	PD80332-WH	297	PD87724-BG	299	PD9108-BK/BK	304
PD72208-BK-UNV	278	PD80340-WH	297	PD87724-BK	299	PD9108-BK/GD	304
PD73411-BK-UNV	34	PD80712	296	PD87724-WH	299	PD9108-WH/GD	304

INDEX

PD9108-WH/SV	304	SF62014-BK/CP	465	TL68211-BK	506	VL18236-BK	383
PD9117-BK/BK	304	SF62014-BK/SM	465	TL68211-WH	506	VL18236-BN	383
PD9117-BK/GD	304	SF72205-BK-UNV	438	TL73708-CH	491	VL18236-WH	383
PD9117-WH/GD	304	SF90406-UB	433	TL73708-MBCH	491	VL18248-BG	383
PD9117-WH/SV	304	SF90406-VB	433	TL81020-GB	493	VL18248-BK	383
PD92615-BK	233	TL12409-BK/OP	494	TL82412-PB	490	VL18248-BN	383
PD94108-GBK/CC-UNV	42	TL12409-VB/OP	494	TL82412-WH	490	VL18248-WH	383
PD94108-MRB/CC-UNV	42	TL12413-BK/OP	494	TR10006-BK	486	VL18524-BK	366
PD94108-PN/CC-UNV	42	TL12413-VB/OP	494	TR10006-BN	486	VL18524-BN	366
PD96416-BK	247	TL20610-BK/OP	511	TR10015-BK	486	VL18532-BK	366
PD96424-BK	247	TL20616-BK/OP	511	TR10015-BN	486	VL18532-BN	366
PD97204-BK/CL	63	TL25517-BG	517	TR10022-BK	486	VL18536-BK	366
PD97204-BK/FR	63	TL25517-BK	517	TR10022-BN	486	VL18536-BN	366
PD97204-CH/CL	63	TL25517-BN	517	TR10031-BK	487	VL19931-BK-UNV	377
PD97204-CH/FR	63	TL25517-WH	517	TR10031-BN	487	VL19931-BN-UNV	377
PD97204-MRB/CL	63	TL27715-BK	504	TR10036-BK	487	VL19941-BK-UNV	377
PD97204-MRB/FR	63	TL27715-WH	504	TR10036-BN	487	VL19941-BN-UNV	377
PL18217-BK	423	TL28518-BG	513	TR10044-BK	487	VL20323-BG	334
PL18217-BN	423	TL28518-BK	513	TR10044-BN	487	VL20323-BK	334
PL18234-BK	423	TL58814-BG	509	TR19021-5CCT-UNV-010	485	VL20338-BG	334
PL18234-BN	423	TL58814-BK	509	TR19035-5CCT-UNV-010	485	VL20338-BK	334
SF15001-BK	483	TL62114-BK	506	VL0118-BG	394	VL20353-BK	334
SF15001-WH	483	TL62114-WH	506	VL0118-BK	394	VL20353-BN	334
SF15002-BK	483	TL63812-BK	497	VL0118-BN	394	VL21324-BK-UNV	101
SF15002-WH	483	TL63812-GN	497	VL0118-CH	394	VL21324-WH-UNV	101
SF15101-BK	483	TL63812-MN	497	VL10323-BG	385	VL21332-BK-UNV	101
SF15101-WH	483	TL63812-NV	497	VL10323-BK	385	VL21332-WH-UNV	101
SF15102-BK	483	TL63812-SY	497	VL10323-BN	385	VL23524-BG	340
SF15102-WH	483	TL64108-BK	496	VL10323-WH	385	VL23524-BK	340
SF15701-BK	483	TL64108-CM	496	VL10337-BG	385	VL23532-BG-UNV	340
SF15701-WH	483	TL64108-GN	496	VL10337-BK	385	VL23532-BK-UNV	340
SF15702-BK	483	TL64108-NV	496	VL10337-BN	385	VL27523-BG	342
SF15702-WH	483	TL64108-SY	496	VL10337-WH	385	VL27523-BK	342
SF27716-BK-3WCCT-UNV	427	TL64222-UB	505	VL13424-BK	388	VL27523-CH	342
SF27716-WH-3WCCT-UNV	427	TL64222-VB	505	VL13424-BN	388	VL27534-BG	342
SF27724-BK-3WCCT-UNV	427	TL65210-BK	499	VL13424-CH	388	VL27534-BK	342
SF27724-WH-3WCCT-UNV	427	TL65210-CM	499	VL16720-BK	402	VL27534-CH	342
SF27731-BK-3WCCT-UNV	427	TL65210-GN	499	VL16720-CH	402	VL28028-BK	336
SF27731-WH-3WCCT-UNV	427	TL65210-NV	499	VL16727-BK	402	VL31218-BK/WH	338
SF55525-BG/OP	430	TL65210-SY	499	VL16727-CH	402	VL31224-BK/WH	338
SF55525-BK/OP	430	TL65614-BK	500	VL17024-BG	349	VL45721-BG/GO	365
SF57704-BK	432	TL65614-GN	500	VL17024-BK	349	VL45721-BK/GO	365
SF57704-BK/GO	432	TL65614-MN	500	VL17024-BN	349	VL45730-BG/GO	365
SF58814-BG	431	TL65614-WH	500	VL17024-CH	349	VL45730-BK/GO	365
SF58814-BK	431	TL66714-BK	503	VL17124-CH	389	VL4721-CH	399
SF59706-BG/OP	453	TL66714-GN	503	VL17224-CH	397	VL47221-BG	398
SF59706-BK/OP	453	TL66714-MN	503	VL17324-CH	389	VL47221-BK	398
SF59706-BK/SM	453	TL66714-WH	503	VL18224-BG	383	VL47221-CH	398
SF59708-BG/OP	453	TL67914-BK	501	VL18224-BK	383	VL47225-BG	398
SF59708-BK/OP	453	TL67914-GN	501	VL18224-BN	383	VL47225-BK	398
SF59708-BK/SM	453	TL67914-MN	501	VL18224-WH-UNV	383	VL47225-CH	398
SF62014-BK/CH	465	TL67914-WH	501	VL18236-BG	383	VL47237-BG	398

INDEX

VL47237-BK	398	VL61236-BG	405	VL64225-UB	329	WS16811L-WH	421
VL47237-CH	398	VL61236-BK	405	VL64225-VB	329	WS16811R-BK	421
VL4725-CH	399	VL61236-BK	405	VL72213-BK	373	WS16811R-WH	421
VL47321-BG	395	VL61236-CH	405	VL72221-BK-UNV	373	WS16907-BK	419
VL47321-CH	395	VL61236-CH	405	VL72237-BK-UNV	373	WS16907-WH	419
VL4737-CH	399	VL61620-BK	392	VL7524-CH	397	WS16912-BK	419
VL52512-BG/CL	345	VL61620-CH	392	VL77923-BG/OP	58	WS16912-WH	419
VL52512-BK/CL	345	VL61626-BK	392	VL77923-BK/OP	58	WS17014-BG	349
VL52520-BG/CL	345	VL61626-CH	392	VL77923-CH/OP	58	WS17014-BK	349
VL52520-BK/CL	345	VL61638-BK	392	VL90133-BK	352	WS17014-BN	349
VL52718-BK	367	VL61638-CH	392	VM13837-WH-5CCT	103	WS17014-CH	349
VL52718-BN	367	VL61650-BK	392	VM31124-5CCT	106	WS18224-BG	382
VL52718-WT	367	VL61650-CH	392	VM31148-5CCT	106	WS18224-BK-UNV	382
VL52727-BK	367	VL6220-CH	407	VM31160-5CCT	106	WS18224-BN	382
VL52727-BN	367	VL62220-BK	406	VM41032-5CCT	105	WS18224-WH	382
VL52727-WT	367	VL62220-CH	406	VM41040-5CCT	105	WS18236-BG	382
VL52738-BK	367	VL62224-BK	406	WS10324-BG	384	WS18236-BK	382
VL52738-BN	367	VL62224-CH	406	WS10324-BK	384	WS18236-BN-UNV	382
VL52738-WT	367	VL62236-BK	406	WS10324-BN	384	WS18236-WH	382
VL53511-BG/CL	350	VL62236-CH	406	WS10324-WH	384	WS18248-BG	382
VL53511-BK/CL	350	VL6224-CH	407	WS10336-BG	384	WS18248-BK	382
VL53519-BG/CL	350	VL6236-CH	407	WS10336-BK	384	WS18248-BN	382
VL53519-BK/CL	350	VL63316-BK	375	WS10336-BN	384	WS18248-WH	382
VL55529-BG/OP	337	VL63316-BN	375	WS10336-WH	384	WS18901-BK	420
VL55529-BK/OP	337	VL63316-CH	375	WS10415-BK	422	WS18901-WH	420
VL57532-BG/CP	341	VL63325-BK	375	WS10415-WH	422	WS19705-BK	414
VL57532-BK/SM	341	VL63325-BN	375	WS10423-BK	422	WS19705-BK	414
VL57532-CH/OP	341	VL63325-CH	375	WS10423-WH	422	WS19707-BK	414
VL57718-BG/GO	113	VL63336-BK	375	WS10437-BK	422	WS19707-BK	414
VL57718-BK/GO	113	VL63336-BN	375	WS10437-WH	422	WS19914-BK	377
VL57718-CH/GO	113	VL63336-CH	375	WS13748-BG	363	WS19914-BN	377
VL57732-BG/GO	330	VL63416-BK	359	WS13748-BK	363	WS21305-BK	98
VL57732-BK	330	VL63416-BN	359	WS13748-BN	363	WS21305-WH	98
VL57732-BK/GO	330	VL63416-CH	359	WS13748-WH	363	WS22915-BK/WH	360, 436
VL57732-CH/GO	330	VL63425-BK	359	WS13760-BG-UNV	363	WS22915-GY	360, 436
VL60220-BK	404	VL63425-BN	359	WS13760-BK	363	WS24324-BK	408
VL60220-CH	404	VL63425-CH	359	WS13760-BN	363	WS24324-BN	408
VL60224-BK	404	VL63436-BK	359	WS13760-WH	363	WS24324-WH	408
VL60224-CH	404	VL63436-BN	359	WS14923-BK	387	WS24332-BK	408
VL60236-BK	404	VL63436-CH	359	WS14923-WH-UNV	387	WS24332-BN	408
VL60236-CH	404	VL63624-BK	362	WS14935-BK-UNV	387	WS24332-WH	408
VL60624-BK-UNV	391	VL63624-BN	362	WS14935-WH	387	WS24348-BK	408
VL60624-CH	391	VL63624-CH	362	WS14947-BK	387	WS24348-BN	408
VL60637-BK	391	VL63636-BK	362	WS14947-WH-UNV	387	WS24348-WH	408
VL60637-CH	391	VL63636-BN	362	WS15504-BG-UNV	94	WS25118-BG	371
VL61220-BG	405	VL63636-CH	362	WS15504-BK-UNV	94	WS25118-BK	371
VL61220-BK	405	VL63724-BK	374	WS15504-CH-UNV	94	WS25118-BN	371
VL61220-BK	405	VL63724-BN-UNV	374	WS16705-BK	402	WS25118-WH	371
VL61220-CH	405	VL63724-CH-UNV	374	WS16705-CH	402	WS25125-BG-UNV	371
VL61220-CH	405	VL63736-BK	374	WS16806-BK	421	WS25125-BK-UNV	371
VL61224-BK	405	VL63736-BN	374	WS16806-WH	421	WS25125-BN-UNV	371
VL61224-CH	405	VL63736-CH	374	WS16811L-BK	421	WS25125-WH-UNV	371

INDEX

WS25336-BG	370	WS59810-BG/OP	84	WS84218-CH	354
WS25336-BK	370	WS59810-BK/OP	84	WS8424-BK	401
WS25336-BN	370	WS59810-CH/OP	84	WS8424-BN	401
WS25336-WH	370	WS62524-BG/LG	353	WS8424-CH	401
WS25350-BG	370	WS62524-BK/LG	353	WS8432-BK	401
WS25350-BK	370	WS62629-BG/LG	353	WS8432-BN	401
WS25350-BN	370	WS62629-BK/LG	353	WS8432-CH	401
WS25350-WH	370	WS63209-BG	417	WS89714-GBK	45
WS27713-BK-3WCCT-UNV	328	WS63209-BK	417	WS89714-MRB	45
WS27713-WH-3WCCT-UNV	328	WS63209-CH	417	WS89714-PN	45
WS2812-BK	415	WS63424-BK	358	WS90101-BK	352
WS2812-BN	415	WS63424-BN	358	WS90102-BK	352
WS2812-CH	415	WS64215-UB	329	WS90416-UB	333
WS31205-BK/WH	338	WS64215-VB	329	WS90416-VB	333
WS3309	417	WS70124-BK	346	WS90424-UB	333
WS3313	417	WS70130-BK	346	WS90424-VB	333
WS33407-BG	412	WS70136-BK-UNV	346	WS90432-UB	333
WS33407-BK	412	WS70410-BK	361	WS90432-VB	333
WS33407-BN	412	WS70410-WH	361	WS92617-BK	357
WS33407-WH	412	WS74114-BG	368	WS93724-AN	381
WS3413-BG	409	WS74114-BK	368	WS93724-AS	381
WS3413-BK	409	WS74114-CH	368	WS93724-BK	381
WS3413-CH	409	WS74122-BG	368	WS93730-AN	381
WS3909-BN	409	WS74122-BK	368	WS93730-AS	381
WS3909-CH	409	WS74122-CH	368	WS93730-BK	381
WS39210-BG	413	WS74226-BG	368	WS93736-AN	381
WS39210-BK	413	WS74226-BK	368	WS93736-AS	381
WS39210-CH	413	WS74226-CH	368	WS93736-BK	381
WS46604-GBK	361	WS77909-BG/OP	61	WS97204-BK/CL	64
WS46604-GWH	361	WS77909-BK/OP	61	WS97204-BK/FR	64
WS47305-BG	395	WS77909-CH/OP	61	WS97204-CH/CL	64
WS47305-CH	395	WS8318-BK	400	WS97204-CH/FR	64
WS52505-BG/CL	345	WS8318-BN	400	WS97204-MRB/CL	64
WS52505-BK/CL	345	WS8318-CH	400	WS97204-MRB/FR	64
WS52511-BG/CL	345	WS83218-BG	354	WS9809-BG	411
WS52511-BK/CL	345	WS83218-BK	354	WS9809-BN	411
WS53318-CH	414	WS83218-CH	354	WS9809-CH	411
WS53322-CH	414	WS8324-BK	400	WS9815-BG	411
WS53505-BG/CL	350	WS8324-BN	400	WS9815-BN	411
WS53505-BK/CL	350	WS8324-CH	400	WS9815-CH	411
WS54615-BK	415	WS8332-BK	400	X-LK-929 BG FAN	116-117
WS54615-BN	415	WS8332-BN	400	X-LK-929 MB FAN	529
WS54615-BZ	415	WS8332-CH	400	X-LK-929 WH FAN	529
WS54615-CH	415	WS83421-BK	380		
WS57704-BG/GO	331	WS83421-GD	380		
WS57704-BK	331	WS83427-BK	380		
WS57704-BK/GO	331	WS83427-GD	380		
WS57704-CH/GO	331	WS8418-BK	401		
WS57712-BG/GO	331	WS8418-BN	401		
WS57712-BK	331	WS8418-CH	401		
WS57712-BK/GO	331	WS84218-BG	354		
WS57712-CH/GO	331	WS84218-BK	354		

KUZCO

USA

3035 E. Lone Mountain Road
Las Vegas, NV, USA, 89081

CANADA

19054 28th Avenue
Surrey, BC, Canada, V3Z 6M3

Toll Free: 1.855.85K.UZCO(5.8926)
www.kuzcolighting.com

